

logic

ergonomics, quick ship, lifetime warranty and unbeatable value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



MID-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																								
1760	S2	MID-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>450</td><td>500</td><td>535</td><td>585</td><td>645</td><td>710</td><td>780</td><td></td><td></td></tr><tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td><td></td><td></td></tr><tr><td>525</td><td>575</td><td>610</td><td>660</td><td>720</td><td>785</td><td>855</td><td></td><td></td></tr><tr><td>545</td><td>595</td><td>630</td><td>680</td><td>740</td><td>805</td><td>875</td><td></td><td></td></tr><tr><td>580</td><td>630</td><td>665</td><td>715</td><td>775</td><td>840</td><td>910</td><td></td><td></td></tr><tr><td>600</td><td>650</td><td>685</td><td>735</td><td>795</td><td>860</td><td>930</td><td></td><td></td></tr><tr><td>550</td><td>600</td><td>635</td><td>685</td><td>745</td><td>810</td><td>880</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			450	500	535	585	645	710	780			620	670	705	755	815	880	950			525	575	610	660	720	785	855			545	595	630	680	740	805	875			580	630	665	715	775	840	910			600	650	685	735	795	860	930			550	600	635	685	745	810	880		
A/COM	B	C	D	E	F	G																																																																						
450	500	535	585	645	710	780																																																																						
620	670	705	755	815	880	950																																																																						
525	575	610	660	720	785	855																																																																						
545	595	630	680	740	805	875																																																																						
580	630	665	715	775	840	910																																																																						
600	650	685	735	795	860	930																																																																						
550	600	635	685	745	810	880																																																																						
1760	P1	MID-BACK POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>490</td><td>540</td><td>575</td><td>625</td><td>685</td><td>750</td><td>820</td><td></td><td></td></tr><tr><td>660</td><td>710</td><td>745</td><td>795</td><td>855</td><td>920</td><td>990</td><td></td><td></td></tr><tr><td>565</td><td>615</td><td>650</td><td>700</td><td>760</td><td>825</td><td>895</td><td></td><td></td></tr><tr><td>585</td><td>635</td><td>670</td><td>720</td><td>780</td><td>845</td><td>915</td><td></td><td></td></tr><tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td><td></td><td></td></tr><tr><td>640</td><td>690</td><td>725</td><td>775</td><td>835</td><td>900</td><td>970</td><td></td><td></td></tr><tr><td>590</td><td>640</td><td>675</td><td>725</td><td>785</td><td>850</td><td>920</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			490	540	575	625	685	750	820			660	710	745	795	855	920	990			565	615	650	700	760	825	895			585	635	670	720	780	845	915			620	670	705	755	815	880	950			640	690	725	775	835	900	970			590	640	675	725	785	850	920		
A/COM	B	C	D	E	F	G																																																																						
490	540	575	625	685	750	820																																																																						
660	710	745	795	855	920	990																																																																						
565	615	650	700	760	825	895																																																																						
585	635	670	720	780	845	915																																																																						
620	670	705	755	815	880	950																																																																						
640	690	725	775	835	900	970																																																																						
590	640	675	725	785	850	920																																																																						
1760	R1	MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>500</td><td>550</td><td>585</td><td>635</td><td>695</td><td>760</td><td>830</td><td></td><td></td></tr><tr><td>670</td><td>720</td><td>755</td><td>805</td><td>865</td><td>930</td><td>1000</td><td></td><td></td></tr><tr><td>575</td><td>625</td><td>660</td><td>710</td><td>770</td><td>835</td><td>905</td><td></td><td></td></tr><tr><td>595</td><td>645</td><td>680</td><td>730</td><td>790</td><td>855</td><td>925</td><td></td><td></td></tr><tr><td>630</td><td>680</td><td>715</td><td>765</td><td>825</td><td>890</td><td>960</td><td></td><td></td></tr><tr><td>650</td><td>700</td><td>735</td><td>785</td><td>845</td><td>910</td><td>980</td><td></td><td></td></tr><tr><td>600</td><td>650</td><td>685</td><td>735</td><td>795</td><td>860</td><td>930</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			500	550	585	635	695	760	830			670	720	755	805	865	930	1000			575	625	660	710	770	835	905			595	645	680	730	790	855	925			630	680	715	765	825	890	960			650	700	735	785	845	910	980			600	650	685	735	795	860	930		
A/COM	B	C	D	E	F	G																																																																						
500	550	585	635	695	760	830																																																																						
670	720	755	805	865	930	1000																																																																						
575	625	660	710	770	835	905																																																																						
595	645	680	730	790	855	925																																																																						
630	680	715	765	825	890	960																																																																						
650	700	735	785	845	910	980																																																																						
600	650	685	735	795	860	930																																																																						
1760	M1	MID-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>550</td><td>600</td><td>635</td><td>685</td><td>745</td><td>810</td><td>880</td><td></td><td></td></tr><tr><td>720</td><td>770</td><td>805</td><td>855</td><td>915</td><td>980</td><td>1050</td><td></td><td></td></tr><tr><td>625</td><td>675</td><td>710</td><td>760</td><td>820</td><td>885</td><td>955</td><td></td><td></td></tr><tr><td>645</td><td>695</td><td>730</td><td>780</td><td>840</td><td>905</td><td>975</td><td></td><td></td></tr><tr><td>680</td><td>730</td><td>765</td><td>815</td><td>875</td><td>940</td><td>1010</td><td></td><td></td></tr><tr><td>700</td><td>750</td><td>785</td><td>835</td><td>895</td><td>960</td><td>1030</td><td></td><td></td></tr><tr><td>650</td><td>700</td><td>735</td><td>785</td><td>845</td><td>910</td><td>980</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			550	600	635	685	745	810	880			720	770	805	855	915	980	1050			625	675	710	760	820	885	955			645	695	730	780	840	905	975			680	730	765	815	875	940	1010			700	750	785	835	895	960	1030			650	700	735	785	845	910	980		
A/COM	B	C	D	E	F	G																																																																						
550	600	635	685	745	810	880																																																																						
720	770	805	855	915	980	1050																																																																						
625	675	710	760	820	885	955																																																																						
645	695	730	780	840	905	975																																																																						
680	730	765	815	875	940	1010																																																																						
700	750	785	835	895	960	1030																																																																						
650	700	735	785	845	910	980																																																																						

CREATING LOGIC MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING		OPTIONS	
1	7	6	0			A				C	1				

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

FEATURES

- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Upright Position Tilt Lock
- Adjustable Back Depth

DIMENSIONS

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 39.0-43.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 20.5
COM: 1.6 YDS
WEIGHT: 28.5 LB

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 39.0-46.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 20.5-23.5
COM: 1.6 YDS
WEIGHT: 30.5 LB


- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Floating Seat Position Tilt Lock
- Infinite Back Angle Adj w/ Free Float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 39.0-46.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 16.5-21.0
BACK WIDTH: 20.0
BACK HEIGHT: 20.5-23.5
COM: 1.6 YDS
WEIGHT: 34.0 LB


- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Floating Seat Position Tilt Lock
- Infinite Back Angle Adj w/ Free Float
- Seat Pivots from 0° to 6° Forward
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 39.0-46.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 20.5-23.5
COM: 1.6 YDS
WEIGHT: 37.5 LB


ARM OPTIONS


A1
\$70

Black soft touch loop arm


A4
\$75


2-way adjustable arm for height


A5
\$95


4-way adjustable arm for height and width


A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$150

8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100

Black Soft Touch Cantilever style C-Shaped Arm


CASTER OPTIONS


C1
STD

50mm Hooded Casters



C1S
\$30

50mm Hooded Hard Floor Casters


C2S
\$35


50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



BT
\$15

Replace Knob with Bolt (for S2 Controls ONLY)



MF1
\$50
EF1
\$30

 EF1 - 1" extra foam on seat
 MF1 - 1" Visco elastic memory foam on seat

EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat


SS
\$60

Seat Slider 2.5" Side Paddle Activated


BN1
\$35
BN2
\$N/C

 Upholstered Outer Back in Black Ballistic Nylon
 BN1 - with Grade A ONLY
 BN2 - with Grade B and Up

HD
\$125

Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters

logic

ergonomics, quick ship, lifetime warranty and unbeatable value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



MID-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																						
1760	Y2-SS	MID-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating. ARMLESS <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>590</td><td>640</td><td>675</td><td>725</td><td>785</td><td>850</td><td>920</td><td></td><td></td></tr><tr><td>760</td><td>810</td><td>845</td><td>895</td><td>955</td><td>1020</td><td>1090</td><td></td><td></td></tr><tr><td>665</td><td>715</td><td>750</td><td>800</td><td>860</td><td>925</td><td>995</td><td></td><td></td></tr><tr><td>685</td><td>735</td><td>770</td><td>820</td><td>880</td><td>945</td><td>1015</td><td></td><td></td></tr><tr><td>720</td><td>770</td><td>805</td><td>855</td><td>915</td><td>980</td><td>1050</td><td></td><td></td></tr><tr><td>740</td><td>790</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>1070</td><td></td><td></td></tr><tr><td>690</td><td>740</td><td>775</td><td>825</td><td>885</td><td>950</td><td>1020</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			590	640	675	725	785	850	920			760	810	845	895	955	1020	1090			665	715	750	800	860	925	995			685	735	770	820	880	945	1015			720	770	805	855	915	980	1050			740	790	825	875	935	1000	1070			690	740	775	825	885	950	1020		
A/COM	B	C	D	E	F	G																																																																				
590	640	675	725	785	850	920																																																																				
760	810	845	895	955	1020	1090																																																																				
665	715	750	800	860	925	995																																																																				
685	735	770	820	880	945	1015																																																																				
720	770	805	855	915	980	1050																																																																				
740	790	825	875	935	1000	1070																																																																				
690	740	775	825	885	950	1020																																																																				

SS SEAT SLIDER STANDARD WITH THIS CONFIGURATION

CREATING LOGIC MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING			OPTIONS		
1	7	6	0			A				C	1						

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40


FEATURES

- Pneumatic Seat Height Adjustment
- Side Tilt Tension Control
- Back and Seat Tilt in 2:1 ratio
- 4 Locking Positions
- Safety Tilt Release
- Ratchet Back Height Lumbar Adjustment
- SS Seat Slider standard

DIMENSIONS

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 37.5-45.0
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5-21.5
SEAT HEIGHT: 18.5-23.0
BACK WIDTH: 20.0
BACK HEIGHT: 19.0-22.0
COM: 1.6 YDS
WEIGHT: 41.0 LB


ARM OPTIONS


A1
\$70

Black soft touch loop arm


A4
\$75


2-way adjustable arm for height


A5
\$95


4-way adjustable arm for height and width


A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$150

8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100

Black Soft Touch Cantilever style C-Shaped Arm


CASTER OPTIONS


C1
STD

50mm Hooded Casters


C1S
\$30

50mm Hooded Hard Floor Casters



C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters



ADDITIONAL OPTIONS


HD
\$125


Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters


MF1
\$50
EF1
\$30
EF1 - 1" extra foam on seat
MF1 - 1" Visco elastic memory foam on seat
EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat


BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up
BNBP1
\$90

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface


BNBP2
\$180

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

logic

ergonomics, quick ship, lifetime warranty and unbeatable value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



STOOL

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																								
1766	P1	10" STOOL POSTURE BACK CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>610</td><td>660</td><td>695</td><td>745</td><td>805</td><td>870</td><td>940</td><td></td><td></td></tr><tr><td>780</td><td>830</td><td>865</td><td>915</td><td>975</td><td>1040</td><td>1110</td><td></td><td></td></tr><tr><td>685</td><td>735</td><td>770</td><td>820</td><td>880</td><td>945</td><td>1015</td><td></td><td></td></tr><tr><td>705</td><td>755</td><td>790</td><td>840</td><td>900</td><td>965</td><td>1035</td><td></td><td></td></tr><tr><td>740</td><td>790</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>1070</td><td></td><td></td></tr><tr><td>760</td><td>810</td><td>845</td><td>895</td><td>955</td><td>1020</td><td>1090</td><td></td><td></td></tr><tr><td>710</td><td>760</td><td>795</td><td>845</td><td>905</td><td>970</td><td>1040</td><td></td><td></td></tr></table> SS SEAT SLIDER - NOT AVAILABLE	A/COM	B	C	D	E	F	G			610	660	695	745	805	870	940			780	830	865	915	975	1040	1110			685	735	770	820	880	945	1015			705	755	790	840	900	965	1035			740	790	825	875	935	1000	1070			760	810	845	895	955	1020	1090			710	760	795	845	905	970	1040		
A/COM	B	C	D	E	F	G																																																																						
610	660	695	745	805	870	940																																																																						
780	830	865	915	975	1040	1110																																																																						
685	735	770	820	880	945	1015																																																																						
705	755	790	840	900	965	1035																																																																						
740	790	825	875	935	1000	1070																																																																						
760	810	845	895	955	1020	1090																																																																						
710	760	795	845	905	970	1040																																																																						

SS SEAT SLIDER - NOT AVAILABLE

1768

P1

8" STOOL

POSTURE BACK CONTROL

Use for work surfaces up to 36 inches high.

ARMLESS	A/COM	B	C	D	E	F	G		
A1	610	660	695	745	805	870	940		
A4	780	830	865	915	975	1040	1110		
A5	685	735	770	820	880	945	1015		
A6	705	755	790	840	900	965	1035		
A7	740	790	825	875	935	1000	1070		
A16	760	810	845	895	955	1020	1090		
	710	760	795	845	905	970	1040		

SS SEAT SLIDER - NOT AVAILABLE

SS SEAT SLIDER - NOT AVAILABLE

CREATING LOGIC MODEL NUMBER

MODEL NUMBER			CONTROL		ARMS		GRADE		CASTERS		PACKAGING			OPTIONS	
1	7	6			A				C	1					

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

FEATURES

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment
- Height Adjustable Foot Ring


DIMENSIONS

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 46.5-59.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 24.5-34.5
BACK WIDTH: 20.0
BACK HEIGHT: 20.5-23.5
COM: 1.6 YDS
WEIGHT: 43.5 LB

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment
- Height Adjustable Foot Ring


WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 43.5-54.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 21.5-29.5
BACK WIDTH: 20.0
BACK HEIGHT: 20.5-23.5
COM: 1.6 YDS
WEIGHT: 42.5 LB

ARM OPTIONS




A1
\$70

Black soft touch loop arm



A4
\$75

2-way adjustable arm for height




A5
\$95

4-way adjustable arm for height and width




A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$150


8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100


Black Soft Touch Cantilever style C-Shaped Arm

CASTER OPTIONS




C1
STD

50mm Hooded Casters



C1S
\$30

50mm Hooded Hard Floor Casters



C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS




HD
\$125

Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters




MF1
\$50
EF1
\$30

EF1 - 1" extra foam on seat
MF1 - 1" Visco elastic memory foam on seat




EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat




BN1
\$35
BN2
\$N/C

Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up



BNBP1
\$90

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



BNBP2
\$180

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

logic

ergonomics, quick ship, lifetime warranty and unbeatable value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



HIGH-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																								
1780	S2	HIGH-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating. <td>ARMLESS A1 A4 A5 A6 A7 A16</td> <td><table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>500</td><td>560</td><td>600</td><td>660</td><td>730</td><td>805</td><td>890</td><td></td><td></td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td><td></td><td></td></tr><tr><td>575</td><td>635</td><td>675</td><td>735</td><td>805</td><td>880</td><td>965</td><td></td><td></td></tr><tr><td>595</td><td>655</td><td>695</td><td>755</td><td>825</td><td>900</td><td>985</td><td></td><td></td></tr><tr><td>630</td><td>690</td><td>730</td><td>790</td><td>860</td><td>935</td><td>1020</td><td></td><td></td></tr><tr><td>650</td><td>710</td><td>750</td><td>810</td><td>880</td><td>955</td><td>1040</td><td></td><td></td></tr><tr><td>600</td><td>660</td><td>700</td><td>760</td><td>830</td><td>905</td><td>990</td><td></td><td></td></tr></table></td>	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>500</td><td>560</td><td>600</td><td>660</td><td>730</td><td>805</td><td>890</td><td></td><td></td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td><td></td><td></td></tr><tr><td>575</td><td>635</td><td>675</td><td>735</td><td>805</td><td>880</td><td>965</td><td></td><td></td></tr><tr><td>595</td><td>655</td><td>695</td><td>755</td><td>825</td><td>900</td><td>985</td><td></td><td></td></tr><tr><td>630</td><td>690</td><td>730</td><td>790</td><td>860</td><td>935</td><td>1020</td><td></td><td></td></tr><tr><td>650</td><td>710</td><td>750</td><td>810</td><td>880</td><td>955</td><td>1040</td><td></td><td></td></tr><tr><td>600</td><td>660</td><td>700</td><td>760</td><td>830</td><td>905</td><td>990</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			500	560	600	660	730	805	890			670	730	770	830	900	975	1060			575	635	675	735	805	880	965			595	655	695	755	825	900	985			630	690	730	790	860	935	1020			650	710	750	810	880	955	1040			600	660	700	760	830	905	990		
A/COM	B	C	D	E	F	G																																																																						
500	560	600	660	730	805	890																																																																						
670	730	770	830	900	975	1060																																																																						
575	635	675	735	805	880	965																																																																						
595	655	695	755	825	900	985																																																																						
630	690	730	790	860	935	1020																																																																						
650	710	750	810	880	955	1040																																																																						
600	660	700	760	830	905	990																																																																						
1780	P1	HIGH-BACK POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. <td>ARMLESS A1 A4 A5 A6 A7 A16</td> <td><table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>540</td><td>600</td><td>640</td><td>700</td><td>770</td><td>845</td><td>930</td><td></td><td></td></tr><tr><td>710</td><td>770</td><td>810</td><td>870</td><td>940</td><td>1015</td><td>1100</td><td></td><td></td></tr><tr><td>615</td><td>675</td><td>715</td><td>775</td><td>845</td><td>920</td><td>1005</td><td></td><td></td></tr><tr><td>635</td><td>695</td><td>735</td><td>795</td><td>865</td><td>940</td><td>1025</td><td></td><td></td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td><td></td><td></td></tr><tr><td>690</td><td>750</td><td>790</td><td>850</td><td>920</td><td>995</td><td>1080</td><td></td><td></td></tr><tr><td>640</td><td>700</td><td>740</td><td>800</td><td>870</td><td>945</td><td>1030</td><td></td><td></td></tr></table></td>	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>540</td><td>600</td><td>640</td><td>700</td><td>770</td><td>845</td><td>930</td><td></td><td></td></tr><tr><td>710</td><td>770</td><td>810</td><td>870</td><td>940</td><td>1015</td><td>1100</td><td></td><td></td></tr><tr><td>615</td><td>675</td><td>715</td><td>775</td><td>845</td><td>920</td><td>1005</td><td></td><td></td></tr><tr><td>635</td><td>695</td><td>735</td><td>795</td><td>865</td><td>940</td><td>1025</td><td></td><td></td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td><td></td><td></td></tr><tr><td>690</td><td>750</td><td>790</td><td>850</td><td>920</td><td>995</td><td>1080</td><td></td><td></td></tr><tr><td>640</td><td>700</td><td>740</td><td>800</td><td>870</td><td>945</td><td>1030</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			540	600	640	700	770	845	930			710	770	810	870	940	1015	1100			615	675	715	775	845	920	1005			635	695	735	795	865	940	1025			670	730	770	830	900	975	1060			690	750	790	850	920	995	1080			640	700	740	800	870	945	1030		
A/COM	B	C	D	E	F	G																																																																						
540	600	640	700	770	845	930																																																																						
710	770	810	870	940	1015	1100																																																																						
615	675	715	775	845	920	1005																																																																						
635	695	735	795	865	940	1025																																																																						
670	730	770	830	900	975	1060																																																																						
690	750	790	850	920	995	1080																																																																						
640	700	740	800	870	945	1030																																																																						
1780	R1	HIGH-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment. <td>ARMLESS A1 A4 A5 A6 A7 A16</td> <td><table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>550</td><td>610</td><td>650</td><td>710</td><td>780</td><td>855</td><td>940</td><td></td><td></td></tr><tr><td>720</td><td>780</td><td>820</td><td>880</td><td>950</td><td>1025</td><td>1110</td><td></td><td></td></tr><tr><td>625</td><td>685</td><td>725</td><td>785</td><td>855</td><td>930</td><td>1015</td><td></td><td></td></tr><tr><td>645</td><td>705</td><td>745</td><td>805</td><td>875</td><td>950</td><td>1035</td><td></td><td></td></tr><tr><td>680</td><td>740</td><td>780</td><td>840</td><td>910</td><td>985</td><td>1070</td><td></td><td></td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td><td></td><td></td></tr><tr><td>650</td><td>710</td><td>750</td><td>810</td><td>880</td><td>955</td><td>1040</td><td></td><td></td></tr></table></td>	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>550</td><td>610</td><td>650</td><td>710</td><td>780</td><td>855</td><td>940</td><td></td><td></td></tr><tr><td>720</td><td>780</td><td>820</td><td>880</td><td>950</td><td>1025</td><td>1110</td><td></td><td></td></tr><tr><td>625</td><td>685</td><td>725</td><td>785</td><td>855</td><td>930</td><td>1015</td><td></td><td></td></tr><tr><td>645</td><td>705</td><td>745</td><td>805</td><td>875</td><td>950</td><td>1035</td><td></td><td></td></tr><tr><td>680</td><td>740</td><td>780</td><td>840</td><td>910</td><td>985</td><td>1070</td><td></td><td></td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td><td></td><td></td></tr><tr><td>650</td><td>710</td><td>750</td><td>810</td><td>880</td><td>955</td><td>1040</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			550	610	650	710	780	855	940			720	780	820	880	950	1025	1110			625	685	725	785	855	930	1015			645	705	745	805	875	950	1035			680	740	780	840	910	985	1070			700	760	800	860	930	1005	1090			650	710	750	810	880	955	1040		
A/COM	B	C	D	E	F	G																																																																						
550	610	650	710	780	855	940																																																																						
720	780	820	880	950	1025	1110																																																																						
625	685	725	785	855	930	1015																																																																						
645	705	745	805	875	950	1035																																																																						
680	740	780	840	910	985	1070																																																																						
700	760	800	860	930	1005	1090																																																																						
650	710	750	810	880	955	1040																																																																						
1780	M1	HIGH-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. <td>ARMLESS A1 A4 A5 A6 A7 A16</td> <td><table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>600</td><td>660</td><td>700</td><td>760</td><td>830</td><td>905</td><td>990</td><td></td><td></td></tr><tr><td>770</td><td>830</td><td>870</td><td>930</td><td>1000</td><td>1075</td><td>1160</td><td></td><td></td></tr><tr><td>675</td><td>735</td><td>775</td><td>835</td><td>905</td><td>980</td><td>1065</td><td></td><td></td></tr><tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td><td></td><td></td></tr><tr><td>730</td><td>790</td><td>830</td><td>890</td><td>960</td><td>1035</td><td>1120</td><td></td><td></td></tr><tr><td>750</td><td>810</td><td>850</td><td>910</td><td>980</td><td>1055</td><td>1140</td><td></td><td></td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td><td></td><td></td></tr></table></td>	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>600</td><td>660</td><td>700</td><td>760</td><td>830</td><td>905</td><td>990</td><td></td><td></td></tr><tr><td>770</td><td>830</td><td>870</td><td>930</td><td>1000</td><td>1075</td><td>1160</td><td></td><td></td></tr><tr><td>675</td><td>735</td><td>775</td><td>835</td><td>905</td><td>980</td><td>1065</td><td></td><td></td></tr><tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td><td></td><td></td></tr><tr><td>730</td><td>790</td><td>830</td><td>890</td><td>960</td><td>1035</td><td>1120</td><td></td><td></td></tr><tr><td>750</td><td>810</td><td>850</td><td>910</td><td>980</td><td>1055</td><td>1140</td><td></td><td></td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			600	660	700	760	830	905	990			770	830	870	930	1000	1075	1160			675	735	775	835	905	980	1065			695	755	795	855	925	1000	1085			730	790	830	890	960	1035	1120			750	810	850	910	980	1055	1140			700	760	800	860	930	1005	1090		
A/COM	B	C	D	E	F	G																																																																						
600	660	700	760	830	905	990																																																																						
770	830	870	930	1000	1075	1160																																																																						
675	735	775	835	905	980	1065																																																																						
695	755	795	855	925	1000	1085																																																																						
730	790	830	890	960	1035	1120																																																																						
750	810	850	910	980	1055	1140																																																																						
700	760	800	860	930	1005	1090																																																																						

CREATING LOGIC MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING		OPTIONS	
1	7	8	0	-		-	A			-	C	1			

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

FEATURES

- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Upright Position Tilt Lock
- Adjustable Back Depth

DIMENSIONS

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 42.0
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 24.0
COM: 1.9 YDS
WEIGHT: 36.0 LB

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 42.0-49.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 24.0-27.0
COM: 1.9 YDS
WEIGHT: 38.0 LB


- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Floating Seat Position Tilt Lock
- Infinite Back Angle Adj w/ Free Float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 42.0-49.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 24.0-27.0
COM: 1.9 YDS
WEIGHT: 41.0 LB

- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Floating Seat Position Tilt Lock
- Infinite Back Angle Adj w/ Free Float
- Seat Pivots from 0° to 6° Forward
- Ratchet Back Height Lumbar Adjustment


WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 42.0-49.5
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 24.0-27.0
COM: 1.9 YDS
WEIGHT: 45.0 LB

ARM OPTIONS




A1
\$70

Black soft touch loop arm



A4
\$75

2-way adjustable arm for height




A5
\$95

4-way adjustable arm for height and width




A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$150


8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100


Black Soft Touch Cantilever style C-Shaped Arm

CASTER OPTIONS




C1
STD

50mm Hooded Casters



C1S
\$30


50mm Hooded Hard Floor Casters



C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS




BT
\$15

Replace Knob with Bolt (for S2 Controls ONLY)




MF1
\$50
EF1
\$30

EF1 - 1" extra foam on seat
MF1 - 1" Visco elastic memory foam on seat



EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat



SS
\$60

Seat Slider 2.5" Side Paddle Activated



BN1
\$35
BN2
\$N/C

Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up



HD
\$125

Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters

ergonomics, quick ship, lifetime warranty and unbeatable value

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



HIGH-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																								
1780	Y2-SS	HIGH-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>640</td><td>700</td><td>740</td><td>800</td><td>870</td><td>945</td><td>1030</td><td></td><td></td></tr><tr><td>810</td><td>870</td><td>910</td><td>970</td><td>1040</td><td>1115</td><td>1200</td><td></td><td></td></tr><tr><td>715</td><td>775</td><td>815</td><td>875</td><td>945</td><td>1020</td><td>1105</td><td></td><td></td></tr><tr><td>735</td><td>795</td><td>835</td><td>895</td><td>965</td><td>1040</td><td>1125</td><td></td><td></td></tr><tr><td>770</td><td>830</td><td>870</td><td>930</td><td>1000</td><td>1075</td><td>1160</td><td></td><td></td></tr><tr><td>790</td><td>850</td><td>890</td><td>950</td><td>1020</td><td>1095</td><td>1180</td><td></td><td></td></tr><tr><td>740</td><td>800</td><td>840</td><td>900</td><td>970</td><td>1045</td><td>1130</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			640	700	740	800	870	945	1030			810	870	910	970	1040	1115	1200			715	775	815	875	945	1020	1105			735	795	835	895	965	1040	1125			770	830	870	930	1000	1075	1160			790	850	890	950	1020	1095	1180			740	800	840	900	970	1045	1130		
A/COM	B	C	D	E	F	G																																																																						
640	700	740	800	870	945	1030																																																																						
810	870	910	970	1040	1115	1200																																																																						
715	775	815	875	945	1020	1105																																																																						
735	795	835	895	965	1040	1125																																																																						
770	830	870	930	1000	1075	1160																																																																						
790	850	890	950	1020	1095	1180																																																																						
740	800	840	900	970	1045	1130																																																																						

SS SEAT SLIDER STANDARD WITH THIS CONFIGURATION

CREATING LOGIC MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING			OPTIONS		
1	7	8	0	-		-	A			-	C	1			-		

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40


FEATURES

- Pneumatic Seat Height Adjustment
- Side Tilt Tension Control
- Back and Seat Tilt in 2:1 ratio
- 4 Locking Positions
- Safety Tilt Release
- Ratchet Back Height Lumbar Adjustment
- SS Seat Slider standard


DIMENSIONS

WIDTH: 26.5
DEPTH: 26.0
HEIGHT: 40.5-48.0
SEAT WIDTH: 22.0
SEAT DEPTH: 18.5
SEAT HEIGHT: 17.0-21.5
BACK WIDTH: 20.0
BACK HEIGHT: 22.5-25.5
COM: 1.9 YDS
WEIGHT: 43.0 LB


ARM OPTIONS


A1
\$70

Black soft touch loop arm


A4
\$75


2-way adjustable arm for height


A5
\$95


4-way adjustable arm for height and width


A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$150

8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100

Black Soft Touch Cantilever style C-Shaped Arm


CASTER OPTIONS


C1
STD

50mm Hooded Casters


C1S
\$30

50mm Hooded Hard Floor Casters



C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters



ADDITIONAL OPTIONS


HD
\$125


Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters


MF1
\$50
EF1
\$30
EF1 - 1" extra foam on seat
MF1 - 1" Visco elastic memory foam on seat
EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat


BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up
BNBP1
\$90

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface


BNBP2
\$180

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

ergonomics, quick ship, 10 year warranty and unbeatable value

- Task seating
- Ratchet back height adjustment
- Warranted up to 500 lbs
- Seat Slider Standard
- Heavy Duty 5 Prong Base



NEW

HIGH-BACK

SEAT SLIDER STANDARD WITH THIS CONFIGURATION

CREATING LOGIC PLUS MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING			OPTIONS		
1	7	9	0	M	2	A											

* FOR ARMLESS CODE USE A00

FEATURES

- Heavy Duty Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Back and Seat Tilt as unit
- Floating seat position Tilt Lock
- Infinite Back Angle Adj w /Free Float
- Seat Pivots up to 6 degrees forward w/ Adjustable Front Tilt Stop
- Built-in Seat Slider
- Ratchet Back Height Lumbar Adj
- 26" Diameter 5 Prong Base

DIMENSIONS


WIDTH:	30.0-33.0
DEPTH:	28.0
HEIGHT:	43.5-52.0
SEAT WIDTH:	25.0
SEAT DEPTH:	17.0-20.0
SEAT HEIGHT:	17.0-22.0
BACK WIDTH:	23.5
BACK HEIGHT:	26.5-30.5
COM:	3.3 YDS
WEIGHT:	65.0 LB

ARM OPTIONS



A5 HD
\$160

4-way adjustable arm height, width



A90
\$200


2-way height adjustable breakaway arm rotates back to allow easier fit under lower working surfaces

CASTER OPTIONS




C4
STD

Standard 60mm Hoodless Casters



C1S
\$30


50mm Hooded Hard Floor Casters



C2S
\$35


50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS




BN1
\$35
BN2
\$N/C

Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up




BNP1
\$90

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



BNP2
\$180

Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat



EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat