

precept

breadth of configurations with an unparalleled value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved



LOW-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC
1725	B2			

CREATING PRECEPT MODEL NUMBER

MODEL NUMBER				CONTROL		ARMS		GRADE		CASTERS		PACKAGING		OPTIONS	
1	7	2	5	-		-	A		-		C	1			

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

FEATURES

- 360 degree swivel
- Pneumatic Seat Height Adjustment
- Adjustable back depth

DIMENSIONS

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 35.0-39.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5
COM: 1.4 YD
WEIGHT: 28.0 LB

- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Upright Position Tilt Lock
- Adjustable back depth

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 35.0-39.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5
COM: 1.4 YD
WEIGHT: 31.0 LB


- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 35.0-42.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5-21.5
COM: 1.4 YD
WEIGHT: 33.0 LB


- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Floating Seat Position Tilt Lock
- Infinite Back Angle Adj w/ Free Float
- Ratchet Back Height Lumbar Adjustment

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 35.0-42.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5-21.5
COM: 1.4 YD
WEIGHT: 35.0 LB


ARM OPTIONS


A1
\$70


Black soft touch loop arm


A4
\$75


2-way adjustable arm for height


A5
\$95

4-way adjustable arm for height and width


A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$85

8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100

Black Soft Touch Cantilever style C-Shaped Arm


CASTER OPTIONS


C1
STD

50mm Hooded Casters



C1S
\$30

50mm Hooded Hard Floor Casters


C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS


BT
\$15


Replace Knob with Bolt (for S2 Controls ONLY)


EF1
\$30


1" extra foam on seat



MF1
\$50

1" Visco elastic memory foam on seat


SS
\$60

Seat Slider 2.5" Side Paddle Activated


BN1
\$35
BN2
\$N/C

 Upholstered Outer Back in Black Ballistic Nylon
 BN1 - with Grade A ONLY
 BN2 - with Grade B and Up

EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat

precept

breadth of configurations with an unparalleled value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved



LOW-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC																																																																								
1725	M1	LOW-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>495</td><td>535</td><td>560</td><td>600</td><td>650</td><td>705</td><td>765</td><td></td><td></td></tr><tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td><td></td><td></td></tr><tr><td>570</td><td>610</td><td>635</td><td>675</td><td>725</td><td>780</td><td>840</td><td></td><td></td></tr><tr><td>590</td><td>630</td><td>655</td><td>695</td><td>745</td><td>800</td><td>860</td><td></td><td></td></tr><tr><td>625</td><td>665</td><td>690</td><td>730</td><td>780</td><td>835</td><td>895</td><td></td><td></td></tr><tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td><td></td><td></td></tr><tr><td>595</td><td>635</td><td>660</td><td>700</td><td>750</td><td>805</td><td>865</td><td></td><td></td></tr></table>	A/COM	B	C	D	E	F	G			495	535	560	600	650	705	765			665	705	730	770	820	875	935			570	610	635	675	725	780	840			590	630	655	695	745	800	860			625	665	690	730	780	835	895			645	685	710	750	800	855	915			595	635	660	700	750	805	865		
A/COM	B	C	D	E	F	G																																																																						
495	535	560	600	650	705	765																																																																						
665	705	730	770	820	875	935																																																																						
570	610	635	675	725	780	840																																																																						
590	630	655	695	745	800	860																																																																						
625	665	690	730	780	835	895																																																																						
645	685	710	750	800	855	915																																																																						
595	635	660	700	750	805	865																																																																						
1725	Y2-SS	LOW-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>535</td><td>575</td><td>600</td><td>640</td><td>690</td><td>745</td><td>805</td><td></td><td></td></tr><tr><td>705</td><td>745</td><td>770</td><td>810</td><td>860</td><td>915</td><td>975</td><td></td><td></td></tr><tr><td>610</td><td>650</td><td>675</td><td>715</td><td>765</td><td>820</td><td>880</td><td></td><td></td></tr><tr><td>630</td><td>670</td><td>695</td><td>735</td><td>785</td><td>840</td><td>900</td><td></td><td></td></tr><tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td><td></td><td></td></tr><tr><td>685</td><td>725</td><td>750</td><td>790</td><td>840</td><td>895</td><td>955</td><td></td><td></td></tr><tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td><td></td><td></td></tr></table> SS SEAT SLIDER STANDARD WITH THIS CONFIGURATION	A/COM	B	C	D	E	F	G			535	575	600	640	690	745	805			705	745	770	810	860	915	975			610	650	675	715	765	820	880			630	670	695	735	785	840	900			665	705	730	770	820	875	935			685	725	750	790	840	895	955			635	675	700	740	790	845	905		
A/COM	B	C	D	E	F	G																																																																						
535	575	600	640	690	745	805																																																																						
705	745	770	810	860	915	975																																																																						
610	650	675	715	765	820	880																																																																						
630	670	695	735	785	840	900																																																																						
665	705	730	770	820	875	935																																																																						
685	725	750	790	840	895	955																																																																						
635	675	700	740	790	845	905																																																																						
1725	GT	GUEST Well suited for guest seating.	ARMLESS A1	<table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>340</td><td>380</td><td>405</td><td>445</td><td>495</td><td>550</td><td>610</td><td></td><td></td></tr><tr><td>410</td><td>550</td><td>575</td><td>615</td><td>665</td><td>720</td><td>780</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> SHIPS PARTIALLY ASSEMBLED PAC OR AB / SWA - STANDARD WITH ARMS	A/COM	B	C	D	E	F	G			340	380	405	445	495	550	610			410	550	575	615	665	720	780																																															
A/COM	B	C	D	E	F	G																																																																						
340	380	405	445	495	550	610																																																																						
410	550	575	615	665	720	780																																																																						

* FOR ARMLESS CODE USE A00 * GT MODELS DO NOT HAVE A CASTER CODE

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

precept

breadth of configurations with an unparalleled value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved



STOOL

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC
1726	B2			

CREATING PRECEPT MODEL NUMBER

MODEL NUMBER		CONTROL		ARMS		GRADE		CASTERS		PACKAGING		OPTIONS	
1	7	2				A				C	1		

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

FEATURES

- 360 degree swivel
- Pneumatic Seat Height Adjustment
- Adjustable back depth
- Height Adjustable Foot Ring

DIMENSIONS

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 42.5-52.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 25.0-35.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5
COM: 1.4 YD
WEIGHT: 32.0 LB

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment
- Height Adjustable Foot Ring

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 42.5-55.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 25.0-35.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5-21.5
COM: 1.4 YD
WEIGHT: 36.0 LB


- 360 degree swivel
- Pneumatic Seat Height Adjustment
- Adjustable back depth
- Height Adjustable Foot Ring

WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 38.5-46.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 21.0-29.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5
COM: 1.4 YD
WEIGHT: 31.0 LB

- Pneumatic Seat Height Adjustment
- Infinite back angle adjust with free float
- Ratchet Back Height Lumbar Adjustment
- Height Adjustable Foot Ring


WIDTH: 26.5
DEPTH: 26.5
HEIGHT: 38.5-49.5
SEAT WIDTH: 22.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 21.0-29.0
BACK WIDTH: 19.5
BACK HEIGHT: 18.5-21.5
COM: 1.4 YD
WEIGHT: 35.0 LB

ARM OPTIONS




A1
\$70

Black soft touch loop arm



A4
\$75

2-way adjustable arm for height




A5
\$95

4-way adjustable arm for height and width



A6
\$130

6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



A7
\$85


8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads



A16
\$100


Black Soft Touch Cantilever style C-Shaped Arm

CASTER OPTIONS




C1
STD

50mm Hooded Casters



C1S
\$30


50mm Hooded Hard Floor Casters



C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



BT
\$15

Replace Knob with Bolt (for S2 Controls ONLY)




EF1
\$30

1" extra foam on seat




MF1
\$50

1" Visco elastic memory foam on seat



BN1
\$35
BN2
\$N/C

Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up



EP
\$60

Edge Protector - a clear vinyl tube placed around the edge of the back of the seat

