

e0+[®] is an innovative modular panel and desking system that works for you in a variety of ways. Create workstations, conference rooms and teaming areas with components that are easy to mix, match and reconfigure.

Panels can be freestanding or used with coordinating desking and storage components to provide varying degrees of privacy. Styles include full privacy, partial whiteboard, partially glazed and fully glazed.

Worksurfaces provide ergonomic access to computers and provide generous space for a multitude of daily tasks. Off desk accessories can be quickly and easily repositioned along the optional panel mounted rail. Electrical components are necessary for everyday use and include electrical and data receptacles that can be worksurface mounted.


 $eO+^{\circ}$ is easy to use and move; its lightweight components fit together with convenience and ease. The $eO+^{\circ}$ system of office furniture adapts as fast as your needs change.



Partially glazed panels provide privacy and additional light



Electrical and data receptacles can be worksurface mounted



Worksurface scoops provide wire management





Features and Benefits

- Partially and Fully Glazed Panels are available in "Clear", "Smoked" and "Frosted" options
- Partial Whiteboard Panels are available on one or two sides
- Primary worksurfaces are 18", 24" or 30" deep, the optimum reach of an individual
- 3mm matching edge on all worksurfaces
- Worksurface scoops keep wires neat and out of the way
- Adapt Power/Data Module provides worksurface access to two electrical outlets and two plugs with adaptors.
- e0+'s pedestals can be worksurface-supporting or freestanding. Box drawers have one pencil tray and one plate divider. All drawers have steel ball-bearing suspensions and lock.
- Overhead Storage and Personal Towers add additional storage possibilities.
- Panel frames, legs and pedestals are available in Black and Tungsten 2.
- Accessories can attach to worksurfaces or panels using an accessory rail. Available in Black and Frosted on most models.

GENERAL INFORMATION

- Innovative Modular Panel and Desking system.
- Versatile design with economic and ergonomic advantages.
- Perfect for workstation, conference room and teaming areas.
- Simple, modular, mix-and-match components that are easy to specify and assemble.
- Worksurfaces are supported by steel pedestals, worksurface/panel supporting hardware and end panels.
- eO+'s load bearing panel frames accepts worksurfaces at 29"H in height. Off-Desk Accessory Bars are at 36" 40"H and Open Shelves at 50"H. The top of the overhead storage cabinet can only be used on the 66"H Panel when the top of it is even with the top of the 66"H Panel.
- Islands and Spanner Islands are supported with square or tapered steel legs in conjunction with the above.
- Panels offer different degrees of privacy in a variety of styles.
- The entire eO+ panel is recyclable at the end of its life.
- All brackets and metal storage components consist of up to 30% recycled steel that can again be recycled.
- Durable epoxy powder coating used on all metal components contains no harmful VOC's or lead.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- Level 2 Certified

PRIVACY PANEL CONSTRUCTION

- Tackable substrate honeycomb core covered in fabric
- Panels are constructed of lightweight aluminum with a self levelling feature to maintain even height of all panels and permit fast installation and reconfiguration
- Honeycomb panel cores are made from 30% recycled card stock
- Slotted verticals provide load bearing capabilities
- Each panel comes with 2 ½" glides allowing for 2" height adjustment and two full length capture strips
- Patented "knuckle-loc" design ensures solid panel-to-panel connection
- · Universal corner post (two-way, three-way, four way)

PANEL FABRICS

- · Available in the following panel fabrics:
- Grade 2 Lola
- Grade 3 Anchorage, Brinx and Mariposa
- Grade 4 Accent
- Momentum Grade 5 Meander, Tracery and Universe
- The same fabric MUST BE used on both sides of the panel.

PANEL FRAMES


- e0+ extruded aluminum panel frames are made from remelt billets (recycled aluminum) whenever possible and can be recycled almost endlessly
- e0+'s load bearing frames accept worksurfaces at 29"H in height. Off-Desk Accessory Bars are at 36" - 40"H and Open Shelves at 50"H. The top of the overhead storage cabinet can only be used on the 66"H Panel when the top of it is even with the top of the 66"H Panel


IMPORTANT: When specifying and installing e0+ workstations with Overhead Storage Units (shelves and overheads) and/or worksurfaces, the following rules must be followed. Failure to adhere to these rules may compromise the integrity of the installation and void the warranty.

RULE #1

Panels supporting Overhead Storage Units and/or Worksurfaces must be vertically stabilized. These panels must have worksurfaces attached to the panels using any combination of the following:

- A Mid-Support Gables (EMSG2xxP)
- B End Gables (EFG2xxP)
- C Worksurface Supporting Pedestals with Pedestal Connecting Brackets (GWPSxxxxF/EPTPBK).
- **D** Wing Panels that are the same width as the depth of the worksurface and incorporate a set of Corner Brackets (EEWSB)






EO+® - NOTES


RIII F #2

Panels supporting overhead storage units must have panels of equal height on either side.




RULE #3

The width of an overhead storage unit must correspond with the width of the supporting panel.




RULE #4

Wherever possible "balance" the layout by using the same size and type of overhead storage unit on both sides of the same panel. This type of layout will ensure straight panel runs.



RULE #5


48" and 60" wide overhead storage units require corner posts and wing panels on both sides of the supporting panel.



RULE #6

A run of panels without worksurfaces should be no longer than 9'-0" and must be supported with (A) Wing panels at both ends, (B) A Wing Panel at one end and a Self-Supporting Foot (EESF-1) at the other end or (C) A Wing Panel at one end and a Floor Mount (EEFM) at the other end - Not Shown.

Note: Floor Mounts MUST BE bolted to the floor.



PANEL FINISHES

 Lightweight, aluminum box frame finished with Black (BLK) and Tungsten 2 (TU2) durable epoxy powder coating.

GLAZED PANELS

- Allows additional light into a workstation while creating a more open office space
- Partially Glazed Panels start at 31" from the floor. Partially Glazed Panels may also start at 42" from the floor as a No Charge option by adding "PG42" after the model # (ex: EPPG2466-PG42)
- Fully and Partially Glazed Panels are available in the following finishes:
 - Specify "CPG" for Clear Plexiglass Panels
- Specify "SPG" for Smoked Plexiglass Panels
- Specify "FPG" for Frosted Plexiglass Panels


PARTIAL WHITEBOARD PANELS

- Panels may be ordered with whiteboards in the upper portion of the panel on either one side or both sides
- TO ORDER PARTIAL WHITEBOARD PANEL ON ONE SIDE:
 First specify the panel side which faces you "INNER SIDE" and then "OUTER SIDE" of the panel. Example: EPP3666



EPP3666/WB/BX01/BX02

• TO ORDER PARTIAL WHITEBOARD PANEL ON TWO SIDES: First specify the panel side which faces you "INNER SIDE" and then "OUTER SIDE" of the panel. Example: EPP3666



EPP3666/WB/BX01/WB/BX02

PANEL GROMMETS

- 3" diameter Panel Grommets allow wires and cables to pass through eO+ panels -ADD \$79.
- MUST SPECIFY POSITION:

GRMT1: 34" above panel bottom and 4" in from the right panel edge (above worksurface)

GRMT2: 26" above panel bottom and 4" in from the right panel edge (beneath worksurface)

GRMT3: 8" above panel bottom and 4" in from the right panel edge


GRMT4: 34" above panel bottom and 4" in from the left panel edge (above worksurface)

GRMT5: 26" above panel bottom and 4" in from the left panel edge (beneath worksurface)

GRMT6: 8" above panel bottom and 4" in from the left panel edge

Note:

- Panel grommets NOT available on fully glazed panels or in the GRMT1 and GRMT4 position on partially glazed panels
- When ordering grommets in partial whiteboard panels, orient the panel as shown
- Panel grommet finish Black (BLK) or Tungsten 2 (TU2). will coordinate with panel finish



SPECIAL SIZE PANELS

- Custom heights and widths are available for all panels
- For custom size pricing use the next size up plus 10%
- Panel heights CANNOT exceed 66"
- Panel widths CANNOT exceed 60"

WALL ACCESS PANEL

• 18" opening in the base of the panel (from 2" above the floor to 20") to allow easy access to electrical and data wall outlets. Specify "WAP" after the panel model # (ex: EEP3666-WAP)

Note:

- This option can also be specified for improved air flow. ADD \$130 to the fabric panel list price
- Wall access panels are NOT available on fully glazed panels
- · Wall access panels ARE available on partially glazed panels and partial whiteboard panels

TRANSACTION TOPS

- Tops are 1" thick, 45 pound density particleboard covered on both sides with thermally fused laminate.
- Sizes from 12" to 84" widths
- · Available in 12" depth ONLY
- 3 mm plastic matching edge
- See page 483 for additional details

PANEL SHIPPING

 Shipped 1 per carton, unless otherwise noted CUBIC FEET stated reflects TOTAL cubic footage WEIGHT stated reflects the weight of ONE PANEL

LAMINATE FINISHES

Worksurfaces will have a matching 3mm plastic edge

ACJ* Absolute Acajou ASN* Asian Night AWC*

Avant Cherry

AWH* Avant Honey

BLK Black

BRC **Brushed Cobalt** DES* Dark Espresso

DWT Designer White

GRY Grey

HGT Hayden Grey

QTM* Quartered Mahogany

SKC* Shaker Cherry

SOG Storm Grey

TFW* Tiger Fruitwood

TMP* Tiger Maple

TWL* Tiger Walnut

WHC* White Chocolate

WGY Willow Grev

Winter Cherry WCR*

* TFL is textured. HP tops are non-textured.

Note:


*25% upcharge for WOODGRAIN FINISHES on the following corner worksurfaces due to diagonal grain:

- 90° corner worksurface
- 90° corner worksurface keyboard
- Corner curved worksurface with keyboard support
- . "L" transaction tops
- Non-symmetrical 90° corner worksurface
- Non-symmetrical 90° corner worksurface keyboard

E EO+® - NOTES METAL COMPONENTS

METAL COMPONENTS		
Panel Frame:	Black Tungsten 2	BLK TU2
• 90°Corner Posts:	Black Tungsten 2	BLK TU2
Conduit Corner Post:	Black Tungsten 2	BLK TU2
Panel to Wall Connectors:	Black Tungsten 2	BLK TU2
• Shelves:	Black Tungsten 2	BLK TU2
Overhead Storage Units:	Black Tungsten 2	BLK TU2
• Pedestals	Black Tungsten 2	BLK TU2
• Legs:	Black Tungsten 2	BLK TU2
• Transaction Top Connectors:	Black Tungsten 2	BLK TU2
HARDWARE & ACCESSORIES		
III III D III III G / IOOLOOOIII LO		
• Wire Troughs	Black	BLK
Wire TroughsPencil Drawer:	Black Black	BLK BLK
· ·		
Pencil Drawer:	Black Black	BLK BLK
Pencil Drawer:Off-Desk Accessories:	Black Black Frosted	BLK FR BLK BLK
Pencil Drawer:Off-Desk Accessories:Power Bar:	Black Black Frosted Black Black	BLK FR BLK BLK
Pencil Drawer:Off-Desk Accessories:Power Bar:Vertical Wire Manager:	Black Black Frosted Black Black Tungsten 2	BLK FR BLK BLK TU2
 Pencil Drawer: Off-Desk Accessories: Power Bar: Vertical Wire Manager: "E" Series Pull Handles: 	Black Black Frosted Black Black Tungsten 2 Black Black	BLK BLK FR BLK TU2 BLK BLK
 Pencil Drawer: Off-Desk Accessories: Power Bar: Vertical Wire Manager: "E" Series Pull Handles: Panel Grommets: 	Black Black Black Black Tungsten 2 Black Black Grey	BLK BLK FR BLK TU2 BLK GRY BLK BLK
 Pencil Drawer: Off-Desk Accessories: Power Bar: Vertical Wire Manager: "E" Series Pull Handles: Panel Grommets: Flush Plates: 	Black Black Frosted Black Black Tungsten 2 Black Black Grey Black Black	BLK BLK FR BLK TU2 BLK GRY BLK BLK
 Pencil Drawer: Off-Desk Accessories: Power Bar: Vertical Wire Manager: "E" Series Pull Handles: Panel Grommets: Flush Plates: Kick Plate: 	Black Black Frosted Black Black Tungsten 2 Black Black Grey Black Black Tungsten 2	BLK BLK BLK TU2 BLK BLK GRY BLK BLK TU2 BLK BLK BLK TU2

PRIVACY PANELS
Privacy Panel





Lightweight aluminum box frame construction creates superior panel rigidity. Tackable substrate honeycomb core is covered with fabric. 2½" glide allows for 2" height adjustment. Panels are of actual size, eliminating creepage. Patented "knuckleloc" design provides solid panel-to-panel connection. No connecting posts needed for straight runs. Self levelling feature maintains even height of all panels and permits fast installation and reconfiguration. Includes two "capture strip" screen connectors. Accepts suspended shelves and accessory bar.

- Must Specify Black (BLK) epoxy or Tungsten 2 (TU2) frame finish
- Custom sizes are available for eO+ Series Panels. Next size up ADD 10%.

Required Specifications

Frame Finish Panel Fabric

PARTIAL WHITEBOARD PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR. 1	GR. 2	GR. 3	GR. 4
		D x W x H							
	EPP1842	2 x 18 x 42	125	7.90	1	\$385	\$385	\$413	\$455
	EPP1854	2 x 18 x 54	125	9.30	1.30	\$400	\$400	\$429	\$472
	EPP1866	2 x 18 x 66	125	10.60	1.60	\$493	\$493	\$529	\$583
	EPP2442	2 x 24 x 42	125	8.80	1.20	\$394	\$394	\$425	\$468
	EPP2454	2 x 24 x 54	125	10.30	1.60	\$437	\$437	\$472	\$519
	EPP2466	2 x 24 x 66	125	11.90	1.90	\$534	\$534	\$574	\$632
	EPP3042	2 x 30 x 42	125	9.60	1.50	\$411	\$411	\$444	\$487
	EPP3054	2 x 30 x 54	150	11.30	2.10	\$497	\$497	\$536	\$588
	EPP3066	2 x 30 x 66	150	12.90	2.40	\$556	\$556	\$599	\$658
	EPP3642	2 x 36 x 42	150	10.60	1.80	\$502	\$502	\$541	\$595
	EPP3654	2 x 36 x 54	150	12.80	2.30	\$563	\$563	\$607	\$667
	EPP3666	2 x 36 x 66	150	14.40	2.80	\$699	\$699	\$753	\$827
	EPP4242	2 x 42 x 42	150	11.80	2.10	\$546	\$546	\$589	\$648
	EPP4254	2 x 42 x 54	150	13.80	2.70	\$610	\$610	\$656	\$722
	EPP4266	2 x 42 x 66	150	15.90	3.30	\$752	\$752	\$809	\$890
	211 1200	2 × 12 × 00		10.00	0.00	¥	4.4-	4000	4000
	EPP4842	2 x 48 x 42	150	11.60	2.40	\$565	\$565	\$608	\$668
	EPP4854	2 x 48 x 54	150	14.80	3.10	\$656	\$656	\$706	\$776
	EPP4866	2 x 48 x 66	150	15.94	3.30	\$775	\$775	\$833	\$916
	L11 4000	2 X 40 X 00	100	10.01	0.00	ψ,,,	Ψ//3	ψοσο	ψυιο
	EPP5442	2 x 54 x 42	150	12.55	2.80	\$584	\$584	\$629	\$691
_	EPP5454	2 x 54 x 54	150	15.40	3.50	\$715	\$715	\$772	\$848
	EPP5466	2 x 54 x 66	150	17.30	4.20	\$806	\$806	\$869	\$956
	LI I 3400	Z X 34 X 00	100	17.30	4.20	ĢOUU	φουυ	4003	4330
	EPP6042	2 x 60 x 42	150	13.50	3	\$602	\$602	\$649	\$713
	EPP6054	2 x 60 x 42 2 x 60 x 54	150	16.07	3.80	\$775	\$002 \$775	\$833	\$916
	EPP6066	2 x 60 x 66	250	18.74	4.70	\$840	\$840	\$904	\$994

Partial Whiteboard Panel - One Side

Partial whiteboard panels available for 42", 54" and 66"h eO+ Panels. Features a whiteboard 31" above the floor on ONE SIDE. Full fabric on the opposite side. Aluminum box frame construction with fabric covered tackable substrate. 2½" glide allows for 2" height adjustment. Includes two "capture strip" panel connectors.

• 54" and 66" high Panels Only:

Optional partial whiteboard starting at 42" above the panel bottom is available at No Charge (both sides MUST BE the same height). Specify (PG42) to Panel Code (ex: EPP3666-PG42).

- Must Specify Black (BLK) epoxy or Tungsten 2 (TU2) frame finish
- Custom sizes are available for eO+ Series Panels. Next size up ADD 10%.

Required Specifications Frame Finish

Panel Fabric

HITEBOARD PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR. 1	GR. 2	GR. 3	GR.
		DxWxH							
	EPPP1842	2 x 18 x 42	100	8.90	1	\$449	\$449	\$483	\$53
	EPPP1854	2 x 18 x 54	125	10.30	1.30	\$466	\$466	\$500	\$54
	EPPP1866	2 x 18 x 66	125	11.60	1.60	\$575	\$575	\$619	\$68
	EPPP2442	2 x 24 x 42	100	9.80	1.20	\$459	\$459	\$495	\$54
	EPPP2454	2 x 24 x 54	125	11.30	1.60	\$512	\$512	\$551	\$60
	EPPP2466	2 x 24 x 66	125	12.90	1.90	\$622	\$622	\$669	\$7
	EPPP3042	2 x 30 x 42	125	10.60	1.50	\$480	\$480	\$518	\$56
	EPPP3054	2 x 30 x 54	150	12.30	2.10	\$580	\$580	\$625	\$6
	EPPP3066	2 x 30 x 66	150	13.90	2.40	\$649	\$649	\$700	\$7
	EPPP3642	2 x 36 x 42	125	11.60	1.80	\$586	\$586	\$630	\$6
	EPPP3654	2 x 36 x 54	125	13.80	2.30	\$656	\$656	\$707	\$7
	EPPP3666	2 x 36 x 66	150	15.40	2.80	\$816	\$816	\$878	\$9
	EPPP4242	2 x 42 x 42	125	12.80	2.10	\$637	\$637	\$686	\$7
	EPPP4254	2 x 42 x 54	150	14.80	2.70	\$711	\$711	\$766	\$8
	EPPP4266	2 x 42 x 66	150	16.90	3.30	\$875	\$875	\$943	\$10
	EPPP4842	2 x 48 x 42	150	13.60	2.40	\$659	\$659	\$709	\$7
	EPPP4854	2 x 48 x 54	150	15.80	3.10	\$765	\$765	\$823	\$9
	EPPP4866	2 x 48 x 66	150	17.90	3.30	\$904	\$904	\$972	\$10
	EPPP5442	2 x 54 x 42	150	14.50	2.80	\$680	\$680	\$732	\$8
	EPPP5454	2 x 54 x 54	150	17	3.50	\$834	\$834	\$898	\$9
	EPPP5466	2 x 54 x 66	150	19.30	4.20	\$940	\$940	\$1012	\$11
	EPPP6042	2 x 60 x 42	150	15.50	3	\$702	\$702	\$756	\$8:
	EPPP6054	2 x 60 x 54	150	18.10	3.80	\$904	\$904	\$972	\$10
	EPPP6066	2 x 60 x 66	150	20.70	4.70	\$979	\$979	\$1052	\$11

PARTIA

Partial Whiteboard Panel - Two Sides

Partial whiteboard panels available for 42", 54" and 66"h eO+ Panels. Features a whiteboard 31" above the floor on BOTH SIDES. Aluminum box frame construction with fabric covered tackable substrate. 2½" glide allows for 2" height adjustment. Includes two "capture strip" panel connectors.

• 54" and 66" high Panels Only:

Optional partial whiteboard starting at 42" above the panel bottom is available at No Charge (both sides MUST BE the same height). Specify (PG42) to Panel Code (ex: EPPP3666-PG42).

- Must Specify Black (BLK) epoxy or Tungsten 2 (TU2) frame finish
- Custom sizes are available for eO+ Series Panels. Next size up ADD 10%.

Required Specifications
Frame Finish

Panel Fabric

PARTIALLLY GLAZED PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR. 1	GR. 2	GR. 3	GR. 4
THITTIMEEET GENEED THITEES	IIIOD EE#	DxWxH	THEIGHT CENCO	W1/LD0.	0051011.	J.I. 1	OI L	GII 0	JII. 1
	EEPPG1842	2 x 18 x 42	125	7.90	1	\$381	\$381	\$409	\$450
	EEPPG1854	2 x 18 x 54	125	9.30	1.30	\$473	\$473	\$510	\$561
	EEPPG1866	2 x 18 x 66	125	10.60	1.60	\$559	\$559	\$600	\$661
	EEPPG2442	2 x 24 x 42	125	8.80	1.20	\$381	\$381	\$409	\$450
	EEPPG2454	2 x 24 x 54	125	10.30	1.60	\$473	\$473	\$510	\$561
	EEPPG2466	2 x 24 x 66	125	11.90	1.90	\$559	\$559	\$600	\$661
	EEPPG3042	2 x 30 x 42	125	9.60	1.50	\$450	\$450	\$483	\$531
	EEPPG3054	2 x 30 x 54	150	11.30	2	\$551	\$551	\$593	\$654
	EEPPG3066	2 x 30 x 66	150	12.90	2.40	\$636	\$636	\$686	\$754
	EEPPG3642	2 x 36 x 42	150	10.60	1.80	\$497	\$497	\$537	\$589
	EEPPG3654	2 x 36 x 54	150	12.80	2.30	\$606	\$606	\$653	\$717
	EEPPG3666	2 x 36 x 66	150	14.40	2.80	\$712	\$712	\$766	\$843
	EEPPG4242	2 x 42 x 42	150	11.80	2.10	\$542	\$542	\$584	\$641
	EEPPG4254	2 x 42 x 54	150	13.80	2.70	\$662	\$662	\$711	\$782
	EEPPG4266	2 x 42 x 66	150	15.90	3.30	\$781	\$781	\$841	\$925
	EEPPG4842	2 x 48 x 42	150	11.60	2.40	\$584	\$584	\$627	\$690
	EEPPG4854	2 x 48 x 54	150	14.80	3.10	\$715	\$715	\$771	\$847
	EEPPG4866	2 x 48 x 66	150	15.94	3.80	\$848	\$848	\$914	\$1005
	EEPPG5442	2 x 54 x 42	150	12.55	2.80	\$631	\$631	\$680	\$747
	EEPPG5454	2 x 54 x 54	150	15.40	3.50	\$791	\$791	\$851	\$937
	EEPPG5466	2 x 54 x 66	150	17.30	4.20	\$952	\$952	\$1026	\$1127
	EEPPG6042	2 x 60 x 42	150	13.50	3	\$678	\$678	\$729	\$802
	EEPPG6054	2 x 60 x 54	150	16.07	3	\$867	\$867	\$934	\$1027
	EEPPG6066	2 x 60 x 66	125	18.74	3	\$1057	\$1057	\$1137	\$1251

Partially Glazed Panel

Partially glazed panels available for 42", 54" and 66"h eO+ Panels. Features a Clear, Smoked or Frosted Plexiglass window 31" above the floor. Aluminum box frame construction with fabric covered tackable substrate. 2½" glide allows for 2" height adjustment. Includes two "capture strip" panel connectors.

• 54" and 66" high Panels Only:

Optional partial plexiglass window starting at 42" above the panel bottom is available at No Charge (both sides MUST BE the same height). Specify (PG42) to Panel Code (ex: EEPPG3666-PG42).

- Must Specify Black (BLK) epoxy or Tungsten 2 (TU2) frame finish
- Specify Clear (CPG), Smoked (SPG) or Frosted (FPG) plexiglass
- Custom sizes are available for eO+ Series Panels. Next size up **ADD 10%.**

Required Specifications

Frame Finish Panel Fabric Plexiglass style

LLY GLAZED PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	EEPFG1842	2 x 18 x 42	92.5	10.80	1	\$388
	EEPFG1854	2 x 18 x 54	92.5	13.36	1.30	\$477
	EEPFG1866	2 x 18 x 66	100	15.30	1.60	\$566
	EEPFG2442	2 x 24 x 42	92.5	12.24	1.20	\$388
	EEPFG2454	2 x 24 x 54	100	15.06	1.60	\$477
	EEPFG2466	2 x 24 x 66	100	17.30	1.90	\$566
	EEPFG3042	2 x 30 x 42	100	13.59	1.50	\$458
	EEPFG3054	2 x 30 x 54	100	16.84	2	\$562
	EEPFG3066	2 x 30 x 66	100	19.94	2.40	\$665
	EEPFG3642	2 x 36 x 42	100	15.22	1.80	\$523
	EEPFG3654	2 x 36 x 54	100	19.38	2.30	\$641
	EEPFG3666	2 x 36 x 66	100	23.04	2.80	\$759
	FFDF0 10 10		400	47.40	0.40	
	EEPFG4242	2 x 42 x 42	100	17.16	2.10	\$588
	EEPFG4254	2 x 42 x 54	125	21.16	2.70	\$721
	EEPFG4266	2 x 42 x 66	125	26.14	3.30	\$851
	FEPFG4842	2 x 48 x 42	125	18.49	2.40	\$656
	EEPFG4854	2 x 48 x 54	125	23.50	3.10	\$803
"	EEPFG4866	2 x 48 x 66	125	28.74	3.80	\$954
,/ _/	EEPFG5442	2 x 54 x 42	125	20	2.80	\$721
<u>"</u>	EEPFG6042	2 x 60 x 42	125	21.63	3	\$784

Fully Glazed Panel


Fully glazed panels available for 42", 54" and 66"h eO+ Panels. Features a Clear, Smoked or Frosted Plexiglass window 31" above the floor. Aluminum box frame construction. 2½" glide allows for 2" height adjustment. Includes two "capture strip" panel connectors.

- Must Specify Black (BLK) epoxy or Tungsten 2 (TU2) frame finish
- Specify Clear (CPG), Smoked (SPG) or Frosted (FPG) plexiglass
- Custom sizes are available for eO+ Series Panels. Next size up ADD 10%.

PRIVACY PANEL CONNECTORS



Corner Posts - 90°



Enables 3-way and 4-way panel connections. Lightweight aluminum construction for superior panel connections. Self levelling feature maintains even height of panels and permits fast installation and reconfiguration. Includes two "capture strip" panel connectors.

EP144	2 x 2 x 144	70	13.20	.75	\$223	


Extended Panel Conduit/Corner Post

Enables 90° 3-way and 4-way connections. 144" height allows cabling to be carried from floor to ceiling. Lightweight aluminum. Includes two "capture strip" panel connectors.

Required Specifications

Frame Finish

Plexiglass style (Fully Glazed Panels) Metal Finish - BLK or TU2 (Connectors)



Corner Posts - 120°

٦	١	١	
Į	Ш		

Capture Strips (One Pair) - 180°



Panel to Wall Connector



Self-Supporting Foot



•

Plastic Kick Plate



Floor Mount



Carpet Gripper

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
ETP30	2 x 2 x 30	65	3	.13	\$59	
ETP42	2 x 2 x 42	65	4	.15	\$71	
ETP54	2 x 2 x 54	65	5	.17	\$85	
ETP66	2 x 2 x 66	60	6	.19	\$104	
ETP144	2 x 2 x 144	70	13.20	.75	\$242	

Enables 3-way connection to **E120WS48 worksurface ONLY**. 144" height allows cabling to be carried from floor to ceiling. Lightweight aluminum construction for superior panel connection. Self levelling feature maintains even height of panel and permits fast installation and reconfiguration. Includes two "capture strip" panel connectors.

EEPS30	0 x 0 x 30	70	.10	.50	\$13	
EEPS42	0 x 0 x 42	70	.10	.50	\$13	
EEPS54	0 x 0 x 54	70	.10	.50	\$13	
EEPS66	0 x 0 x 66	70	.10	.50	\$13	

Extruded plastic channel which connects two panels, in a straight line or a panel and a corner post. Runs the full height of the panel on both sides providing a strong connection. Two strips (one pair) are required per panel.

EPWC30	.25 x 1 x 30	70	1	.01	\$25
EPWC42	.25 x 1 x 42	70	1	.01	\$31
EPWC54	.25 x 1 x 54	70	1.40	.01	\$37
EPWC66	.25 x 1 x 66	70	1.80	.01	\$44

Used to start a run of panels from a wall. Lightweight aluminum construction for superior panel connections. Patented "knuckle-loc" design provides rigid panel to wall connection. Includes two "capture strip" panel connectors.

EESF-1	1.5 x 19 x 1	70	2	.10	\$33

For eO+ panels.

EEOKP18	2 x 18 x 2.5	70	.40	.06	\$31
EEOKP24	2 x 24 x 2.5	70	.50	.07	\$35
EEOKP30	2 x 30 x 2.5	70	.60	.09	\$40
EEOKP36	2 x 36 x 2.5	70	.76	.10	\$44
EEOKP42	2 x 42 x 2.5	70	.89	.12	\$52
EEOKP48	2 x 48 x 2.5	70	1	.14	\$56
EEOKP54	2 x 60 x 2.5	70	1.15	.16	\$61
EEOKP60	2 x 60 x 2.5	70	1.26	.17	\$65

Attaches to the bottom of the fabric panels to protect from damage caused by vacuums, etc.

EFM	1.5 x 3.75 x .5	70	01	01	\$16	

For eO+ panels. Chrome Finish only.

EOCG	 70	.01	.01	\$19	

Fits on the adjustable glides of a Panel. Helps to stabilize the panel. Package of 10. Available in Black (BLK) ONLY.

Required Specifications

Metal Finish - BLK or TU2

D x W x H

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board (from 100% recycled wood chips), covered on both sides with high performance, thermally fused laminate.
- Preferred matching edge.
- Available in 18", 24" or 30" deep worksurfaces.
- All worksurfaces have threaded inserts for metal to metal connection of support hardware to connect to panels.
- Power and communication cables are routed through cable scoops at the back of the worksurfaces.
- There is a 3/8" space between the worksurface and panel to allow wires to pass through.
- Straight and Transitional worksurfaces above 54" have two scoops. All other worksurfaces have one scoop, unless otherwise noted.
- All connection hardware must be ordered separately.
- Custom widths and depths are available for all worksurfaces. For custom size pricing use the next size up plus 10%.
- More complex custom requests require a quotation. Please contact Customer Care.
- Custom orders must indicate the Custom Quote Number and List Price. There can be no changes to the quote. Changes necessitate a new quote.

WORKSURFACE SUPPORTS

- Worksurfaces supported by supporting pedestals and supporting panel hardware.
- Supporting Pedestals are available in Black (BLK) or Tungsten 2 (TU2). Please Specify.

LEG CONSTRUCTION

WORKSURFACES


- 2" Square or Tapered steel leg (2" diameter) with a custom designed leveler that adjusts up to 1½". Leveling is made easy by turning the outside of the leveler by hand. The heavy duty leveling bolt is hidden by the shroud of the leveler.
- Legs are available in Black (BLK) or Tungsten 2 (TU2). Please Specify.
- · Levelers are available in Black (BLK) Only.

Rectangular Worksurface - 18" deep

EOR1824	18 x 24 x 1	60	10.12	.30	\$114
EOR1830	18 x 30 x 1	60	16.50	.54	\$114
EOR1836	18 x 36 x 1	60	19.50	.63	\$138
EOR1842	18 x 42 x 1	60	23.25	.73	\$154
EOR1848	18 x 48 x 1	60	26.25	.83	\$175
EOR1854	18 x 54 x 1	60	29.25	.93	\$197
EOR1860	18 x 60 x 1	60	33	1.02	\$223
EOR1866	18 x 66 x 1	60	36.75	1.12	\$240
EOR1872	18 x 72 x 1	60	39.75	1.21	\$288

18"D straight rectangular worksurface. Non-handed and can be interchanged on site. **Linking installations only.**

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.



Rectangular Worksurface - 24" deep


EOR2424	24 x 24 x 1	60	18	.60	\$123	
EOR2430	24 x 30 x 1	60	22	.72	\$130	
EOR2436	24 x 36 x 1	60	26	.85	\$132	
EOR2442	24 x 42 x 1	60	31	.98	\$190	
EOR2448	24 x 48 x 1	60	35	1.11	\$227	
EOR2454	24 x 54 x 1	60	39	1.23	\$263	
EOR2460	24 x 60 x 1	60	44	1.36	\$298	
EOR2466	24 x 66 x 1	60	49	1.49	\$311	
EOR2472	24 x 72 x 1	60	53	1.62	\$322	

24"D straight rectangular worksurface. Non-handed and can be interchanged on site. Linking installations only.

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

Required Specifications

WORKSURFACES




Rectangular Worksurface - 30" deep

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
EOR3024	30 x 24 x 1	65	22	.74	\$145	
EOR3030	30 x 30 x 1	60	28	.90	\$154	
EOR3036	30 x 36 x 1	60	33	1.06	\$181	
EOR3042	30 x 42 x 1	60	38	1.22	\$248	
EOR3048	30 x 48 x 1	60	44	1.38	\$263	
EOR3054	30 x 54 x 1	60	49	1.54	\$286	
EOR3060	30 x 60 x 1	60	55	1.69	\$311	
EOR3066	30 x 66 x 1	60	60	1.85	\$320	
EOR3072	30 x 72 x 1	60	66	2.01	\$340	

30"D straight rectangular worksurface. Non-handed and can be interchanged on site. Linking installations only.

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

EOTL2424	24 x 24 x 1	65	15	.59	\$159
EOTL2430	24 x 30 x 1	65	19	.72	\$167
EOTL2436	24 x 36 x 1	65	23	.85	\$196
EOTL2442	24 x 42 x 1	65	27	.98	\$226
EOTL2448	24 x 48 x 1	65	31	1.11	\$269
EOTL2454	24 x 54 x 1	65	35	1.23	\$284
EOTL2460	24 x 60 x 1	65	39	1.36	\$319
EOTL2466	24 x 66 x 1	65	43	1.49	\$328
EOTL2472	24 x 72 x 1	65	47	1.62	\$352




Transition Worksurface - 24" deep, LEFT

Connects **right end** to a corner worksurface or a **18"D** worksurface. Left end allows the continuation of additional **24"D** worksurfaces. **Linking installations only.**

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

E0TL3024	30 x 24 x 1	65	19	.74	\$165	
E0TL3030	30 x 30 x 1	65	24	.90	\$170	
EOTL3036	30 x 36 x 1	65	29	1.06	\$197	
EOTL3042	30 x 42 x 1	65	34	1.22	\$273	
EOTL3048	30 x 48 x 1	65	39	1.38	\$286	
EOTL3054	30 x 54 x 1	65	44	1.54	\$307	
EOTL3060	30 x 60 x 1	65	49	1.69	\$351	
EOTL3066	30 x 66 x 1	65	54	1.85	\$351	
E0TL3072	30 x 72 x 1	65	59	2.01	\$374	




Transition Worksurface - 30" deep, LEFT

Connects **right end** to a corner worksurface or a **24"D** worksurface. Left end allows the continuation of additional **30"D** worksurfaces. **Linking installations only.**

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

EOTR2424	24 x 24 x 1	65	15	.59	\$158
E0TR2430	24 x 30 x 1	65	19	.72	\$165
E0TR2436	24 x 36 x 1	65	23	.85	\$196
EOTR2442	24 x 42 x 1	65	27	.98	\$226
E0TR2448	24 x 48 x 1	65	31	1.11	\$269
E0TR2454	24 x 54 x 1	65	35	1.23	\$284
EOTR2460	24 x 60 x 1	65	39	1.36	\$319
EOTR2466	24 x 66 x 1	65	43	1.49	\$328
E0TR2472	24 x 72 x 1	65	47	1.62	\$352



Transition Worksurface - 24" deep, RIGHT

Connects **left end** to a corner worksurface or a **18"D** worksurface. Right end allows the continuation of additional **24"D** worksurfaces. **Linking installations only.**

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

Required Specifications

24" 30" 36" 42" 	

Transition Worksurface - 30" deep, RIGHT


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
EOTR3024	30 x 24 x 1	65	19	.74	\$165	
EOTR3030	30 x 30 x 1	65	24	.90	\$169	
EOTR3036	30 x 36 x 1	65	29	1.06	\$196	
EOTR3042	30 x 42 x 1	65	34	1.22	\$273	
E0TR3048	30 x 48 x 1	65	39	1.38	\$286	
EOTR3054	30 x 54 x 1	65	44	1.54	\$308	
EOTR3060	30 x 60 x 1	65	49	1.69	\$351	
EOTR3066	30 x 66 x 1	65	54	1.85	\$351	
E0TR3072	30 x 72 x 1	65	59	2.01	\$374	

Connects **left end** to a corner worksurface or a **24"D** worksurface. Right end allows the continuation of additional **30"D** worksurfaces. **Linking installations only.**

- Worksurfaces 54" wide and larger have two scoops.
- 66" and longer worksurfaces require a center support gable.

CORNER WORKSURFACES


WORKSURFACES



90° Corner Worksurface

E090C3618	36 x 36 x 1	70	24	1.27	\$313	
E090C3624	36 x 36 x 1	70	30	1.47	\$330	
E090C4224	42 x 42 x 1	65	47	1.70	\$448	
E090C4230	42 x 42 x 1	65	53	1.98	\$482	
E090C4824	48 x 48 x 1	70	53	2.67	\$611	
E090C4830	48 x 48 x 1	70	55	2.67	\$611	


Connects between two 18"D, two 24"D or two 30"D worksurfaces. Linking installations only. Cannot accept keyboards.



90° Corner Worksurface - Keyboard

EOCK3618 36 x 36 x 1 65 34 1.27 \$313 EOCK3624 36 x 36 x 1 65 45 1.69 \$410 EOCK4224 42 x 42 x 1 65 47 1.70 \$453 EOCK4230 42 x 42 x 1 65 50 2.12 \$562 EOCK4824 48 x 48 x 1 70 53 2.67 \$611							
EOCK4224 42 x 42 x 1 65 47 1.70 \$453 EOCK4230 42 x 42 x 1 65 50 2.12 \$562 EOCK4824 48 x 48 x 1 70 53 2.67 \$611	EOCK3618	36 x 36 x 1	65	34	1.27	\$313	
EOCK4230 42 x 42 x 1 65 50 2.12 \$562 EOCK4824 48 x 48 x 1 70 53 2.67 \$611	EOCK3624	36 x 36 x 1	65	45	1.69	\$410	
EOCK4824 48 x 48 x 1 70 53 2.67 \$611	EOCK4224	42 x 42 x 1	65	47	1.70	\$453	
	EOCK4230	42 x 42 x 1	65	50	2.12	\$562	
	EOCK4824	48 x 48 x 1	70	53	2.67	\$611	
EOCK4830 48 x 48 x 1 70 55 2.67 \$563	EOCK4830	48 x 48 x 1	70	55	2.67	\$563	

Connects between two 18"D, two 24"D or two 30"D worksurfaces. Linking installations only. Keyboard can be used when flush plates are used to join corner to other worksurfaces.




Bi-Functional 90° Corner Worksurface

EC3661824	36 x 36 x 1	70	30	1.47	\$330
EC4221824	42 x 42 x 1	65	53.89	2.04	\$448

Connects between one **18"D** on the **left**, and one **24"D** worksurface on the **right**. **Linking installations only.** Cannot accept keyboards.


Required Specifications



Bi-Functional 90° Corner Worksurface

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
EC3662418	36 x 36 x 1	70	30	1.47	\$330	
EC3662430	36 x 36 x 1	70	30	1.47	\$333	
EC4222418	42 x 42 x 1	65	53.89	2.04	\$448	
EC4222430	42 x 42 x 1	65	53.89	2.04	\$448	
EC4842430	48 x 48 x 1	65	70.38	2.66	\$611	


Connects between one **24"D** worksurface on the **left** and either one **18"D** or **30"D** worksurface on the **right**. **Linking installations only.** Cannot accept keyboards.



Bi-Functional 90° Corner Worksurface

EC3663024	36 x 36 x 1	70	30	1.47	\$333	
EC4223024	42 x 42 x 1	65	70.38	2.66	\$448	
EC4843024	48 x 48 x 1	65	70.38	2.66	\$611	


Connects between one 30"D worksurface on the left and one 24"D worksurface on the right. Linking installations only. Cannot accept keyboards.



Bi-Functional 90° Corner Worksurface, Keyboard

EK3661824	36 x 36 x 1	70	30	1.47	\$333	
EK4221824	42 x 42 x 1	65	53.89	2.04	\$448	


Connects between one 18"D on the left, and one 24"D worksurface on the right. Linking installations only. Keyboard can be used when flush plates are used to join corner to other worksurfaces.



Bi-Functional 90° Corner Worksurface, Keyboard

EK3662418	36 x 36 x 1	65	39.59	1.47	\$333
EK4222418	42 x 42 x 1	65	53.89	2.04	\$448
EK4222430	42 x 42 x 1	65	53.89	2.04	\$448
EK4842430	48 x 48 x 1	65	53.89	2.04	\$611


Connects between one 24"D worksurface on the left and either one 18"D or 30"D worksurface on the right. Linking installations only. Keyboard can be used when flush plates are used to join corner to other worksurfaces.



Bi-Functional 90° Corner Worksurface, Keyboard

EK4223024	42 x 42 x 1	65	53.89	2.04	\$448
EK4843024	48 x 48 x 1	65	53.89	2.04	\$611

Connects between one 30"D worksurface on the left and one 24"D worksurface on the right. Linking installations only. **Keyboard can be used** when flush plates are used to join corner to other worksurfaces.




E120WS48	46 x 86 x 1	85	98	8	\$707


Connects to two 48" panels and one 120° post. Worksurface to be supported with end gables and/or supporting pedestals. **Linking installations only.**

Required Specifications

EXTENDED CORNER WORKSURFACES - LEFT



Extended Corner - 36" Deep, LEFT



Extended worksurface on the **right**. Connects between two **24"D** worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available


60°-66° 72° 78° 84° 1 24
--

Extended Corner - 42" Deep, LEFT

ELL422460	42-24 x 60 x 1	60	55.18	1.50	\$614
ELL422466	42-24 x 66 x 1	60	61.58	1.75	\$676
ELL422472	42-24 x 72 x 1	60	65.98	1.87	\$708
ELL422478	42-24 x 78 x 1	60	70.38	2	\$801
ELL422484	42-24 x 84 x 1	60	74.38	2.12	\$863

Extended worksurface on the **right**. Connects between two **24"D** worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available




Extended Corner - 42" Deep, LEFT

ELL423060	42-24 x 60 x 1	60	63.78	1.82	\$614
ELL423066	42-24 x 66 x 1	60	69.28	1.96	\$676
ELL423072	42-24 x 72 x 1	60	74.78	2.12	\$738
ELL423078	42-24 x 78 x 1	60	80.28	2.28	\$830
ELL423084	42-24 x 84 x 1	60	85.78	2.43	\$863

Extended worksurface on the **right**. Connects between two **30"D** worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available




Extended Corner - 48" Deep, LEFT

ELL482460	48-24 x 60 x 1	60	65.18	1.90	\$676
ELL482466	48-24 x 66 x 1	65	96.78	3.66	\$676
ELL482472	48-24 x 72 x 1	60	76.18	1.95	\$801
ELL482478	48-24 x 78 x 1	60	74.78	1.20	\$863
ELL482484	48-24 x 84 x 1	70	78.18	4.66	\$890

Extended worksurface on the **right**. Connects between two **24"D** worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available




Extended Corner - 48" Deep, LEFT

ELL483066 48-24 x 66 x 1 60 73.68 2.09 \$761 ELL483072 48-24 x 72 x 1 60 79.18 2.25 \$832 ELL483078 48-24 x 78 x 1 60 84.68 2.40 \$925 ELL483084 48-24 x 84 x 1 60 90.18 2.56 \$985	ELL483060	48-24 x 60 x 1	60	68.18	1.93	\$707
ELL483078 48-24 x 78 x 1 60 84.68 2.40 \$925	ELL483066	48-24 x 66 x 1	60	73.68	2.09	\$761
	ELL483072	48-24 x 72 x 1	60	79.18	2.25	\$832
ELL483084 48-24 x 84 x 1 60 90.18 2.56 \$985	ELL483078	48-24 x 78 x 1	60	84.68	2.40	\$925
	ELL483084	48-24 x 84 x 1	60	90.18	2.56	\$985

Extended worksurface on the **right**. Connects between two **30"D** worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available




Extended Corner - LEFT, Keyboard

ELKL2472	36-24 x 72 x 1	65	73	2.70	\$627

Extended worksurface on the **right**. Connects between one **18"D** worksurface on **left** and one **24"D** worksurface on the **right**. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available

Required Specifications




EXTENDED CORNER WORKSURFACES - RIGHT

Extended Corner - 36" Deep, RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
ELR362448	24-36 x 48 x 1	60	43.92	1.25	\$424	
ELR362460	24-36 x 60 x 1	60	52.99	1.50	\$522	
ELR362466	24-36 x 66 x 1	60	57.18	1.62	\$583	
ELR362472	24-36 x 72 x 1	60	61.58	1.75	\$663	
ELR362478	24-36 x 78 x 1	60	65.98	1.87	\$708	
ELR362484	24-36 x 84 x 1	60	70.38	2	\$738	

Extended worksurface on the left. Connects between two 24"D worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available




Extended Corner - 42" Deep, RIGHT

ELR422460	24-42 x 60 x 1	60	57.18	1.63	\$614
ELR422466	24-42 x 66 x 1	60	61.58	1.75	\$675
ELR422472	24-42 x 72 x 1	60	65.98	1.87	\$708
ELR422478	24-42 x 78 x 1	60	70.38	2	\$800
ELR422484	24-42 x 84 x 1	60	74.38	2.12	\$863

 $\textbf{Extended worksurface on the } \textbf{left}. \ \textbf{Connects between two } \textbf{24"D worksurfaces}. \ \textbf{Three cable scoops}. \ \textbf{Linking installation only}.$

• Diagonal woodgrain laminate option NOT available




Extended Corner - 42" Deep, RIGHT

ELR423060	24-42 x 60 x 1	60	63.78	1.82	\$614
ELR423066	24-42 x 66 x 1	60	69.28	1.96	\$675
ELR423072	24-42 x 72 x 1	60	74.78	2.12	\$738
ELR423078	24-42 x 78 x 1	60	80.28	2.28	\$830
ELR423084	24-42 x 84 x 1	60	85.78	2.43	\$863

 $\textbf{Extended worksurface on the } \textbf{left}. \ \textbf{Connects between two 30"D worksurfaces}. \ \textbf{Three cable scoops}. \ \textbf{Linking installation only}.$

• Diagonal woodgrain laminate option NOT available




Extended Corner - 48" Deep, RIGHT

ELR482460	24-48 x 60 x 1	60	65.18	1.90	\$676	
ELR482466	24-48 x 66 x 1	65	96.78	3.66	\$676	
ELR482472	24-48 x 72 x 1	60	76.18	1.95	\$800	
ELR482478	24-48 x 78 x 1	60	74.78	1.20	\$863	
ELR482484	24-48 x 84 x 1	60	82.12	1.46	\$890	

Extended worksurface on the left. Connects between two 24"D worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available



Extended Corner - 48" Deep, RIGHT

ELR483066 24-48 x 66 x 1 60 73.68 2.09 \$761 ELR483072 24-48 x 72 x 1 60 79.18 2.25 \$832 ELR483078 24-48 x 78 x 1 60 84.68 2.40 \$925	ELR483060	24-48 x 60 x 1	60	68.18	1.93	\$708
	ELR483066	24-48 x 66 x 1	60	73.68	2.09	\$761
ELR483078 24-48 x 78 x 1 60 84.68 2.40 \$925	ELR483072	24-48 x 72 x 1	60	79.18	2.25	\$832
	ELR483078	24-48 x 78 x 1	60	84.68	2.40	\$925
ELR483084 24-48 x 84 x 1 60 90.18 2.56 \$985	ELR483084	24-48 x 84 x 1	60	90.18	2.56	\$985

Extended worksurface on the left. Connects between two 30"D worksurfaces. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available



Extended Corner - RIGHT, Keyboard

	ELKR2472	24-36 x 72 x 1	65	73	2.70	\$627	
--	----------	----------------	----	----	------	-------	--

Extended worksurface on the **left**. Connects between one **18"D** worksurface on **right** and one **24"D** worksurface on the **left**. Three cable scoops. Linking installation only.

• Diagonal woodgrain laminate option NOT available

Required Specifications

7.5.5.5

QUARTER ROUND WORKSURFACES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
LC1818L	18 x 18 x 1	65	7	.30	\$97
LC2424L	24 x 24 x 1	65	17	.58	\$160
LC3030L	30 x 30 x 1	65	25.50	.88	\$261

Quarter Round Panel Worksurface - LEFT

The worksurface edge running along the panel face is a slightly different length than that of the worksurface end, causing the surface to be handed. The user edge against the adjacent worksurface runs straight for 3" before starting to curve. Linking installation only.



ELC1818R	18 x 18 x 1	65	7	.30	\$97	
ELC2424R	24 x 24 x 1	65	17	.58	\$160	
ELC3030R	30 x 30 x 1	65	25.50	.88	\$261	

Quarter Round Panel Worksurface - RIGHT

The worksurface edge running along the panel face is a slightly different length than that of the worksurface end, causing the surface to be handed. The user edge against the adjacent worksurface runs straight for 3" before starting to curve. Linking installation only.

HATCHET ISLANDS (ATTACHABLE)

Hatchet Island with Post - LEFT

Extended island worksurface on the right. Connects to 18"D worksurfaces on the left. Cable scoop is in the center of the 36" wide edge. Includes 2" square monopost. Shipped RTA (ready to assemble). Linking installation only.

78.50

3.22


\$866

• Woodgrain laminate option NOT available on the diagonal.

36 x 72 x 29

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

65




EMG3672RP	36 x 72 x 29	65	78.50	3.22	\$866

Hatchet Island with Post - RIGHT

Extended island worksurface on the left. Connects to 18"D worksurfaces on the right. Cable scoop is in the center of the 36" wide edge. Includes 2" square monopost. Shipped RTA (ready to assemble). Linking installation only.

- Woodgrain laminate option NOT available on the diagonal.
- Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

D" ISLANDS (ATTACHABLE)



"D" Island with Post

ED2442IP	24 x 42 x 29	70	33.50	1.50	\$340	
ED2448IP	24 x 48 x 29	65	37.50	1.63	\$351	
ED2460IP	24 x 60 x 29	65	45.50	1.88	\$411	
ED2472IP	24 x 72 x 29	65	58.29	2.52	\$445	
ED3048IP	30 x 48 x 29	65	44.50	1.89	\$413	
ED3060IP	30 x 60 x 29	65	54.50	2.21	\$444	
FD3072IP	30 x 72 x 29	65	64 50	2.53	\$490	

Attaches to edge of worksurfaces. Cable scoop is in the center of the end. Includes 2" square monopost. Shipped RTA (ready to assemble). Linking installation only.

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

Required Specifications

Laminate Finish Post Finish (Islands)

EMG3672LP



120° "D" Island with Post - LEFT



120° "D" Island with Post - RIGHT

MODEL# DIMENSIONS FREIGHT CLASS LIST PRICE WT/LBS. CUBIC FT. DxWxH ECWSDL36P 24 x 36 x 29 65 44.50 1.89 \$1038 70 36.29 \$1102 ECWSDL42P 24 x 42 x 29 1.68 ECWSDL48P 24 x 48 x 29 65 50.50 2.09 \$1216

Connects to both a **24"D** worksurface and a panel on the **right**. Cable scoop is in the center of the end. Includes 2" square monopost. Shipped RTA (ready to assemble). **Linking installation only.**


• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

ECWSDR36P	24 x 36 x 29	65	44.50	1.89	\$1038	
ECWSDR42P	24 x 42 x 29	70	36.29	1.68	\$1102	
ECWSDR48P	24 x 48 x 29	65	50.50	2.09	\$1216	

Connects to both a **24"D** worksurface and a panel on the **left**. Cable scoop is in the center of the end. Includes 2" square monopost. Shipped RTA (ready to assemble). **Linking installation only.**

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

'P" ISLANDS (ATTACHABLE)




"P" Island with Post - LEFT

EP24540LP	24 x 54 x 29	70	45.09	2.02	\$388
EP24600LP	24 x 60 x 29	65	62.51	2.60	\$415
EP24660LP	7.54 x 65.75 x 29	65	65.98	2.80	\$445
EP24720LP	24 x 72 x 29	65	71.48	3.02	\$561
EP30606LP	30 x 60 x 29	65	71.48	3.02	\$471
EP30666LP	30 x 66 x 29	65	78.08	3.27	\$631
FP30726LP	30 x 72 x 29	65	84 50	2 93	\$673

Attaches to edge of worksurfaces. Cable scoop is in the center of the end. Includes 2" square monopost. Shipped RTA (ready to assemble). **Linking installation only.**

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.




"P" Island with Post - RIGHT

EP24540RP	24 x 54 x 29	70	45.09	2.02	\$388
EP24600RP	24 x 60 x 29	65	62.51	2.60	\$415
EP24660RP	24 x 66 x 29	65	65.98	2.80	\$445
EP24720RP	24 x 72 x 29	65	71.48	3.02	\$561
EP30606RP	30 x 60 x 29	65	71.48	3.02	\$471
EP30666RP	30 x 66 x 29	65	78.08	3.27	\$631
EP30726RP	30 x 72 x 29	65	84.50	2.93	\$673

Attaches to edge of worksurfaces. Cable scoop is in the center of the end. Includes 2" square monopost. Shipped RTA (ready to assemble). **Linking installation only.**

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

WEDGE ISLANDS (ATTACHABLE)



Wedge Island - LEFT


EWWS2460LP	24 x 60 x 29	65	57.49	2.33	\$489
EWWS2466LP	24 x 66 x 29	65	56.39	1.98	\$524
EWWS2472LP	24 x 72 x 29	65	66.29	2.67	\$562
EWWS2478LP	24 x 78 x 29	65	70.68	2.83	\$613
EWWS2484LP	24 x 84 x 29	65	75.08	3	\$649
EWWS3060LP	30 x 60 x 29	65	68.49	2.75	\$548
EWWS3066LP	30 x 66 x 29	65	73.98	2.96	\$595
EWWS3072LP	30 x 72 x 29	65	79.48	3.17	\$639
EWWS3078LP	30 x 78 x 29	65	84.98	3.37	\$685
EWWS3084LP	30 x 84 x 29	65	90.48	3.58	\$728

Attaches to edge of worksurfaces. Two cable scoops on the back side of the worksurface. Includes 2" square monopost. Conference end is 10" deeper than standard depth. Shipped RTA (ready to assemble). **Linking installation only.**

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

Required Specifications

Laminate Finish Post Finish (Islands)




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
EWWS2460RP	24 x 60 x 29	65	57.49	2.33	\$489
EWWS2466RP	24 x 66 x 29	65	56.39	1.98	\$524
EWWS2472RP	24 x 72 x 29	65	66.29	2.67	\$562
EWWS2478RP	24 x 78 x 29	65	70.68	2.83	\$613
EWWS2484RP	24 x 84 x 29	65	75.08	3	\$649
EWWS3060RP	30 x 60 x 29	65	68.49	2.75	\$548
EWWS3066RP	30 x 66 x 29	65	73.98	2.96	\$595
EWWS3072RP	30 x 72 x 29	65	79.48	3.17	\$639
EWWS3078RP	30 x 78 x 29	65	84.98	3.37	\$685
EWWS3084RP	30 x 84 x 29	65	90.48	3.58	\$728


Attaches to edge of worksurfaces. Two cable scoops on the back side of the worksurface. Includes 2" square monopost. Conference end is 10" deeper than standard depth. Shipped RTA (ready to assemble). Linking installation only.

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

RADIUS SPANNER ISLANDS




Radius Spanner Island - 18" and 24	Radius S	panner	Island -	18"	and 24"
------------------------------------	----------	--------	----------	-----	---------



Used to connect two back-to-back units of the same depth with a panel. Cable scoop is on the straight edge. Includes 2" square monopost. Shipped RTA (ready to assemble). Linking installation only.

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.



Radius Spanner Island - 30"D


EORW30P	31.5 x 63 x 29	65	51	1.76	\$612

Used to connect two back-to-back units of the same depth with a panel. Cable scoop is on the straight edge. Includes two 2" square monoposts. Shipped RTA (ready to assemble). Linking installation only.

• Post is shipped in separate carton. MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

TRANSACTION TOPS - NOTES

- Tops are 1" thick, 45 lb. density particleboard covered on both sides with thermally fused laminate.
- Available in 12" depth only.
- For a Custom Width, ex: ETT1232, take the next larger size ETT1236 plus 10%.
- · Connecting hardware not included.
- "L" Transaction Top (ELCTT90) covers 12" of a panel.
- Preferred matching edge on all sides



Two Way Connector Transaction Top (ELCTT90) - Use to link Transaction Tops together at 90°.


Required Specifications

Laminate Finish Post Finish (Islands)









"D" Transaction Top




Double "D" Transaction Top





"L" Transaction Top



Three-Way Corner Transaction Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
ETT1212	12 x 12 x 1	65	6	.22	\$62	
ETT1218	12 x 18 x 1	65	8	.30	\$75	
ETT1224	12 x 24 x 1	65	10	.38	\$86	
ETT1230	12 x 30 x 1	65	13	.46	\$105	
ETT1236	12 x 36 x 1	65	15	.54	\$120	
ETT1242	12 x 42 x 1	65	18	.62	\$135	
ETT1248	12 x 48 x 1	65	20	.70	\$147	
ETT1254	12 x 54 x 1	65	23	.78	\$167	
ETT1260	12 x 60 x 1	65	25	.86	\$190	
ETT1266	12 x 66 x 1	65	28	.94	\$211	
ETT1272	12 x 72 x 1	65	30	1.02	\$230	
ETT1278	12 x 78 x 1	65	32	1.10	\$253	
ETT1284	12 x 84 x 1	65	35	1.18	\$274	

12" deep x 1" thick top. Attaches to the top of a 42" panel. Connecting hardware not included. For connecting hardware, see

• All worksurface finishes will have a matching 3mm edge

EDTT1230	12 x 36 x 1	65	18	.65	\$125	
EDTT1236	12 x 42 x 1	65	20	.69	\$138	
EDTT1242	12 x 48 x 1	60	23	.74	\$158	
EDTT1248	12 x 54 x 1	60	26	.77	\$172	
EDTT1254	12 x 60 x 1	60	28	.85	\$193	
EDTT1260	12 x 66 x 1	60	31	.94	\$220	
EDTT1266	12 x 72 x 1	60	36	1.10	\$244	
EDTT1272	12 x 78 x 1	60	36	1.10	\$263	

12" deep x 1" thick top. Attaches to the top of a 42" panel. Used at the end of a panel run where surface can overhang. Connecting hardware not included. For connecting hardware, see next page.

· All worksurface finishes will have a matching 3mm edge

EDDTT1248	12 x 60 x 1	60	28	.85	\$180	
EDDTT1254	12 x 66 x 1	60	30	.90	\$198	
EDDTT1260	12 x 72 x 1	60	31	.94	\$229	
EDDTT1272	12 x 84 x 1	60	36	1.10	\$276	

12" deep x 1" thick top. Attaches to the top of a 42" panel. Top overhangs the panel by 6" on either end. Connecting hardware not included. For connecting hardware, see next page.

All worksurface finishes will have a matching 3mm edge

ELCTT90	19 x 19 x 1	70	12	.75	\$113	

19" deep x 1" thick top. Attaches to the top of a 42" panel. Used where two panels meet at a 90° angle. Covers 12" of a panel. Connecting hardware not included. For connecting hardware, see next page.


· All worksurface finishes will have a matching 3mm edge

19" deep x 1" thick top. Attaches to the top of a 42" panel. To connect three way transaction tops; two at 180°, the other at 90°. Deduct 6" from the width of each adjoining transaction top. Connecting hardware not included. For connecting hardware, see next page.


All worksurface finishes will have a matching 3mm edge

Required Specifications

TRANSACTION TOPS



Four-Way Corner Transaction Top



19"D x 1" thick top. Attaches to the top of a 42" panel. To connect four transaction tops at 90°. Deduct 6" from the width of each adjoining transaction top. Connecting hardware not included. For connecting hardware, see below.

WT/LBS.

13.10

CUBIC FT.

.90

.01

2

LIST PRICE

\$220

\$33

• All worksurface finishes will have a matching 3mm edge

DIMENSIONS

DxWxH

19 x 19 x 1



Transaction Top Connector - Corner Post

ETTCPOSTC 2 2.75 x 7.5 x 6 60 .01 \$33

60

FREIGHT CLASS

85

Fits into Corner Post. Plastic corner cap must be removed.

Pricing shown is for one piece.

ETTPANELC

MODEL#

EOTT4W

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

2.75 x 7.5 x 5.25



Transaction Top Connector - Panel

- Pricing shown is for one piece.
- · Adjacent panels must be the same height.
- MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

Fits into Panel Frame. Plastic top cap must be removed.

WORKSURFACE SUPPORT HARDWARE





Worksurface Bracket

EEWSBL	.25 x 1 x 66	70	.10	.10	\$15
(Left)					
EEWSBR	.25 x 1 x 66	70	.10	.10	\$15
(Right)					
EEWSB	.25 x 1 x 66	70	.10	.10	\$30
(Set)					

Attaches worksurface to panel. *EEWSB (Set) includes one left and one right worksurface bracket.

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.



Full End Gable

*	X

Mid-Supporting Gable

EFEG18P	18 x 1 x 27.62	60	16.50	.54	\$180
EFEG24P	24 x 1 x 27.62	60	22	.72	\$195
EFEG30P	30 x 1 x 27.62	60	28	.90	\$283

Attaches a worksurface to Panel with two connecting brackets. Provides solid support of a worksurface. Includes EPTEGBK Bracket Kit.

EMSG224P	10 x 1 x 27.62	70	9	.50	\$180	
EMSG230P	16 x 1 x 27.62	65	12	.50	\$180	

Provides support to a worksurface spanning two panels. Also used to support and link two adjoining worksurfaces. Includes EPTSGBK Bracket Kit.

Required Specifications

Laminate Finish

Metal Finish (Connectors)



WORKSURFACE SUPPORT HARDWARE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST
	ЕРТРВК	D x W x H 1 x 1 x 6	70	1	.01	\$
Pedestal Connecting Bracket Kit	 Pricing shown 	ack of the Pedestal at the is for a pair of brackets. y Black (BLK) or Tungsten	One pair of brac			
	EEOPBL	.25 x 1 x 66	70	.10	.01	\$
	(Left) EEOPBR (Right)	.25 x 1 x 66	70	.10	.01	\$
Panel to Desk Connector with Velcro	 Pricing shown 	nd gable of desk to end o is for one piece. Black (BLK) or Tungsten		panel slot.		
	EFB	3.5 x 4.5	70	1	.20	\$
Flat Bracket	 Pricing shown 	ent on adjoining worksurfa is for one piece. lack (BLK) only	aces of the same l	neight.		

ELS291 .52 \$100 5.25 x 5.25 x 27 92.5 5.50 ELS294 5.25 x 5.25 x 27 92.5 21.20 2.10 \$390

LIST PRICE \$19

> \$15 \$15

\$16

Leg with Leveler - Square

2" square leg with leveler that adjusts up to ½". Wood screws included. Ships UPS. • ELS291 ships 1 per carton. ELS294 ships 4 per carton.

- MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

Required Specifications
Metal Finish

STORAGE NOTES

PEDESTALS

- DxWxH
- Worksurface Supporting Pedestals are 27.62" high and can directly support worksurfaces by screwing through the top of the pedestal and into the underside of the worksurface.
 A Pedestal Connecting Bracket secures the pedestal to a panel (not included).
- Freestanding Pedestals are 27.12"H and can slide under a panel attached worksurface.
- Cannot be converted to mobile pedestals in the field.
- · Lock included.
- · Steel construction for durability.
- G Series Pedestals have a looped full pull drawer front while E Series Pedestals incorporate Soft touch HytreITM pull handles.
- One pencil tray and plate divider included in the top box drawer.
- Leveling glides provide 1" height adjustment.
- Mobile pedestal NOT for use to support worksurfaces.
- Worksurface tops are available for pedestals when they are freestanding.
- Box drawers have ¾ extension steel ball bearing suspension.
- File drawers have full steel ball bearing suspension.
- Side rails accommodate letter hanging folders.
- File bars included for legal size hanging file folders for 19", 23"/24" and 29"/30".

LOCKS

- Pedestals All drawers are locking (standard position on the front, top right).
- Overheads with Retracting Doors Can be ordered for field installation only (model ESLOCK). ADD \$28.
- All keying is random.
- All components within a workstation or a private office can be keyed alike or keyed differently at No Charge. Delivery times will vary.
- Quantity 1 150 Workstations Standard Delivery Time.
- Quantity 151+ Workstations Additional Lead Time (approx. 3 weeks).
- Note: When ordering 'specified' keying, tag each component of the workstation or office with a lock number between 400-550. Your shipping documentation and invoicing will confirm both the "specified" lock number and any other tagging instructions for each component.

PANEL ATTACHED STORAGE

- All panel attached storage is constructed of steel for durability.
- · Overhead Storage Units are NOT standard with locks.
- Interior dimensions of the Overhead Storage Unit are 11 ¾"D and 12"H. The shelf is 12"D and has a back lip to protect the panel fabric.

PERSONAL STORAGE TOWERS

- Personal storage towers have looped full pull fronts to match the G Series pedestals.
- Locks are included.
- \bullet Leveling glides provide 1/2" height adjustment.

Note:

- Custom widths and depths are NOT available for Pedestals, Panel Attached Storage and Personal Towers.
- Matching 9100/9300P series lateral file and storage options. See the Filing and Storage section, beginning on page 680.

OPTIONS

- Desk Mounted Accessories include Keyboard Corner Plate and Pencil Drawer.
- Panel-Mounted Accessories include Coat Hook, Self-Supporting Foot and Accessory Rail.
- · Accessory Rail supports additional storage and organizational accessories
- For keyboard trays, see Productivity Solutions by Global, beginning on page 500.

SHIPPING

- Shipped R.T.A. (Ready To Assemble).
- 1 per carton, unless otherwise noted.

ELECTRICAL COMPONENTS

- Desk mounted accessories include Adapt power/data module (model # EUEDM), mini-adapt power module (model # EUTEM) and mini-adapt data module (model # EUTDM).
- Panel mount power bar includes four receptacles, two data jack adapters, two cord management channels, sliding bracket and bezel tree.





G SERIES PEDESTALS
Day/Day/Eila Dada

		estal

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GWPS19BBF	19 x 15 x 27.75	70	70	4.30	\$417	
GWPS24BBF	24 x 15 x 27.75	85	84	5.80	\$423	
GWPS30BBF	30 x 15 x 27.75	85	94	7.03	\$432	

Two box and one file drawer pedestal. Designed to support worksurfaces. Looped full pull. Lock mounted on the right hand side. One pencil tray and one plate divider included. Leveling glides are standard.

/	

File/File Pedestal

GWPS19FF	19 x 15 x 27.75	70	70	4.30	\$417
GWPS24FF	24 x 15 x 27.75	85	84	5.80	\$423
GWPS30FF	30 x 15 x 27.75	85	94	7.03	\$432

Two file drawer pedestal. Designed to support worksurfaces. Looped full pull. Lock mounted on the right hand side. Leveling glides are standard.



Box/Box/File Pedestal

GWP-19BBF	19 x 15 x 27.12	92.5	69	6	\$398	
GWP-23BBF	23 x 15 x 27.12	92.5	75	7	\$411	
GWP-29BBF	29 x 15 x 27.12	100	80	9	\$425	

Two box and one file drawer pedestal. Freestanding. Looped full pull. Lock mounted on the right hand side. One pencil tray and one plate divider included. Leveling glides are standard.



File/File Pedestal

GWP-19FF	19 x 15 x 27.12	92.5	69	6	\$398	
GWP-23FF	23 x 15 x 27.12	92.5	75	7	\$411	
GWP-29FF	29 x 15 x 27.12	100	80	9	\$425	

Two file drawer pedestal. Freestanding. Looped full pull. Lock mounted on the right hand side. Leveling glides are standard.



Box/File Pedestal - Mobile

GMP-19BF	19 x 15 x 22	70	76	5	\$411	
GMP-23BF	23 x 15 x 22	85	80	6	\$425	
GMP-29BF	29 x 15 x 22	85	86	7	\$438	

One box and one file drawer pedestal. Looped full pull. Lock mounted on the right hand side. One pencil tray and one plate divider included. Includes casters already attached.

Required Specifications

Metal Finish

E SERIES PEDESTALS				
	$\overline{}$			

Box/Box/File Pedestal

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
EWPS19BBF	19 x 15 x 27.62	92.5	69	5.90	\$411	
EWPS24BBF	24 x 15 x 27.62	92.5	75	7	\$425	
EWPS30BBF	30 x 15 x 27.62	85	94	7.25	\$438	

Two box and one file drawer pedestal. **Designed to support worksurfaces**. Soft touch Hytrel pull handles in Black (BLK) only. Lock mounted on the right hand side. One pencil tray and one plate divider included. Leveling glides are standard.

/	\
	15

File/File Pedestal

EWPS19FF	19 x 15 x 27.62	92.5	69	5.90	\$411
EWPS24FF	24 x 15 x 27.62	92.5	75	7	\$425
EWPS30FF	30 x 15 x 27.62	85	94	7.25	\$438

Two file drawer pedestal. **Designed to support worksurfaces**. Soft touch Hytrel pull handles in Black (BLK) only. Lock mounted on the right hand side. Leveling glides are standard.



Box/Box/File Pedestal

EWP19BBF	19 x 15 x 27.12	92.5	69	5.90	\$411	
EWP23BBF	23 x 15 x 27.12	92.5	75	7	\$425	
EWP29BBF	29 x 15 x 27.12	100	80	8.70	\$438	

Two box and one file drawer pedestal. **Freestanding**. Soft touch Hytrel pull handles in Black (BLK) only. Lock mounted on the right hand side. One pencil tray and one plate divider included. Leveling glides are standard.




File/File Pedestal

EWP19FF	19 x 15 x 27.12	92.5	69	5.90	\$411
EWP23FF	23 x 15 x 27.12	92.5	75	7	\$425
EWP29FF	29 x 15 x 27.12	100	80	8.70	\$438

Two file drawer pedestal. **Freestanding**. Soft touch Hytrel pull handles in Black (BLK) only. Lock mounted on the right hand side. Leveling glides are standard. Matches the height of two high lateral files.

PEDESTAL / FILE TOP SURFACES



Pedestal 1	op Surface
------------	------------

EEP1915	19.62 x 15.25 x 1	70	13.40	.87	\$97
EEP2415	24 x 15.25 x 1	70	15.60	.87	\$97
EEP3015	30 x 15.25 x 1	65	24	1	\$159

eO+ laminate top surface for freestanding pedestal.

Required Specifications

Metal Finish

Laminate Finish (Pedestal Top Surface)



Parennal	Tower -	. 2 Fila	Draware

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH 93PT-2FL 24 x 24 x 65.25 125 160 21.75 \$1500 93PT-2FR 24 x 24 x 65.25 125 160 21.75 \$1500

Ventilated wardrobe section, locker compartment and 2 file drawers. Looped full pull. 3 locks keyed alike. Locker compartment includes 2 shelves.

- MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.
- Model 93PT-2FL has wardrobe section on the left and file drawers on the right.
- Model 93PT-2FR has wardrobe section on the right and file drawers on the left.



Personal Tower - 2 Box/1 File Drawers


 93PT-2BFL
 24 x 24 x 65.25
 125
 165
 21.75
 \$1500

 93PT-2BFR
 24 x 24 x 65.25
 125
 165
 21.75
 \$1500

Ventilated wardrobe section, locker compartment and 2 box and 1 file drawers. Looped full pull. 3 locks keyed alike. Locker compartment includes 2 shelves.

- MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.
- Model 93PT-2BFL has wardrobe section on the left and file drawers on the right.
- Model 93PT-2BFR has wardrobe section on the right and file drawers on the left.

OVERHEAD STORAGE




12" Deep Low Profile Shelf

ECOL1224	12 x 24 x 5	125	5.20	.83	\$87
ECOL1230	12 x 30 x 5	125	6.60	1.04	\$91
ECOL1236	12 x 36 x 5	125	7.90	1.25	\$96
ECOL1242	12 x 42 x 5	125	9.30	1.45	\$106
ECOL1248	12 x 48 x 5	125	10.60	1.66	\$121
ECOL1254	12 x 54 x 5	125	12.10	1.99	\$123
ECOL1260	12 x 60 x 5	125	13.20	2.08	\$134

Panel-mounted storage shelf with back lip that protects fabric. Includes all attachment hardware.

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.



12" Deep Overhead with Receding Door

ECOF1224	12 x 24 x 14.5	60	27	.79	\$338
ECOF1230	12 x 30 x 14.5	60	31	.83	\$338
ECOF1236	12 x 36 x 14.5	60	36	.99	\$352
ECOF1242	12 x 42 x 14.5	60	41	1.16	\$381
ECOF1248	12 x 48 x 14.5	60	51	1.32	\$409
ECOF1254	12 x 54 x 14.5	60	53	1.66	\$431
ECOF1260	12 x 60 x 14.5	60	56	1.66	\$453

Door retracts up and over the cabinet. Inside dimensions - 12"h x 11 ¾"d. Lock not included. 60" unit is reinforced for proper weight distribution.

.01

.01

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.



Locking Kit

70

For overhead flipper door storage cabinet. Includes two keys. Can only be field installed.

Required Specifications

Metal finish

ESLOCK

Key #

\$28



DESK MOUNTED ACCESSORIES

Corner Keyboard Plate

		ſ		
	/	l .		
	,	1		
	1	1		
	1	A.		
	1	l .		
	1	N .		
		1		
		_		
- 4				
111				

MODEL#

PEEOCKS

PEEPD

Connects two 1 1/8" worksurfaces that form a 90° corner into a 45° keyboard support corner surface.

FREIGHT CLASS

70

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

15 x 22.5 x 1.5

DIMENSIONS

18 x 18 x 1.12

DxWxH



Pencil Drawer

Provides storage for writing instruments and small items at the workspace.	Attaches to the underside of the worksurface with
included drawer slides	

WT/LBS.

6

CUBIC FT.

.30

.70

LIST PRICE

\$82

\$125

· Black ABS plastic only



Accessory Rail

EARC24	.75 x 24 x 2	70	.98	.02	\$130	
EARC30	.75 x 30 x 2	70	1.23	.03	\$137	
EARC36	.75 x 36 x 2	70	1.43	.03	\$144	
EARC42	.75 x 42 x 2	70	1.67	.04	\$153	
EARC48	.75 x 48 x 2	70	1.91	.04	\$168	
EARC54	.75 x 54 x 2	60	2	.05	\$184	
EARC60	.75 x 60 x 2	60	2.39	.05	\$196	

Extruded aluminum rail supports off-desk accessories. Attaches to panel edge using pre-installed brackets.

• MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.



Coat Hook

	EECTH		70	.01	.01	\$25
--	-------	--	----	-----	-----	------

Attaches to panel top.

- Pricing shown is for one piece.
- MUST Specify Black (BLK) or Tungsten 2 (TU2) finish.

ACCESSORY RAIL ORGANIZERS



Pencil Holder

EEPH	3.75 x 4.25 x 4.5	70	.20	.58	\$16

Mounts on the off-desk accessory rail. ABS plastic.

• MUST Specify Black (BLK) or Frosted (FR) finish.



Phone Support

	EEPS	10 x 8.5 x 2	70	.60	.12	\$40	
--	------	--------------	----	-----	-----	------	--

Telephone tray. Mounts on the off-desk or panel accessory rail. ABS plastic.

• MUST Specify Black (BLK) or Frosted (FR) finish.

Required Specifications

Metal Finish

CCESSORY RAIL ORGANIZERS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	EEPT	14 x 9.5 x 2	70	.90	.18	\$46
aper Tray		off-desk accessory rail. AB y Black (BLK) or Frosted (F				
	EEOT	10.25 x 9.5 x 2	70	.60	.13	\$41
rganizer Tray		off-desk accessory rail. AB y Black (BLK) or Frosted (F				
	EESFH	12.5 x 7.25 x 7	70	1.10	.15	\$60
lanted File Holder		off-desk accessory rail. AB y Black (BLK) or Frosted (F				
	ЕЕВН	10.5 x 5 x 9	70	.50	.34	\$37
inder Holder		off-desk accessory rail. AB y Black (BLK) or Frosted (F				
	EECH	7.5 x 5.5 x 2	70	.50	.55	\$31
D Holder		off-desk accessory rail. AB y Black (BLK) or Frosted (F				
	ЕЕАН	-	70	.01	.10	\$4
ccessory Clip		sk accessories to rail. Inclu y Black (BLK) or Frosted (F		cessory rail orç	ganizers. ABS p	olastic.

Required Specifications Finish

FREESTANDING COMPONENTS	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PEESL29	D x W x H 25 x 29 x 65.5	100	53	5.40	\$696	
	PEESL36	25 x 36 x 65.5	92.5	60	5.40	\$910	
Whiteboard Easel	locking casters. Pl separately on page	ded whiteboard for use w astic tray holds markers/6 2516). lack (BLK) or Tungsten 2 (rasers. Also fe				
ELECTRICAL COMPONENTS							
	PEUEDIM	4 x 6.5 x 2.5	92.5	2	.18	\$247	
Adapt Power/Data Module	Includes two electr • Available in Blace	rical outlets, spaces for tw k only.	o plugs with a	daptors and	a 6' power corc	l.	
	PEUTEM	3 x 3.8 x 2	70	1	.18	\$159	
Mini-Adapt Power Module	Attaches to scoop, • Available in Blac	spaces for two plugs wit ck only.	n adaptors and	a 6' power c	ord. Data plugs	not provided.	
	PEUTDM	3 x 3.75 x 2	92.5	2	.18	\$134	
Mini-Adapt Data Module	Includes two electr • Available in Blace	rical outlets, spaces for tv k only.	o plugs with a	daptors and	a 6' power corc	I.	
	EPMAWPB30	5.5 x 30 x 4	70	8	.50	\$458	
	EPMAWPB36	5.5 x 36 x 4	70	10	.50	\$471	
	EPMAWPB42	5.5 x 42 x 4	70	12	.70	\$475	
	EPMAWPB48	5.5 x 48 x 4	70	15	.70	\$481	
Panel Mount Power Bar	Includes four recep • Available in Blac	otacles, two data jack ada sk only.	pters, two cord	managemer	nt channels, slic	ling bracket and bezel tr	ee. 6' cord.
	EIPEC	6.5 x 4.5 x 10.25	70	1	.18	\$376	
Power Cable	Interconnecting po • Available in Blace	wer entry cable, 15' long sk only.	cord. Connects	up to 8 mon	numents.		

Required Specifications Finish - Whiteboard Easel



	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	EITTTJC74	5 x 3 x 1	70	1	.10	\$137
nper Cable	Interconnecting table to table jumper cable, 74" long cord . • Available in Black only.					
	EITTTJC96	5 x 3 x 1	70	1.30	.10	\$151
per Cable	Interconnecting table to table jumper cable, 96" long cord . • Available in Black only.					
	EIEDM	4 x 6.5 x 2.5	85	2.20	.18	\$267
rconnecting Electrical/Data nument	Attaches to scoop. Includes two electrical outlets and a space for two data plugs. • Available in Black only.					
	EIEM	3 x 3.8 x 2	70	1	.18	\$179
2						
		o. Includes two electrical	outlets.			
	Attaches to scoop • Available in Bla		outlets.			
			outlets.	1	.10	\$17
	Available in Bla	ack only.		1	.10	\$17
nument	Available in Bla ECCCO For closed overl	.5 x 20 x .5	70	1	.10	\$17
nument	Available in Bla ECCCO For closed overl	.5 x 20 x .5	70	1	.10	\$17 \$17
rconnecting Electrical nument d Cover	 Available in Bla ECCCO For closed overl MUST Specify 	.5 x 20 x .5 .ead to worksurface. Black (BLK) or Tungsten 2	70 ? (TU2) finish.			
nument	Available in Bla ECCCO For closed overt MUST Specify ECCCOS For open shelving	.5 x 20 x .5 .ead to worksurface. Black (BLK) or Tungsten 2	70 2 (TU2) finish. 70			
nument d Cover	Available in Bla ECCCO For closed overt MUST Specify ECCCOS For open shelving	nead to worksurface. Black (BLK) or Tungsten 2 .5 x 16 x .5	70 2 (TU2) finish. 70			
nument d Cover	Available in Bla ECCCO For closed overl MUST Specify ECCCOS For open shelvir MUST Specify	.5 x 20 x .5 nead to worksurface. Black (BLK) or Tungsten 2 .5 x 16 x .5	70 2 (TU2) finish. 70 2 (TU2) finish.	1	.10	\$17

Required Specifications Finish







Task Light

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PEWM1	2 x 12 x 2	70	.20	.10	\$27	
PEWM1.5	2 x 18 x 2	70	.20	.10	\$37	
PEWM2	2 x 24 x 2	70	.30	.10	\$50	
PEWM2.5	2 x 30 x 2	70	.30	.10	\$60	
PEWM3	2 x 36 x 2	70	.40	.10	\$73	
PEWM3.5	2 x 42 x 2	70	.40	.10	\$83	
PEWM4	2 x 48 x 2	70	.50	.10	\$96	
PEWM4.5	2 x 54 x 2	70	.50	.10	\$106	
PEWM5	2 x 60 x 2	70	.60	.10	\$119	
PEWM5.5	2 x 66 x 2	70	.60	.10	\$142	

Plastic tray flexes to receive and then hold electrical and data wires. Attaches with two strips of premium 3M two sided tape. Available in Black only.

PVET5L48	4.25 x 48 x 1.25	65	8	.28	\$175
PVET5L36	4.25 x 36 x 1.25	65	6	.21	\$158
PVET5L24	4.25 x 24 x 1.25	65	4	.15	\$146
PVET5L18	4.25 x 19.5 x 1.25	65	3	.12	\$140

T5 rapid start fluorescent lamp provides energy-efficient illumination. Slim low profile metal chassis. Electronic ballast. Prismatic acrylic lens included. Attaches to wood or metal units. 9' power cord. Specify 6" shorter than storage unit width.

• When hanging task lights on the underside of steel hutches, the SHTSLB1 bracket set MUST BE USED.

Replacement bulbs for the task light are as follows:

24" - 14W T5 22" soft white

36" - 21W T5 34" soft white

48" - 28W T5 46" neutral