


GRANADA®



model 3212 (3N)



model 3212 (3N)



**Multi-Depth Mechanism**  
Seat depth option is available on multi-tilter models. (see notes for more details)



model 3217



model 3121

STANDARD FEATURES

- Features a sculpted back with pronounced lumbar support.
- Standard with adjustable height T-arms with curved urethane armcaps (3N) in Black Only. (except for models 3252 and 3262 which have a fixed height version of this same arm style.)
- Standard when chair is ordered with adjustable height arms (AA, O, OJ, SB, TD, UB, ZH, ZT, 3M, 3N, 4J, 4M, 4T, 6L, 9B and 9S). Allows each arm to move outward an additional 2" (for a total of 4" extra seat width) and locks with the use of an easy to maneuver lever.
- All models (except armchair and side chair styles) are standard with a five-legged, injection molded base.
- Base and frame are available in Black (BK) Only.
- All models (except high back, side chair, armchair and drafting models) are shipped partially KD.
- Drafting chairs are equipped with height adjustable chrome foot ring.
- C65 casters are standard except for heavy duty models.
- Heavy Duty 24HR models C10 dual wheel, carpet casters are standard.
- Not available in Leather.


OPTIONAL FEATURES

- Available in Memory Foam. Use code "MF" and Add \$76.00.
- Black base with chrome footring. Specify "B3". Add \$80.00.
- Available with back edge vinyl bumper guard option (VBG). Add \$16.00.
- See pages 306-308 for additional arm options.
- Optional ballistic nylon outer back fabric available (the back panel will be attached with washer head screws). Resistant to impact damage. Available in Black Only (BKB). Add \$13.00
- For hard surface flooring please specify C10R at an upcharge. Please see page 309 for additional caster options. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.
- For availability of chair series in Vinyl, please contact a Global Sales Representative.

DESCRIPTION FEATURES MODEL# STANDARD FABRIC GRADES



**LB Multi - Tilter** Plain Back Ratchet Back  
COM Yardage: 1.50  
Freight Class: 150  
Product Weight (lbs.): 52  
Cubic Feet Per Carton: 9.25



**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(3) Back angle  
(6) Back height\*  
(7) Forward tilt lock  
(8) Seat depth  
(9) Chair tilt lock  
(9A) Center-tilt action


Ergonomic Features:  
A, B, C, D, E, F, G, M, N, S

| MODEL# | 3   | 4   | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   |
|--------|-----|-----|------|------|------|------|------|------|------|------|------|------|
| 3121   | 943 | 979 | 1007 | 1049 | 1108 | 1130 | 1182 | 1282 | 1329 | 1422 | 1547 | 1704 |

| OVERALL DIMENSIONS |      |    | SEAT DIMENSIONS |      |       | BACK DIMENSIONS |           |
|--------------------|------|----|-----------------|------|-------|-----------------|-----------|
| W                  | D    | H  | W               | D    | H     | W               | H         |
| 26                 | 24.5 | 40 | 20.5            | 16.5 | 17-21 | 19              | 17.5-20.5 |



**HB Multi - Tilter** Plain Back Ratchet Back  
COM Yardage: 1.75  
Freight Class: 150  
Product Weight (lbs.): 55  
Cubic Feet Per Carton: 9.25



**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(3) Back angle  
(6) Back height\*  
(7) Forward tilt lock  
(8) Seat depth  
(9) Chair tilt lock  
(9A) Center-tilt action


Ergonomic Features:  
A, B, C, D, E, F, G, H, M, N, Q, S

| MODEL# | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   |
|--------|------|------|------|------|------|------|------|------|------|------|------|------|
| 3123   | 1040 | 1091 | 1130 | 1195 | 1282 | 1297 | 1367 | 1539 | 1571 | 1743 | 1870 | 2084 |

| OVERALL DIMENSIONS |      |    | SEAT DIMENSIONS |         |       | BACK DIMENSIONS |       |
|--------------------|------|----|-----------------|---------|-------|-----------------|-------|
| W                  | D    | H  | W               | D       | H     | W               | H     |
| 26                 | 24.5 | 43 | 20.5            | 17-19.5 | 17-21 | 19              | 22-25 |



**LB Multi - Tilter** Detailed/Styled Back  
COM Yardage: 1.50  
Freight Class: 150  
Product Weight (lbs.): 52  
Cubic Feet Per Carton: 9.25














**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(3) Back angle  
(6) Back height\*  
(7) Forward tilt lock  
(8) Seat depth  
(9) Chair tilt lock  
(9A) Center-tilt action











Ergonomic Features:  
A, B, C, D, E, F, G, M, N, S














| MODEL# | 3   | 4   | 5   | 6   | 7   | 8   | 9    | 10   | 11   | 12   | 13   | 14   |
|--------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| 3202   | 778 | 816 | 844 | 888 | 948 | 971 | 1025 | 1127 | 1176 | 1271 | 1400 | 1563 |










| OVERALL DIMENSIONS |      |    | SEAT DIMENSIONS |      |       | BACK DIMENSIONS |    |
|--------------------|------|----|-----------------|------|-------|-----------------|----|
| W                  | D    | H  | W               | D    | H     | W               | H  |
| 26                 | 22.5 | 40 | 19              | 16.5 | 18-22 | 18.5            | 21 |



| DESCRIPTION  | FEATURES  | MODEL#                    | STANDARD FABRIC GRADES |   |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |
|--|---|---------------------------|------------------------|---|------------------------|----------|----------|------------------------|----------|------|------|------|------|------|--|--|--|--|
|  |   |                           | 3                      | 4   | 5                      | 6        | 7        | 8                      | 9        | 10   | 11   | 12   | 13   | 14   |  |  |  |  |
| <br><b>LB Multi - Tilter</b> Plain Back<br>COM Yardage: 1.50<br>Freight Class: 125<br>Product Weight (lbs.): 58<br>Cubic Feet Per Carton: 9.25  | <br><b>ADJUSTMENTS</b><br>(1) Tilt tension<br>(2) Pneumatic seat height<br>(3) Back angle<br>(6) Back height*<br>(7) Forward tilt lock<br>(8) Seat depth<br>(9) Chair tilt lock<br>(SA) Center-tilt action | <b>3212</b>               | 690                    | 727   | 755                    | 800      | 861      | 884                    | 936      | 1040 | 1088 | 1182 | 1311 | 1474 |  |  |  |  |
|  |   | <b>OVERALL DIMENSIONS</b> |                        |   | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |  |  |
|  |   | <b>W</b>                  | <b>D</b>               | <b>H</b>  | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |  |  |
|  |   | 26                        | 24                     | 40  | 19                     | 16.5     | 18-22    | 18.5                   | 21       |      |      |      |      |      |  |  |  |  |
|  |   |                           | <b>RTA 2</b>           |    |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |
| <br><b>HB Multi - Tilter</b> Plain Back<br>COM Yardage: 1.75<br>Freight Class: 150<br>Product Weight (lbs.): 57<br>Cubic Feet Per Carton: 10.50 | <br><b>ADJUSTMENTS</b><br>(1) Tilt tension<br>(2) Pneumatic seat height<br>(3) Back angle<br>(6) Back height*<br>(7) Forward tilt lock<br>(8) Seat depth<br>(9) Chair tilt lock<br>(SA) Center-tilt action | <b>3217</b>               | 775                    | 817   | 850                    | 902      | 973      | 998                    | 1061     | 1181 | 1238 | 1351 | 1501 | 1688 |  |  |  |  |
|  |   | <b>OVERALL DIMENSIONS</b> |                        |   | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |  |  |
|  |   | <b>W</b>                  | <b>D</b>               | <b>H</b>  | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |  |  |
|  |   | 26                        | 24.5                   | 43  | 19                     | 17.5     | 18-22    | 18.5                   | 26       |      |      |      |      |      |  |  |  |  |
|  |   |                           | <b>RTA 2</b>           |    |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |
| <br><b>Armchair</b> Plain Back<br>COM Yardage: 1.50<br>Freight Class: 250<br>Product Weight (lbs.): 40<br>Cubic Feet Per Carton: 17            |   | <b>3252</b>               | 692                    | 730   | 758                    | 802      | 863      | 886                    | 939      | 1042 | 1091 | 1184 | 1314 | 1476 |  |  |  |  |
|  |   | <b>OVERALL DIMENSIONS</b> |                        |   | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |  |  |
|  |   | <b>W</b>                  | <b>D</b>               | <b>H</b>  | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |  |  |
|  |   | 26                        | 23.5                   | 37.5  | 19                     | 16.5     | 19       | 18.5                   | 21       |      |      |      |      |      |  |  |  |  |
|  |   |                           | <b>RTA 00</b>          |   |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |
| <br><b>Side Chair</b> Plain Back<br>COM Yardage: 1.50<br>Freight Class: 300<br>Product Weight (lbs.): 32<br>Cubic Feet Per Carton: 17.25      |   | <b>3253</b>               | 554                    | 592   | 621                    | 665      | 725      | 749                    | 802      | 905  | 955  | 1048 | 1178 | 1339 |  |  |  |  |
|  |   | <b>OVERALL DIMENSIONS</b> |                        |   | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |  |  |
|  |   | <b>W</b>                  | <b>D</b>               | <b>H</b>  | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |  |  |
|  |   | 20.5                      | 23.5                   | 37.5  | 19                     | 16.5     | 19       | 18.5                   | 21       |      |      |      |      |      |  |  |  |  |
|  |   |                           | <b>RTA 00</b>          |   |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |
| <br><b>LB Task</b> Armless/Plain Back<br>COM Yardage: 1.50<br>Freight Class: 250<br>Product Weight (lbs.): 32<br>Cubic Feet Per Carton: 9.25  | <br><b>ADJUSTMENTS</b><br>(2) Pneumatic seat height<br>(8) Seat depth  | <b>3254</b>               | 444                    | 480   | 510                    | 552      | 613      | 635                    | 690      | 793  | 842  | 936  | 1066 | 1227 |  |  |  |  |
|  |   | <b>OVERALL DIMENSIONS</b> |                        |   | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |  |  |
|  |   | <b>W</b>                  | <b>D</b>               | <b>H</b>  | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |  |  |
|  |   | 21                        | 24                     | 38  | 19                     | 16.5     | 17-22    | 18.5                   | 21       |      |      |      |      |      |  |  |  |  |
|  |   |                           | <b>RTA 1</b>           |  |                        |          |          |                        |          |      |      |      |      |      |  |  |  |  |

| DESCRIPTION   | FEATURES   | MODEL#  | STANDARD FABRIC GRADES  |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|---|--|---|---|-----|-----|-----|-----|-----|------|------|------|---|------|------|------|-----|-----|-----|------|-------|---|------|------|------|------|------|---|------|----|
|   |  |   | 3   | 4   | 5   | 6   | 7   | 8   | 9    | 10   | 11   | 12  | 13   | 14   |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|  <p><b>LB Task</b> w/Arm/Plain Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 40<br/>Cubic Feet Per Carton: 9.25</p>               |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(8) Seat depth</p>   | <p>Ergonomic Features:<br/>C, E, H, M, N, Q</p> | <table border="1"> <tr> <td>3255</td> <td>562</td> <td>597</td> <td>626</td> <td>669</td> <td>731</td> <td>753</td> <td>806</td> <td>911</td> <td>959</td> <td>1053</td> <td>1182</td> <td>1345</td> </tr> </table>   |     |     |     |     |     |      |      |      |   |      | 3255 | 562  | 597 | 626 | 669 | 731  | 753   | 806   | 911  | 959  | 1053 | 1182 | 1345 |   |      |    |
|   |  |   | 3255  | 562 | 597 | 626 | 669 | 731 | 753  | 806  | 911  | 959   | 1053 | 1182 | 1345 |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   | <p><b>OVERALL DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>26</td> <td>24</td> <td>38</td> </tr> </table>   |     |     | W   | D   | H   | 26   | 24   | 38   | <p><b>SEAT DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>19</td> <td>16.5</td> <td>17-22</td> </tr> </table> |      |      | W    | D   | H   | 19  | 16.5 | 17-22 | <p><b>BACK DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>H</th> </tr> <tr> <td>18.5</td> <td>21</td> </tr> </table> |      |      |      |      | W    | H | 18.5 | 21 |
|   |  |   | W   | D   | H   |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 26  | 24   | 38  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | D  | H   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 19  | 16.5   | 17-22   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | H  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 18.5  | 21   |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| <p>RTA 1 </p>  |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|  <p><b>Armchair</b> Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 250<br/>Product Weight (lbs.): 40<br/>Cubic Feet Per Carton: 17</p>            |  | <p>Ergonomic Features:<br/>M, N</p>             | <table border="1"> <tr> <td>3262</td> <td>730</td> <td>765</td> <td>796</td> <td>839</td> <td>898</td> <td>920</td> <td>975</td> <td>1079</td> <td>1127</td> <td>1222</td> <td>1352</td> <td>1514</td> </tr> </table> |     |     |     |     |     |      |      |      |   |      | 3262 | 730  | 765 | 796 | 839 | 898  | 920   | 975   | 1079 | 1127 | 1222 | 1352 | 1514 |   |      |    |
|   |  |   | 3262  | 730 | 765 | 796 | 839 | 898 | 920  | 975  | 1079 | 1127  | 1222 | 1352 | 1514 |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   | <p><b>OVERALL DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>37.5</td> </tr> </table>   |     |     | W   | D   | H   | 26   | 23.5 | 37.5 | <p><b>SEAT DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>19</td> <td>16.5</td> <td>19</td> </tr> </table>    |      |      | W    | D   | H   | 19  | 16.5 | 19    | <p><b>BACK DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>H</th> </tr> <tr> <td>18.5</td> <td>21</td> </tr> </table> |      |      |      |      | W    | H | 18.5 | 21 |
|   |  |   | W   | D   | H   |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 26  | 23.5   | 37.5  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | D  | H   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 19  | 16.5   | 19  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | H  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 18.5  | 21   |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| <p>RTA 00</p>   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|  <p><b>Side Chair</b> Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 300<br/>Product Weight (lbs.): 32<br/>Cubic Feet Per Carton: 17.25</p>      |  | <p>Ergonomic Features:<br/>M, N</p>             | <table border="1"> <tr> <td>3263</td> <td>590</td> <td>626</td> <td>655</td> <td>699</td> <td>759</td> <td>781</td> <td>836</td> <td>939</td> <td>987</td> <td>1082</td> <td>1212</td> <td>1374</td> </tr> </table>   |     |     |     |     |     |      |      |      |   |      | 3263 | 590  | 626 | 655 | 699 | 759  | 781   | 836   | 939  | 987  | 1082 | 1212 | 1374 |   |      |    |
|   |  |   | 3263  | 590 | 626 | 655 | 699 | 759 | 781  | 836  | 939  | 987   | 1082 | 1212 | 1374 |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   | <p><b>OVERALL DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>20.5</td> <td>23.5</td> <td>37.5</td> </tr> </table>   |     |     | W   | D   | H   | 20.5 | 23.5 | 37.5 | <p><b>SEAT DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>19</td> <td>16.5</td> <td>19</td> </tr> </table>    |      |      | W    | D   | H   | 19  | 16.5 | 19    | <p><b>BACK DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>H</th> </tr> <tr> <td>18.5</td> <td>21</td> </tr> </table> |      |      |      |      | W    | H | 18.5 | 21 |
|   |  |   | W   | D   | H   |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 20.5  | 23.5   | 37.5  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | D  | H   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 19  | 16.5   | 19  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | H  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 18.5  | 21   |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| <p>RTA 00</p>   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|  <p><b>LB Task</b> Armless/Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 250<br/>Product Weight (lbs.): 32<br/>Cubic Feet Per Carton: 9.25</p> |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(8) Seat depth</p> | <p>Ergonomic Features:<br/>C, E, M, N</p>       | <table border="1"> <tr> <td>3264</td> <td>471</td> <td>508</td> <td>538</td> <td>580</td> <td>641</td> <td>664</td> <td>718</td> <td>820</td> <td>869</td> <td>963</td> <td>1094</td> <td>1256</td> </tr> </table>    |     |     |     |     |     |      |      |      |   |      | 3264 | 471  | 508 | 538 | 580 | 641  | 664   | 718   | 820  | 869  | 963  | 1094 | 1256 |   |      |    |
|   |  |   | 3264  | 471 | 508 | 538 | 580 | 641 | 664  | 718  | 820  | 869   | 963  | 1094 | 1256 |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   | <p><b>OVERALL DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>21</td> <td>23.5</td> <td>39</td> </tr> </table>   |     |     | W   | D   | H   | 21   | 23.5 | 39   | <p><b>SEAT DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>19</td> <td>16.5</td> <td>17-22</td> </tr> </table> |      |      | W    | D   | H   | 19  | 16.5 | 17-22 | <p><b>BACK DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>H</th> </tr> <tr> <td>18.5</td> <td>21</td> </tr> </table> |      |      |      |      | W    | H | 18.5 | 21 |
|   |  |   | W   | D   | H   |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 21  | 23.5   | 39  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | D  | H   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 19  | 16.5   | 17-22   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | H  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 18.5  | 21   |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| <p>RTA 2</p>  |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|  <p><b>LB Task</b> w/Arm/Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 40<br/>Cubic Feet Per Carton: 9.25</p>   |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(8) Seat depth</p> | <p>Ergonomic Features:<br/>C, E, H, M, N, Q</p> | <table border="1"> <tr> <td>3265</td> <td>590</td> <td>626</td> <td>655</td> <td>699</td> <td>759</td> <td>781</td> <td>836</td> <td>939</td> <td>987</td> <td>1082</td> <td>1212</td> <td>1374</td> </tr> </table>   |     |     |     |     |     |      |      |      |   |      | 3265 | 590  | 626 | 655 | 699 | 759  | 781   | 836   | 939  | 987  | 1082 | 1212 | 1374 |   |      |    |
|   |  |   | 3265  | 590 | 626 | 655 | 699 | 759 | 781  | 836  | 939  | 987   | 1082 | 1212 | 1374 |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   | <p><b>OVERALL DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>39</td> </tr> </table>   |     |     | W   | D   | H   | 26   | 23.5 | 39   | <p><b>SEAT DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>D</th> <th>H</th> </tr> <tr> <td>19</td> <td>16.5</td> <td>17-22</td> </tr> </table> |      |      | W    | D   | H   | 19  | 16.5 | 17-22 | <p><b>BACK DIMENSIONS</b></p> <table border="1"> <tr> <th>W</th> <th>H</th> </tr> <tr> <td>18.5</td> <td>21</td> </tr> </table> |      |      |      |      | W    | H | 18.5 | 21 |
|   |  |   | W   | D   | H   |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 26  | 23.5   | 39  |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | D  | H   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 19  | 16.5   | 17-22   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| W   | H  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| 18.5  | 21   |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
| <p>RTA 2 </p>  |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |
|   |  |   |   |     |     |     |     |     |      |      |      |   |      |      |      |     |     |     |      |       |   |      |      |      |      |      |   |      |    |

| DESCRIPTION   | FEATURES  | MODEL#       | STANDARD FABRIC GRADES    |          |          |                        |          |          |                        |          |      |      |      |   |  |  |
|---|---|--------------|---------------------------|----------|----------|------------------------|----------|----------|------------------------|----------|------|------|------|---|--|--|
|   |   |              | 3                         | 4        | 5        | 6                      | 7        | 8        | 9                      | 10       | 11   | 12   | 13   | 14  |  |  |
|  <p><b>LB Operator</b> Armless/Plain Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 40<br/>Cubic Feet Per Carton: 9.25</p>               |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(4) Seat/Back angle<br/>(6) Back Height<br/>Free floating seat and back</p>   | <b>3274</b>  | 549                       | 587      | 617      | 659                    | 721      | 743      | 797                    | 898      | 948  | 1043 | 1172 | 1334  |  |  |
|   |   |              | <b>OVERALL DIMENSIONS</b> |          |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |   |  |  |
|   |   |              | <b>W</b>                  | <b>D</b> | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |   |  |  |
|   |   |              | 21                        | 22.5     | 39       | 20.5                   | 16.5     | 17-22    | 19                     | 21       |      |      |      |   |  |  |
|   | Ergonomic Features:<br>C, D, F, G, M, N, S  | <b>RTA 2</b> |                           |          |          |                        |          |          |                        |          |      |      |      |   |  |  |
|  <p><b>LB Operator</b> w/Arm/Plain Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 46<br/>Cubic Feet Per Carton: 9.25</p>                 |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(4) Seat/Back angle<br/>(6) Back Height<br/>Free floating seat and back</p>   | <b>3275</b>  | 667                       | 705      | 733      | 777                    | 838      | 861      | 914                    | 1017     | 1066 | 1159 | 1289 | 1451  |  |  |
|   |   |              | <b>OVERALL DIMENSIONS</b> |          |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |   |  |  |
|   |   |              | <b>W</b>                  | <b>D</b> | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |   |  |  |
|   |   |              | 26                        | 22.5     | 39       | 19                     | 16.5     | 17-22    | 18.5                   | 21       |      |      |      |   |  |  |
|   | Ergonomic Features:<br>C, D, F, G, H, M, N, Q, S  | <b>RTA 2</b> |                           |          |          |                        |          |          |                        |          |      |      |      |    |  |  |
|  <p><b>Drafting Chair</b> Armless/Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 43<br/>Cubic Feet Per Carton: 9.25</p> |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(4) Seat/Back angle<br/>(6) Back Height<br/>Free floating seat and back</p>  | <b>3277</b>  | 972                       | 1009     | 1038     | 1081                   | 1142     | 1166     | 1219                   | 1321     | 1370 | 1465 | 1595 | 1756  |  |  |
|   |   |              | <b>OVERALL DIMENSIONS</b> |          |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |   |  |  |
|   |   |              | <b>W</b>                  | <b>D</b> | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |   |  |  |
|   |   |              | 21                        | 22.5     | 48       | 19                     | 16.5     | 24-34    | 18.5                   | 21       |      |      |      |   |  |  |
|   | Ergonomic Features:<br>C, D, F, G, H, M, N  |              |                           |          |          |                        |          |          |                        |          |      |      |      |   |  |  |
|  <p><b>Drafting Stool</b> Armless/Plain Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 43<br/>Cubic Feet Per Carton: 9.25</p>          |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(4) Seat/Back angle<br/>(6) Back Height<br/>Free floating seat and back</p> | <b>3278</b>  | 934                       | 971      | 1000     | 1043                   | 1103     | 1126     | 1180                   | 1283     | 1332 | 1426 | 1555 | 1720  |  |  |
|   |   |              | <b>OVERALL DIMENSIONS</b> |          |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |   |  |  |
|   |   |              | <b>W</b>                  | <b>D</b> | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |   |  |  |
|   |   |              | 21                        | 23.5     | 48       | 19                     | 16.5     | 24-34    | 18.5                   | 21       |      |      |      |   |  |  |
|   | Ergonomic Features:<br>C, D, F, G, H, M, N  | <b>RTA 2</b> |                           |          |          |                        |          |          |                        |          |      |      |      |  |  |  |
|  <p><b>LB Operator</b> Armless Detailed/Styled Back<br/>COM Yardage: 1.50<br/>Freight Class: 150<br/>Product Weight (lbs.): 40<br/>Cubic Feet Per Carton: 9.25</p>   |  <p><b>ADJUSTMENTS</b><br/>(2) Pneumatic seat height<br/>(4) Seat/Back angle<br/>(6) Back Height<br/>Free floating seat and back</p> | <b>3284</b>  | 579                       | 617      | 645      | 688                    | 750      | 773      | 826                    | 930      | 977  | 1072 | 1201 | 1364  |  |  |
|   |   |              | <b>OVERALL DIMENSIONS</b> |          |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |   |  |  |
|   |   |              | <b>W</b>                  | <b>D</b> | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |   |  |  |
|   |   |              | 21                        | 22.5     | 39       | 20.5                   | 16.5     | 17-22    | 19                     | 21       |      |      |      |   |  |  |
|   | Ergonomic Features:<br>C, D, F, G, M, N   | <b>RTA 2</b> |                           |          |          |                        |          |          |                        |          |      |      |      |  |  |  |

| DESCRIPTION  | FEATURES   | MODEL#                    | STANDARD FABRIC GRADES  |          |                        |          |          |                        |          |      |      |      |      |      |  |  |
|--|--|---------------------------|---|----------|------------------------|----------|----------|------------------------|----------|------|------|------|------|------|--|--|
|  |  |                           | 3   | 4        | 5                      | 6        | 7        | 8                      | 9        | 10   | 11   | 12   | 13   | 14   |  |  |
| <br><b>LB Operator</b> w/Arm/Detailed/Styled Back<br>COM Yardage: 1.50<br>Freight Class: 150<br>Product Weight (lbs.): 46<br>Cubic Feet Per Carton: 9.25      | <br><b>ADJUSTMENTS</b><br>(2) Pneumatic seat height<br>(4) Seat/Back angle<br>(6) Back Height<br>Free floating seat and back  | <b>3285</b>               | 696   | 733      | 761                    | 805      | 866      | 889                    | 942      | 1045 | 1095 | 1190 | 1319 | 1482 |  |  |
|  |  | <b>OVERALL DIMENSIONS</b> |   |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |
|  |  | <b>W</b>                  | <b>D</b>  | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |
|  |  | 26                        | 22.5  | 39       | 19                     | 16.5     | 17-22    | 18.5                   | 21       |      |      |      |      |      |  |  |
|  | Ergonomic Features:<br>C, D, F, G, H, M, N, Q  | <b>RTA 2</b>              |    |          |                        |          |          |                        |          |      |      |      |      |      |  |  |
| <br><b>Drafting Stool</b> Armless/Detailed/Styled Back<br>COM Yardage: 1.50<br>Freight Class: 150<br>Product Weight (lbs.): 51<br>Cubic Feet Per Carton: 9.25 | <br><b>ADJUSTMENTS</b><br>(2) Pneumatic seat height<br>(4) Seat/Back angle<br>(6) Back Height<br>Free floating seat and back  | <b>3287</b>               | 1107  | 1145     | 1173                   | 1218     | 1279     | 1302                   | 1354     | 1458 | 1505 | 1600 | 1729 | 1893 |  |  |
|  |  | <b>OVERALL DIMENSIONS</b> |   |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |
|  |  | <b>W</b>                  | <b>D</b>  | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |
|  |  | 26                        | 22.5  | 48       | 19                     | 16.5     | 24-34    | 18.5                   | 21       |      |      |      |      |      |  |  |
|  | Ergonomic Features:<br>C, D, F, G, H, M, N, Q  | <b>RTA 2</b>              |    |          |                        |          |          |                        |          |      |      |      |      |      |  |  |
| <br><b>Drafting Stool</b> Armless/Plain Back<br>COM Yardage: 1.50<br>Freight Class: 150<br>Product Weight (lbs.): 51<br>Cubic Feet Per Carton: 9.25          | <br><b>ADJUSTMENTS</b><br>(2) Pneumatic seat height<br>(4) Seat/Back angle<br>(6) Back Height<br>Free floating seat and back | <b>3288</b>               | 1072  | 1109     | 1139                   | 1181     | 1241     | 1264                   | 1319     | 1421 | 1470 | 1566 | 1695 | 1856 |  |  |
|  |  | <b>OVERALL DIMENSIONS</b> |   |          | <b>SEAT DIMENSIONS</b> |          |          | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |
|  |  | <b>W</b>                  | <b>D</b>  | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b> | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |
|  |  | 26                        | 23.5  | 48       | 19                     | 16.5     | 24-34    | 18.5                   | 21       |      |      |      |      |      |  |  |
|  | Ergonomic Features:<br>C, D, F, G, H, M, N, Q  | <b>RTA 2</b>              |  |          |                        |          |          |                        |          |      |      |      |      |      |  |  |

GRANADA® DELUXE



model 4560




model 4565

STANDARD FEATURES

- Granada Deluxe offers dramatic seating comfort. Offers a more contoured seat featuring BioPlush earth friendly foam.
- Standard with height and width adjustable height T-arms with teardrop shaped urethane armcaps (3B).
- All models except the armchair and sidechair are standard with a five legged, injection molded reinforced nylon spider base with C65 casters.
- Base and frames are standard in Black (BK).

OPTIONAL FEATURES

- See pages 306-308 for additional arm options and casters. .
- Seat depth is optional on models 1170-2, 1170LM-2, 1171-2 and 1171LM-2. Please specify (MD) Add \$85.00
- Optional ballistic nylon outer back fabric available, resistant to impact damage. Black Only (BKB), add \$13.00.
- Available with back edge vinyl bumper guard option (VBG).
- Polished Aluminum base with black scuff tips. Specify "B2". Add \$110.00.

| DESCRIPTION   | FEATURES  | MODEL#                    | STANDARD FABRIC GRADES  |          |                        |          |             |                        |          |      |      |      |      |      |  |  |
|---|---|---------------------------|---|----------|------------------------|----------|-------------|------------------------|----------|------|------|------|------|------|--|--|
|   |   |                           | 3   | 4        | 5                      | 6        | 7           | 8                      | 9        | 10   | 11   | 12   | 13   | 14   |  |  |
| <br><b>HB Synchro - Tilter w/Back Angle Adjustment</b><br>COM Yardage: 2<br>Freight Class: 125<br>Product Weight (lbs.): 64<br>Cubic Feet Per Carton: 9.25 | <br><b>ADJUSTMENTS</b><br>(1) Tilt tension<br>(2) Pneumatic seat height<br>(8) Seat depth<br>(9) Chair tilt lock<br>(5C) Synchro-tilt action<br>Anti-Kick back | <b>1170-0</b>             | 822   | 866      | 899                    | 951      | 1025        | 1050                   | 1114     | 1237 | 1295 | 1409 | 1563 | 1754 |  |  |
|   |   | <b>OVERALL DIMENSIONS</b> |   |          | <b>SEAT DIMENSIONS</b> |          |             | <b>BACK DIMENSIONS</b> |          |      |      |      |      |      |  |  |
|   |   | <b>W</b>                  | <b>D</b>  | <b>H</b> | <b>W</b>               | <b>D</b> | <b>H</b>    | <b>W</b>               | <b>H</b> |      |      |      |      |      |  |  |
|   |   | 26                        | 23.5  | 46       | 21                     | 18-20.5  | 17.25-21.25 | 20                     | 23-28.2  |      |      |      |      |      |  |  |
|   | Ergonomic Features:<br>A, B, C, D, G, J, H, L, M, N, Q  | <b>RTA 2</b>              |  |          |                        |          |             |                        |          |      |      |      |      |      |  |  |