










DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 LB Operator w/Arm/Detailed/Styled Back COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 46 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	3285	696	733	761	805	866	889	942	1045	1095	1190	1319	1482		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	22.5	39	19	16.5	17-22	18.5	21							
	Ergonomic Features: C, D, F, G, H, M, N, Q	RTA 2														
 Drafting Stool Armless/Detailed/Styled Back COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 51 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	3287	1107	1145	1173	1218	1279	1302	1354	1458	1505	1600	1729	1893		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	22.5	48	19	16.5	24-34	18.5	21							
	Ergonomic Features: C, D, F, G, H, M, N, Q	RTA 2														
 Drafting Stool Armless/Plain Back COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 51 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	3288	1072	1109	1139	1181	1241	1264	1319	1421	1470	1566	1695	1856		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	23.5	48	19	16.5	24-34	18.5	21							
	Ergonomic Features: C, D, F, G, H, M, N, Q	RTA 2														

GRANADA® DELUXE



model 4560




model 4565
















STANDARD FEATURES
















- Granada Deluxe offers dramatic seating comfort. Offers a more contoured seat featuring BioPlush earth friendly foam.
- Standard with height and width adjustable height T-arms with teardrop shaped urethane armcaps (3B).
- All models except the armchair and sidechair are standard with a five legged, injection molded reinforced nylon spider base with C65 casters.
- Base and frames are standard in Black (BK).




OPTIONAL FEATURES




- See pages 306-308 for additional arm options and casters. .
- Seat depth is optional on models 1170-2, 1170LM-2, 1171-2 and 1171LM-2. Please specify (MD) Add \$85.00
- Optional ballistic nylon outer back fabric available, resistant to impact damage. Black Only (BKB), add \$13.00.
- Available with back edge vinyl bumper guard option (VBG).
- Polished Aluminum base with black scuff tips. Specify "B2". Add \$110.00.




DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 HB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 64 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock (5C) Synchro-tilt action Anti-Kick back	1170-0	822	866	899	951	1025	1050	1114	1237	1295	1409	1563	1754		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	23.5	46	21	18-20.5	17.25-21.25	20	23-28.2							
	Ergonomic Features: A, B, C, D, G, J, H, L, M, N, Q	RTA 2														




DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 <p>HB Synchro Knee - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 63 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	1170-2	919	963	998	1049	1123	1148	1213	1334	1393	1506	1660	1852		
		1170LM-2	-	-	-	-	1129	-	-	1343	1409	1514	1675	1866		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
	26	23.5	45.5	21	18-20.5	16.5-20.5	20	23-28.25								
				RTA 2												
 <p>HB Multi - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 65 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	1170-3	822	866	899	951	1025	1050	1114	1237	1295	1409	1563	1754		
		1170LM-3	-	-	-	-	1031	-	-	1244	1310	1416	1576	1769		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
	26	23.5	45	21	18-20.5	16-20	20	23-28.25								
				RTA 2												
 <p>HB Weight Sensing Synchro - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock</p>	1170-8	822	866	899	951	1025	1050	1114	1237	1295	1409	1563	1754		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
			26	23.5	44	21	18-20.5	16.5-20.5	20	23-28.2						
				RTA 2												
 <p>HB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 60 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5C) Synchro-tilt action Anti-Kick back</p>	1171-0	737	775	804	848	912	934	988	1093	1144	1240	1373	1537		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
			26	23.5	43	21	18-20.5	17.25-21.25	20	20-25.2						
				RTA 2												
 <p>MB Synchro Knee - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	1171-2	839	874	905	949	1012	1034	1089	1193	1243	1341	1473	1637		
		1171LM-2	-	-	-	-	1023	-	-	1204	1261	1352	1490	1655		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
	26	23.5	42.5	21	18-20.5	16-20	20	23-28.51								
				RTA 2												




DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES																																																																		
			3	4	5	6	7	8	9	10	11	12	13	14																																																							
 <p>MB Multi - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U</p>	<table border="1"> <tr> <td>1171-3</td><td>737</td><td>775</td><td>804</td><td>848</td><td>912</td><td>934</td><td>988</td><td>1093</td><td>1144</td><td>1240</td><td>1373</td><td>1537</td> </tr> <tr> <td>1171LM-3</td><td>-</td><td>-</td><td>-</td><td>-</td><td>1031</td><td>-</td><td>-</td><td>1244</td><td>1310</td><td>1416</td><td>1576</td><td>1769</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="5">BACK DIMENSIONS</td> </tr> <tr> <td>W</td><td>D</td><td>H</td> <td>W</td><td>D</td><td>H</td> <td>W</td><td>H</td> </tr> <tr> <td>26</td><td>23.5</td><td>42</td> <td>21</td><td>18-20.5</td><td>16-20</td> <td>20</td><td>23-28.25</td> </tr> </table>														1171-3	737	775	804	848	912	934	988	1093	1144	1240	1373	1537	1171LM-3	-	-	-	-	1031	-	-	1244	1310	1416	1576	1769	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					W	D	H	W	D	H	W	H	26	23.5	42	21	18-20.5	16-20	20	23-28.25
			1171-3	737	775	804	848	912	934	988	1093	1144	1240	1373	1537																																																						
			1171LM-3	-	-	-	-	1031	-	-	1244	1310	1416	1576	1769																																																						
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																												
			W	D	H	W	D	H	W	H																																																											
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																														
<p>RTA 2 </p>																																																																					
 <p>MB Operator COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back</p>	<p>Ergonomic Features: C, D, F, G, H, M, N, Q, S, U</p>	<table border="1"> <tr> <td>1171-5</td><td>712</td><td>750</td><td>779</td><td>823</td><td>887</td><td>909</td><td>963</td><td>1068</td><td>1118</td><td>1215</td><td>1348</td><td>1512</td> </tr> <tr> <td>1171LM-5</td><td>-</td><td>-</td><td>-</td><td>-</td><td>895</td><td>-</td><td>-</td><td>1078</td><td>1134</td><td>1225</td><td>1364</td><td>1528</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="5">BACK DIMENSIONS</td> </tr> <tr> <td>W</td><td>D</td><td>H</td> <td>W</td><td>D</td><td>H</td> <td>W</td><td>H</td> </tr> <tr> <td>26</td><td>23.5</td><td>39</td> <td>21</td><td>18</td><td>16.5-20.5</td> <td>20</td><td>19-24.25</td> </tr> </table>														1171-5	712	750	779	823	887	909	963	1068	1118	1215	1348	1512	1171LM-5	-	-	-	-	895	-	-	1078	1134	1225	1364	1528	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					W	D	H	W	D	H	W	H	26	23.5	39	21	18	16.5-20.5	20	19-24.25
			1171-5	712	750	779	823	887	909	963	1068	1118	1215	1348	1512																																																						
			1171LM-5	-	-	-	-	895	-	-	1078	1134	1225	1364	1528																																																						
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																												
			W	D	H	W	D	H	W	H																																																											
26	23.5	39	21	18	16.5-20.5	20	19-24.25																																																														
<p>RTA 2 </p>																																																																					
 <p>MB Task COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 49 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R</p>	<table border="1"> <tr> <td>1171-6</td><td>600</td><td>637</td><td>667</td><td>711</td><td>775</td><td>797</td><td>851</td><td>957</td><td>1006</td><td>1103</td><td>1236</td><td>1400</td> </tr> <tr> <td>1171LM-6</td><td>-</td><td>-</td><td>-</td><td>-</td><td>784</td><td>-</td><td>-</td><td>966</td><td>1024</td><td>1114</td><td>1253</td><td>1418</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="5">BACK DIMENSIONS</td> </tr> <tr> <td>W</td><td>D</td><td>H</td> <td>W</td><td>D</td><td>H</td> <td>W</td><td>H</td> </tr> <tr> <td>26</td><td>23.5</td><td>38</td> <td>21</td><td>17-18</td><td>16-21</td> <td>20</td><td>19</td> </tr> </table>														1171-6	600	637	667	711	775	797	851	957	1006	1103	1236	1400	1171LM-6	-	-	-	-	784	-	-	966	1024	1114	1253	1418	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					W	D	H	W	D	H	W	H	26	23.5	38	21	17-18	16-21	20	19
			1171-6	600	637	667	711	775	797	851	957	1006	1103	1236	1400																																																						
			1171LM-6	-	-	-	-	784	-	-	966	1024	1114	1253	1418																																																						
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																												
			W	D	H	W	D	H	W	H																																																											
26	23.5	38	21	17-18	16-21	20	19																																																														
<p>RTA 2 </p>																																																																					
 <p>MB Weight Sensing Synchro - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	<p>Ergonomic Features: A, B, C, D, E, H, L, M, N, Q</p>	<table border="1"> <tr> <td>1171-8</td><td>737</td><td>775</td><td>804</td><td>848</td><td>912</td><td>934</td><td>988</td><td>1093</td><td>1144</td><td>1240</td><td>1373</td><td>1537</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="5">BACK DIMENSIONS</td> </tr> <tr> <td>W</td><td>D</td><td>H</td> <td>W</td><td>D</td><td>H</td> <td>W</td><td>H</td> </tr> <tr> <td>26</td><td>23.5</td><td>41</td> <td>21</td><td>18-20.5</td><td>16.25-20.25</td> <td>20</td><td>20 - 25.2</td> </tr> </table>														1171-8	737	775	804	848	912	934	988	1093	1144	1240	1373	1537	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					W	D	H	W	D	H	W	H	26	23.5	41	21	18-20.5	16.25-20.25	20	20 - 25.2													
			1171-8	737	775	804	848	912	934	988	1093	1144	1240	1373	1537																																																						
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																												
			W	D	H	W	D	H	W	H																																																											
			26	23.5	41	21	18-20.5	16.25-20.25	20	20 - 25.2																																																											
<p>RTA 2 </p>																																																																					
 <p>MB Operator Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 49 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back</p>	<p>Ergonomic Features: C, D, E, F, G, M, N, Q, S, U</p>	<table border="1"> <tr> <td>1172-5</td><td>588</td><td>625</td><td>655</td><td>699</td><td>761</td><td>783</td><td>840</td><td>943</td><td>994</td><td>1090</td><td>1222</td><td>1388</td> </tr> <tr> <td>1172LM-5</td><td>-</td><td>-</td><td>-</td><td>-</td><td>772</td><td>-</td><td>-</td><td>954</td><td>1009</td><td>1101</td><td>1239</td><td>1403</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="5">BACK DIMENSIONS</td> </tr> <tr> <td>W</td><td>D</td><td>H</td> <td>W</td><td>D</td><td>H</td> <td>W</td><td>H</td> </tr> <tr> <td>21</td><td>23.5</td><td>39</td> <td>21</td><td>18</td><td>16.5-20.5</td> <td>20</td><td>19-24.25</td> </tr> </table>														1172-5	588	625	655	699	761	783	840	943	994	1090	1222	1388	1172LM-5	-	-	-	-	772	-	-	954	1009	1101	1239	1403	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					W	D	H	W	D	H	W	H	21	23.5	39	21	18	16.5-20.5	20	19-24.25
			1172-5	588	625	655	699	761	783	840	943	994	1090	1222	1388																																																						
			1172LM-5	-	-	-	-	772	-	-	954	1009	1101	1239	1403																																																						
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																												
			W	D	H	W	D	H	W	H																																																											
21	23.5	39	21	18	16.5-20.5	20	19-24.25																																																														
<p>RTA 2 </p>																																																																					













DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 MB Task Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 21 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R	1172-6	476	514	543	587	650	672	728	832	882	979	1111	1276	
			1172LM-6	-	-	-	-	661	-	-	843	898	990	1128	1293	
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			21	23.5	38	21	17-18	16-21	20	19						
			RTA 2													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 Side Chair COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 10	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth	Ergonomic Features: M, N	1174	425	460	492	536	598	620	676	780	829	927	1059	1224	
			1174LM	-	-	-	-	609	-	-	791	847	938	1076	1241	
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			21	24	38	21	18	18	20	20.5						
			RTA 2													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 Armchair COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 40 Cubic Feet Per Carton: 10	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth	Ergonomic Features: M, N	1175	568	606	635	679	742	764	820	925	974	1071	1203	1368	
			1175LM	-	-	-	-	752	-	-	934	990	1081	1219	1383	
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			24.5	24	38	21	18	18	20	20.5						
			RTA 2													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 Drafting Stool Operator Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	Ergonomic Features: C, D, F, G, H, M, N, S, U	1177-5	740	777	806	850	914	936	991	1096	1146	1242	1375	1540	
			1177LM-5	-	-	-	-	922	-	-	1105	1161	1253	1391	1555	
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			21	23.5	48	20	18	23.5-33.5	20	19-24.25						
			RTA 2													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 Drafting Stool Operator w/Arm COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 57 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	Ergonomic Features: C, D, F, G, H, M, N, S, U	1178-5	864	899	931	974	1037	1059	1114	1218	1268	1366	1498	1663	
			1178LM-5	-	-	-	-	1047	-	-	1228	1285	1376	1514	1679	
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	23.5	48	21	18	23.5-33.5	20	19-24.25						
			RTA 2													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES																																																																									
			3	4	5	6	7	8	9	10	11	12	13	14																																																														
 <p>HB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 63 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	<p>Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, V</p>	<table border="1"> <tr> <td>1190-2</td> <td>1123</td> <td>1172</td> <td>1212</td> <td>1270</td> <td>1354</td> <td>1383</td> <td>1457</td> <td>1596</td> <td>1663</td> <td>1793</td> <td>1968</td> <td>2188</td> </tr> <tr> <td>1190LM-2</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1353</td> <td>-</td> <td>-</td> <td>1596</td> <td>1671</td> <td>1792</td> <td>1976</td> <td>2195</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="4"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>45.5</td> <td>21</td> <td>18-20.5</td> <td>16.5-20.5</td> <td>20</td> <td>23-28.25</td> <td colspan="4"></td> </tr> </table>												1190-2	1123	1172	1212	1270	1354	1383	1457	1596	1663	1793	1968	2188	1190LM-2	-	-	-	-	1353	-	-	1596	1671	1792	1976	2195	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H					26	23.5	45.5	21	18-20.5	16.5-20.5	20	23-28.25				
			1190-2	1123	1172	1212	1270	1354	1383	1457	1596	1663	1793	1968	2188																																																													
			1190LM-2	-	-	-	-	1353	-	-	1596	1671	1792	1976	2195																																																													
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																			
W	D	H	W	D	H	W	H																																																																					
26	23.5	45.5	21	18-20.5	16.5-20.5	20	23-28.25																																																																					
			<p>RTA 2 </p>																																																																									
 <p>HB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 65 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U, V</p>	<table border="1"> <tr> <td>1190-3</td> <td>1015</td> <td>1065</td> <td>1104</td> <td>1163</td> <td>1247</td> <td>1277</td> <td>1350</td> <td>1489</td> <td>1555</td> <td>1686</td> <td>1861</td> <td>2081</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1245</td> <td>-</td> <td>-</td> <td>1489</td> <td>1564</td> <td>1685</td> <td>1870</td> <td>2088</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="4"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>45</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="4"></td> </tr> </table>												1190-3	1015	1065	1104	1163	1247	1277	1350	1489	1555	1686	1861	2081	1190LM-3	-	-	-	-	1245	-	-	1489	1564	1685	1870	2088	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H					26	23.5	45	21	18-20.5	16-20	20	23-28.25				
			1190-3	1015	1065	1104	1163	1247	1277	1350	1489	1555	1686	1861	2081																																																													
			1190LM-3	-	-	-	-	1245	-	-	1489	1564	1685	1870	2088																																																													
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																			
W	D	H	W	D	H	W	H																																																																					
26	23.5	45	21	18-20.5	16-20	20	23-28.25																																																																					
			<p>RTA 2 </p>																																																																									
 <p>MB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	<p>Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, V</p>	<table border="1"> <tr> <td>1191-2</td> <td>1032</td> <td>1076</td> <td>1111</td> <td>1161</td> <td>1236</td> <td>1262</td> <td>1326</td> <td>1447</td> <td>1506</td> <td>1619</td> <td>1773</td> <td>1965</td> </tr> <tr> <td>1191LM-2</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1235</td> <td>-</td> <td>-</td> <td>1447</td> <td>1513</td> <td>1619</td> <td>1780</td> <td>1971</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="4"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42.5</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.51</td> <td colspan="4"></td> </tr> </table>												1191-2	1032	1076	1111	1161	1236	1262	1326	1447	1506	1619	1773	1965	1191LM-2	-	-	-	-	1235	-	-	1447	1513	1619	1780	1971	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H					26	23.5	42.5	21	18-20.5	16-20	20	23-28.51				
			1191-2	1032	1076	1111	1161	1236	1262	1326	1447	1506	1619	1773	1965																																																													
			1191LM-2	-	-	-	-	1235	-	-	1447	1513	1619	1780	1971																																																													
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																			
W	D	H	W	D	H	W	H																																																																					
26	23.5	42.5	21	18-20.5	16-20	20	23-28.51																																																																					
			<p>RTA 2 </p>																																																																									
 <p>MB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U, V</p>	<table border="1"> <tr> <td>1191-3</td> <td>921</td> <td>965</td> <td>1001</td> <td>1051</td> <td>1125</td> <td>1151</td> <td>1215</td> <td>1336</td> <td>1396</td> <td>1508</td> <td>1663</td> <td>1854</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1245</td> <td>-</td> <td>-</td> <td>1489</td> <td>1564</td> <td>1685</td> <td>1870</td> <td>2088</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="4"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="4"></td> </tr> </table>												1191-3	921	965	1001	1051	1125	1151	1215	1336	1396	1508	1663	1854	1190LM-3	-	-	-	-	1245	-	-	1489	1564	1685	1870	2088	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H					26	23.5	42	21	18-20.5	16-20	20	23-28.25				
			1191-3	921	965	1001	1051	1125	1151	1215	1336	1396	1508	1663	1854																																																													
			1190LM-3	-	-	-	-	1245	-	-	1489	1564	1685	1870	2088																																																													
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																			
W	D	H	W	D	H	W	H																																																																					
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																																					
			<p>RTA 2 </p>																																																																									


GRANADA® WITH SCHUKRA® LUMBAR



model 3112 (3N)



model 3117 (3N)



Multi-Depth Mechanism
Seat depth option is available on multi-tilter models. (see notes for more details)

STANDARD FEATURES

- Models incorporate a vertical stitch detail in the backrest and a lumbar mechanism which can be adjusted to your desired support level.
- Standard with adjustable height T-arms with curved urethane armcaps (3N) in Black Only.
- Standard with a five-legged, injection molded base with C65 casters.
- Base and frame are available in Black (BK) Only.
- Vari-Width Adapter Plate (WA) standard when ordered with adjustable arms allows an extra 4" of seat width and locks with an easy to use lever.

- All models are shipped partially KD.

OPTIONAL FEATURES

- Optional ballistic nylon outer back fabric, resistant to impact damage, only in Black (BKB), add \$13.00.
- Please see page 306-308 for additional Arm and caster options.
- For availability in Vinyl, please contact a Global Sales Representative. Not available in Leather.
- Available in Memory Foam (MF), add \$76.00.
- Black base with chrome footing (B3) add \$80.00.

DESCRIPTION


FEATURES

MODEL#

STANDARD FABRIC GRADES



MB Multi - Tilter Plain Back Ratchet Back
COM Yardage: 1.50
Freight Class: 150
Product Weight (lbs.): 54
Cubic Feet Per Carton: 9.25



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(6) Back height*
(7) Forward tilt lock
(8) Seat depth
(9) Chair tilt lock
(5A) Center-tilt action

Ergonomic Features:
A, B, C, D, E, G, H, M, N, Q, S, V

	3	4	5	6	7	8	9	10	11	12	13	14
3112	888	925	955	997	1057	1080	1134	1237	1285	1380	1511	1672

OVERALL DIMENSIONS


SEAT DIMENSIONS

BACK DIMENSIONS

W	D	H	W	D	H	W	H
26	24.5	37.5	20.5	19.5	17.5-21.5	19.5	21



HB Multi - Tilter
COM Yardage: 1.75
Freight Class: 150
Product Weight (lbs.): 56
Cubic Feet Per Carton: 10.50



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(6) Back height*
(7) Forward tilt lock
(8) Seat depth
(9) Chair tilt lock
(5A) Center-tilt action

Ergonomic Features:
A, B, C, D, E, G, H, M, N, Q, S, V

	3	4	5	6	7	8	9	10	11	12	13	14
3117	986	1028	1064	1113	1184	1211	1275	1393	1449	1563	1712	1901

OVERALL DIMENSIONS

SEAT DIMENSIONS

BACK DIMENSIONS

W	D	H	W	D	H	W	H
26	24.5	43	20.5	19	17.5-21.5	19	25



GRAPHIC™



model 2739



model 2738MB



Optional Base
An optional five-legged, arched steel base in Tungsten finish is available. Specify (TUN). Add \$59.00.

STANDARD FEATURES

- European detailing and a clean slim profile.
- Features a generous compound curved back and seat.
- Three distinctive back styles: upholstered back, perforated black nylon back and a breathable black mesh back.
- Posture back chairs with arms are standard with adjustable height, forward swept arms and "sliding armcaps" (G4).
- (WA) Arm width is standard, providing 2 inches of arm width spacing adjustment on each side of the seat.


- Posture mechanism offers exceptional back support, two position tilt lock adjustment and tilt tension control.
- Standard with a five-legged, injection molded, fiberglass reinforced nylon arched base with C1 casters in Black.
- Available in all standard GLOBAL carded fabrics with the EXCEPTION of Station (Grade 3).

OPTIONAL FEATURES

- See pages 306-308 for additional arm options and casters.
- For hard surface flooring please specify C9R.
- A steel base with Tungsten finish is available at an upcharge. Please specify TUN. Add \$59.00



Medium Posture Nylon Back Armless
COM Yardage: 1
Freight Class: 250
Product Weight (lbs.): 34
Cubic Feet Per Carton: 9.75



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(9) Chair tilt lock
(5A) Center tilt action

Ergonomic Features:
A, C, G, M, N

	3	4	5	6	7	8	9	10	11	12	13	14
2736	494	519	538	565	606	620	654	721	753	815	897	1003

2736L Leather	-	-	-	-	-	-	-	766	810	865	956	1060
-------------------------	---	---	---	---	---	---	---	-----	-----	-----	-----	------

OVERALL DIMENSIONS

SEAT DIMENSIONS

BACK DIMENSIONS

W	D	H	W	D	H	W	H
20	24	36	20	19	16.5-20.5	19	19

