

MALAGA®



model 3140-3 (TD)

model 3140-3 (TD/PSB)




Memory Foam
Available, use code "MF" and Add \$76.00.



model 3141-3

model 3141-3



Optional Base
Polished Aluminum base with black scuff tips. Specify "B2". Add \$110.00

STANDARD FEATURES

- A contoured molded foam seat, built-in lumbar support and an upholstered outer back shell is standard on all models.
- Standard with adjustable height T-arms with teardrop shaped urethane armcaps (TD), (except model 3142 which has a fixed height version of this same arm style).
- All models (except armchair and side chair styles) are standard with a five-legged, injection molded "spider" base.
- Base and frame are available in Black (BK) Only.
- All models (except high back, side chair and armchair models) are shipped partially KD.
- C10 casters are standard.


OPTIONAL FEATURES

- To order a Malaga arm kit as a separate stand-alone item without a chair, use model number 3200 with the appropriate letter from the Arm Chart Price List for the arm style of your choice. See pages 306-307.
- Available with an impact resistant polypropylene back shroud (Black Only) at no charge. Specify "PSB".
- Optional ballistic nylon outer back fabric available. Resistant to impact damage. Available in Black Only (BKB). Add \$13.00.
- Optional seat depth is available on models 3140-2 and 3141-2. Specify (MD). Add \$40.00.
- Optional Black base with chrome footring. Specify "B3". Add \$80.00. Polished Aluminum base with black scuff tips. Specify "B2". Add \$110.00.
- See page 309 for additional caster options. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.
- For availability of chair series in Vinyl, please contact a Global Sales Representative.
- Not available in Leather.

DESCRIPTION FEATURES MODEL# STANDARD FABRIC GRADES



HB Synchro - Tilter w/Back Angle Adjustment
COM Yardage: 1.75
Freight Class: 150
Product Weight (lbs.): 47
Cubic Feet Per Carton: 9.25



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(9) Chair tilt lock
(5C) Synchro-tilt action
Anti-kick back


Ergonomic Features:
A, B, C, D, E, G, H, L, M, N, Q, U

| MODEL# | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|--------|-----|------|------|------|------|------|------|------|------|------|------|------|
| 3140-0 | 972 | 1014 | 1048 | 1098 | 1171 | 1196 | 1260 | 1379 | 1436 | 1548 | 1699 | 1887 |

| OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | |
|--------------------|----|----|-----------------|----|-------|-----------------|---------|
| W | D | H | W | D | H | W | H |
| 26 | 25 | 41 | 20 | 18 | 16-20 | 18.5 | 22.5-25 |



HB Knee - Tilter
COM Yardage: 1.75
Freight Class: 150
Product Weight (lbs.): 53
Cubic Feet Per Carton: 9.25



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(6) Back height
(9) Chair tilt lock
(5B) Knee-tilt action


Ergonomic Features:
A, B, C, D, G, H, J, M, N, Q

| MODEL# | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|--------|------|------|------|------|------|------|------|------|------|------|------|------|
| 3140-2 | 1067 | 1109 | 1144 | 1194 | 1265 | 1290 | 1354 | 1474 | 1530 | 1643 | 1793 | 1982 |

| OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | |
|--------------------|----|----|-----------------|----|-------|-----------------|---------|
| W | D | H | W | D | H | W | H |
| 26 | 24 | 40 | 20 | 18 | 16-20 | 18.5 | 22.5-25 |



HB Multi - Tilter
COM Yardage: 1.75
Freight Class: 150
Product Weight (lbs.): 49
Cubic Feet Per Carton: 9.25


















ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(6) Back height*
(7) Forward tilt lock
(8) Seat depth
(9) Chair tilt lock
(5A) Center-tilt action












Ergonomic Features:
A, B, C, D, E, F, G, H, M, N, Q, S
















| MODEL# | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|--------|-----|------|------|------|------|------|------|------|------|------|------|------|
| 3140-3 | 972 | 1014 | 1048 | 1098 | 1171 | 1196 | 1260 | 1379 | 1436 | 1548 | 1699 | 1887 |

| OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | |
|--------------------|----|----|-----------------|----|-----------|-----------------|---------|
| W | D | H | W | D | H | W | H |
| 26 | 25 | 41 | 20 | 18 | 16.5-20.5 | 18.5 | 22.5-25 |



| DESCRIPTION | FEATURES | MODEL# | STANDARD FABRIC GRADES | | | | | | | | | | | | | | | |
|--|---|---|--|---------------------------|----------|----------|------------------------|----------|-----------|------------------------|----------|------|------|------|------|------|--|--|
| | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | |
|  <p>HB Tilter COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action</p> | <p>Ergonomic Features: A, B, C, H, M, N, Q, S</p> | <p>RTA 2</p>  | 3140-4 | 884 | 926 | 959 | 1010 | 1081 | 1106 | 1170 | 1289 | 1346 | 1459 | 1609 | 1797 | | |
| | | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | |
| | | | | W | D | H | W | D | H | W | H | | | | | | | |
| | | | | 26 | 25 | 40 | 20 | 18 | 16-20 | 18.5 | 23 | | | | | | | |
|  <p>LB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p> | <p>Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q</p> | <p>RTA 2</p>  | 3141-0 | 887 | 921 | 952 | 996 | 1056 | 1079 | 1132 | 1236 | 1284 | 1379 | 1508 | 1671 | | |
| | | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | |
| | | | | W | D | H | W | D | H | W | H | | | | | | | |
| | | | | 26 | 24 | 37 | 20 | 18 | 16-20 | 18.5 | 19.5-22 | | | | | | | |
|  <p>LB Knee - Tilter COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action</p> | <p>Ergonomic Features: A, B, C, D, G, H, J, M, N, Q</p> | <p>RTA 2</p>  | 3141-2 | 962 | 1000 | 1028 | 1072 | 1132 | 1155 | 1210 | 1311 | 1360 | 1457 | 1585 | 1748 | | |
| | | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | |
| | | | | W | D | H | W | D | H | W | H | | | | | | | |
| | | | | 26 | 24 | 36 | 20 | 18 | 16-20 | 18.5 | 18-20.5 | | | | | | | |
|  <p>LB Multi - Tilter COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p> | <p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S</p> | <p>RTA 2</p>  | 3141-3 | 887 | 921 | 952 | 996 | 1056 | 1079 | 1132 | 1236 | 1284 | 1379 | 1508 | 1671 | | |
| | | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | |
| | | | | W | D | H | W | D | H | W | H | | | | | | | |
| | | | | 26 | 24 | 37 | 20 | 18 | 16.5-20.5 | 18.5 | 19-21.5 | | | | | | | |
|  <p>LB Tilter COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 41 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action</p> | <p>Ergonomic Features: A, B, C, H, M, N, Q, S</p> | <p>RTA 2</p>  | 3141-4 | 799 | 838 | 872 | 920 | 984 | 1006 | 1044 | 1234 | 1310 | 1387 | 1420 | 1583 | | |
| | | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | |
| | | | | W | D | H | W | D | H | W | H | | | | | | | |
| | | | | 26 | 27 | 36 | 20 | 18 | 16.5-20.5 | 18.5 | 19 | | | | | | | |

| DESCRIPTION | FEATURES | MODEL# | STANDARD FABRIC GRADES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|-----|--------------------|--------------------|---------|-----------------|-----------------|------|-----------------|-----------------|------|-------------|---------------|-----|-----|-----|-----|------|------|------|------|------|------|------|------|-------|------|--------------|--|--|--|
| | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | | | | | | | | | | | | | |
|  <p>LB Operator w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 41 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back.</p> | <p>Ergonomic Features: C, E, H, M, N, Q</p> | <table border="1"> <tr> <td>3141-5</td> <td>838</td> <td>874</td> <td>904</td> <td>946</td> <td>1008</td> <td>1029</td> <td>1083</td> <td>1186</td> <td>1236</td> <td>1331</td> <td>1460</td> <td>1622</td> </tr> </table> | | | | | | | | | | | | 3141-5 | 838 | 874 | 904 | 946 | 1008 | 1029 | 1083 | 1186 | 1236 | 1331 | 1460 | 1622 | | | | | | |
| | | | 3141-5 | 838 | 874 | 904 | 946 | 1008 | 1029 | 1083 | 1186 | 1236 | 1331 | 1460 | 1622 | | | | | | | | | | | | | | | | | | |
| | | | <table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>H</th> </tr> <tr> <td>26</td> <td>27</td> <td>36</td> <td>20</td> <td>18</td> <td>17-22</td> <td>18.5</td> <td>18-20</td> </tr> </table> | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | W | D | H | W | D | H | W | H | 26 | 27 | 36 | 20 | 18 | 17-22 | 18.5 | 18-20 | <p>RTA 2 </p> | | |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | |
| W | D | H | W | D | H | W | H | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | 27 | 36 | 20 | 18 | 17-22 | 18.5 | 18-20 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>LB Task w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 37 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p> | <p>Ergonomic Features: C, E, H, M, N, Q</p> | <table border="1"> <tr> <td>3141-6</td> <td>687</td> <td>724</td> <td>753</td> <td>797</td> <td>858</td> <td>880</td> <td>934</td> <td>1037</td> <td>1086</td> <td>1180</td> <td>1309</td> <td>1471</td> </tr> </table> | | | | | | | | | | | | 3141-6 | 687 | 724 | 753 | 797 | 858 | 880 | 934 | 1037 | 1086 | 1180 | 1309 | 1471 | | | | | | |
| | | | 3141-6 | 687 | 724 | 753 | 797 | 858 | 880 | 934 | 1037 | 1086 | 1180 | 1309 | 1471 | | | | | | | | | | | | | | | | | | |
| | | | <table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>H</th> </tr> <tr> <td>26</td> <td>26</td> <td>37</td> <td>20</td> <td>18</td> <td>17-22</td> <td>18.5</td> <td>19.5-22</td> </tr> </table> | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | W | D | H | W | D | H | W | H | 26 | 26 | 37 | 20 | 18 | 17-22 | 18.5 | 19.5-22 | <p>RTA 2 </p> | | |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | |
| W | D | H | W | D | H | W | H | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | 26 | 37 | 20 | 18 | 17-22 | 18.5 | 19.5-22 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>LB Posture Task w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 42 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (6) Back height</p> | <p>Ergonomic Features: C, D, G, H, M, N, Q</p> | <table border="1"> <tr> <td>3141-7</td> <td>807</td> <td>845</td> <td>874</td> <td>917</td> <td>978</td> <td>1001</td> <td>1054</td> <td>1157</td> <td>1206</td> <td>1303</td> <td>1432</td> <td>1594</td> </tr> </table> | | | | | | | | | | | | 3141-7 | 807 | 845 | 874 | 917 | 978 | 1001 | 1054 | 1157 | 1206 | 1303 | 1432 | 1594 | | | | | | |
| | | | 3141-7 | 807 | 845 | 874 | 917 | 978 | 1001 | 1054 | 1157 | 1206 | 1303 | 1432 | 1594 | | | | | | | | | | | | | | | | | | |
| | | | <table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>H</th> </tr> <tr> <td>26</td> <td>25</td> <td>37</td> <td>20</td> <td>18</td> <td>17-22</td> <td>18.5</td> <td>19</td> </tr> </table> | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | W | D | H | W | D | H | W | H | 26 | 25 | 37 | 20 | 18 | 17-22 | 18.5 | 19 | <p>RTA 2 </p> | | |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | |
| W | D | H | W | D | H | W | H | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | 25 | 37 | 20 | 18 | 17-22 | 18.5 | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Armchair COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 37 Cubic Feet Per Carton: 10</p> | <p>Ergonomic Features: M, N</p> | <table border="1"> <tr> <td>3142</td> <td>755</td> <td>793</td> <td>822</td> <td>865</td> <td>926</td> <td>948</td> <td>1002</td> <td>1105</td> <td>1153</td> <td>1249</td> <td>1378</td> <td>1541</td> </tr> </table> | | | | | | | | | | | | 3142 | 755 | 793 | 822 | 865 | 926 | 948 | 1002 | 1105 | 1153 | 1249 | 1378 | 1541 | | | | | | | |
| | | 3142 | 755 | 793 | 822 | 865 | 926 | 948 | 1002 | 1105 | 1153 | 1249 | 1378 | 1541 | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>H</th> </tr> <tr> <td>26</td> <td>26</td> <td>37</td> <td>20</td> <td>18</td> <td>18</td> <td>18.5</td> <td>19</td> </tr> </table> | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | W | D | H | W | D | H | W | H | 26 | 26 | 37 | 20 | 18 | 18 | 18.5 | 19 | <p>RTA 2</p> | | | |
| | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| W | D | H | W | D | H | W | H | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | 26 | 37 | 20 | 18 | 18 | 18.5 | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Side Chair COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 10</p> | <p>Ergonomic Features: M, N</p> | <table border="1"> <tr> <td>3143</td> <td>605</td> <td>641</td> <td>669</td> <td>712</td> <td>775</td> <td>797</td> <td>850</td> <td>955</td> <td>1002</td> <td>1097</td> <td>1226</td> <td>1389</td> </tr> </table> | | | | | | | | | | | | 3143 | 605 | 641 | 669 | 712 | 775 | 797 | 850 | 955 | 1002 | 1097 | 1226 | 1389 | | | | | | | |
| | | 3143 | 605 | 641 | 669 | 712 | 775 | 797 | 850 | 955 | 1002 | 1097 | 1226 | 1389 | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>H</th> </tr> <tr> <td>20</td> <td>26</td> <td>37</td> <td>20</td> <td>18</td> <td>18</td> <td>18.5</td> <td>19</td> </tr> </table> | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | W | D | H | W | D | H | W | H | 20 | 26 | 37 | 20 | 18 | 18 | 18.5 | 19 | <p>RTA 2</p> | | | |
| | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| W | D | H | W | D | H | W | H | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | 26 | 37 | 20 | 18 | 18 | 18.5 | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| DESCRIPTION | FEATURES | MODEL# | STANDARD FABRIC GRADES | | | | | | | | | | | | |
|--|--|---|---------------------------|---|----------|------------------------|----------|----------|------------------------|----------|------|------|------|------|------|
| | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | |
|  <p>LB Operator Armless COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 37 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back.</p> | <p>Ergonomic Features: C, D, F, G, H, M, N, S</p> | 3147-5 | 710 | 749 | 777 | 820 | 881 | 904 | 958 | 1060 | 1109 | 1204 | 1333 | 1496 |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | |
| | | | W | D | H | W | D | H | W | H | | | | | |
| | | | 20 | 25 | 36 | 20 | 18 | 17-22 | 18.5 | 18-20 | | | | | |
| | | | RTA 2 |  | | | | | | | | | | | |
|  <p>LB Task Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 30 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p> | <p>Ergonomic Features: C, E, M, N</p> | 3147-6 | 559 | 595 | 623 | 667 | 729 | 751 | 804 | 908 | 957 | 1051 | 1180 | 1343 |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | |
| | | | W | D | H | W | D | H | W | H | | | | | |
| | | | 20 | 26 | 39 | 20 | 18 | 16-21 | 18.5 | 18-20.5 | | | | | |
| | | | RTA 2 |  | | | | | | | | | | | |
|  <p>LB Posture Task Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (6) Back height</p> | <p>Ergonomic Features: C, D, G, M, N</p> | 3147-7 | 681 | 719 | 749 | 791 | 851 | 874 | 930 | 1030 | 1080 | 1175 | 1305 | 1466 |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | |
| | | | W | D | H | W | D | H | W | H | | | | | |
| | | | 20 | 25 | 37 | 20 | 18 | 16-21 | 18.5 | 18-20.5 | | | | | |
| | | | RTA 2 |  | | | | | | | | | | | |
|  <p>Drafting Stool - Task w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 42 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p> | <p>Ergonomic Features: C, E, H, M, N, Q</p> | 3148-6 | 962 | 1000 | 1028 | 1072 | 1132 | 1155 | 1210 | 1311 | 1360 | 1457 | 1585 | 1748 |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | |
| | | | W | D | H | W | D | H | W | H | | | | | |
| | | | 26 | 27 | 46 | 20 | 18 | 23-31 | 18.5 | 19 | | | | | |
| | | | RTA 1 |  | | | | | | | | | | | |
|  <p>Drafting Stool - Task Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 9.25</p> |  <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p> | <p>Ergonomic Features: C, E, M, N</p> | 3149-6 | 832 | 869 | 897 | 941 | 1002 | 1025 | 1079 | 1181 | 1232 | 1326 | 1456 | 1617 |
| | | | OVERALL DIMENSIONS | | | SEAT DIMENSIONS | | | BACK DIMENSIONS | | | | | | |
| | | | W | D | H | W | D | H | W | H | | | | | |
| | | | 20 | 27 | 46 | 20 | 18 | 23-31 | 18.5 | 19 | | | | | |
| | | | RTA 1 |  | | | | | | | | | | | |