

OBUSFORME® COMFORT



model 1240-3



model 1241-3



Memory Foam
Available, use code "MF"
and Add \$76.00.




model 1261-3

STANDARD FEATURES

- Obusforme Comfort is the newest addition to the Obusforme family and is recommended by chiropractors worldwide.
- Features a new elastomeric back support system that provides impressive comfortable support with no pressure points along the spine.
- Standard with height and width adjustable forward swept arms with "sliding armcaps" (G3).
- Standard with a five-legged, injection molded reinforced nylon Black spider base.
- Standard seat is dual cushion with a soft top layer and a firmly supportive lower layer.
- Sliding seat depth is standard on all Knee-Tilter and Multi-Tilter models.
- Schukra depth adjustable lumbar support for personalized back support and comfort is standard on selected models.
- C65 dual wheel carpet casters are standard.
- All models are shipped partially KD.






OPTIONAL FEATURES

- Optional Memory Foam (MF) seats are available. This slow release foam molds to your contour and evenly distributes body weight. Please specify. Add \$76.00.
- An optional Polished Aluminum base with scuff resistant tips is available. Please specify (ALU). Add \$144.00.
- Please specify C65R for hard surface flooring. Please refer to page 309 for additional caster options.

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		1240-2	1084	1140	1184	1250	1345	1378	1460	1617	1693	1838	2036	2282		
		1240LM-2	-	-	-	-	1344	-	-	1617	1702	1838	2046	2292		
		Leather/Mock Leather														
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
	W	D	H	W	D	H	W	H								
	26	25	48.5		21	17.5-20	16.5-20.5	19	27.5							
	RTA 2															
	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, U															

	3	4	5	6	7	8	9	10	11	12	13	14	
1240-3	979	1034	1079	1145	1239	1272	1354	1511	1587	1732	1930	2177	
1240LM-3	-	-	-	-	1238	-	-	1511	1595	1732	1940	2186	
Leather/Mock Leather													
OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS						
	W	D	H	W	D	H	W	H					
	26	25	48		21	17.5-20	16-20	19	27				
	RTA 2												
	Ergonomic Features: A, B, C, D, E, F, G., H, M, N, Q, R, S, U												

	3	4	5	6	7	8	9	10	11	12	13	14	
1241-2	979	1028	1067	1126	1211	1240	1312	1452	1519	1650	1825	2045	
1241LM-2	-	-	-	-	1210	-	-	1452	1527	1648	1832	2051	
Leather/Mock Leather													
OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS						
	W	D	H	W	D	H	W	H					
	26	25	44.5		21	17.5-20	16.5-20.5	19.5	22-27.5				
	RTA 2												
	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, U												

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			3	4	5	6	7	8	9	10	11	12	13	14
 MB Multi -Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action	1241-3	870	917	955	1011	1090	1119	1188	1321	1385	1508	1676	1885
		1241LM-3 Leather/Mock Leather	-	-	-	-	1101	-	-	1332	1404	1520	1695	1903
		OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS					
		W D H	W	D	H	W	D	H	W	D	H	W	H	
			26	25	44		21	17.5-20	16-20			19.5	22	
 LB Operator COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		3	4	5	6	7	8	9	10	11	12	13	14
		1244-5	819	863	896	948	1021	1048	1111	1234	1291	1404	1559	1750
		1244LM-5 Leather/Mock Leather	-	-	-	-	1021	-	-	1235	1300	1405	1566	1759
		OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS					
		W D H	W	D	H	W	D	H	W	D	H	W	H	
			26	25	38		21	17.5	16.5-20.5			19.5	19-24.25	
 LB Task COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height		3	*4	5	*6	7	8	9	10	11	12	13	14
		1244-6	717	760	796	846	919	946	1009	1132	1191	1304	1458	1650
		1244LM-6 Leather/Mock Leather	-	-	-	-	918	-	-	1132	1197	1304	1463	1656
		OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS					
		W D H	W	D	H	W	D	H	W	D	H	W	H	
			26	25	38.5		21	16.5-19	17-22			19.5	19.5	
 LB Operator - Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 46 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		3	4	5	6	7	8	9	10	11	12	13	14
		1245-5	819	868	908	965	1050	1080	1152	1291	1358	1489	1664	1884
		1245LM-5 Leather/Mock Leather	-	-	-	-	884	-	-	1096	1161	1267	1427	1620
		OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS					
		W D H	W	D	H	W	D	H	W	D	H	W	H	
			1.75	25	38		21	17.5	16.5-20.5			19.5	19-24.25	
 LB Task - Armless COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 41 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height		3	4	5	6	7	8	9	10	11	12	13	14
		1245-6	579	622	657	708	781	807	871	994	1052	1166	1320	1511
		1245LM-6 Leather/Mock Leather	-	-	-	-	780	-	-	994	1059	1166	1326	1518
		OVERALL DIMENSIONS				SEAT DIMENSIONS			BACK DIMENSIONS					
		W D H	W	D	H	W	D	H	W	D	H	W	H	
			21	25	38.5		21	16.5-18	17-22			19.5	19.5	

Ergonomic Features:
A, B, C, D, E, F, G, H, M, N, Q, R, S, U

RTA 2



Ergonomic Features:
C, D, H, M, N, Q, R, S, U

RTA 2



Ergonomic Features:
C, E, H, M, N, Q, R, U

RTA 2



Ergonomic Features:
C, D, F, G, M, N, S, U

RTA 2





Ergonomic Features:
C, E, M, N


RTA 2



DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
	Armchair - Sled Base COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 10	Ergonomic Features: M, N		3	4	5	6	7	8	9	10	11	12	13	14
			1246	508	552	587	637	711	736	801	922	982	1095	1249	1441
			1246LM Leather/Mock Leather	-	-	-	-	710	-	-	922	988	1095	1256	1447
			OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H			BACK DIMENSIONS W H								
			21	24	38	21	18	18	20	20.5					
	Armchair - Sled Base COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 40 Cubic Feet Per Carton: 10	Ergonomic Features: M, N		3	4	5	6	7	8	9	10	11	12	13	14
			1247	668	712	747	798	871	897	961	1083	1142	1256	1410	1600
			1247LM Leather/Mock Leather	-	-	-	-	870	-	-	1083	1149	1256	1415	1608
			OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H			BACK DIMENSIONS W H								
			24.5	24	38	21	18	18	20	20.5					
	ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back	Ergonomic Features: C, D, F, G, M, N, S, U		3	4	5	6	7	8	9	10	11	12	13	14
			1248-5	872	916	951	1002	1075	1102	1166	1287	1346	1459	1613	1805
			1248LM-5 Leather/Mock Leather	-	-	-	-	1074	-	-	1287	1353	1459	1619	1811
			OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H			BACK DIMENSIONS W H								
			21	25	48	21	17.5	23.5-33.5	19.5	19-24.25					
	ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back	Ergonomic Features: C, D, F, G, H, M, N, Q, R, S, U		3	4	5	6	7	8	9	10	11	12	13	14
			1249-5	1009	1053	1088	1139	1213	1239	1303	1424	1483	1596	1750	1942
			1249LM-5 Leather/Mock Leather	-	-	-	-	1212	-	-	1424	1490	1596	1756	1948
			OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H			BACK DIMENSIONS W H								
			26	25	48	21	17.5	23.5-33.5	19.5	19-24.25					
	ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, U, V		3	4	5	6	7	8	9	10	11	12	13	14
			1260-2	1194	1250	1294	1359	1455	1488	1570	1727	1803	1947	2146	2391
			1260LM-2 Leather/Mock Leather	-	-	-	-	1453	-	-	1726	1811	1947	2155	2402
			OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H			BACK DIMENSIONS W H								
			26	25	48.5	21	17.5-20	16.5-20.5	19.5	27-32.25					

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (SA) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14
		1260-3	1088	1144	1189	1254	1349	1381	1463	1621	1697	1841	2039	2287
		1260LM-3 Leather/Mock Leather	-	-	-	-	1348	-	-	1620	1705	1841	2049	2295
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
HB Multi -Tilter w/Schukra COM Yardage: 2.25 Freight Class: 125 Product Weight (lbs.): 69 Cubic Feet Per Carton: 11	Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U, V	RTA 2												

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (SB) Knee-tilt action		3	4	5	6	7	8	9	10	11	12	13	14
		1261-2	1089	1139	1178	1237	1321	1351	1423	1563	1630	1760	1935	2155
		1261LM-2 Leather/Mock Leather	-	-	-	-	1320	-	-	1563	1637	1759	1943	2162
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
MB Knee -Tilter w/Schukra COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, U, V	RTA 2												

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (SA) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14
		1261-3	980	1029	1068	1127	1212	1241	1313	1453	1520	1651	1826	2046
		1261LM-3 Leather/Mock Leather	-	-	-	-	1211	-	-	1453	1528	1650	1833	2052
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
MB Multi -Tilter w/Schukra COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50	Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q	RTA 2												