

SOFTCURVE™



model 4691LM-3 (SC)



model 4696LM-2



**Optional Base**  
Arched aluminum base available as an option on models that are standard with a black arched base. Specify "B5". Add \$110.00.



model 4698LM










STANDARD FEATURES
















- European style with gathered upholstery, detailed stitching, built-in lumbar support and distinctive arch base.
- Executive and managerial models incorporate polished aluminum that accent both the arch base and fixed height loop arms with padded armrests.
- Standard Pneumatic seat height adjustment and tilt tension control on all models.
- Synchro-Tilter with Back Angle - synchronized seat and back movement with 2-to-1 ratio. Infinite tilt lock control. Back angle adjustment.
- Knee-Tilter: seat and back tilts from a pivot point near the front of the chair with infinite tilt lock. Back angle control.
- Multi-Tilter - Forward and rearward seat tilt with infinite tilt lock. Free-floating back angle control.
- All other models use a black urethane arch base and adjustable height forward swept arms with kidney shaped urethane armcaps (SC).
- Please Note: Loop arms will be the standard polished aluminum.
- C1 casters are standard.








- Standard in Special Leather/Mock Leather (Grade 7). Not available in Fabric.



OPTIONAL FEATURES


- Optional ballistic style nylon outer back fabric available. Resistant to impact damage. Available in Black Only (BKB) Add \$13.00 (for models 4690LM-2 and 4691LM-2)
- Optional seat depth is available on models 4690LM-2, 4691LM-2 and 4691LM-3 Specify (MD). Add \$85.00
- Optional Chrome (CHM) base is available on armchair model 4698LM Only. Add \$91.00. Please Specify. Optional Black (BLK) finish is available on the base on models 4696LM and 4697LM Only, Add \$67.00. Please Specify.
- All Softcurve models are available under CAL 133, but only when upholstered in materials that are approved for California TB133 and a \$209 list upcharge is required.

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES															
			3	4	5	6	7	8	9	10	11	12	13	14				
 <p><b>HB Synchro - Tilter</b> with back angle adjustment COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 56 Cubic Feet Per Carton: 11.50</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	<p>4690LM-0 Leather/Mock Leather</p>	-	-	-	-	1117	-	-	1609	1781	2016	2414	2872				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	27	45.5	20.5	18	17.5-21.5	20	26								
			<b>RTA 2</b>															
 <p><b>HB Knee - Tilter</b> COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 56 Cubic Feet Per Carton: 11.50</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5B) Knee-tilt action</p>	<p>4690LM-2 Leather/Mock Leather</p>	-	-	-	-	1210	-	-	1701	1873	2110	2507	2966				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	27	45.5	20.5	18	17.5-21.5	20	26								
			<b>RTA 2</b>															
 <p><b>HB Multi - Tilter</b> COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 56 Cubic Feet Per Carton: 11.50</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	<p>4690LM-3 Leather/Mock Leather</p>	-	-	-	-	1117	-	-	1609	1781	2016	2414	2872				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	27	45.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 2</b>															

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES															
			3	4	5	6	7	8	9	10	11	12	13	14				
 <p><b>MB Tilter</b> COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 11.50</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	<b>4690LM-4</b> Leather/Mock Leather	-	-	-	-	1036	-	-	1527	1699	1935	2335	2792				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	27	45.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 2</b>															
 <p><b>MB Synchro - Tilter</b> with back angle adjustment COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	<b>4691LM-0</b> Leather/Mock Leather	-	-	-	-	1053	-	-	1545	1637	1952	2200	2603				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	26	39.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 2</b>															
 <p><b>MB Knee - Tilter</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (8) Chair tilt lock (5B) Knee-tilt action</p>	<b>4691LM-2</b> Leather/Mock Leather	-	-	-	-	1149	-	-	1641	1733	2047	2294	2699				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	26	39.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 2</b>															
 <p><b>MB Multi - Tilter</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (7) Forward tilt lock (8) Chair tilt lock (5A) Center-tilt action</p>	<b>4691LM-3</b> Leather/Mock Leather	-	-	-	-	1053	-	-	1545	1637	1952	2200	2603				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	26	39.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 1</b>															
 <p><b>MB Tilter</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	<b>4691LM-4</b> Leather/Mock Leather	-	-	-	-	972	-	-	1463	1555	1871	2118	2521				
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>									
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>								
			26	26	39.5	20.5	18	17.5-21.5	20	20								
			<b>RTA 1</b>															

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			3	4	5	6	7	8	9	10	11	12	13	14
 <p><b>Armchair</b> COM Yardage: 3.75 Freight Class: 250 Product Weight (lbs.): 42 Cubic Feet Per Carton: 13</p>	<p>Ergonomic Features: H, M, N</p>	<p>4692LM</p> <p>Leather/Mock Leather</p>	-	-	-	-	887	-	-	1379	1470	1786	2032	2436
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>					
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>				
26	26.5	38.5	20.5	18	18	20	20.5							
			<b>RTA 00</b>											
 <p><b>MB Operator Armless</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 40 Cubic Feet Per Carton: 9.75</p>	<p>Ergonomic Features: C, F, G, M, N</p>	<p>4693LM-5</p> <p>Leather/Mock Leather</p>	-	-	-	-	872	-	-	1365	1458	1771	2018	2424
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>					
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>				
20.5	26	39	20.5	18	17-21	20	20							
			<b>RTA 1</b>											
 <p><b>HB Knee - Tilter Loop Arms</b> COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 58 Cubic Feet Per Carton: 13.25</p>	<p>ADJUSTMENTS</p> <p>(1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Chair tilt lock (5B) Knee-tilt action</p>	<p>4696LM-2</p> <p>Leather/Mock Leather</p>	-	-	-	-	1233	-	-	1724	1895	2132	2530	2989
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>					
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>				
25	28	43.5	20.5	18	17-21	20	24							
			<b>RTA 1</b>											
 <p><b>HB Tilter Loop Arms</b> COM Yardage: 4.25 Freight Class: 250 Product Weight (lbs.): 45 Cubic Feet Per Carton: 13.25</p>	<p>ADJUSTMENTS</p> <p>(1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action</p>	<p>4696LM-4</p> <p>Leather/Mock Leather</p>	-	-	-	-	1056	-	-	1548	1721	1957	2356	2813
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>					
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>				
25	28	43	20.5	18	17-21	20	24							
			<b>RTA 1</b>											
 <p><b>MB Knee - Tilter Loop Arms</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 55 Cubic Feet Per Carton: 11.50</p>	<p>ADJUSTMENTS</p> <p>(1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Chair tilt lock (5B) Knee-tilt action</p>	<p>4697LM-2</p> <p>Leather/Mock Leather</p>	-	-	-	-	1171	-	-	1662	1755	2070	2316	2722
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>					
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>				
25	26	38	20.5	18	17.5-21.5	20	18.5							
			<b>RTA 1</b>											

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 <p><b>MB Tilter Loop Arms</b> COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 51 Cubic Feet Per Carton: 11.50</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Chair tilt lock (5A) Center-tilt action</p>	<p><b>4697LM-4</b> Leather/Mock Leather</p>	-	-	-	-	995	-	-	1486	1577	1894	2141	2545		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			25	26	37.5	20.5	18	17.5-21.5	20	18.5						
Ergonomic Features: A, B, C, M, N, S		<b>RTA 00</b>														



DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 <p><b>Armchair Loop Arms</b> COM Yardage: 3.75 Freight Class: 250 Product Weight (lbs.): 42 Cubic Feet Per Carton: 17</p>		<p><b>4698LM</b> Leather/Mock Leather</p>	-	-	-	-	932	-	-	1422	1515	1832	2077	2480		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			25	26.5	37	20.5	18	18	20	18.5						
Ergonomic Features: H, M, N		<b>RTA 00</b>														


**SOLAR**



**model 8456**      **model 8457**

- STANDARD FEATURES**
- A sophisticated and versatile seating solution for conference and collaborative environments. Designed by Paul Brooks.
  - One Piece molded frame is extremely light (chair weighs 24 lbs) and exceeds BIFMA standard for commercial applications.
  - Cascading forward seat surface and reverse edge profile provide better leg clearance and comfort.
  - Integrated seat height adjustment lever is intuitive and easy to utilize.
  - The under seat structure maintains the seamless and fluid aesthetic that defines Solar.
- OPTIONAL FEATURES**
- C1 casters are standard.
  - Mesh is available in Midnight (MDN), Storm (STM), Dove (DVE), and Ivory (IVY).
  - Polished Aluminum (ALU) base is available at an up charge \$110.00 list.
  - To have Alabaster (ABR) base on the Asphalt (APT) frame, please add \$50.00 list
  - Optional Black Glide (G) is available at no up charge.
  - For hard floor surface casters please specify SC, please add \$34.00 list.

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 <p><b>MB Mesh Tilter - Asphalt Base/Frame</b> COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 24 Cubic Feet Per Carton: 9</p>	<p>Ergonomic Features: C, M</p>	<p><b>8456</b></p>	725	-	-	-	-	-	-	-	-	-	-	-		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			23.25	25	36	19.25	18	17-21	19	19						
Ergonomic Features: C, M		<b>RTA 1</b>														

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			3	4	5	6	7	8	9	10	11	12	13	14		
 <p><b>MB Mesh Tilter - Alabaster Base/Frame</b> COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 24 Cubic Feet Per Carton: 9</p>	<p>Ergonomic Features: C, M</p>	<p><b>8457</b></p>	795	-	-	-	-	-	-	-	-	-	-	-		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			23.25	25	36	19.25	18	17-21	19	19						
Ergonomic Features: C, M		<b>RTA 1</b>	