


TRUFORM™




model 7473-3 (SC)



model 7482-3 (SC)


Multi-Depth Mechanism

Seat depth option is available on multi-tilter models. (see notes for more details)


Vari-Width (WA)


Width Adjustable Arm Extensions is standard when order with adjustable height arms.


STANDARD FEATURES


- Sixteen different models available, all featuring gently curved, streamlined seat and back cushions
- Standard with adjustable height SC arms.
- All models are standard with a high rise, injection molded base, standard in black.
- All models are shipped partially KD.
- C1 casters are standard.






OPTIONAL FEATURES






- Memory foam is available as an option, specify "MF". Add \$76.00
- Seat depth is standard on models 5450-0, 5450-3, 5450-8, 5451-0, 5451-3, 5451-8.
- Optional seat depth is available on models 5450-2 and 5451-2, Specify (MD). Add \$38.00
- An optional polished aluminum base is available at an upcharge. Add \$132.00
- See pages 306-308 for additional arm options.
- Please see page 309 for additional caster options. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.
- Upholstery in Vinyl is limited to polyurethane vinyls which currently include Allante and Softhide. Some wrinkling of the materials on the upper left and right corner of the back is normal and should be expected.
- Not available in Leather or Leather/Mock Leather combination.






DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back		3	4	5	6	7	8	9	10	11	12	13	14		
		5450-0	649	699	735	793	874	903	974	1109	1175	1302	1471	1685		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	42	20	18-20.5	17-21	20	23.5-26							
HB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 63 Cubic Feet Per Carton: 10.50	Ergonomic Features: A, B, C, J, M, N	RTA 2														

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		5450-2	809	857	894	951	1034	1062	1133	1268	1333	1460	1630	1844		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	42.5	20	18-20.5	17-21	20	23.5-26							
HB Knee - Tilter COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 62 Cubic Feet Per Carton: 10.50	Ergonomic Features: A, B, C, J, M, N	RTA 2														

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		5450-3	649	699	735	793	874	903	974	1109	1175	1302	1471	1685		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	42	20	18-20.5	16.5-20.5	20	23.5-26							
HB Multi - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 63 Cubic Feet Per Carton: 10.50	Ergonomic Features: A, B, C, D, F, G, H, M, N, Q, S	RTA 2														

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
 HB Tilter COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 45 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14
		5450-4	576	624	663	721	802	831	901	1037	1102	1228	1399	1612
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
 HB Operator COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		3	4	5	6	7	8	9	10	11	12	13	14
		5450-5	644	691	730	787	869	898	969	1104	1169	1295	1466	1679
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
 HB Task COM Yardage: 2 Freight Class: 250 Product Weight (lbs.): 39 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth		3	4	5	6	7	8	9	10	11	12	13	14
		5450-6	531	579	618	676	757	786	857	992	1057	1183	1354	1567
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
 HB Weight Sensing Synchro - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 59 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock		3	4	5	6	7	8	9	10	11	12	13	14
		5450-8	649	696	734	791	870	898	968	1101	1165	1288	1455	1664
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
 MB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 60 Cubic Feet Per Carton: 10.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back		3	4	5	6	7	8	9	10	11	12	13	14
		5451-0	622	665	700	749	820	845	907	1026	1083	1193	1342	1528
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		5451-2	781	824	858	907	979	1003	1065	1184	1242	1352	1501	1687		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	39		20	18-20.5	17-21			20	20-22.5				
		RTA 2														
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		5451-3	622	665	700	749	820	845	907	1026	1083	1193	1342	1528		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	38.5		20	18-20.5	16.5-20.5			20	20-22.5				
		RTA 2														
	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action		3	4	5	6	7	8	9	10	11	12	13	14		
		5451-4	550	593	625	676	747	773	834	952	1010	1119	1269	1455		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	38.5		20	18-20.5	16.5-20.5			20	20-22.5				
		RTA 2														
	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		3	4	5	6	7	8	9	10	11	12	13	14		
		5451-5	617	660	692	742	815	840	901	1020	1078	1187	1337	1522		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	38.5		20	18-20.5	16.5-20.5			20	20-22.5				
		RTA 2														
	 ADJUSTMENTS (2) Pneumatic seat height (6) Seat depth		3	4	5	6	7	8	9	10	11	12	13	14		
		5451-6	506	549	582	632	704	728	791	910	967	1076	1225	1411		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		26	25	38		20	18-20.5	16-20			20	20-22.5				
		RTA 2														

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			3	4	5	6	7	8	9	10	11	12	13	14
	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock	5451-8	622	665	698	747	817	841	902	1018	1074	1182	1329	1512
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W D H			W D H			W H								
26 25 38			20 18-20.5 16-20			20 20-22.5								
MB Weight Sensing Synchro - Tilter COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 56 Cubic Feet Per Carton: 10.50			Ergonomic Features: A, B, C, E, G, H, M, N, Q, S			RTA 2								
	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back	5454-5	564	606	639	688	760	786	847	967	1024	1133	1284	1469
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W D H			W D H			W H								
20 25 38.5			20 18-20.5 16.5-20.5			20 20-22.5								
MB Operator Armless COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 37 Cubic Feet Per Carton: 10.50			Ergonomic Features: A, B, C, J, M, N			RTA 2								
	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth	5454-6	453	496	528	577	649	676	736	856	913	1023	1172	1358
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W D H			W D H			W H								
20 25 38			20 18-20.5 16-20			20 20-22.5								
MB Task Armless COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 30 Cubic Feet Per Carton: 10.50			Ergonomic Features: A, B, C, J, M, N			RTA 2								
	 ADJUSTMENTS (2) Pneumatic seat height	5457-6	738	781	816	865	936	960	1024	1142	1199	1309	1459	1644
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W D H			W D H			W H								
20 25 47			20 17.5-19 22-30			20 20								
MB Drafting Stool Armless COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 38 Cubic Feet Per Carton: 10.50			Ergonomic Features: A, B, C, J, M, N			RTA 2								
	 ADJUSTMENTS (2) Pneumatic seat height	5458-6	863	904	938	988	1059	1084	1147	1265	1321	1431	1582	1768
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W D H			W D H			W H								
26 25 47			20 17.5-19 22-30			20 20								
MB Drafting Stool COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 44 Cubic Feet Per Carton: 10.50			Ergonomic Features: A, B, C, J, M, N			RTA 2								