


ENTERPRISE®



model 4560



model 4565

**Multi-Depth Mechanism**

Seat depth option is available on multi-tilter models. (see notes for more details)



model 4571-3

STANDARD FEATURES


- Gently sculpted seat and back provide lateral and lumbar support.
- Fixed height, impact and scuff resistant curved arms are standard on models 4560, 4561 and 4565. All other models are standard with adjustable height T-arms with teardrop shaped urethane armcaps (TD).
- All models (except armchair) are standard with a five-legged, injection molded base.
- Base and arms are only available in Black (BK).
- Model 4561-SC features a self centering cylinder which swivels and automatically returns to the starting seat location. This model is standard with a flat 5 star base in Black (BK) with C7 glides.
- Vari-Width Adapter Plate (WA) is standard when chair is ordered with adjustable height arms (AA, O, OJ, SB, TD, UB, ZH, ZT, 3M, 3N, 4J, 4M, 4T, 6L, 9B and 9S). Allows each arm to move outward an additional 2" (for a total of 4" extra seat width) and locks with the use of an easy to maneuver lever. C65 casters are standard.
- Not available in Leather.
- For fully assembled in box, please specify SU. Add \$53.

OPTIONAL FEATURES

- Wood-capped base and arms are available in Absolute (AAM), Black (BKM), Cherry (ACM), Espresso Cafe (ECM), English Oak (EOM), Fruitwood (TFM), Gray (HGM), Honey (AHM), Mahogany (TMM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Shaker Cherry (SKM), Walnut (TWM), WC Cream (WTM), White (WHM) and Winter Cherry (WCM). Please Specify. Genuine maple faced veneers and solids are used.
- Optional ballistic nylon outer back fabric available. Resistant to impact damage. Black Only (BKB). Add \$14.
- Available with back edge vinyl bumper guard option (VBG). Add \$17.
- Multi-Depth Mechanism a seat depth option available on multi-tilter models 4570-3 and 4571-3. Allows seat to move forward and backward over a 2" range with 5 locking positions to provide a more shallow or deeper seat. Specify "MD". Add \$91.
- Please refer to the "Casters Selection" section of the price book for caster options. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.

DESCRIPTION**FEATURES****MODEL#****STANDARD FABRIC GRADES**

HB Tilter w/ Fixed Height Loop Arms
COM Yardage: 2
Freight Class: 250
Product Weight (lbs.): 39
Cubic Feet Per Carton: 11.50



Ergonomic Features:
A, B, C, M, N, S

	1	2	3	4	5	6	7	8	9	10	11	12
4560	494	545	585	646	733	766	841	987	1056	1191	1372	1602


OVERALL DIMENSIONS**SEAT DIMENSIONS****BACK DIMENSIONS**

W	D	H	W	D	H	W	H
24.5	27	45	20.5	18.5	17-22	20	26

RTA 1



HB Knee - Tilter w/ Fixed Height Loop Arms
COM Yardage: 2
Freight Class: 250
Product Weight (lbs.): 41
Cubic Feet Per Carton: 13.25



Ergonomic Features:
A, B, C, J, M, N

	1	2	3	4	5	6	7	8	9	10	11	12
4560-2	671	724	766	827	916	947	1024	1173	1244	1383	1568	1800


OVERALL DIMENSIONS**SEAT DIMENSIONS****BACK DIMENSIONS**

W	D	H	W	D	H	W	H
24.5	27	45	21	19.5	17-21	21	25

RTA 1



LB Tilter w/ Fixed Height Loop Arms
COM Yardage: 1.75
Freight Class: 250
Product Weight (lbs.): 36
Cubic Feet Per Carton: 9.75



Ergonomic Features:
A, B, C, M, N, S

	1	2	3	4	5	6	7	8	9	10	11	12
4561	471	515	552	604	681	708	775	901	963	1081	1241	1440


OVERALL DIMENSIONS**SEAT DIMENSIONS****BACK DIMENSIONS**

W	D	H	W	D	H	W	H
24.5	26.5	39	20.5	18.5	17-22	20	21


RTA 1









DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
	MB Conference Chair w/ Fixed Height Loop Arms COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 36 Cubic Feet Per Carton: 9.75		1	2	3	4	5	6	7	8	9	10	11	12
		4561-SC	517	562	599	652	731	758	826	957	1018	1138	1301	1505
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
			24.5	26.5	37	21	19.5	18	21	19				
		RTA 1												






	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height* (8) Seat depth (9) Chair tilt lock (5B) Knee-tilt action		1	2	3	4	5	6	7	8	9	10	11	12
		4561-2	650	697	733	788	867	894	962	1090	1153	1271	1436	1638
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
			25	26.5	39	12	19.5	17-21	21	19				
	Ergonomic Features: A, B, C, J, M, N	RTA 1												

	Armchair w/ Fixed Height Loop Arms COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 39 Cubic Feet Per Carton: 11.50		1	2	3	4	5	6	7	8	9	10	11	12
		4565	471	515	552	604	681	708	775	901	963	1081	1241	1440
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
			24.5	26.5	37	19.5	18-19.5	16.5-20.5	18	22.5				
	Ergonomic Features: M, N	RTA 2												

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action		1	2	3	4	5	6	7	8	9	10	11	12
		4570-3	878	929	970	1032	1118	1152	1226	1371	1441	1576	1758	1987
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
			26.5	26.5	47	22	19	17-21	21.5	26-28				
	Ergonomic Features: A, B, C, D, F, G, H, M, N, Q, S	RTA 2												

	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action		1	2	3	4	5	6	7	8	9	10	11	12
		4570-4	782	835	876	939	1023	1056	1132	1277	1347	1480	1892	782
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H				
			26.5	27	47.5	22	19	17-21	21.5	26-28				
	Ergonomic Features: A, B, C, H, M, N, Q, S	RTA 2												

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
 HB Operator w/ Adjustable (TD) Arms COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 46 Cubic Feet Per Carton: 11	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		1	2	3	4	5	6	7	8	9	10	11	12
		4570-5	870	922	963	1023	1110	1143	1218	1363	1434	1567	1752	1977
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
			26.5	26.5	47	22	19.5	17-21	21.5	26-28				
		RTA 2												
 MB Multi-Tiler w/ Adjustable (TD) Arms COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (SA) Center-tilt action		1	2	3	4	5	6	7	8	9	10	11	12
		4571-3	797	841	877	929	1006	1033	1101	1227	1287	1407	1565	1766
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
			26.5	26	41	22	19	17-21	21.5	20.5-22.5				
		RTA 2												
 MB Tilter w/ Adjustable (TD) Arms COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 46 Cubic Feet Per Carton: 11.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (SA) Center-tilt action		1	2	3	4	5	6	7	8	9	10	11	12
		4571-4	718	763	799	852	928	957	1021	1148	1210	1329	1488	1687
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
			26.5	26	41.5	22	19	17-21	21.5	20.5-22.5				
		RTA 2												
 LB Operator w/ Adjustable (TD) Arms COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 43 Cubic Feet Per Carton: 8.25	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		1	2	3	4	5	6	7	8	9	10	11	12
		4573-5	775	821	855	910	987	1014	1080	1208	1267	1386	1546	1744
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
			26.5	25	38	22	19.5	17-21	19	18.5-20.5				
		RTA 2												
 LB Task w/ Adjustable (TD) Arms COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 39 Cubic Feet Per Carton: 7	 ADJUSTMENTS (2) Pneumatic seat height (6) Seat depth		1	2	3	4	5	6	7	8	9	10	11	12
		4573-6	629	674	710	765	841	868	934	1062	1121	1241	1400	1599
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
		W	D	H	W	D	H	W	H					
			26.5	25.5	40.5	22	17-18.5	16.5-20.5	19	20				
		RTA 2												

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
 LB Operator Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 36 Cubic Feet Per Carton: 7	 ADJUSTMENTS (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back		1	2	3	4	5	6	7	8	9	10	11	12	
		4577-5	649	694	730	782	859	887	952	1081	1140	1260	1418	1619	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			26.5	25.5	40.5		22	19.5	17-21		19	18.5-20.5			
	Ergonomic Features: C, D, F, G, H, M, N														
 LB Task Armless COM Yardage: 7 Freight Class: 150 Product Weight (lbs.): 33 Cubic Feet Per Carton: 7	 ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth		1	2	3	4	5	6	7	8	9	10	11	12	
		4577-6	504	550	586	640	717	744	809	939	997	1116	1276	1475	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			22.5	25.5	40.5		22	17-18.5	16.5-20.5		19	22			
	Ergonomic Features: C, D, E, H, M, N, Q														
 HB Knee - Tilter w/ Wood base and arms COM Yardage: 2 Freight Class: 250 Product Weight (lbs.): 46 Cubic Feet Per Carton: 13.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height* (8) Seat depth (9) Chair tilt lock (5B) Knee-tilt action		1	2	3	4	5	6	7	8	9	10	11	12	
		4946-2	989	1041	1081	1143	1228	1262	1337	1481	1551	1686	1869	2097	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			25	27	45		21	19.5	17-21		21	25			
	Ergonomic Features: A, B, C, J, M, N														
 HB Tilter w/ Wood base and arms COM Yardage: 2 Freight Class: 250 Product Weight (lbs.): 42 Cubic Feet Per Carton: 13.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action		1	2	3	4	5	6	7	8	9	10	11	12	
		4946-4	785	839	879	942	1028	1060	1136	1280	1350	1484	1668	1895	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			25	27	45		21	19	17-21		21	25			
	Ergonomic Features: A, B, C, H, M, N, Q, S														
 LB Knee - Tilter w/ Wood base and arms COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 44 Cubic Feet Per Carton: 11.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height* (8) Seat depth (9) Chair tilt lock (5B) Knee-tilt action		1	2	3	4	5	6	7	8	9	10	11	12	
		4947-2	952	998	1034	1088	1164	1192	1258	1386	1446	1564	1725	1923	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			25	26.5	39		21	19.5	17-21		21	19			
	Ergonomic Features: A, B, C, J, M, N														




Synchro - Tilter

COM Yardage: 1

Freight Class: 150

Product Weight (lbs.): 53

Cubic Feet Per Carton: 11



ADJUSTMENTS

(1) Tilt tension

(2) Pneumatic seat height

(6) Back height*

(8) Seat depth

(9) Chair tilt lock


(5C) Synchro-tilt action

Anti-kick back

Ergonomic Features:

A, B, C, D, E, H, L, M, N, Q, R, U

	1	2	3	4	5	6	7	8	9	10	11	12
6008	1219	1244	1263	1292	1332	1346	1382	1448	1481	1544	1629	1735
6008L	-	-	-	-	-	-	-	1425	1469	1524	1617	1722
Leather												
	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
	W	D	H	W	D	H	W		H			
	25.5	23	41.5	19.5	18.5	17-21	19		22			

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
 Armless Synchro - Tilter COM Yardage: 1 Freight Class: 150 Product Weight (lbs.): 45 Cubic Feet Per Carton: 11	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Back height* (8) Seat depth (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back		1	2	3	4	5	6	7	8	9	10	11	12	
		6007NA	949	976	996	1027	1070	1090	1130	1192	1240	1294	1404	1522	
		6007LNA Leather	-	-	-	-	-	-	-	1126	1176	1229	1339	1457	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			19.5	23	41.5	19.5	16-18.5	17.75-22.75		19	22				
			RTA 1												

			1	2	3	4	5	6	7	8	9	10	11	12
6008NA	1100	1126	1146	1177	1220	1240	1280	1342	1390	1444	1554	1672		
6008LNA Leather	-	-	-	-	-	-	-	1294	1343	1396	1506	1624		
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
W	D	H	W	D	H	W	H							
			19.5	23	41.5	19.5	16-18.5	17.75-22.75		19	22			
			RTA 1											