

GRANADA® DELUXE



model 4560



model 4565

STANDARD FEATURES

- Granada Deluxe offers dramatic seating comfort. Offers a more contoured seat featuring BioPlush earth friendly foam.
- Standard with height and width adjustable height T-arms with teardrop shaped urethane armcaps (3B).
- All models except the armchair and sidechair are standard with a five legged, injection molded reinforced nylon spider base with C65 casters.
- Base and frames are standard in Black (BK).


OPTIONAL FEATURES

- Seat depth is optional on models 1170-2, 1170LM-2, 1171-2 and 1171LM-2. Please specify (MD) Add \$91
- Optional ballistic nylon outer back fabric available, resistant to impact damage. Black Only (BKB), add \$14.
- Available with back edge vinyl bumper guard option (VBG).
- Available in Memory Foam (MF), add \$81.
- Polished Aluminum base with black scuff tips. Specify "B2". Add \$117.
- For hard surface flooring casters, specify C65R. Add \$49.
- For fully assembled in box, please specify SU. Add \$53.
- Please refer to "Arms Selection" section of the price book for arm options.

DESCRIPTION FEATURES MODEL# STANDARD FABRIC GRADES



HB Synchro - Tilter w/Back Angle Adjustment
COM Yardage: 2
Freight Class: 125
Product Weight (lbs.): 64
Cubic Feet Per Carton: 9.25



Ergonomic Features:
A, B, C, D, G, J, H, L, M, N, Q


	1	2	3	4	5	6	7	8	9	10	11	12
1170-0	872	918	953	1009	1087	1113	1181	1312	1373	1494	1657	1860

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	23.5	46	21	18-20.5	17.25-21.25	20	23-28.2

RTA 2



HB Synchro Knee - Tilter
COM Yardage: 2
Freight Class: 125
Product Weight (lbs.): 63
Cubic Feet Per Carton: 9.25



Ergonomic Features:
A, B, C, D, G, J, H, L, M, N, Q

	1	2	3	4	5	6	7	8	9	10	11	12
1170-2	975	1021	1058	1112	1191	1217	1286	1415	1477	1597	1760	1964

1170LM-2
Leather/Mock Leather


	1	2	3	4	5	6	7	8	9	10	11	12
	-	-	-	-	1197	-	-	1424	1494	1605	1776	1978

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	23.5	45.5	21	18-20.5	16.5-20.5	20	23-28.25

RTA 2



HB Multi - Tilter
COM Yardage: 2
Freight Class: 125
Product Weight (lbs.): 65
Cubic Feet Per Carton: 9.25



Ergonomic Features:
A, B, C, D, E, F, G, H, M, N, Q, S, U
















	1	2	3	4	5	6	7	8	9	10	11	12
1170-3	872	918	953	1009	1087	1113	1181	1312	1373	1494	1657	1860















1170LM-3
Leather/Mock Leather




	1	2	3	4	5	6	7	8	9	10	11	12
	-	-	-	-	1093	-	-	1319	1389	1501	1671	1876





OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	23.5	45	21	18-20.5	16-20	20	23-28.25





RTA 2





DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES																																
			1	2	3	4	5	6	7	8	9	10	11	12																					
 <p>HB Weight Sensing Synchro - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	<p>Ergonomic Features: A, B, C, D, E, H, L, M, N, Q</p>	<table border="1"> <tr> <td>1170-8</td> <td>872</td> <td>918</td> <td>953</td> <td>1009</td> <td>1087</td> <td>1113</td> <td>1181</td> <td>1312</td> <td>1373</td> <td>1494</td> <td>1657</td> <td>1860</td> </tr> </table>												1170-8	872	918	953	1009	1087	1113	1181	1312	1373	1494	1657	1860								
			1170-8	872	918	953	1009	1087	1113	1181	1312	1373	1494	1657	1860																				
			<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th colspan="2">H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>44</td> <td>21</td> <td>18-20.5</td> <td>16.5-20.5</td> <td>20</td> <td colspan="2">23-28.2</td> </tr> </table>			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H		26	23.5	44	21	18-20.5	16.5-20.5	20	23-28.2		<p>RTA 2 </p>		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																										
W	D	H	W	D	H	W	H																												
26	23.5	44	21	18-20.5	16.5-20.5	20	23-28.2																												
 <p>HB Synchro - Tilter w/Back Angle Adjustment COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 60 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock (5C) Synchro-tilt action Anti-Kick back</p>	<p>Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q</p>	<table border="1"> <tr> <td>1171-0</td> <td>782</td> <td>822</td> <td>853</td> <td>899</td> <td>967</td> <td>991</td> <td>1048</td> <td>1159</td> <td>1213</td> <td>1315</td> <td>1456</td> <td>1630</td> </tr> </table>												1171-0	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630								
			1171-0	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630																				
			<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th colspan="2">H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>43</td> <td>21</td> <td>18-20.5</td> <td>17.25-21.25</td> <td>20</td> <td colspan="2">20-25.2</td> </tr> </table>			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H		26	23.5	43	21	18-20.5	17.25-21.25	20	20-25.2		<p>RTA 2 </p>		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																										
W	D	H	W	D	H	W	H																												
26	23.5	43	21	18-20.5	17.25-21.25	20	20-25.2																												
 <p>MB Synchro Knee - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	<p>Ergonomic Features: A, B, C, D, G, J, H, L, M, N, Q</p>	<table border="1"> <tr> <td>1171-2</td> <td>890</td> <td>927</td> <td>960</td> <td>1006</td> <td>1073</td> <td>1097</td> <td>1155</td> <td>1265</td> <td>1318</td> <td>1422</td> <td>1562</td> <td>1736</td> </tr> </table>												1171-2	890	927	960	1006	1073	1097	1155	1265	1318	1422	1562	1736								
			1171-2	890	927	960	1006	1073	1097	1155	1265	1318	1422	1562	1736																				
			<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th colspan="2">H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>42.5</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td colspan="2">23-28.51</td> </tr> </table>			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H		26	23.5	42.5	21	18-20.5	16-20	20	23-28.51		<p>RTA 2 </p>		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																										
W	D	H	W	D	H	W	H																												
26	23.5	42.5	21	18-20.5	16-20	20	23-28.51																												
 <p>MB Multi - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U</p>	<table border="1"> <tr> <td>1171-3</td> <td>782</td> <td>822</td> <td>853</td> <td>899</td> <td>967</td> <td>991</td> <td>1048</td> <td>1159</td> <td>1213</td> <td>1315</td> <td>1456</td> <td>1630</td> </tr> </table>												1171-3	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630								
			1171-3	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630																				
			<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th colspan="2">H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td colspan="2">23-28.25</td> </tr> </table>			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H		26	23.5	42	21	18-20.5	16-20	20	23-28.25		<p>RTA 2 </p>		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																										
W	D	H	W	D	H	W	H																												
26	23.5	42	21	18-20.5	16-20	20	23-28.25																												
 <p>MB Operator COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back</p>	<p>Ergonomic Features: C, D, F, G, H, M, N, Q, S, U</p>	<table border="1"> <tr> <td>1171-5</td> <td>755</td> <td>795</td> <td>826</td> <td>873</td> <td>941</td> <td>964</td> <td>1021</td> <td>1133</td> <td>1186</td> <td>1288</td> <td>1429</td> <td>1603</td> </tr> </table>												1171-5	755	795	826	873	941	964	1021	1133	1186	1288	1429	1603								
			1171-5	755	795	826	873	941	964	1021	1133	1186	1288	1429	1603																				
			<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th>D</th> <th>H</th> <th>W</th> <th colspan="2">H</th> </tr> <tr> <td>26</td> <td>23.5</td> <td>39</td> <td>21</td> <td>18</td> <td>16.5-20.5</td> <td>20</td> <td colspan="2">19-24.25</td> </tr> </table>			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H		26	23.5	39	21	18	16.5-20.5	20	19-24.25		<p>RTA 2 </p>		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																										
W	D	H	W	D	H	W	H																												
26	23.5	39	21	18	16.5-20.5	20	19-24.25																												





DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES																																																																																																				
			1	2	3	4	5	6	7	8	9	10	11	12																																																																																									
 <p>MB Task COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 49 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, H, M, N, U, Q</p>	<table border="1"> <tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th></tr> <tr><td>1171-6</td><td>636</td><td>676</td><td>708</td><td>754</td><td>822</td><td>845</td><td>903</td><td>1015</td><td>1067</td><td>1170</td><td>1311</td><td>1484</td></tr> <tr><td>1171LM-6</td><td>-</td><td>-</td><td>-</td><td>-</td><td>832</td><td>-</td><td>-</td><td>1024</td><td>1086</td><td>1181</td><td>1329</td><td>1504</td></tr> <tr><td colspan="12">Leather/Mock Leather</td></tr> <tr><th colspan="3">OVERALL DIMENSIONS</th><th colspan="3">SEAT DIMENSIONS</th><th colspan="3">BACK DIMENSIONS</th><td colspan="3"></td><td colspan="3"></td></tr> <tr><th>W</th><th>D</th><th>H</th><th>W</th><th>D</th><th>H</th><th>W</th><th>H</th><td colspan="2"></td><td colspan="2"></td></tr> <tr><td>26</td><td>23.5</td><td>38</td><td>21</td><td>17-18</td><td>16-21</td><td>20</td><td>19</td><td colspan="2"></td><td colspan="2"></td></tr> </table>												1	2	3	4	5	6	7	8	9	10	11	12	1171-6	636	676	708	754	822	845	903	1015	1067	1170	1311	1484	1171LM-6	-	-	-	-	832	-	-	1024	1086	1181	1329	1504	Leather/Mock Leather												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									W	D	H	W	D	H	W	H					26	23.5	38	21	17-18	16-21	20	19				
			1	2	3	4	5	6	7	8	9	10	11	12																																																																																									
			1171-6	636	676	708	754	822	845	903	1015	1067	1170	1311	1484																																																																																								
			1171LM-6	-	-	-	-	832	-	-	1024	1086	1181	1329	1504																																																																																								
Leather/Mock Leather																																																																																																							
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																																																	
W	D	H	W	D	H	W	H																																																																																																
26	23.5	38	21	17-18	16-21	20	19																																																																																																
<p>RTA 2 </p>																																																																																																							
 <p>MB Weight Sensing Synchro - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	<p>Ergonomic Features: A, B, C, D, E, H, L, M, N, Q</p>	<table border="1"> <tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th></tr> <tr><td>1171-8</td><td>782</td><td>822</td><td>853</td><td>899</td><td>967</td><td>991</td><td>1048</td><td>1159</td><td>1213</td><td>1315</td><td>1456</td><td>1630</td></tr> <tr><th colspan="3">OVERALL DIMENSIONS</th><th colspan="3">SEAT DIMENSIONS</th><th colspan="3">BACK DIMENSIONS</th><td colspan="3"></td><td colspan="3"></td></tr> <tr><th>W</th><th>D</th><th>H</th><th>W</th><th>D</th><th>H</th><th>W</th><th>H</th><td colspan="2"></td><td colspan="2"></td></tr> <tr><td>26</td><td>23.5</td><td>41</td><td>21</td><td>18-20.5</td><td>16.25-20.25</td><td>20</td><td>20 - 25.2</td><td colspan="2"></td><td colspan="2"></td></tr> </table>												1	2	3	4	5	6	7	8	9	10	11	12	1171-8	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									W	D	H	W	D	H	W	H					26	23.5	41	21	18-20.5	16.25-20.25	20	20 - 25.2																													
			1	2	3	4	5	6	7	8	9	10	11	12																																																																																									
			1171-8	782	822	853	899	967	991	1048	1159	1213	1315	1456	1630																																																																																								
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																																														
W	D	H	W	D	H	W	H																																																																																																
26	23.5	41	21	18-20.5	16.25-20.25	20	20 - 25.2																																																																																																
<p>RTA 2 </p>																																																																																																							
 <p>MB Operator Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 49 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back</p>	<p>Ergonomic Features: C, D, E, F, G, M, N, Q, S, U</p>	<table border="1"> <tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th></tr> <tr><td>1172-5</td><td>624</td><td>663</td><td>695</td><td>741</td><td>807</td><td>830</td><td>891</td><td>1000</td><td>1054</td><td>1156</td><td>1296</td><td>1472</td></tr> <tr><td>1172LM-5</td><td>-</td><td>-</td><td>-</td><td>-</td><td>819</td><td>-</td><td>-</td><td>1012</td><td>1070</td><td>1168</td><td>1314</td><td>1488</td></tr> <tr><td colspan="12">Leather/Mock Leather</td></tr> <tr><th colspan="3">OVERALL DIMENSIONS</th><th colspan="3">SEAT DIMENSIONS</th><th colspan="3">BACK DIMENSIONS</th><td colspan="3"></td><td colspan="3"></td></tr> <tr><th>W</th><th>D</th><th>H</th><th>W</th><th>D</th><th>H</th><th>W</th><th>H</th><td colspan="2"></td><td colspan="2"></td></tr> <tr><td>21</td><td>23.5</td><td>39</td><td>21</td><td>18</td><td>16.5-20.5</td><td>20</td><td>19-24.25</td><td colspan="2"></td><td colspan="2"></td></tr> </table>												1	2	3	4	5	6	7	8	9	10	11	12	1172-5	624	663	695	741	807	830	891	1000	1054	1156	1296	1472	1172LM-5	-	-	-	-	819	-	-	1012	1070	1168	1314	1488	Leather/Mock Leather												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									W	D	H	W	D	H	W	H					21	23.5	39	21	18	16.5-20.5	20	19-24.25				
			1	2	3	4	5	6	7	8	9	10	11	12																																																																																									
			1172-5	624	663	695	741	807	830	891	1000	1054	1156	1296	1472																																																																																								
			1172LM-5	-	-	-	-	819	-	-	1012	1070	1168	1314	1488																																																																																								
Leather/Mock Leather																																																																																																							
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																																																	
W	D	H	W	D	H	W	H																																																																																																
21	23.5	39	21	18	16.5-20.5	20	19-24.25																																																																																																
<p>RTA 2 </p>																																																																																																							
 <p>MB Task Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 21. Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, H, M, N, U, Q</p>	<table border="1"> <tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th></tr> <tr><td>1172-6</td><td>505</td><td>545</td><td>576</td><td>623</td><td>689</td><td>713</td><td>772</td><td>882</td><td>935</td><td>1038</td><td>1178</td><td>1353</td></tr> <tr><td>1172LM-6</td><td>-</td><td>-</td><td>-</td><td>-</td><td>701</td><td>-</td><td>-</td><td>894</td><td>952</td><td>1050</td><td>1196</td><td>1371</td></tr> <tr><td colspan="12">Leather/Mock Leather</td></tr> <tr><th colspan="3">OVERALL DIMENSIONS</th><th colspan="3">SEAT DIMENSIONS</th><th colspan="3">BACK DIMENSIONS</th><td colspan="3"></td><td colspan="3"></td></tr> <tr><th>W</th><th>D</th><th>H</th><th>W</th><th>D</th><th>H</th><th>W</th><th>H</th><td colspan="2"></td><td colspan="2"></td></tr> <tr><td>21</td><td>23.5</td><td>38</td><td>21</td><td>17-18</td><td>16-21</td><td>20</td><td>19</td><td colspan="2"></td><td colspan="2"></td></tr> </table>												1	2	3	4	5	6	7	8	9	10	11	12	1172-6	505	545	576	623	689	713	772	882	935	1038	1178	1353	1172LM-6	-	-	-	-	701	-	-	894	952	1050	1196	1371	Leather/Mock Leather												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									W	D	H	W	D	H	W	H					21	23.5	38	21	17-18	16-21	20	19				
			1	2	3	4	5	6	7	8	9	10	11	12																																																																																									
			1172-6	505	545	576	623	689	713	772	882	935	1038	1178	1353																																																																																								
			1172LM-6	-	-	-	-	701	-	-	894	952	1050	1196	1371																																																																																								
Leather/Mock Leather																																																																																																							
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																																																	
W	D	H	W	D	H	W	H																																																																																																
21	23.5	38	21	17-18	16-21	20	19																																																																																																
<p>RTA 2 </p>																																																																																																							
 <p>Side Chair COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 10</p>	<p>Ergonomic Features: M, N</p>	<table border="1"> <tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th></tr> <tr><td>1174</td><td>451</td><td>488</td><td>522</td><td>569</td><td>634</td><td>658</td><td>717</td><td>827</td><td>879</td><td>983</td><td>1123</td><td>1298</td></tr> <tr><td>1174LM</td><td>-</td><td>-</td><td>-</td><td>-</td><td>646</td><td>-</td><td>-</td><td>839</td><td>898</td><td>995</td><td>1141</td><td>1316</td></tr> <tr><td colspan="12">Leather/Mock Leather</td></tr> <tr><th colspan="3">OVERALL DIMENSIONS</th><th colspan="3">SEAT DIMENSIONS</th><th colspan="3">BACK DIMENSIONS</th><td colspan="3"></td><td colspan="3"></td></tr> <tr><th>W</th><th>D</th><th>H</th><th>W</th><th>D</th><th>H</th><th>W</th><th>H</th><td colspan="2"></td><td colspan="2"></td></tr> <tr><td>21</td><td>24</td><td>38</td><td>21</td><td>18</td><td>18</td><td>20</td><td>20.5</td><td colspan="2"></td><td colspan="2"></td></tr> </table>												1	2	3	4	5	6	7	8	9	10	11	12	1174	451	488	522	569	634	658	717	827	879	983	1123	1298	1174LM	-	-	-	-	646	-	-	839	898	995	1141	1316	Leather/Mock Leather												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									W	D	H	W	D	H	W	H					21	24	38	21	18	18	20	20.5					
		1	2	3	4	5	6	7	8	9	10	11	12																																																																																										
		1174	451	488	522	569	634	658	717	827	879	983	1123	1298																																																																																									
		1174LM	-	-	-	-	646	-	-	839	898	995	1141	1316																																																																																									
Leather/Mock Leather																																																																																																							
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																																																	
W	D	H	W	D	H	W	H																																																																																																
21	24	38	21	18	18	20	20.5																																																																																																
<p>RTA 2 </p>																																																																																																							





DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 Armchair COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 40 Cubic Feet Per Carton: 10	Ergonomic Features: M, N	 	1175	603	643	674	720	787	810	870	981	1033	1136	1276	1451
			1175LM	-	-	-	-	798	-	-	991	1050	1146	1293	1466
			Leather/Mock Leather												
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						
			W	D	H	W	D	H	W	H					
			24.5	24	38	21	18	18	20	20.5					

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 Drafting Stool Operator Armless COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	Ergonomic Features: C, D, F, G, H, M, N, S, U	 	1177-5	785	824	855	901	969	993	1051	1162	1215	1317	1458	1633
				1177LM-5	-	-	-	-	978	-	-	1172	1231	1329	1475	1649
				Leather/Mock Leather												
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			21	23.5	48	20	18	23.5-33.5	20	19-24.25						

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 Drafting Stool Operator w/Arm COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 57 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (2) Pneumatic seat height (4) Seat/Back angle (6) Back Height Free floating seat and back	Ergonomic Features: C, D, F, G, H, M, N, S, U	 	1178-5	916	953	987	1033	1100	1123	1181	1292	1345	1448	1588	1763
				1178LM-5	-	-	-	-	1110	-	-	1302	1363	1459	1605	1780
				Leather/Mock Leather												
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	23.5	48	21	18	23.5-33.5	20	19-24.25						

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 HB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 63 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, V	 	1190-2	1191	1243	1285	1347	1436	1466	1545	1692	1763	1901	2087	2320
				1190LM-2	-	-	-	-	1435	-	-	1692	1772	1900	2095	2327
				Leather/Mock Leather												
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	23.5	45.5	21	18-20.5	16.5-20.5	20	23-28.25						

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 HB Multi - Tilter COM Yardage: 2 Freight Class: 125 Product Weight (lbs.): 65 Cubic Feet Per Carton: 9.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action	Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U	 	1190-3	1076	1129	1171	1233	1322	1354	1431	1579	1649	1788	1973	2206
				1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214
				Leather/Mock Leather												
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	23.5	45	21	18-20.5	16-20	20	23-28.25						

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES																																																																											
			1	2	3	4	5	6	7	8	9	10	11	12																																																																
 <p>MB Synchro Knee - Tilter w/ Schukra Lumbar COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (6) Seat depth (9) Chair tilt lock (5B) Knee-tilt action (5C) Synchro action Free Float seat</p>	Ergonomic Features: A, B, C, D, E, G, H, J, M, N, Q, R, V	<table border="1"> <tr> <td>1191-2</td> <td>1094</td> <td>1141</td> <td>1178</td> <td>1231</td> <td>1311</td> <td>1338</td> <td>1406</td> <td>1534</td> <td>1597</td> <td>1717</td> <td>1880</td> <td>2083</td> </tr> <tr> <td>1191LM-2</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1310</td> <td>-</td> <td>-</td> <td>1534</td> <td>1604</td> <td>1717</td> <td>1887</td> <td>2090</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="5"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42.5</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.51</td> <td colspan="5"></td> </tr> </table>												1191-2	1094	1141	1178	1231	1311	1338	1406	1534	1597	1717	1880	2083	1191LM-2	-	-	-	-	1310	-	-	1534	1604	1717	1887	2090	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H						26	23.5	42.5	21	18-20.5	16-20	20	23-28.51					
			1191-2	1094	1141	1178	1231	1311	1338	1406	1534	1597	1717	1880	2083																																																															
			1191LM-2	-	-	-	-	1310	-	-	1534	1604	1717	1887	2090																																																															
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																					
W	D	H	W	D	H	W	H																																																																							
26	23.5	42.5	21	18-20.5	16-20	20	23-28.51																																																																							
			<table border="1"> <tr> <td>1191-3</td> <td>977</td> <td>1023</td> <td>1062</td> <td>1115</td> <td>1193</td> <td>1221</td> <td>1288</td> <td>1417</td> <td>1480</td> <td>1599</td> <td>1763</td> <td>1966</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1320</td> <td>-</td> <td>-</td> <td>1579</td> <td>1658</td> <td>1787</td> <td>1983</td> <td>2214</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="5"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="5"></td> </tr> </table>												1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966	1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H						26	23.5	42	21	18-20.5	16-20	20	23-28.25					
1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966																																																																		
1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214																																																																		
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																								
W	D	H	W	D	H	W	H																																																																							
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																																							
			<table border="1"> <tr> <td>1191-3</td> <td>977</td> <td>1023</td> <td>1062</td> <td>1115</td> <td>1193</td> <td>1221</td> <td>1288</td> <td>1417</td> <td>1480</td> <td>1599</td> <td>1763</td> <td>1966</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1320</td> <td>-</td> <td>-</td> <td>1579</td> <td>1658</td> <td>1787</td> <td>1983</td> <td>2214</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="5"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="5"></td> </tr> </table>												1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966	1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H						26	23.5	42	21	18-20.5	16-20	20	23-28.25					
1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966																																																																		
1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214																																																																		
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																								
W	D	H	W	D	H	W	H																																																																							
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																																							
			<table border="1"> <tr> <td>1191-3</td> <td>977</td> <td>1023</td> <td>1062</td> <td>1115</td> <td>1193</td> <td>1221</td> <td>1288</td> <td>1417</td> <td>1480</td> <td>1599</td> <td>1763</td> <td>1966</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1320</td> <td>-</td> <td>-</td> <td>1579</td> <td>1658</td> <td>1787</td> <td>1983</td> <td>2214</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="5"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="5"></td> </tr> </table>												1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966	1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H						26	23.5	42	21	18-20.5	16-20	20	23-28.25					
1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966																																																																		
1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214																																																																		
OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																								
W	D	H	W	D	H	W	H																																																																							
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																																							
 <p>MB Multi - Tilter COM Yardage: 1.75 Freight Class: 125 Product Weight (lbs.): 61 Cubic Feet Per Carton: 9.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (9) Chair tilt lock (5A) Center-tilt action</p>	Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S, U	<table border="1"> <tr> <td>1191-3</td> <td>977</td> <td>1023</td> <td>1062</td> <td>1115</td> <td>1193</td> <td>1221</td> <td>1288</td> <td>1417</td> <td>1480</td> <td>1599</td> <td>1763</td> <td>1966</td> </tr> <tr> <td>1190LM-3</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1320</td> <td>-</td> <td>-</td> <td>1579</td> <td>1658</td> <td>1787</td> <td>1983</td> <td>2214</td> </tr> <tr> <td colspan="3">OVERALL DIMENSIONS</td> <td colspan="3">SEAT DIMENSIONS</td> <td colspan="3">BACK DIMENSIONS</td> <td colspan="3"></td> </tr> <tr> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>D</td> <td>H</td> <td>W</td> <td>H</td> <td colspan="5"></td> </tr> <tr> <td>26</td> <td>23.5</td> <td>42</td> <td>21</td> <td>18-20.5</td> <td>16-20</td> <td>20</td> <td>23-28.25</td> <td colspan="5"></td> </tr> </table>												1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966	1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS						W	D	H	W	D	H	W	H						26	23.5	42	21	18-20.5	16-20	20	23-28.25					
			1191-3	977	1023	1062	1115	1193	1221	1288	1417	1480	1599	1763	1966																																																															
			1190LM-3	-	-	-	-	1320	-	-	1579	1658	1787	1983	2214																																																															
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																																																					
W	D	H	W	D	H	W	H																																																																							
26	23.5	42	21	18-20.5	16-20	20	23-28.25																																																																							