

GRAPHIC™



model 2739



model 2738MB












**Optional Base**  
An optional five-legged, arched steel base in Tungsten finish is available. Specify (TUN). Add \$63.00.
















STANDARD FEATURES















- European detailing and a clean slim profile.
- Features a generous compound curved back and seat.
- Three distinctive back styles: upholstered back, perforated black nylon back and a breathable black mesh back.
- Posture back chairs with arms are standard with adjustable height, forward swept arms and "sliding armcaps" (G4).
- (WA) Arm width is standard, providing 2 inches of arm width spacing adjustment on each side of the seat.
- Available in all standard GLOBAL carded fabrics with the EXCEPTION of Station (Grade 1).
- Posture mechanism offers exceptional back support, two position tilt lock adjustment and tilt tension control.
- Standard with a five-legged, injection molded, fiberglass reinforced nylon arched base with C1 casters in Black.

OPTIONAL FEATURES

- For hard surface flooring please specify C9R. Add \$49.
- A steel base with Tungsten finish is available at an upcharge. Please specify TUN. Add \$63.
- Please refer to "Arms and Casters" section of the price book for arm and caster options.
- For fully assembled in box, please specify SU. Add \$53.

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 <b>Medium Posture Nylon Back</b> Armless COM Yardage: 1 Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 9.75	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	<b>2736</b>	524	551	571	599	643	658	694	765	799	864	951	1064		
		<b>2736L</b> Leather	-	-	-	-	-	-	-	812	859	917	1014	1124		
		<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
		<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
20	24	36	20	19	16.5-20.5	19	19									
			<b>RTA 1</b>													
 <b>Medium Posture Mesh Back</b> Armless COM Yardage: 1 Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 9.75	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	<b>2736MB</b>	581	609	628	658	701	716	752	823	856	922	1010	1122		
		<b>2736MBL</b> Leather	-	-	-	-	-	-	855	900	959	1055	1166			
		<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
		<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
20	24	36	20	19	16.5-20.5	19	19									
			<b>RTA 1</b>													
 <b>Medium Posture Back - Fully Upholstered</b> Armless COM Yardage: 1.25 Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 9.75	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	<b>2737</b>	581	613	638	675	728	747	792	880	923	1004	1116	1253		
		<b>2737L</b> Leather	-	-	-	-	-	-	934	992	1063	1185	1322			
		<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
		<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
20	24	36	20	19	16.5-20.5	19	19									
			<b>RTA 1</b>													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 <p><b>Medium Posture Nylon Back w/Arms</b> COM Yardage: 1 Freight Class: 150 Product Weight (lbs.):45 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action</p>	<b>2738</b>	581	608	627	657	699	714	751	822	855	921	1009	1121	
		<b>2738L</b> Leather	-	-	-	-	-	-	-	-	904	949	1007	1104	1215
		<b>OVERALL DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>SEAT DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>BACK DIMENSIONS</b>		<b>W</b>	<b>H</b>		
		25	24	36	20	19	16.5-20.5	19	19						
		Ergonomic Features: A, C, G, H, M, N, Q	<b>RTA 1</b>												
 <p><b>Medium Posture Mesh Back w/Arms</b> COM Yardage: 1 Freight Class: 150 Product Weight (lbs.):45 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action</p>	<b>2738MB</b>	640	667	686	716	758	774	809	880	915	980	1068	1179	
		<b>2738MBL</b> Leather	-	-	-	-	-	-	-	880	915	980	1068	1179	
		<b>OVERALL DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>SEAT DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>BACK DIMENSIONS</b>		<b>W</b>	<b>H</b>		
		25	24	36	20	19	16.5-20.5	19	19						
		Ergonomic Features: A, C, G, H, M, N, Q	<b>RTA 1</b>												
 <p><b>Medium Posture Back - Fully Upholstered w/Arms</b> COM Yardage: 1.25 Freight Class: 150 Product Weight (lbs.):45 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action</p>	<b>2739</b>	640	671	696	733	786	805	851	939	981	1063	1174	1312	
		<b>2739L</b> Leather	-	-	-	-	-	-	-	1031	1088	1160	1280	1419	
		<b>OVERALL DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>SEAT DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>BACK DIMENSIONS</b>		<b>W</b>	<b>H</b>		
		25	24	36	20	19	16.5-20.5	19	19						
		Ergonomic Features: A, C, G, H, M, N, Q	<b>RTA 1</b>												
 <p><b>Medium Posture Stool Nylon Back Armless</b> COM Yardage: 1 Freight Class: 150 Product Weight (lbs.):44 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action</p>	<b>2746</b>	683	710	731	762	806	822	860	934	970	1039	1132	1248	
		<b>2746L</b> Leather	-	-	-	-	-	-	-	991	1038	1099	1199	1316	
		<b>OVERALL DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>SEAT DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>BACK DIMENSIONS</b>		<b>W</b>	<b>H</b>		
		20	24	46	20	19	23-33	19	19						
		Ergonomic Features: A, C, G, M, N	<b>RTA 1</b>												
 <p><b>Medium Posture Stool Mesh Back Armless</b> COM Yardage: 1 Freight Class: 150 Product Weight (lbs.):45 Cubic Feet Per Carton: 9.75</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action</p>	<b>2746MB</b>	745	772	792	824	869	882	923	996	1032	1101	1194	1311	
		<b>2746MBL</b> Leather	-	-	-	-	-	-	-	1039	1087	1147	1249	1366	
		<b>OVERALL DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>SEAT DIMENSIONS</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>BACK DIMENSIONS</b>		<b>W</b>	<b>H</b>		
		20	24	46	20	19	23-33	19	19						
		Ergonomic Features: A, C, G, M, N	<b>RTA 1</b>												

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <b>2747</b> <b>Medium Posture Stool Back - Fully Upholstered</b> Armless COM Yardage: 1.25 Freight Class: 150 Product Weight (lbs.): 45 Cubic Feet Per Carton: 9.75	 <b>2747L</b> Ergonomic Features: A, C, G, M, N	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	2747	696	729	755	794	850	870	918	1010	1054	1140	1256	1402		
			2747L	-	-	-	-	-	-	-	1071	1132	1206	1335	1480		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
20	24	46	20	19	23-33	19	19										
			RTA 1														
 <b>2748</b> <b>Medium Posture Stool Nylon Back</b> w/Arms COM Yardage: 1 Freight Class: 150 Product Weight (lbs.): 50 Cubic Feet Per Carton: 9.75	 <b>2748L</b> Ergonomic Features: A, C, G, H, M, N, Q	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	2748	733	759	781	811	856	872	911	984	1020	1089	1181	1298		
			2748L	-	-	-	-	-	-	1088	1136	1196	1298	1415			
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
25	24	46	20	19	23-33	19	19										
			RTA 1														
 <b>2748MB</b> <b>Medium Posture Stool Mesh Back</b> w/Arms COM Yardage: 1 Freight Class: 150 Product Weight (lbs.): 51 Cubic Feet Per Carton: 9.75	 <b>2748MBL</b> Ergonomic Features: A, C, G, H, M, N, Q	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	2748MB	795	822	843	874	918	933	973	1046	1082	1151	1244	1360		
			2748MBL	-	-	-	-	-	-	1137	1185	1245	1347	1463			
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
25	24	46	20	19	23-33	19	19										
			RTA 1														
 <b>2749</b> <b>Medium Posture Stool Back - Fully Upholstered</b> w/Arms COM Yardage: 1.25 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.75	 <b>2749L</b> Ergonomic Features: A, C, G, H, M, N, Q	 <b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (9) Chair tilt lock (5A) Center tilt action	2749	791	824	851	890	945	965	1014	1105	1150	1236	1352	1497		
			2749L	-	-	-	-	-	-	1217	1277	1352	1480	1623			
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
25	24	46	20	19	23-33	19	19										
			RTA 1	