

MALAGA®




model 3140-3 (TD)      model 3140-3 (TD/PSB)



**Memory Foam**  
Available, use code "MF" and Add \$81.00.



model 3141-3      model 3141-3



**Optional Base**  
Polished Aluminum base with black scuff tips. Specify "B2". Add \$117.00

**STANDARD FEATURES**

- A contoured molded foam seat, built-in lumbar support and an upholstered outer back shell is standard on all models.
- Standard with adjustable height T-arms with teardrop shaped urethane armcaps (TD), (except model 3142 which has a fixed height version of this same arm style).
- All models (except armchair and side chair styles) are standard with a five-legged, injection molded "spider" base.
- Base and frame are available in Black (BK) Only.
- All models (except high back, side chair and armchair models) are shipped partially KD.
- C10 casters are standard.


**OPTIONAL FEATURES**

- To order a Malaga arm kit as a separate stand-alone item without a chair, use model number 3200 with the appropriate letter from the Arm Chart Price List for the arm style of your choice. Please refer to "Arms Selection" section of the price book.
- Available with an impact resistant polypropylene back shroud (Black Only) at no charge. Specify "PSB".
- Optional ballistic nylon outer back fabric available. Resistant to impact damage. Available in Black Only (BKB). Add \$14.
- Optional seat depth is available on models 3140-2 and 3141-2, Specify (MD). Add \$40.00.
- Available with Memory Foam (MF). Add \$81.
- Optional Polished Aluminum base with black scuff tips. Specify "B2". Add \$117.
- Please refer to the "Casters Selection" section of the price book for caster options. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.
- For hard surface flooring please specify C10R. Add \$44.
- For fully assembled in box, please specify SU. Add \$53.
- For availability of chair series in Vinyl, please contact a Global Sales Representative.
- Not available in Leather.

**DESCRIPTION      FEATURES      MODEL#      STANDARD FABRIC GRADES**



**HB Synchro - Tilter w/Back Angle Adjustment**  
COM Yardage: 1.75  
Freight Class: 150  
Product Weight (lbs.): 47  
Cubic Feet Per Carton: 9.25



**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(9) Chair tilt lock  
(5C) Synchro-tilt action  
Anti-kick back


Ergonomic Features:  
A, B, C, D, E, G, H, L, M, N, Q, U

MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
3140-0	1031	1075	1111	1164	1242	1268	1336	1462	1523	1641	1801	2001

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	25	41	20	18	16-20	18.5	22.5-25



**HB Knee - Tilter**  
COM Yardage: 1.75  
Freight Class: 150  
Product Weight (lbs.): 53  
Cubic Feet Per Carton: 9.25



**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(3) Back angle  
(6) Back height  
(9) Chair tilt lock  
(5B) Knee-tilt action


Ergonomic Features:  
A, B, C, D, G, H, J, M, N, Q

MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
3140-2	1132	1176	1213	1266	1341	1368	1436	1563	1622	1742	1901	2101

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	24	40	20	18	16-20	18.5	22.5-25



**HB Multi - Tilter**  
COM Yardage: 1.75  
Freight Class: 150  
Product Weight (lbs.): 49  
Cubic Feet Per Carton: 9.25


















**ADJUSTMENTS**  
(1) Tilt tension  
(2) Pneumatic seat height  
(3) Back angle  
(6) Back height\*  
(7) Forward tilt lock  
(8) Seat depth  
(9) Chair tilt lock  
(5A) Center-tilt action












Ergonomic Features:  
A, B, C, D, E, F, G, H, M, N, Q, S















MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
3140-3	1031	1075	1111	1164	1242	1268	1336	1462	1523	1641	1801	2001

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	25	41	20	18	16.5-20.5	18.5	22.5-25



DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 <p><b>HB Tilter</b> COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, H, M, N, Q, S</p>	3140-4	938	982	1017	1071	1146	1173	1241	1367	1427	1547	1706	1905	
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			26	25	40	20	18	16-20	18.5	23						
			<b>RTA 2</b>													
 <p><b>LB Synchro - Tilter w/Back Angle Adjustment</b> COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	<p>Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q</p>	3141-0	941	977	1010	1056	1120	1144	1200	1311	1362	1462	1599	1772	
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			26	24	37	20	18	16-20	18.5	19.5-22						
			<b>RTA 2</b>													
 <p><b>LB Knee - Tilter</b> COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 52 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (9) Chair tilt lock (5B) Knee-tilt action</p>	<p>Ergonomic Features: A, B, C, D, G, H, J, M, N, Q</p>	3141-2	1020	1060	1090	1137	1200	1225	1283	1390	1442	1545	1681	1853	
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			26	24	36	20	18	16-20	18.5	18-20.5						
			<b>RTA 2</b>													
 <p><b>LB Multi - Tilter</b> COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 47 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	3141-3	941	977	1010	1056	1120	1144	1200	1311	1362	1462	1599	1772	
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			26	24	37	20	18	16.5-20.5	18.5	19-21.5						
			<b>RTA 2</b>													
 <p><b>LB Tilter</b> COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 41 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action</p>	<p>Ergonomic Features: A, B, C, H, M, N, Q, S</p>	3141-4	847	889	925	976	1044	1067	1107	1309	1389	1471	1506	1678	
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>							
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>						
			26	27	36	20	18	16.5-20.5	18.5	19						
			<b>RTA 2</b>													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p><b>LB Operator</b> w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 41 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back.</p>	<p>Ergonomic Features: C, E, H, M, N, Q</p>	<b>3141-5</b>	889	927	959	1003	1069	1091	1148	1258	1311	1411	1548	1720		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			26	27	36	20	18	17-22	18.5	18-20							
			<b>RTA 2</b>														
 <p><b>LB Task</b> w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 37 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, H, M, N, Q</p>	<b>3141-6</b>	729	768	799	845	910	933	991	1100	1152	1251	1388	1560		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			26	26	37	20	18	17-22	18.5	19.5-22							
			<b>RTA 2</b>														
 <p><b>LB Posture Task</b> w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 42 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (3) Back angle (6) Back height</p>	<p>Ergonomic Features: C, D, G, H, M, N, Q</p>	<b>3141-7</b>	856	896	927	973	1037	1062	1118	1227	1279	1382	1518	1690		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			26	25	37	20	18	17-22	18.5	19							
			<b>RTA 2</b>														
 <p><b>Armchair</b> COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 37 Cubic Feet Per Carton: 10</p>		<p>Ergonomic Features: M, N</p>	<b>3142</b>	801	841	872	917	982	1005	1063	1172	1223	1324	1461	1634		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			26	26	37	20	18	18	18.5	19							
			<b>RTA 2</b>														
 <p><b>Side Chair</b> COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 10</p>		<p>Ergonomic Features: M, N</p>	<b>3143</b>	642	680	710	755	822	845	901	1013	1063	1163	1300	1473		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			20	26	37	20	18	18	18.5	19							
			<b>RTA 2</b>														

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p><b>LB Operator</b> Armless COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 37 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (3) Back angle (4) Seat angle Free floating seat and back.</p>	<p>Ergonomic Features: C, D, F, G, H, M, N, S</p>	3147-5	753	794	824	870	934	959	1016	1124	1176	1277	1413	1586		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			20	25	36	20	18	17-22	18.5	18-20							
			<b>RTA 2</b>														
 <p><b>LB Task</b> Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 30 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, M, N</p>	3147-6	593	631	661	708	773	797	853	963	1015	1115	1251	1424		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			20	26	39	20	18	16-21	18.5	18-20.5							
			<b>RTA 2</b>														
 <p><b>LB Posture Task</b> Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (3) Back angle (6) Back height</p>	<p>Ergonomic Features: C, D, G, M, N</p>	3147-7	722	763	794	839	903	927	986	1092	1145	1246	1384	1554		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			20	25	37	20	18	16-21	18.5	18-20.5							
			<b>RTA 2</b>														
 <p><b>Drafting Stool - Task</b> w/Arms COM Yardage: 1.50 Freight Class: 150 Product Weight (lbs.): 42 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, H, M, N, Q</p>	3148-6	1020	1060	1090	1137	1200	1225	1283	1390	1442	1545	1681	1853		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			26	27	46	20	18	23-31	18.5	19							
			<b>RTA 1</b>														
 <p><b>Drafting Stool - Task</b> Armless COM Yardage: 1.50 Freight Class: 250 Product Weight (lbs.): 35 Cubic Feet Per Carton: 9.25</p>	 <p><b>ADJUSTMENTS</b> (2) Pneumatic seat height (8) Seat depth</p>	<p>Ergonomic Features: C, E, M, N</p>	3149-6	882	922	951	998	1063	1087	1144	1252	1306	1406	1544	1715		
			<b>OVERALL DIMENSIONS</b>			<b>SEAT DIMENSIONS</b>			<b>BACK DIMENSIONS</b>								
			<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>D</b>	<b>H</b>	<b>W</b>	<b>H</b>							
			20	27	46	20	18	23-31	18.5	19							
			<b>RTA 1</b>	