

OBUSFORME® COMFORT XL



model 1251-0

model 1252-8



Memory Foam
Available, use code "MF" and Add \$81.00.

STANDARD FEATURES

- ObusForme Comfort XL is the newest Addition to the ObusForme family and is recommended by chiropractors worldwide.
- All models provided Additional height and/or seat depth, design to meet the requirements of the large occupant chair.
- Features a elastomeric back support system that provides impressive comfortable support with no pressure points along the spine, with a compound curved back and seat.
- Standard seat foam is extra thick dual cushion with a soft top layer and a firmly supportive lower layer.
- Standard with height and width adjustable forward swept arms with "sliding armcaps" (G3).
- Standard with Global's high quality Soft Descent™ Pneumatic lift which slowly and gently lowers the seat height of the chair making it easy to obtain exactly the right seat height you desire.
- Vari - Width Adapter Plate (WA) is standard. Allows each arm to move outward an Additional 2" (for a total of 4" extra seat width) and locks with the use of an easy to maneuver lever.

- Sliding seat depth is standard on all models.
- Vertical back height ratchet adjustment of 5 1/4", standard on all models.
- Standard five-legged, injection moulded, fiberglass reinforced nylon black spider base.
- C65 dual wheel carpet casters are standard.
- All models are rated for 400lbs.
- All models ship fully assembled in the box.


OPTIONAL FEATURES

- Optional Memory Foam (MF) seats are available. This slow release foam molds to your contour and evenly distributes body weight. Please specify. Add \$81.
- Please specify C65R for hard surface flooring. Add \$49.
- Available in fabrics, vinyls, leather or leather/mock leather combination.

DESCRIPTION FEATURES MODEL# STANDARD FABRIC GRADES



Extended Back Synchro - Tilter w/ Back Angle Adj.
COM Yardage: 2.75
Freight Class: 250
Product Weight (lbs.): 69
Cubic Feet Per Carton: 24.25



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(9) Chair tilt lock
(5C) Synchro-tilt action
Anti-kick back

Extra Tall/Wide Back.
Wide/Deep Seat.

Ergonomic Features:
A, B, C, D, E, G, H, L, M, N, Q, R, U


MODEL#	STANDARD FABRIC GRADES											
	1	2	3	4	5	6	7	8	9	10	11	12
1251-0	1350	1419	1473	1554	1671	1712	1813	2007	2100	2279	2524	2829
1251LM-0	-	-	-	-	1671	-	-	2007	-	2279	2524	2829

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
28	26	53	23.5	19-21.5	17-21	22	31-36.25

RTA 00



Extended Back Multi - Tilter
COM Yardage: 2.75
Freight Class: 250
Product Weight (lbs.): 71
Cubic Feet Per Carton: 24.25



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(6) Back height*
(7) Forward tilt lock
(8) Seat depth
(9) Chair tilt lock
(5A) Center-tilt action

Extra Tall/Wide Back.
Wide/Deep Seat.

Ergonomic Features:
A, B, C, D, E, F, G, H, M, N, Q, R, S, U


MODEL#	STANDARD FABRIC GRADES											
	1	2	3	4	5	6	7	8	9	10	11	12
1251-3	1350	1419	1473	1554	1671	1712	1813	2007	2100	2279	2524	2829
1251LM-3	-	-	-	-	1671	-	-	2007	-	2279	2524	2829

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
28	26	53	23.5	19-21.5	17-21	22	31-36.25

RTA 00



Extended Back Weight Sensing Synchro - Tilter
COM Yardage: 2.75
Freight Class: 250
Product Weight (lbs.): 66
Cubic Feet Per Carton: 24.25



ADJUSTMENTS
(2) Pneumatic seat height
(8) Seat depth
(9) Chair tilt lock







Extra Tall/Wide Back.
Wide/Deep Seat.











Ergonomic Features:
A, B, C, D, E, H, L, M, N, Q, R, U











MODEL#	STANDARD FABRIC GRADES											
	1	2	3	4	5	6	7	8	9	10	11	12
1251-8	1350	1419	1473	1554	1671	1712	1813	2007	2100	2279	2524	2829
1251LM-8	-	-	-	-	1671	-	-	2007	-	2279	2524	2829

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
28	26	53	23.5	19-21.5	17-21	22	31-36.25

RTA 00

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 <p>High Back Synchro - Tilter w/ Back Angle Adj. COM Yardage: 2.50 Freight Class: 250 Product Weight (lbs.): 65 Cubic Feet Per Carton: 22.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	1252-0	1291	1353	1403	1477	1582	1620	1712	1888	1973	2136	2358	2635	
		1252LM-0	-	-	-	-	1582	-	-	1888	-	2136	2358	2635	
		Leather/Mock Leather			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS				
		W	D	H	W	D	H	W	H	28	26	48.5	23.5	19-21.5	17-21
<p>High Back Multi - Tilter COM Yardage: 2.50 Freight Class: 250 Product Weight (lbs.): 67 Cubic Feet Per Carton: 22.25</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	1252-3	1291	1353	1403	1477	1582	1620	1712	1888	1973	2136	2358	2635	
		1252LM-3	-	-	-	-	1582	-	-	1888	-	2136	2358	2635	
		Leather/Mock Leather			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS				
		W	D	H	W	D	H	W	H	28	26	48.5	23.5	19-21.5	17-21
<p>High Back Weight Sensing Synchro - Tilter COM Yardage: 2.50 Freight Class: 250 Product Weight (lbs.): 62 Cubic Feet Per Carton: 22.25</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	1252-8	1291	1353	1403	1477	1582	1620	1712	1888	1973	2136	2358	2635	
		1252LM-8	-	-	-	-	1582	-	-	1888	-	2136	2358	2635	
		Leather/Mock Leather			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS				
		W	D	H	W	D	H	W	H	28	26	48.5	23.5	19-21.5	17-21
<p>Mid Back Synchro - Tilter w/ Back Angle Adj. COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 46 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	1253-0	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576	
		1253LM-0	-	-	-	-	1524	-	-	1830	-	2078	2300	2576	
		Leather/Mock Leather			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS				
		W	D	H	W	D	H	W	H	28	26	44.5	23.5	19-21.5	17-21
<p>Mid Back Multi - Tilter COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 41 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	1253-3	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576	
		1253LM-3	-	-	-	-	1524	-	-	1830	-	2078	2300	2576	
		Leather/Mock Leather			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS				
		W	D	H	W	D	H	W	H	28	26	44.5	23.5	19-21.5	17-21

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 <p>Mid Back Weight Sensing Synchro - Tilter COM Yardage: 1.75 Freight Class: 150 Product Weight (lbs.): 35 Cubic Feet Per Carton: 10</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	1253-8	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576	
		1253LM-8	-	-	-	-	1524	-	-	1830	-	2078	2300	2576	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			28	26	44.5	23.5	19-21.5	17-21	22	22-27.25					
			Ergonomic Features: A, B, C, D, E, H, L, M, N, Q, R, U			RTA 00									
 <p>Extended Back Synchro - Tilter w/ Back Angle Adj. COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 40 Cubic Feet Per Carton: 10</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	1254-0	1291	1359	1413	1496	1612	1653	1755	1948	2041	2220	2465	2769	
		1254LM-0	-	-	-	-	1612	-	-	1948	-	2220	2465	2769	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			28	24.5	53	23.5	17-19.5	17-21	22	31-36.25					
			Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q, R, U			RTA 00									
 <p>Extended Back Multi - Tilter COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 49 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	1254-3	1291	1359	1413	1496	1612	1653	1755	1948	2041	2220	2465	2769	
		1254LM-3	-	-	-	-	1612	-	-	1948	-	2220	2465	2769	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			28	24.5	53	23.5	17-19.5	17-21	22	31-36.25					
			Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U			RTA 00									
 <p>Extended Back Weight Sensing Synchro - Tilter COM Yardage: 1.75 Freight Class: 250 Product Weight (lbs.): 54 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	1254-8	1291	1359	1413	1496	1612	1653	1755	1948	2041	2220	2465	2769	
		1254LM-8	-	-	-	-	1612	-	-	1948	-	2220	2465	2769	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			28	24.5	53	23.5	17-19.5	17-21	22	31-36.25					
			Ergonomic Features: A, B, C, D, E, H, L, M, N, Q, R, U			RTA 00									
 <p>High Back Synchro - Tilter w/ Back Angle Adj. COM Yardage: 2.25 Freight Class: 250 Product Weight (lbs.): 67 Cubic Feet Per Carton: 11</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	1255-0	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576	
		1255LM-0	-	-	-	-	1524	-	-	1830	-	2078	2300	2576	
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
		W	D	H	W	D	H	W	H						
			28	24.5	48	23.5	17-19.5	17-21	22	26.5-31.75					
			Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q, R, U			RTA 00									

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p>High Back Multi - Tilter COM Yardage: 2.25 Freight Class: 250 Product Weight (lbs.): 69 Cubic Feet Per Carton: 11</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	1255-3	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576			
		1255LM-3	-	-	-	-	1524	-	-	1830	-	2078	2300	2576			
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									
		W	D	H	W	D	H	W	H								
			28	24.5	48.5	23.5	17-19.5	17-21	22	26.5-31.75							
			Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U			RTA 2			ups								
 <p>High Back Weight Sensing Synchro - Tilter COM Yardage: 2 Freight Class: 250 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	1255-8	1232	1295	1345	1419	1524	1562	1654	1830	1915	2078	2300	2576			
		1255LM-8	-	-	-	-	1524	-	-	1830	-	2078	2300	2576			
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									
		W	D	H	W	D	H	W	H								
			28	24.5	48.5	23.5	17-19.5	17-21	22	26.5-31.75							
			Ergonomic Features: A, B, C, D, E, H, L, M, N, Q, R, U			RTA 00											
 <p>Mid Back Synchro - Tilter w/ Back Angle Adj. COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	1256-0	1173	1235	1285	1359	1464	1503	1595	1771	1855	2019	2240	2517			
		1256LM-0	-	-	-	-	1464	-	-	1771	-	2019	2240	2517			
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									
		W	D	H	W	D	H	W	H								
			28	24.5	44.5	23.5	17-19.5	17-21	22	22-27.25							
			Ergonomic Features: A, B, C, D, E, G, H, L, M, N, Q, R, U			RTA 00											
 <p>Mid Back Multi - Tilter COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (6) Back height* (7) Forward tilt lock (8) Seat depth (9) Chair tilt lock (5A) Center-tilt action</p>	1256-3	1173	1235	1285	1359	1464	1503	1595	1771	1855	2019	2240	2517			
		1256LM-3	-	-	-	-	1464	-	-	1771	-	2019	2240	2517			
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									
		W	D	H	W	D	H	W	H								
			28	24.5	44.5	23.5	17-19.5	17-21	22	22-27.25							
			Ergonomic Features: A, B, C, D, E, F, G, H, M, N, Q			RTA 00											
 <p>Mid Back Weight Sensing Synchro - Tilter COM Yardage: 2 Freight Class: 150 Product Weight (lbs.): 67 Cubic Feet Per Carton: 10.50</p>	 <p>ADJUSTMENTS (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	1256-8	1173	1235	1285	1359	1464	1503	1595	1771	1855	2019	2240	2517			
		1256LM-8	-	-	-	-	1464	-	-	1771	-	2019	2240	2517			
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS									
		W	D	H	W	D	H	W	H								
			28	24.5	44.5	23.5	17-19.5	17-21	22	22-27.25							
			Ergonomic Features: A, B, C, D, E, H, L, M, N, Q, R, U			RTA 00											