

SOFTCURVE™



model 4691LM-3 (SC)



model 4696LM-2



Optional Base

Arched aluminum base available as an option on models that are standard with a black arched base. Specify "B5". Add \$140.



model 4698LM

STANDARD FEATURES

- European style with gathered upholstery, detailed stitching, built-in lumbar support and distinctive arch base.
- Executive and managerial models incorporate polished aluminum that accent both the arch base and fixed height loop arms with padded armrests.
- Standard Pneumatic seat height adjustment and tilt tension control on all models.
- Synchro-Tilter with Back Angle - synchronized seat and back movement with 2-to-1 ratio. Infinite tilt lock control. Back angle adjustment.
- Knee-Tilter: seat and back tilts from a pivot point near the front of the chair with infinite tilt lock. Back angle control.
- Multi-Tilter - Forward and rearward seat tilt with infinite tilt lock. Free-floating back angle control.
- All other models use a black urethane arch base and adjustable height forward swept arms with kidney shaped urethane armcaps (SC).
- Please Note: Loop arms will be the standard polished aluminum.
- C1 casters are standard.

- Standard in Special Leather/Mock Leather (Grade 5). Not available in Fabric.


OPTIONAL FEATURES

- Optional ballistic style nylon outer back fabric available. Resistant to impact damage. Available in Black Only (BKB) Add \$14 (for models 4690LM-2 and 4691LM-2)
- Optional seat depth is available on models 4690LM-2, 4691LM-2 and 4691LM-3 Specify (MD). Add \$91.
- Optional Chrome (CHM) base is available on armchair model 4698LM Only. Add \$97. Please Specify. Optional Black (BLK) finish is available on the base on models 4696LM and 4697LM Only, Add \$72. Please Specify.
- All Softcurve models are available under CAL 133, but only when upholstered in materials that are approved for California TB133 and a \$222 list upcharge is required.
- For hard surface flooring casters Please Specify C9R, add \$49.
- For fully assembled in box, please specify SU. Add \$53.

DESCRIPTION FEATURES MODEL# STANDARD FABRIC GRADES



HB Synchro - Tilter with back angle adjustment
COM Yardage: 4.25
Freight Class: 150
Product Weight (lbs.): 56
Cubic Feet Per Carton: 11.50



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(9) Chair tilt lock
(SC) Synchro-tilt action
Anti-kick back

Ergonomic Features:
A, B, C, H, L, M, N


	1	2	3	4	5	6	7	8	9	10	11	12
4690LM-0	-	-	-	-	1185	-	-	1706	1888	2137	2559	3045

Leather/Mock Leather

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	27	45.5	20.5	18	17.5-21.5	20	26



HB Knee - Tilter
COM Yardage: 4.25
Freight Class: 150
Product Weight (lbs.): 56
Cubic Feet Per Carton: 11.50



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(9) Chair tilt lock
(5B) Knee-tilt action

Ergonomic Features:
A, B, C, G, H, J, M, N


	1	2	3	4	5	6	7	8	9	10	11	12
4690LM-2	-	-	-	-	1283	-	-	1804	1986	2237	2658	3144

Leather/Mock Leather

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	27	45.5	20.5	18	17.5-21.5	20	26



HB Multi - Tilter
COM Yardage: 4.25
Freight Class: 150
Product Weight (lbs.): 56
Cubic Feet Per Carton: 11.50



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(7) Forward tilt lock
(9) Chair tilt lock
(5A) Center-tilt action
















Ergonomic Features:
A, B, C, F, G, H, M, N, S


	1	2	3	4	5	6	7	8	9	10	11	12
4690LM-3	-	-	-	-	1185	-	-	1706	1888	2137	2559	3045


Leather/Mock Leather



OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H
26	27	45.5	20.5	18	17.5-21.5	20	20







DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 <p>MB Tilter COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 11.50</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	4690LM-4 Leather/Mock Leather	-	-	-	-	1099	-	-	1619	1801	2052	2476	2960		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	27	45.5	20.5	18	17.5-21.5	20	20						
			RTA 2													
 <p>MB Synchro - Tilter with back angle adjustment COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5C) Synchro-tilt action Anti-kick back</p>	4691LM-0 Leather/Mock Leather	-	-	-	-	1117	-	-	1638	1736	2070	2332	2760		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	26	39.5	20.5	18	17.5-21.5	20	20						
			RTA 2													
 <p>MB Knee - Tilter COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (8) Chair tilt lock (5B) Knee-tilt action</p>	4691LM-2 Leather/Mock Leather	-	-	-	-	1218	-	-	1740	1837	2170	2432	2861		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	26	39.5	20.5	18	17.5-21.5	20	20						
			RTA 2													
 <p>MB Multi - Tilter COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (7) Forward tilt lock (8) Chair tilt lock (5A) Center-tilt action</p>	4691LM-3 Leather/Mock Leather	-	-	-	-	1117	-	-	1638	1736	2070	2332	2760		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	26	39.5	20.5	18	17.5-21.5	20	20						
			RTA 1													
 <p>MB Tilter COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 54 Cubic Feet Per Carton: 9.75</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (8) Seat depth (9) Chair tilt lock</p>	4691LM-4 Leather/Mock Leather	-	-	-	-	1031	-	-	1551	1649	1984	2246	2673		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS							
			W	D	H	W	D	H	W	H						
			26	26	39.5	20.5	18	17.5-21.5	20	20						
			RTA 1													



DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 Armchair COM Yardage: 3.75 Freight Class: 250 Product Weight (lbs.): 42 Cubic Feet Per Carton: 13	Ergonomic Features: H, M, N	4692LM	-	-	-	-	941	-	-	1462	1559	1894	2154	2583
			Leather/Mock Leather											
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			26	26.5	38.5	20.5	18	18	20	20.5				
			RTA 00		ups									


DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 MB Operator Armless COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 40 Cubic Feet Per Carton: 9.75	Ergonomic Features: C, F, G, M, N	4693LM-5	-	-	-	-	925	-	-	1447	1546	1878	2140	2570
			Leather/Mock Leather											
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			20.5	26	39	20.5	18	17-21	20	20				
			RTA 1		ups									

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 HB Knee - Tilter Loop Arms COM Yardage: 4.25 Freight Class: 150 Product Weight (lbs.): 58 Cubic Feet Per Carton: 13.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (8) Chair tilt lock (5B) Knee-tilt action	4696LM-2	-	-	-	-	1307	-	-	1828	2009	2260	2682	3169
			Leather/Mock Leather											
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			25	28	43.5	20.5	18	17-21	20	24				
			RTA 1											

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 HB Tilter Loop Arms COM Yardage: 4.25 Freight Class: 250 Product Weight (lbs.): 45 Cubic Feet Per Carton: 13.25	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (9) Chair tilt lock (5A) Center-tilt action	4696LM-4	-	-	-	-	1120	-	-	1641	1825	2075	2498	2982
			Leather/Mock Leather											
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			25	28	43	20.5	18	17-21	20	24				
			RTA 1											

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 MB Knee - Tilter Loop Arms COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 55 Cubic Feet Per Carton: 11.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (8) Chair tilt lock (5B) Knee-tilt action	4697LM-2	-	-	-	-	1242	-	-	1762	1861	2195	2455	2886
			Leather/Mock Leather											
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			25	26	38	20.5	18	17.5-21.5	20	18.5				
			RTA 1											

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 MB Tilter Loop Arms COM Yardage: 3.75 Freight Class: 150 Product Weight (lbs.): 51 Cubic Feet Per Carton: 11.50	 ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Chair tilt lock (5A) Center-tilt action	4697LM-4 Leather/Mock Leather	-	-	-	-	1055	-	-	1576	1672	2008	2270	2698	
			OVERALL DIMENSIONS W D H			SEAT DIMENSIONS W D H			BACK DIMENSIONS W H						
			25	26	37.5	20.5	18	17.5-21.5	20	18.5					
	Ergonomic Features: A, B, C, M, N, S	RTA 00													

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 Armchair Loop Arms COM Yardage: 3.75 Freight Class: 250 Product Weight (lbs.): 42 Cubic Feet Per Carton: 17	Ergonomic Features: H, M, N	4698LM Leather/Mock Leather	-	-	-	-	988	-	-	1508	1606	1942	2202	2629	
			OVERALL DIMENSIONS W D H			SEAT DIMENSIONS W D H			BACK DIMENSIONS W H						
			25	26.5	37	20.5	18	18	20	18.5					
		RTA 00													

SOLAR




STANDARD FEATURES

- A sophisticated and versatile seating solution for conference and collaborative environments. Designed by Paul Brooks.
- One Piece molded frame is extremely light (chair weighs 24 lbs) and exceeds BIFMA standard for commercial applications.
- Cascading forward seat surface and reverse edge profile provide better leg clearance and comfort.
- Integrated seat height adjustment lever is intuitive and easy to utilize.
- The under seat structure maintains the seamless and fluid aesthetic that defines Solar.
- C1 casters are standard.

OPTIONAL FEATURES

- Mesh is available in Midnight (MDN), Storm (STM), Dove (DVE), and Ivory (IVY).
- Polished Aluminum (ALU) base is available at an up charge \$117 list.
- To have Alabaster (ABR) base on the Asphalt (APT) frame, please add \$53 list
- Optional Black Glide (G) is available at no up charge.
- For hard floor surface casters please specify SC, please add \$93 list.
- For fully assembled in box, please specify SU. Add \$53.

DESCRIPTION	FEATURES	MODEL#	STANDARD FABRIC GRADES												
			1	2	3	4	5	6	7	8	9	10	11	12	
 MB Mesh Tilter - Asphalt Base/Frame COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 24 Cubic Feet Per Carton: 9	Ergonomic Features: C, M	8456	776	-	-	-	-	-	-	-	-	-	-	-	
			OVERALL DIMENSIONS W D H			SEAT DIMENSIONS W D H			BACK DIMENSIONS W H						
			23.25	25	36	19.25	18	17-21	19	19					
		RTA 1	