

VISION collection

'12 price list



Goes Great with Work.

h®
HPFI



Modern, Clean, Fresh.

An ergonomic line of office furniture that's as comfortable to work with as it is beautiful to look at and as advanced as the best ideas of tomorrow. Meeting the demands of the work environment in every way imaginable; ideal for large corporations, small businesses, and home offices. The coming together of all the best in American manufacturing technology and European design influence.

Our Vision

HPFI is recognized in our industry as a world class organization. The company has received numerous awards for outstanding customer service and innovative new products. HPFI is financially strong, agile and able to compete against much larger industry leaders. The associates at HPFI are committed to self development, work effectively in a team-based organization and have achieved success leveraging a company-wide commitment to training and Best in Class operating systems.

Our Value Statement

Our associates take pride in and are committed to the success of our customers by producing quality, competitive products while working as a team empowered with knowledge through training.

Our associates will maintain a respectful work environment, which can be identified by honest, direct and relevant communication, where everyone is treated with dignity, acts with integrity and demonstrates professional behavior.

Our associates will share knowledge, information and best practices throughout the organization, recognizing all of us are dependent upon each other for the success of our Customers and HPFI.

Seating shown not HPFI products.



Our Environmental Statement

For more than 50 years, HPFI® (High Point Furniture Industries) has been building furniture in the United States with respect to our environment and our community. As a world-class manufacturing operation, we strive to reduce and to eliminate impact on our environment. We recycle and reuse wherever possible. When viable and acceptable to our customers, we incorporate recycled and recyclable materials into our finished products.

HPFI is utilizing the Business and Institutional Furniture manufacturer's Association's (BIFMA) e3 standard to identify and certify the levels of environmental achievement as well as identify specific contributions of LEED points. All HPFI products are (Gold) level II and tested to the BIFMA X7.1 Furniture Emissions Standard.

As a manufacturer of wood products, we recognize that our materials come from natural resources, which must be respected. Supplier partners are asked to hold this same respect in harvesting and processing natural resources for supply to HPFI.

Laminate casegood materials are Scientific Certification Systems (SCS) certified for FSC-STD-40-004 v2-0, FSC-STD-40-003 and FSC-STD-40-005 v2-1 standards as well as Composite Panel Association (EPP) certified for CPA 2-06 and CPA 3-08 standards. The cores of our casegood products come from suppliers that meet Sustainable Forestry Initiatives (SFI) standards and are over 80% recycled wood fibers.

Engineered wood components for upholstered seating products also meet SFI standards and meet CARB 2011 Standards .08 ppm formaldehyde emission level. Seating foam is CFC-free and includes rapidly renewable bio-based materials.

Dust collection systems are in place to collect residual wood released during processing of raw wood materials into finished components for final assembly. The collected sawdust is reused for generating fuel, reducing waste as well as conserving another valuable resource, petroleum.

Proper finishing equipment is installed and maintained to appropriately collect any negative-impact materials. These are turned over to environmental professionals that specialize in safe and effective handling of such materials, further protecting our world.

We are committed to providing environmentally conscious product solutions. HPFI actively markets Terratex-classified upholstery fabrics that are both 100% recycled (or bio-based) as well as completely recyclable (or compostable). These fabrics are manufactured from both post-consumer polyester (waste material left over once a consumer has used a product, such as a soda bottle) and post-industrial polyester (waste generated by an industrial process before a consumer uses the polyester). In Life Cycle Assessments, Terratex-classified fabrics showed significantly lower environmental impact than fabrics made with virgin polyester across all twelve of the categories studied.

All corrugated cardboard material and containers used in the packaging and transport of our furniture products are made with a minimum of 41% recycled material (post-consumer and/or post-industrial) and meets standard performance requirements.

All of our associates are involved in environmentally friendly practices. We utilize a 4-day workweek, thereby reducing fuel consumption in both operations and commuting. Our sales brochures are printed on FSC-certified paper. Multiple collection bins are throughout our facilities for recycling to divert all production materials from landfills and recycled. Office paper, bottles, cans, etc. are also collected in our offices for recycling.

At HPFI, we understand the future does not belong to us, nor does the earth, nor its resources. The maintenance of our environment and a commitment to sustainability is an ongoing responsibility that we share with every person, organization and industry enjoying the abundance of this earth. We pledge to continually respect our resources and build community for those of us here today and for those who will follow.

Table of contents	Page
General information and Selling Policies	4 - 5
Specifications & Finishes	6 - 7
Free-Standing Furniture	
Double pedestal desks	8 - 9
Extended pedestal table desks	8 - 9
Double tower hutches	8
Single tower hutches	9
Double pedestal credenzas	8 - 9
Single pedestal credenzas	10 - 11
Single pedestal credenzas with hutch	10 - 11
Executive U-shape stations	10 - 11
Executive U-shape stations w/ hutch	10 - 11
L-shape computer corner stations	12 - 13
L-shape computer stations w/ hutch	12 - 13
Executive L-shape stations	12 - 13
Executive L-shape stations w/ hutch	12 - 13
Support Furniture	
Lateral file	14
Lateral file credenza	14
Storage unit	14
Storage credenza	14
Combination lateral file and storage	15
Bookcase	15
Bookcase spacer connector	15
Conference	
Conference tables	16
Media station	16
Modular tables	17
Accessories	
Ceiling drop wire pole	18
Wire organizer	18
Optional lock	18
Corner power column	18
Task lights	19
Grommets	19
Wire manager	19
Tack-boards	20
Accessory rails and components	20 - 21
Center drawer	22
Keyboard drawer	22
Keyboard arm	22
Computer corner	22

Concept and Design :
Michel Beaulieu

ZONES



General information and Selling Policies

AUTHORIZED DEALERS ONLY

HPFI sells to authorized dealers and re-sellers of office furniture, and only Authorized HPFI Dealers can place orders. To become an Authorized Dealer, you must:

- Have written approval by both the local HPFI Sales Representative and HPFI Sales Management
- Establish a line of credit (or pay for all orders with certified check, Visa or Master Card or cash prior to order entry)
- Be prepared when the factoring company that HPFI uses contacts you for credit information. Time is of the essence in supplying this data. Purchase Orders can not be entered until credit processing is completed and a line of credit is established. Allow 2 weeks for processing.

PURCHASE ORDERS

To ensure prompt processing of your order, all purchase orders must clearly state the following:

- Dealer Name
- Purchase Order Number
- Contact Name and Phone Number
- Complete Bill To and Ship To Addresses
- Complete Product Numbers, including:
- Model/Finish Number + Options
- Quantities

ORDER PLACEMENT

All orders may be mailed, faxed or e-mailed to HPFI as follows:
Mail: HPFI
PO Box 2063
High Point, NC 27261-2063
Fax: (800) 231-6784
E-mail: orderentry@hpfi.com

ORDER ENTRY

We want to process your order on a timely basis and will make every attempt to enter all orders within one business day of receipt. Inability to clearly read an order or the lack of any of the above information will delay order entry. Clarification of any missing or unclear information will be promptly requested via fax or e-mail. Once all information is received, HPFI will complete order entry.

- Your discount and net prices will be automatically calculated. If your purchase order prices do not match HPFI calculated net prices, you will be notified via fax or e-mail. It is the customer's responsibility to review Order Acknowledgements for accuracy and pricing. Any corrections must be noted immediately and faxed or e-mailed to your Customer Service Representative at 336-434-5280.
- Minimum order \$500 net, except parts.
- Only credit-approved orders are released to production. If an order is held due to credit reasons, you will be informed via fax or e-mail by the credit department.
- Published lead times start the first business day after entry of a clean, credit-approved order.

PALLETIZATION

Casegood products ordered in LTL quantities may be palletized prior to shipment for enhanced protection and further assurance of safe delivery. Pallets are one per product, in most cases, and sized per casegood product. Seating is not palletized. Palletization is \$21 net per pallet. Add 40 lb. to ship wt. per pallet. Contact Customer Service or your Sales Representative for additional details. International pallets are \$26. Palletization is not generally offered on truckload quantities. Contact Customer Service for a custom quote if this option is required. HPFI has made every effort to insure the accuracy of this Price List. HPFI cannot be responsible for typographical errors. Pricing and product specifications are subject to change and can be verified through our HPFI Customer Service Department at 800-447-3462 EXT 2120.

TERMS

Payment for all orders is due Net thirty (30) days from date of invoice.

CONDITIONS OF SALES

Possession and/or distribution of this price list or HPFI catalogs does not in itself constitute an offer to sell. Orders can be received only from authorized HPFI dealers. Accepted orders will be acknowledged in writing with approximate shipping dates. Orders will be invoiced at prices prevailing at time of order entry.



General information and Selling Policies

PRICES

This price list contains Zone pricing, including freight prepaid and allowed to the 48 contiguous states; freight and/or fuel surcharges as dictated by carriers may apply. All prices shown are suggested retail prices. Prices, specifications and materials are subject to change without notice.

SHIPPING

All HPFI products ship as follows: F.O.B. ORIGIN, HIGH POINT, NC - USA, FREIGHT PREPAID- this means that ownership and the responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. The zone list prices shown herein reflect the delivered price to the 48 contiguous states. It includes dock to dock shipment, with normal delivery accomplished in 3 to 10 business days, after shipment. HPFI reserves the right to select the carrier and routing. The transportation company assumes full responsibility for safe delivery upon acceptance of the shipment from HPFI. Special Shipping Services: Shipments requiring special services (such as expedited delivery, delivery appointments, non-dock, residential, school, military base or inside delivery, etc.) are not included in this freight pre-paid pricing. Freight charges for these special shipments will be quoted on a pre-pay and add, case-by-case basis. Contact Customer Service for details. Orders of less than 500 lbs. pounds will be assessed a minimum freight charge of \$75.00 net per order (excluding items shipped via small package ground service). Shipments outside the USA are pre-paid to point of departure. Acknowledged ship dates are our best estimates of when the product will leave the factory. Actual ship dates may vary.

PACKAGING

Prices quoted herein include normal packaging. HPFI products are carefully inspected and are packed one to a carton, except where indicated. All packaging conforms to or exceeds specifications as outlined in the Uniform Freight classification. Special packing (e.g. palletization) if specified, requires an up charge.

DRAWER AND TOP OPTIONS

Inset drawers and thicker tops available at 20% up charge. Contact Customer Service Department for details.

SPECIAL PRODUCT ORDERS

We welcome the opportunity to quote special products. Any changes in look, build, finish or options must be processed through the Custom Product Order Program. Please contact our Customer Service Department for pricing and lead times. NOTE: Due to the cost of creating custom products, a minimum charge per order may apply. Special product orders are non-returnable and non-refundable. A 50% deposit is required with the order for all special product orders.

IN-TRANSIT DAMAGE

HPFI does not own or operate its own transportation equipment. All shipments made by HPFI are made using third party carriers or customer transportation. HPFI manufactures and packages its products to withstand the normal handling incurred during transportation to provide for safe transit. HPFI ships only top quality undamaged merchandise. Title and ownership of merchandise is transferred to the dealer/customer when the freight carrier signs the bill of lading. The carrier assumes complete responsibility for delivering merchandise to the consignee in good condition. It is the responsibility of the dealer/customer to inspect all merchandise upon delivery to the customer-designated ship-to address. Any visible damage upon delivery must be noted on the bill of lading when the merchandise is signed for. Freight carriers will accept responsibility for damage which upon their inspection they deem to be their fault. It is the buyers' responsibility to file freight claims with the responsible carrier. HPFI will provide advice and assistance to its customers with the freight claim process and will use its influence to encourage carriers to accept their responsibility. Concealed Damage Claims must be filed within 15 days of delivery and original cartons must be retained. Most carriers will not accept a claim for concealed damage if the claim is made more than 15 days after receipt, or if the merchandise is moved from the original delivery location. It is the buyers' responsibility to file claims for concealed damage with the freight carrier.

RETURN AUTHORIZATION

An error made by HPFI resulting in shipment of an incorrect or defective product may be allowed for return to HPFI. Such returns require prior authorization from the HPFI Customer Service Department. Please call 800-447-3462 to request a Return Authorization and shipping instructions. All returned products must be properly packaged to ensure safe transit. Certain products may not be returned under any circumstances:

- Any non-defective upholstered furniture.
- Any seating product made using customer owned material (COM or COL)
- Any casegoods product made using special materials or custom finishes
- Any casegoods product made to custom specifications of customer Returns

for any other reason will only be allowed at the sole discretion of HPFI. All returns

will be assessed a 30% restocking charge plus the cost of return freight. Return Authorizations (R.A.s) are valid for 45 days from the issue date. Authorized returns must have the R.A. number clearly marked on all cartons and the bill of lading. All cartons must arrive at the HPFI designated ship-to location within 45 days of the authorization. Failure to return merchandise within 45 days will result in the cancellation of the Return Authorization and demand for payment.

RETURN GUIDELINES

- Merchandise must be returned in appropriate packaging to ensure safe transportation. Use the original packaging or the packaging from the replacement units including all inner and outer packaging to repack the returned product. If return is not HPFI's responsibility, repackaging and restocking charges will apply.
- All casegoods must be strapped Top-Side-Up to correct size pallet for return. DO NOT place upside down.
- All shipping documents and product cartons must be clearly marked with the HPFI's Return Authorization number.
- You must use the carrier noted on the Return Authorization.
- Failure to comply with requirements will void the Return Authorization; no money will be credited; full payment will be due HPFI. All returned product shipments received by High Point will be promptly inspected to ensure:
- Authorized for return
- Accuracy of counts
- Validate reason for return If approved, HPFI will issue credit to the customer less (where applicable) the 30% restocking charge, return freight and any costs incurred by HPFI to return the products to like new condition.

CANCELLATIONS

Acknowledged orders are considered firm. No cancellations or changes will be allowed without the express written authorization of HPFI management. Changes may be subject to additional charges.

REPAIR CHARGES

Authorization must be obtained from HPFI's Customer Service Department prior to incurring repair charges if HPFI is expected to pay all or part of these charges.

CODES

HPFI considers its **Vision and Accessories Furniture** series as portable furniture, subject to local fire and building codes. Installation and use of the furniture in accordance with all local, applicable codes is the responsibility of the customer.

WARRANTY

HPFI warrants that should any of its products be found defective due to defects in materials or workmanship within five (5) years from date of shipment, HPFI, at its option, will repair or replace same. This warranty does not apply to components not manufactured by HPFI, which are subject to the specific warranties of those manufacturers. Electrical and communication devices are warranted for 2 years from date of purchase. This warranty does not apply to damage or defects resulting from negligence, misuse, alteration, improper installation, improper cleaning or accidents. HPFI's sole determination will be final in all matters concerning the condition of the merchandise, the cause or nature of the defect or damage and the necessity or manner of repair. Color change is an acceptable occurrence and HPFI does not warrant fading or color change. Repair or replacement of any defect covered by HPFI warranty will be made to the original purchaser during the warranty period. *For a full disclosure of the HPFI publish warranty, please contact HPFI customer service department.

CORRESPONDENCE

Direct all correspondence to:
HPFI
PO Box 2063
High Point, NC 27261-2063
Phone: 336-431-7101
800-447-3462

CUSTOMER SERVICE/ORDER DESK

To order by fax:
800-231-6784
Customer Service Fax:
336-434-5280
E-mail: orderentry@hpfi.com





VISION-PL 2012 V01



Specifications

General

All cases are thermally fused laminate surfaced on the outside and edge banded as required.

LPL laminates finish options

All colors are at the same price.
All finishes are thermally fused laminates unless otherwise noted.

WOOD-GRAINS - Available for all surfaces:

FM, Natural Maple
CC, Classic Cherry
M, Mahogany
W, Gunstock Walnut
PW, Pearwood
X, Espresso
O, Medium Oak

SOLID COLORS - Available for all surfaces:

G, Grey
GP, Graphite

Tackboards

Tackboards are available in all HPFI QS in 52 standard colors:
GRADE 1
GRADE 2
GRADE 3
See web site for actual patterns and colors available.

Tops

All tops are 1" thick with thermally fused laminate surface, proper backing and full 3 millimeter PVC AdvantEdge banding.

Pedestals and File Cabinets

All cases are thermally fused laminate surfaced on the outside and edge banded as required. Units fully assembled with dowels/glue, wood cleats, metal brackets and screws. Series features full modesty panels.

Drawers

All drawer fronts are thermally fused laminate surfaced on both sides with laminate and edge banded as required. Drawer sides and bottoms are printed with an oak grain pattern.

- All box drawers are suspended on smooth-action metal slides with ball bearings
- File cabinet drawers and file drawers are mounted on heavy-duty ball bearing, full-extension slides
- All file drawers are fitted for letter size filing front-to-back
- File cabinet drawers are fitted for letter size filing front-to-back and legal size filing from side-to-side
- All file drawers are constructed for suspended filing
- Black filing hardware includes pre-installed rails with easy-adjust crossbar
- Maximum weight for bottom loading is 25 lbs
- Drawers are constructed with 5 sides for extra strength and durability. The drawer front is the 5th side and is removable in the field for repairs or hardware

additions

Credenzas / Hutches

Doors operate on concealed hinges that permit 110° throw.
Hutch mounts on desk, return or credenza with mechanical fasteners; Hutch placed over desk or credenza will be 62".

Leveling glides

All units fitted with leveling glides.

Locks

Front gang locks are included on all pull out drawers, i.e. pedestals, credenza drawers, etc. All locks are keyed identical.
For optional locking on overhead storage and storage cabinet units add Y to the end of the model number and add \$75 for units with single or two adjoining doors.

Pulls

Vision features a European style 6" pull installed vertically on the surface facade.
Metallic satin nickel finish.

Metal legs

Table desk are equipped with a 2" in diameter metal leg in metallic silver grey finish.

Wire Management

See features for number of grommets and location.
Additional grommets can be added for extended wire management capability at \$106 list per grommet.
Includes factory cut and installed grommet and black sleeve.

Packing

All units are properly packed in heavy duty cartons with heavy duty corner pads. All packaging conforms to or exceeds specifications as outlined in the Uniform Freight Classification.
All desks, credenzas, files, and overhead storage units are shipped set up. Modular L-shaped, and U-shaped workstations are shipped in multiple cartons and require connection in the field.

Palletization





See Page 4.

Care and maintenance

Dust only with a clean, dry cloth. Clean any marks with a damp cloth, using a small quantity of mild soap. Do not use any furniture polish containing silicone. Excessive use of any polish can eventually cause a film build up and discolor the surfaces. Do not place furniture in a position of permanent exposure to direct sunlight.

Specifications subject to change without notice.

VISION-PL 2012 V01






		ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Description	Model no.								
 Left Double Pedestal Desk	VC_7230DL3	1660	1685	1710	72	30	29	295	42
	<ul style="list-style-type: none">• Box/box/file pedestal on each side.• Equipped with front locks.• Desk is shipped fully assembled.								
 Left Extended Single Pedestal Table Desk	VC_7230L3	1356	1376	1397	72	30	29	191	42
	VC_6030L3	1305	1325	1345	60	30	29	180	36
 Double Tower Hutch	VC_OH7220	1262	1281	1300	72	18	32	208	30
	VC_OH6020	1240	1259	1278	60	18	32	197	25
 Executive Credenza	VC_7220-4S	1710	1736	1762	72	20	29	277	29
	VC_6020-4S	1658	1683	1708	60	20	29	252	24
		<ul style="list-style-type: none">• File/file pedestal at each end, with full width 3" extended back panel.• Equipped with front locks.• Recessed hinged door section in the center with one adjustable shelf.• Credenza unit is shipped fully assembled.							



* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01




		ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Description	Model no.								
 Right Double Pedestal Desk	VC_7230DR3	1660	1685	1710	72	30	29	295	42
	<ul style="list-style-type: none">• Box/box/file pedestal on each side.• Equipped with front locks.• Desk is shipped fully assembled.								
 Right Extended Single Pedestal Table Desk	VC_7230R3	1356	1376	1397	72	30	29	191	42
	VC_6030R3	1305	1325	1345	60	30	29	180	36
 Single Tower Hutch * Left side tower hutch illustrated.	<i>Left side tower hutch</i> VC_OH7220L	904	918	932	72	18	32	147	30
	VC_OH6020L	881	894	907	60	18	32	136	25
 Executive Credenza	<i>Right side tower hutch</i> VC_OH7220R	904	918	932	72	18	32	147	30
	VC_OH6020R	881	894	907	60	18	32	136	25
 Executive Credenza	VC_7220-4	1421	1442	1464	72	20	29	237	29
	VC_6020-4	1393	1414	1435	60	20	29	222	24
		<ul style="list-style-type: none">• File/file pedestal at each end, with full width 3" extended back panel.• Equipped with front locks.• Credenza unit is shipped fully assembled.							

* Specify finish suffix number.
For information, please see page 7.


VISION-PL 2012 V01

Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Left Executive Credenza	VC_7220L2	1040	1056	1072	72	20	29	178	29
	VC_6020L2	1012	1027	1042	60	20	29	163	24




- File/file pedestal on left side.
- Complete with full width back panel.
- Pedestal and gable is inset by 3".
- Equipped with front lock.
- Credenza unit is shipped fully assembled.

Left Executive Credenza with Integrated Hutch	VC_7220L2H	1944	1973	2003	72	20	29/62	325	60
	VC_6020L2H	1893	1921	1950	60	20	29/62	299	51




- File/file pedestal on left side.
- Complete with full width back panels.
- Pedestal and gables are inset by 3".
- Equipped with front lock on pedestal unit.
- Two adjustable shelves in bookcase add-on unit.
- Credenza and hutch units are individually packed and shipped fully assembled.

Left Executive U-Shape Station	48" x 20" bridge units VC_72UL48	2345	2380	2416	72/72	98	29	354	75
	VC_60UL48	2294	2328	2363	60/72	98	29	343	69
	42" x 20" bridge units VC_72UL42	2324	2359	2394	72/72	92	29	348	74
	VC_60UL42	2273	2307	2342	60/72	92	29	337	68



- Box/box/file pedestal on left side including front lock mechanism.
- Equipped with metal post legs and 6" raised satin acrylic back panel.
- Full height extended credenza back panel.
- Pedestal and end gables are inset by 3".
- High profile bridge back panel.
- Full unit depth includes table desk, credenza depth and bridge width.
- Station is shipped partially knocked down for assembly in the field using quick-connect hardware.
- Credenza and table desk units are fully assembled.

Left Executive U-Shape Station with Integrated Hutch	48" x 20" bridge units VC_72UL48H	3248	3297	3346	72/72	98	29/62	501	106
	VC_60UL48H	3197	3245	3294	60/72	98	29/62	490	100
	42" x 20" bridge units VC_72UL42H	3228	3276	3325	72/72	92	29/62	495	105
	VC_60UL42H	3177	3225	3273	60/72	92	29/62	484	99




- Box/box/file pedestal on left side including front lock mechanism.
- Equipped with metal post legs and 6" raised satin acrylic back panel.
- Full height extended credenza back panel.
- Pedestal, add-on bookcase and end gables are inset by 3".
- High profile bridge back panel.
- Full unit depth includes table desk, credenza depth and bridge width.
- Hutch tower and credenza unit includes wire grommets for wire management vertically and horizontally.
- Station is shipped partially knocked down for assembly in the field using quick-connect hardware.
- Credenza, table desk and hutch units are individually packed and shipped fully assembled.

* Specify finish suffix number.
For information, please see page 7.


VISION-PL 2012 V01

Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Right Executive Credenza	VC_7220R2	1040	1056	1072	72	20	29	178	29
	VC_6020R2	1012	1027	1042	60	20	29	163	24




- File/file pedestal on right side.
- Complete with full width back panel.
- Pedestal and gable is inset by 3".
- Equipped with front lock.
- Credenza unit is shipped fully assembled.

Right Executive Credenza with Integrated Hutch	VC_7220R2H	1944	1973	2003	72	20	29/62	325	60
	VC_6020R2H	1893	1921	1950	60	20	29/62	299	51




- File/file pedestal on right side.
- Complete with full width back panels.
- Pedestal and gables are inset by 3".
- Equipped with front lock on pedestal unit.
- Two adjustable shelves in bookcase add-on unit.
- Credenza and hutch units are individually packed and shipped fully assembled.

Right Executive U-Shape Station	48" x 20" bridge units VC_72UR48	2345	2380	2416	72/72	98	29	354	75
	VC_60UR48	2294	2328	2363	60/72	98	29	343	69
	42" x 20" bridge units VC_72UR42	2324	2359	2394	72/72	92	29	348	74
	VC_60UR42	2273	2307	2342	60/72	92	29	337	68



- Box/box/file pedestal on right side including front lock mechanism.
- Equipped with metal post legs and 6" raised satin acrylic back panel.
- Full height extended credenza back panel.
- Pedestal and end gables are inset by 3".
- High profile bridge back panel.
- Full unit depth includes table desk, credenza depth and bridge width.
- Station is shipped partially knocked down for assembly in the field using quick-connect hardware.
- Credenza and table desk units are fully assembled





Right Executive U-Shape Station with Integrated Hutch	48" x 20" bridge units VC_72UR48H	3248	3297	3346	72/72	98	29/62	501	106
	VC_60UR48H	3197	3245	3294	60/72	98	29/62	490	100
	42" x 20" bridge units VC_72UR42H	3228	3276	3325	72/72	92	29/62	495	105
	VC_60UR42H	3177	3225	3273	60/72	92	29/62	484	99



- Box/box/file pedestal on right side including front lock mechanism.
- Equipped with metal post legs and 6" raised satin acrylic back panel.
- Full height extended credenza back panel.
- Pedestal, add-on bookcase and end gables are inset by 3".
- High profile bridge back panel.
- Full unit depth includes table desk, credenza depth and bridge width.
- Hutch tower and credenza unit includes wire grommets for wire management vertically and horizontally.
- Station is shipped partially knocked down for assembly in the field using quick-connect hardware.
- Credenza, table desk and hutch units are individually packed and shipped fully assembled.

* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01

		\$									
		ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.		
Description	Model no.										
	30" main surface and 20" return depth										
	VC_72LL42LCA	1754	1780	1807	72	72	29	248	19		
	VC_60LL42LCA	1703	1729	1755	60	72	29	237	18		
	24" main surface and 20" return depth										
	VC_72LL48LCA	1728	1754	1780	72	72	29	239	19		
	VC_60LL48LCA	1686	1711	1737	60	72	29	231	18		
Left L-Shape Computer Corner Station		<ul style="list-style-type: none">• Box/box/file pedestal on left side including front lock mechanism.• Equipped with metal post legs and 6" raised satin acrylic back panel.• Full height extended side panel.• Pedestal is inset by 3".• Equipped with one 14" x 14" computer corner add-on.• Station is shipped partially knocked down for assembly in the field using quick-connect hardware.• Pedestal unit is fully assembled.									
	30" main surface and 20" return depth										
	VC_72LL42HLCA	2657	2697	2737	72	72	29/62	395	48		
	VC_60LL42HLCA	2607	2646	2686	60	72	29/62	384	47		
	24" main surface and 20" return depth										
	VC_72LL48HLCA	2632	2671	2711	72	72	29/62	386	48		
	VC_60LL48HLCA	2590	2629	2668	60	72	29/62	378	47		
Left L-Shape Computer Corner Station with Integrated Hutch		<ul style="list-style-type: none">• Box/box/file pedestal on left side including front lock mechanism.• Equipped with metal post legs, 6" raised satin acrylic back panel and full height extended side panel.• Pedestal and add-on bookcase are inset by 3".• Equipped with one 14" x 14" computer corner add-on.• Hutch tower and return unit includes wire grommets for wire management vertically and horizontally.• Station is shipped partially knocked down for assembly in the field using quick-connect hardware.• Pedestal and hutch units are fully assembled.									
	30" main surface and 20" return depth										
	VC_72LL42	1673	1698	1723	72	72	29	245	19		
	VC_60LL42	1622	1646	1671	60	72	29	234	18		
Left Executive L-Shape Station		<ul style="list-style-type: none">• Box/box/file pedestal on left side including front lock mechanism.• Equipped with metal post legs and 6" raised satin acrylic back panel.• Full height extended side panel.• Pedestal is inset by 3".• Station is shipped partially knocked down for assembly in the field using quick-connect hardware.• Pedestal unit is fully assembled.									
	30" main surface and 20" return depth										
	VC_72LL42H	2577	2616	2655	72	72	29/62	392	48		
	VC_60LL42H	2526	2564	2602	60	72	29/62	381	47		
Left Executive L-Shape Station with Integrated Hutch		<ul style="list-style-type: none">• Box/box/file pedestal on left side including front lock mechanism.• Equipped with metal post legs and 6" raised satin acrylic back panel.• Full height extended side panel.• Pedestal and add-on bookcase are inset by 3".• Hutch tower and return unit includes wire grommets for wire management vertically and horizontally.• Station is shipped partially knocked down for assembly in the field using quick-connect hardware.• Pedestal and hutch units are fully assembled.									

* Specify finish suffix number.
For information, please see page 7.





VISION-PL 2012 V01



Administrative

\$

VISION collection

	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
	Right L-Shape Computer Corner Station	<i>30" main surface and 20" return depth</i>								
		VC_72LR42LCA	1754	1780	1807	72	72	29	248	19
		VC_60LR42LCA	1703	1729	1755	60	72	29	237	18
		<i>24" main surface and 20" return depth</i>								
		VC_72LR48LCA	1728	1754	1780	72	72	29	239	19
	Right L-Shape Computer Corner Station with Integrated Hutch	<i>30" main surface and 20" return depth</i>								
		VC_72LR42HLCA	2657	2697	2737	72/30	72	29/62	395	48
		VC_60LR42HLCA	2607	2646	2686	60/30	72	29/62	384	47
		<i>24" main surface and 20" return depth</i>								
		VC_72LR48HLCA	2632	2671	2711	72/24	72	29/62	386	48
	Right Executive L-Shape Station	<i>30" main surface and 20" return depth</i>								
		VC_72LR42	1673	1698	1723	72	72	29	245	19
		VC_60LR42	1622	1646	1671	60	72	29	234	18
	Right Executive L-Shape Station with Integrated Hutch	<i>30" main surface and 20" return depth</i>								
		VC_72LR42H	2577	2616	2655	72	72	29/62	392	48
		VC_60LR42H	2526	2564	2602	60	72	29/62	381	47

* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01

Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Two Drawer Lateral File	VC_3620LF	1106	1123	1140	36	20	29	192	15

- Complete with front lock and interlocking system.



Double Lateral File Credenza	VC_7220DLF	1987	2017	2047	72	20	29	367	29
------------------------------	------------	------	------	------	----	----	----	-----	----

- Complete with front lock on each file units.
- Credenza is shipped fully assembled.



Storage Unit	VC_3620S	800	812	824	36	20	29	157	15
--------------	----------	-----	-----	-----	----	----	----	-----	----

- Includes one adjustable shelf.



Double Storage Credenza	VC_7220DS	1375	1396	1417	72	20	29	297	29
-------------------------	-----------	------	------	------	----	----	----	-----	----

- Equipped with one adjustable shelf in each storage unit.
- Credenza is shipped fully assembled.



* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01



Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Lateral File and Storage Credenza	VC_7220LFS	1681	1706	1732	72	20	29	332	29

- Complete with front lock on lateral file unit.
- Equipped with one adjustable shelf in storage unit.
- Credenza is shipped fully assembled.



Bookcase - Open	VC_BK3672	647	657	667	36	15	72	215	28
-----------------	-----------	-----	-----	-----	----	----	----	-----	----

- Includes 1 fix shelf at 29" high and three adjustable shelves.
- Bookcase is shipped fully assembled.



Bookcase Ganging Spacer Connectors	VC_BKFP	66	67	68	2		72	3	1
------------------------------------	---------	----	----	----	---	--	----	---	---

- To be used to connect OBK units.




* Specify finish suffix number.
For information, please see page 7.


VISION-PL 2012 V01


		ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
Description	Model no.								
Meeting Table	3.5' Meeting table VC_T4242	564	572	581	42	42	29	80	6
	4' Meeting table VC_T4848	591	600	609	48	48	29	96	7
• Top and legs cartoned separately									




Conference Table		7' Conference table VC_T4242-2 Approximate seating: 6/8.							
		1254	1273	1292	84	42	29	164	12
		8' Conference table VC_T4848-2 Approximate seating: 8.							
		1310	1330	1350	96	48	29	196	14
		<ul style="list-style-type: none"> • Table has two sections. • Tops and bases cartoned separately 							



	Conference Table	<i>10.5' Conference table</i> VC_T4242-3 Approximate seating: 10.	1945	1974	2004	126	42	29	248	18
		<i>12' Conference table</i> VC_T4848-3 Approximate seating: 10/12.	2028	2058	2089	144	48	29	296	21
		<ul style="list-style-type: none">• Table has three sections.• Tops and bases cartoned separately								



	Media Station	VC_MDS3648	2063	2094	2125	36/48	20	75	325	31
		<ul style="list-style-type: none"> • A combination of a monitor mount column including one 36" wide storage wing extension on the left hand side. • Storage compartment includes one adjustable shelf and wires grommets. • Station is shipped partially knocked down for assembly in the field using quick-connect hardware. • Storage pedestal extension unit is fully assembled. • Monitor not included. 								



* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01

	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
	Modular Conference Table	3.5' Meeting table VC_T4242M	564	572	581	42	42	29	80	6
		4' Meeting table VC_T4848M	592	601	610	48	48	29	96	7
• Top and legs cartoned separately										



Tie Bar Channel										
VC_CTB	64	65	66	24	1 1/2	1/2	2	0.1		
<ul style="list-style-type: none"> • To be used to tie tables in straight line. • Two channels required per table extension. • Includes 4 bolts per channel to tie tables one to another. • Field installed. 										



Angle Bracket	VC_CAB	98	99	100	16 3/4	16 3/4	1/2	2.5	0.2
<ul style="list-style-type: none"> • To be used for "L-shape" or "T-shape" assemblies. • Includes 4 bolts to tie tables one to another. • Field installed. 									







Plate Bracket										
VC_CPB	58	59	60	12	12	-	2.5	0.2		
<ul style="list-style-type: none"> • To be used to connect four tables in the center. • Includes 4 bolts to tie tables one to another. • Field installed. 										







* Specify finish suffix number.
For information, please see page 7.




VISION-PL 2012 V01


HPFI

	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
	Ceiling Drop Wiring Access Pole	VC_ZCW	195	198	201	2	-	72	3	-
	<ul style="list-style-type: none">• Includes white ceiling flange.• 72" high split apart tube, one side metallic silver grey finish, other side white plastic extrusion.• Hardware supplied.• Field installed.									
	Wire Organizer	<i>Black</i> VC_ZWB	190	193	195	_ 2.25ø	27	4	2	-
		<i>Silver</i> VC_ZWS	190	193	195	_ 2.25ø	27	4	2	-
<ul style="list-style-type: none">• Vertical flexible organizer. Feed from floor monument and fix under work surface.• Black or silver.• Field installed.• Pan-head screws supplied.										
	Optional Locks	<i>Lock only</i> VC_ZLB	40	40	40					
		<i>Factory installed</i> VC_ZLY	75	75	75					
<p>includes factory cut and installed grommet and black sleeve.</p> <ul style="list-style-type: none">• For hinged doors on hutches, credenzas.• If factory installed, specify locking requirements.• Price per lock or set of 2 doors.										
	Corner Power Column	VC_MDE	595	604	613	3	4.5	13	3	.3
	<ul style="list-style-type: none">• Includes three electrical power outlets in front on a 15 AMP circuit breaker and a telecom plate including one RJ11 phone and one RJ45 cat 6 data.• A 4th receptacle convenience outlet on the top of the Corner Power Column, allows a Daisy-Chain system which provides an easy solution for connecting multiple units together.• UL Listed and CSA Certified.• Field installed.									



	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
	Task Light	VC_TL2P	124	126	128	19.5	3.25	1.25	3	1
	<ul style="list-style-type: none">• Black only.• Task lights have a clear acrylic prismatic diffuser with a white reflector.• Black power cord is 10 ft. long, SJT 18/3 with molded straight plug centrally located at the back.• Lamps are T4 Tri Phospor 16watts.• UL labeled.• Field installed.									
	LED Task Light	VC_TLED	212	215	218	20	2.375	0.875	3	1
	<ul style="list-style-type: none">• Black with clear lens and cool white light.• Convenient on/off switch.• Black power cord is 9 ft. long.• 180 degree swivel feature.• 600 lumen, 7.5 watts.• Input 100-240 V AC, 50/60 Hz.• Field installed.									
	Round Grommet	Grommet only VC_WG	20	20	20			2ø		
		Factory installed VC_WG-F	75	75	75			2ø		
<ul style="list-style-type: none">• Black only.• Field installed.										
	Wire Management Channel	VC_MDWM	26	26	27	12	1.25	2.25	1	.04
	<ul style="list-style-type: none">• Horizontal J-channel wire management raceway.• Black only.• Peel and stick self adhesive.• Field installed.									

HPFI	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.		
	Tack Board	To fit single tower 72" hutch										
		VC_TB2048	GR 1	237	241	244	49.25	1	19.75	13	1	
			GR 2	259	263	267						
			GR 3	285	289	294						
		To fit single tower 60" hutch										
		VC_TB2036	GR 1	217	220	224	37.25	1	19.75	10	1	
			GR 2	236	239	243						
			GR 3	257	261	265						
		To fit double tower 72" hutch										
		VC_TB2033	GR 1	207	210	213	34.75	1	19.75	9	1	
			GR 2	226	229	232						
			GR 3	247	251	255						
<ul style="list-style-type: none">• Fully tackable surface.• Field installed.• Please see page 7 for standard HPFI QS fabric color and patterns.												
	Accessory Wall 7" High	To fit single tower 72" hutch										
		VC_HSAW48		97	98	100	49.25	.5	7	4.25	1.4	
		To fit single tower 60" hutch										
		VC_HSAW36		97	98	100	37.25	.5	7	3.75	1.4	
		To fit double tower 72" hutch										
		VC_HSAW35		97	98	100	34.75	.5	7	3.75	1.4	
		<ul style="list-style-type: none">• Three channel for accessory attachment.• Black color.• Field installed.										
	Letter Size Paper Tray	VC_MD1003		46	47	47	9.5	14	2			
	<ul style="list-style-type: none">• To fit accessory wall rail.• Stores letter size sheets.• 5 lb. capacity.• Black color.• Field installed.											
	Legal Size Paper Tray	VC_MD1007		46	47	47	15	10.5	2			
	<ul style="list-style-type: none">• To fit accessory wall rail• Stores legal size sheets.• 7 lb. capacity.• Black color.• Field installed.											

	Description	Model no.	ZONE 1	ZONE 2	ZONE 3	Width	Depth	Height	Weight	Cu. Ft.
	Pen Holder	VC_MD1000	15	15	15	4	3.5	4		
	<ul style="list-style-type: none">• To fit accessory wall rail.• Store up to 24 pencils.• 4 lb. capacity• Black color.• Field installed.									
	Phone Base	VC_MD1005	37	38	38	8.5	9.5	2		
	<ul style="list-style-type: none">• To fit accessory wall rail.• 5 lb. capacity.• Black color.• Field installed.									
	Binder Holder	VC_MD1009	24	24	25	5	9	10.5		
	<ul style="list-style-type: none">• To fit accessory wall rail.• Store binders, phone books, etc.• 10 lb. capacity.• Black color.• Field installed.									
	Folder Tray	VC_MD1008	53	54	55	7	12.5	8		
	<ul style="list-style-type: none">• To fit accessory wall rail.• Stores files vertically.• 10 lb. capacity.• Black color.• Field installed.									



Description

Model no.

ZONE 1

ZONE 2

ZONE 3

Width

Depth

Height

Weight

Cu. Ft.

Center Drawer

VC_HW_CD19

165

167

170

19.5


18

3

11

1.5

- Injection molded high impact polystyrene with convenience compartments and ball bearing slides.
- Choose finish - see page 7 for options.
- Field installed.



Pull-Out Keyboard Shelf Platform

VC_HW_K21

196

199

202

21

18

4.5

12

2

- Choose finish - see page 7 for options.
- Field installed.



Articulated Keyboard Platform with Mouse Pad

VC_AKT008/06720

595

604

613

21-29

22-32

13

17

1.3

- Black platform with gel filled wrist support, 10° backslope, forward 15°, 360° swivel and 6" vertical adjustment.
- Free-float mechanism.
- To be installed on 24" deep units or computer corner unit.
- Field installed.



Computer Corner Add-On

VC_LCA

81

82

83

19 14/14

1

3

1-

- Hardware supplied.
- Field installed.

* Specify finish suffix number.
For information, please see page 7.

VISION-PL 2012 V01



VISION-PL 2012 V01

VISION collection



Concept and Design :
Michel Beaulieu



High Point Furniture Industries
P.O. Box 2063,
High Point, NC 27261
USA

p 336.431.7101
t 800.447.3462
f 336.434.1964

info@HPFI.com

 [®]
HPFI