

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

CUSTOM FINISHES

Custom finishes can be done for an upcharge. A 3" x 3" sample must be sent to customer service for approval and a quote.

VENEER:


Genuine flat sliced, slip matched cherry or maple veneers on all surfaces to provide proper consistency. On tops where technology is specified, quartered veneer is used.

TOPS:

All tops are balanced panel construction. Lumber bands on edge tops are internally banded on all four sides. Top thickness 1 $\frac{1}{16}$ "

2-Piece Conference Table Tops:

Two-piece tops are joined with tongue and groove joints. Two piece tops are secured together with table connectors. Under top steel channels screw perpendicular to joint to also stabilize connection. All tops 144" and wider are two-piece construction. All smaller tops are one piece construction.

**CHASSIS CONSTRUCTION:**

Door and drawer fronts are slip matched cherry or maple veneer to match the tops and overlay the chassis. Chassis are assembled with dowel construction for precise tolerances. Units have solid hardwood parting rails and are reinforced with hardwood cleats and glue. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Chassis panels are .75" thick with a 3-ply balanced construction and a heavy duty backer. All panels are constructed around a 45 pound density particleboard core.

OVERTURE BASES:

Overture bases have removable side panel for wire access and cable management. Access holes in top and bottom for wire access. Bases include adjustable levelers to compensate for uneven floor surfaces. Optional power centers are available which can be mounted over bases.

CHAIR ARM CLEARANCE:

Bases provide 28" chair arm clearance.

DRAWER CONSTRUCTION:

Four corner dove tailed box and file drawers are built as separate units for strength and durability. All drawers are finished with a 3 step catalyzed varnish finish to seal the grain and provide a smooth inner surface. Drawers are built with $\frac{7}{16}$ " thick wood sides and $\frac{3}{16}$ " thick wood bottoms. Drawer fronts are attached separately.

DRAWER SUSPENSION:

Box and file drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation and long life.

LOCKS:

Doors on buffets are standard locking.

HINGES:

Hinges on all doors are metal, self-closing, fully adjustable style. Hinges on all table tops are metal, soft self-closing, fully adjustable style.

POWER, COMMUNICATION AND WIRE MANAGEMENT:

Overture offers a wide range of bases that accommodate technology through power center and trough systems. When technology is specified, troughs are attached to the underside of the top and fit into bases to route cables discreetly, as well as the utilization of access doors in the tops providing easy access to troughs. Specifying technology in the worksurface provides the cut out and access doors. Electrical components must be ordered separately.

Tri-Power Electrical Data Strip (P-EC1200TP-72 or P-EC1200TP-120) can be used with CT & NT options, see page 440

CODE REQUIREMENTS:

Electrical codes vary by location. Specifiers should contact a qualified electrical contractor or engineer about local requirements. Components meet the latest edition of the national electric code. Components are listed by underwriters laboratories and certified by the Canadian Standard Association.

See page 439 for Electrical Components.

Overture Tops

Finishes	Designators	Veneer (V)
Cordovan Cherry	CC	✓
Golden Cherry	GC	✓
Java Cherry	JC	✓
Light Cherry	LC	✓
Mahogany on Cherry	HC	✓
Natural Cherry	NC	✓
Shaker Cherry	KC	✓
Traditional Cherry	TC	✓
Clear Maple	CM	✓
Golden Maple	GM	✓
Harvest Maple	VM	✓
Huntington Maple	UM	✓
Natural Maple	NM	✓

Metal Finishes	Designators
Alloy	AL

Edge Options



Chamfer (CF)



Quarter Bullnose (QB)

Corner Technology Options

CO - no upcharge

CT - see top for upcharge

NT - see top for upcharge

CT & NT options require 2 Material & Finish options

Pull Options



Arc (AC)



Bead (BD)



Bar (BR)



Cable (CB)



Chamfer (CH)



Crescent (CS)



Rod (RD)



Shark (SH)



Slot (ST)




Wave (WV)

Pull Finishes:

Matte Chrome (MC)


OPTIONS CONTINUED ON NEXT PAGE

Shapes & Sizes



Round

42"
48"
60"



Square

42" x 42"
48" x 48"
60" x 60"



Rectangular

72" x 36" 96" x 48"
120" x 48" 144" x 48"
144" x 54" 144" x 60"
168" x 48" 168" x 54"
168" x 60" 192" x 48"
192" x 54" 192" x 60"




Racetrack

72" x 36" 96" x 48"
120" x 48" 144" x 48"
144" x 54" 144" x 60"
168" x 48" 168" x 54"
168" x 60" 192" x 48"
192" x 54" 192" x 60"



Boat

72" x 36" 96" x 48"
120" x 48" 144" x 48"
144" x 54" 144" x 60"
168" x 48" 168" x 54"
168" x 60" 192" x 48"
192" x 54" 192" x 60"




Video

96" x 54" 120" x 54"
144" x 54" 144" x 60"
168" x 54" 168" x 60"
192" x 54" 192" x 60"

Base Technology Options

O - no technology

T - includes technology

Door Options

No Doors (DO)



Glass Doors (DG)



Wood Doors (DW)

Lock Key Options

STD - random

OMT - keyed alike - order lock core separately

- see page 392

Vent Options

NV - No vent

YV - Yes vent

Pulls are sub-option of doors. See each model for upcharge

TOP SHAPE	TABLE MODELS	SEATING CAPACITY FOR TABLE
	Rectangle Table Tops	
	P-OV7236TT	6
	P-OV9648TT	8
	P-OV12048TT	10
	P-OV14448TT	12
	P-OV14454TT	12
	P-OV14460TT	12
	P-OV16848TT	12 - 14
	P-OV16854TT	12 - 14
	P-OV16860TT	12 - 14
	P-OV19248TT	14 - 16
	P-OV19254TT	14 - 16
	P-OV19260TT	14 - 16
	Video Conference Tops	
	P-OV9654VT	7
	P-OV12054VT	9
	P-OV14454VT	11
	P-OV14460VT	11
	P-OV16854VT	11 - 13
	P-OV16860VT	11 - 13
	P-OV19254VT	13 - 15
	P-OV19260VT	13 - 15
	Racetrack Tops	
	P-OV7236RT	6
	P-OV9648RT	8
	P-OV12048RT	10
	P-OV14448RT	12
	P-OV14454RT	12
	P-OV14460RT	12
	P-OV16848RT	12 - 14
	P-OV16854RT	12 - 14
	P-OV16860RT	12 - 14
	P-OV19248RT	14 - 16
	P-OV19254RT	14 - 16
	P-OV19260RT	14 - 16

TOP SHAPE	TABLE MODELS	SEATING CAPACITY FOR TABLE
	Boat Table Tops	
	P-OV7236BT	6
	P-OV9648BT	8
	P-OV12048BT	10
	P-OV14448BT	12
	P-OV14454BT	12
	P-OV14460BT	12
	P-OV16848BT	12 - 14
	P-OV16854BT	12 - 14
	P-OV16860BT	12 - 14
	P-OV19248BT	14 - 16
	P-OV19254BT	14 - 16
	P-OV19260BT	14 - 16
	Square Tops	
	P-OV4242ST	4
	P-OV4848ST	4
	P-OV6060ST	8
	Round Tops	
	P-OV4200TT	4
	P-OV4800TT	4
	P-OV6000TT	6

Top thickness1 $\frac{1}{16}$ **Rectangle Tops**

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236	72	36	1 $\frac{1}{16}$	16848	168	48	1 $\frac{1}{16}$	List of options Electrical / Data Table Bases
9648	96	48	1 $\frac{1}{16}$	16854	168	54	1 $\frac{1}{16}$	
12048	120	48	1 $\frac{1}{16}$	16860	168	60	1 $\frac{1}{16}$	
14448	144	48	1 $\frac{1}{16}$	19248	192	48	1 $\frac{1}{16}$	
14454	144	54	1 $\frac{1}{16}$	19254	192	54	1 $\frac{1}{16}$	
14460	144	60	1 $\frac{1}{16}$	19260	192	60	1 $\frac{1}{16}$	page 370 - 371 page 440 - 446 page 377


Specifications

Each top requires a specific base.


Electrical components must be ordered separately.

SIN # 711-9


Rectangle Table Top



CO



CT



NT

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
P-OV7236TT (1 piece)	\$ 2626	\$ 3858	\$ 4967
(ship wt / cubes)	(115 / 4.9)	(125 / 17.9)	(125 / 17.9)
P-OV9648TT (1 piece)	\$ 3413	\$ 4847	\$ 6056
(ship wt / cubes)	(200 / 8.5)	(219 / 31.2)	(219 / 31.2)
P-OV12048TT (1 piece)	\$ 3942	\$ 5520	\$ 6843
(ship wt / cubes)	(250 / 10.6)	(288 / 38.7)	(288 / 38.7)
P-OV14448TT (2 pieces)	\$ 5079	\$ 7290	\$ 8948
(ship wt / cubes)	(300 / 12.7)	(330 / 46.4)	(330 / 46.4)
P-OV14454TT (2 pieces)	\$ 5714	\$ 7714	\$ 9428
(ship wt / cubes)	(340 / 9.3)	(400 / 46.5)	(400 / 46.5)
P-OV14460TT (2 pieces)	\$ 6350	\$ 8572	\$ 10478
(ship wt / cubes)	(440 / 12)	(438 / 60)	(438 / 60)
P-OV16848TT (2 pieces)	\$ 6018	\$ 8150	\$ 9842
(ship wt / cubes)	(350 / 14.8)	(380 / 54.1)	(380 / 54.1)
P-OV16854TT (2 pieces)	\$ 7035	\$ 9110	\$ 10831
(ship wt / cubes)	(420 / 16.5)	(440 / 60.3)	(440 / 60.3)
P-OV16860TT (2 pieces)	\$ 7818	\$ 10554	\$ 12898
(ship wt / cubes)	(440 / 12)	(510 / 60)	(510 / 60)
P-OV19248TT (2 pieces)	\$ 7221	\$ 9757	\$ 11472
(ship wt / cubes)	(400 / 16.8)	(430 / 61.4)	(430 / 61.4)
P-OV19254TT (2 pieces)	\$ 8021	\$ 10416	\$ 12183
(ship wt / cubes)	(455 / 18.9)	(483 / 69)	(483 / 69)
P-OV19260TT (2 pieces)	\$ 8912	\$ 12032	\$ 14704
(ship wt / cubes)	(502 / 13.7)	(582 / 68.5)	(582 / 68.5)

P-OV14448TT, P-OV14454TT, P-OV14460TT, P-OV16848TT, P-OV16854TT, P-OV16860TT
P-OV19248TT, P-OV19254TT & P-OV19260TT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7236TT, P-OV9648TT & P-OV12048TT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer,

Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish

Technology Doors' Material & Finish is a sub-option of Corner Technology

**Specify Material & Finish/Edge/Corner-Technology & Technology
Doors' Material & Finish**

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology & Technology Doors' Material & Finish

P-OV12048TT. VJC. CF. CTVJC

Top thickness

1 $\frac{1}{16}$

Video Conference Tops




Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
9654	96	54	1 $\frac{1}{16}$	16854	168	54	1 $\frac{1}{16}$	List of options
12054	120	54	1 $\frac{1}{16}$	16860	168	60	1 $\frac{1}{16}$	Electrical / Data
14454	144	54	1 $\frac{1}{16}$	19254	192	54	1 $\frac{1}{16}$	Table Bases
14460	144	60	1 $\frac{1}{16}$	19260	192	60	1 $\frac{1}{16}$	page 370 - 371 page 440 - 446 page 378

Specifications

Each top requires a specific base.

Electrical components must be ordered separately.

SIN # 711-9

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
Video Conference Top			
			
CO			
			
CT			
			
NT			
P-OV9654VT (1 piece) \$ 3807 (ship wt / cubes) (210 / 9.5) P-OV12054VT (1 piece) \$ 4690 (ship wt / cubes) (260 / 11.9) P-OV14454VT (2 pieces) \$ 5680 (ship wt / cubes) (310 / 14.2) P-OV14460VT (2 pieces) \$ 6312 (ship wt / cubes) (378 / 10.3) P-OV16854VT (2 pieces) \$ 6631 (ship wt / cubes) (320 / 16.5) P-OV16860VT (2 pieces) \$ 7368 (ship wt / cubes) (440 / 12) P-OV19254VT (2 pieces) \$ 7609 (ship wt / cubes) (465 / 18.9) P-OV19260VT (2 pieces) \$ 8546 (ship wt / cubes) (502 / 13.7) \$ 5281 (229 / 34.7) \$ 6326 (298 / 43.5) \$ 8189 (340 / 51.9) \$ 8522 (438 / 51.5) \$ 9060 (450 / 60.3) \$ 9946 (510 / 60) \$ 10376 (483 / 69) \$ 11538 (582 / 68.5) \$ 5798 (229 / 34.7) \$ 7603 (298 / 43.5) \$ 9409 (340 / 51.9) \$ 10414 (438 / 51.5) \$ 9246 (450 / 60.3) \$ 12158 (510 / 60) \$ 11726 (483 / 69) \$ 14100 (582 / 68.5)			
P-OV14454VT, P-OV14460VT, P-OV16854VT, P-OV16860VT, P-OV19254VT & P-OV19260VT - Shipped K/D, require base with three vertical structures & have three doors when technology specified. P-OV9654VT & P-OV12054VT - Require base with two vertical structures & has two doors when technology specified. Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached. Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT) *CO option does not require specification of technology doors' material & finish Technology Doors' Material & Finish is a sub-option of Corner Technology			

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology & Technology Doors' Material & Finish

P-OV19254VT. VKC. QB. CTVKC

Top thickness1 $\frac{1}{16}$ **Racetrack Tops**

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236	72	36	1 $\frac{1}{16}$	16848	168	48	1 $\frac{1}{16}$	List of options Electrical / Data Table Bases
9648	96	48	1 $\frac{1}{16}$	16854	168	54	1 $\frac{1}{16}$	
12048	120	48	1 $\frac{1}{16}$	16860	168	60	1 $\frac{1}{16}$	
14448	144	48	1 $\frac{1}{16}$	19248	192	48	1 $\frac{1}{16}$	
14454	144	54	1 $\frac{1}{16}$	19254	192	54	1 $\frac{1}{16}$	page 370 - 371 page 440 - 446 page 379
14460	144	60	1 $\frac{1}{16}$	19260	192	60	1 $\frac{1}{16}$	


Specifications

Each top requires a specific base.


Electrical components must be ordered separately.

SIN # 711-9

Racetrack Table Top



CO



CT

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)
P-OV7236RT (1 piece)	\$ 2957	\$ 4262
(ship wt / cubes)	(115 / 4.9)	(125 / 17.9)
P-OV9648RT (1 piece)	\$ 3841	\$ 5353
(ship wt / cubes)	(200 / 8.5)	(219 / 31.2)
P-OV12048RT (1 piece)	\$ 4128	\$ 5803
(ship wt / cubes)	(250 / 10.6)	(288 / 38.7)
P-OV14448RT (2 pieces)	\$ 5557	\$ 7918
(ship wt / cubes)	(300 / 12.7)	(330 / 46.4)
P-OV14454RT (2 pieces)	\$ 6252	\$ 8440
(ship wt / cubes)	(340 / 9.3)	(400 / 46.5)
P-OV14460RT (2 pieces)	\$ 6946	\$ 9378
(ship wt / cubes)	(378 / 10.3)	(438 / 51.5)
P-OV16848RT (2 pieces)	\$ 6152	\$ 8435
(ship wt / cubes)	(350 / 14.8)	(380 / 54.1)
P-OV16854RT (2 pieces)	\$ 7276	\$ 9559
(ship wt / cubes)	(420 / 16.5)	(440 / 60.3)
P-OV16860RT (2 pieces)	\$ 8084	\$ 10914
(ship wt / cubes)	(440 / 12)	(510 / 60)
P-OV19248RT (2 pieces)	\$ 7771	\$ 10454
(ship wt / cubes)	(400 / 16.8)	(430 / 61.4)
P-OV19254RT (2 pieces)	\$ 8482	\$ 11101
(ship wt / cubes)	(455 / 18.9)	(483 / 69)
P-OV19260RT (2 pieces)	\$ 9424	\$ 12722
(ship wt / cubes)	(502 / 13.7)	(582 / 68.5)

P-OV14448RT, P-OV14454RT, P-OV14460RT, P-OV16848RT, P-OV16854RT, P-OV16860RT
P-OV19248RT, P-OV19254RT & P-OV19260RT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7236RT, P-OV9648RT & P-OV12048RT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO),

Plain face veneer, full corners with technology console (CT)

*CO option does not require specification of technology doors' material & finish

Technology Doors' Material & Finish is a sub-option of Corner Technology

**Specify Material & Finish/Edge/Corner-Technology & Technology
Doors' Material & Finish**

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology, Material & Finish

P-OV7236RT. VGM. CF. CTVGM

Top thickness

1 $\frac{7}{16}$

Boat Tops




Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236	72	36	1 $\frac{7}{16}$	16848	168	48	1 $\frac{7}{16}$	List of options
9648	96	48	1 $\frac{7}{16}$	16854	168	54	1 $\frac{7}{16}$	Electrical / Data
12048	120	48	1 $\frac{7}{16}$	16860	168	60	1 $\frac{7}{16}$	Table Bases
14448	144	48	1 $\frac{7}{16}$	19248	192	48	1 $\frac{7}{16}$	page 370 - 371
14454	144	54	1 $\frac{7}{16}$	19254	192	54	1 $\frac{7}{16}$	page 440 - 446
14460	144	60	1 $\frac{7}{16}$	19260	192	60	1 $\frac{7}{16}$	page 380

Specifications

Each top requires a specific base.

Electrical components must be ordered separately.

SIN # 711-9

Boat Top	Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
	P-OV7236BT (1 piece)	\$ 3059	\$ 4284	\$ 5409
	(ship wt / cubes)	(117 / 4.9)	(127 / 17.9)	(227 / 17.9)
	P-OV9648BT (1 piece)	\$ 3751	\$ 5185	\$ 6321
	(ship wt / cubes)	(200 / 8.5)	(219 / 31.2)	(219 / 31.2)
	P-OV12048BT (1 piece)	\$ 4264	\$ 5866	\$ 7188
	(ship wt / cubes)	(250 / 10.6)	(288 / 38.7)	(288 / 38.7)
	P-OV14448BT (2 pieces)	\$ 4594	\$ 7828	\$ 9076
	(ship wt / cubes)	(300 / 12.7)	(330 / 46.4)	(330 / 46.4)
	P-OV14454BT (2 pieces)	\$ 5168	\$ 6976	\$ 8528
	(ship wt / cubes)	(340 / 9.3)	(400 / 46.5)	(400 / 46.5)
	P-OV14460BT (2 pieces)	\$ 5742	\$ 7752	\$ 9474
	(ship wt / cubes)	(378 / 10.3)	(438 / 51.5)	(438 / 51.5)
	P-OV16848BT (2 pieces)	\$ 6197	\$ 8340	\$ 9594
	(ship wt / cubes)	(350 / 14.8)	(380 / 54.1)	(380 / 54.1)
	P-OV16854BT (2 pieces)	\$ 7234	\$ 9376	\$ 10771
	(ship wt / cubes)	(420 / 16.5)	(440 / 60.3)	(440 / 60.3)
	P-OV16860BT (2 pieces)	\$ 8038	\$ 10852	\$ 13262
	(ship wt / cubes)	(440 / 12)	(510 / 60)	(510 / 60)
	P-OV19248BT (2 pieces)	\$ 7362	\$ 9977	\$ 13110
	(ship wt / cubes)	(400 / 16.8)	(430 / 61.4)	(430 / 61.4)
	P-OV19254BT (2 pieces)	\$ 8622	\$ 11023	\$ 12310
	(ship wt / cubes)	(455 / 18.9)	(483 / 69)	(483 / 69)
	P-OV19260BT (2 pieces)	\$ 9580	\$ 12934	\$ 15808
	(ship wt / cubes)	(502 / 13.7)	(582 / 68.5)	(582 / 68.5)

P-OV14448BT, P-OV14454BT, P-OV14460BT, P-OV16848BT, P-OV16854BT, P-OV16860BT
P-OV19248BT, P-OV19254BT & P-OV19260BT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7236BT, P-OV9648BT & P-OV12048BT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish
Technology Doors' Material & Finish is a sub-option of Corner Technology

**Specify Material & Finish/Edge/Corner-Technology & Technology
Doors' Material & Finish**

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Corner-Technology, Material & Finish
P-OV19260BT.	VCC.	QB.	CO

Top thickness1 $\frac{7}{16}$ **Square & Round Tops**

Sizes	Dimensions		
	W	D	H
4200	42	42	1 $\frac{7}{16}$
4242	42	42	1 $\frac{7}{16}$
4800	48	48	1 $\frac{7}{16}$
4848	48	48	1 $\frac{7}{16}$
6000	60	60	1 $\frac{7}{16}$
6060	60	60	1 $\frac{7}{16}$

Reference Pages


List of options	page 370 - 371
Electrical / Data	page 440 - 446
Table Bases	page 381

Specifications


Each top requires a specific base.

Electrical components must be ordered separately.


SIN # 711-9

Square Top

CO



CT



NT

Description / Model**Full Corners w/o Technology (CO)****Full Corners w/ Technology (CT)****Notched Corners w/ Technology (NT)**

P-OV4242ST (1 piece)	\$ 2485	\$ 2879	\$ 3942
(ship wt / cubes)	(82 / 3.4)	(97 / 12.4)	(97 / 12.4)
P-OV4848ST (1 piece)	\$ 2840	\$ 3227	\$ 4325
(ship wt / cubes)	(105 / 4.3)	(120 / 15.7)	(120 / 15.7)
P-OV6060ST (1 piece)	\$ 3510	\$ 3904	\$ 5011
(ship wt / cubes)	(160 / 6.7)	(175 / 24.5)	(175 / 24.5)

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish


All above models require base with one vertical structure & have one door when technology specified. Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish**Description / Model****Full Corners w/o Technology (CO)****Full Corners w/ Technology (CT)**

P-OV4200TT (1 piece)	\$ 3026	\$ 3412
(ship wt / cubes)	(82 / 3.4)	(97 / 12.4)
P-OV4800TT (1 piece)	\$ 3374	\$ 3768
(ship wt / cubes)	(105 / 4.3)	(120 / 15.7)
P-OV6000TT (1 piece)	\$ 3975	\$ 4369
(ship wt / cubes)	(160 / 6.7)	(175 / 24.5)

Round Top

CO



CT

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT)

*CO option does not require specification of technology doors' material & finish

All above models require base with one vertical structure & have one door when technology specified. Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish**Sample model dot.option string / See page 370 - 371 for a complete list of options****Specify selections, left to right:**

Choose base model Material & finish Edge Corner-Technology, Material & Finish

P-OV4242ST. VLC. QB. NTVJC

Base Height27 $\frac{7}{8}$ **Rectangular Top Bases****Sizes****Dimensions**

	W	D	H
7236TTB	36	18	27 $\frac{7}{8}$
9648TTB	60	18	27 $\frac{7}{8}$
12048TTB	84	18	27 $\frac{7}{8}$
14448TTB	108	18	27 $\frac{7}{8}$
14454TTB	108	24	27 $\frac{7}{8}$
14460TTB	108	30	27 $\frac{7}{8}$

Sizes**Dimensions**



	W	D	H
16848TTB	132	18	27 $\frac{7}{8}$
16854TTB	132	24	27 $\frac{7}{8}$
16860TTB	132	30	27 $\frac{7}{8}$
19248TTB	156	18	27 $\frac{7}{8}$
19254TTB	156	24	27 $\frac{7}{8}$
19260TTB	156	30	27 $\frac{7}{8}$

Reference PagesList of options
Table Topspage 370 - 371
page 372**Specifications**

Shipped K/D

Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

Description / Model	List Price	Ship wt	Cubes
Rectangular Top Base			
 P-OV7236TTB (2 vertical pcs)	\$ 1360	115	4.9
P-OV9648TTB (2 vertical pcs)	\$ 1614	120	20
P-OV12048TTB (2 vertical pcs)	\$ 1614	120	20
O - Omit Technology			
 P-OV14448TTB (3 vertical pcs)	\$ 2424	175	30
P-OV14454TTB (3 vertical pcs)	\$ 2457	185	36
P-OV14460TTB (3 vertical pcs)	\$ 2457	185	36
P-OV16848TTB (3 vertical pcs)	\$ 2424	175	30
P-OV16854TTB (3 vertical pcs)	\$ 2457	185	36
P-OV16860TTB (3 vertical pcs)	\$ 2457	185	365
P-OV19248TTB (3 vertical pcs)	\$ 2457	175	30
P-OV19254TTB (3 vertical pcs)	\$ 2457	185	36
P-OV19260TTB (3 vertical pcs)	\$ 2457	185	36

Number of upright supports per base model given in parentheses above

Rectangle top base assembly with access panels

Add a "B" to the end of the top model number
to obtain the correct base model number

(For P-OV7236TT use base P-OV7236TTB)

Specify Material & Finish/Technology**Sample model dot.option string / See page 370 - 371 for a complete list of options****Specify selections, left to right:**Choose base
modelMaterial
& finish

Technology

P-OV16854TTB.**VTC.****O**

Base Height27 $\frac{7}{8}$ **Video Top Bases**



Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
9654VTB	60	24	27 $\frac{7}{8}$	16854VTB	132	24	27 $\frac{7}{8}$	List of options Table Tops	page 370 - 371 page 373
12054VTB	84	24	27 $\frac{7}{8}$	16860VTB	132	30	27 $\frac{7}{8}$		
14454VTB	108	24	27 $\frac{7}{8}$	19254VTB	156	24	27 $\frac{7}{8}$		
14460VTB	108	30	27 $\frac{7}{8}$	19260VTB	156	30	27 $\frac{7}{8}$		

Specifications

Shipped K/D

Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

		Description / Model	List Price	Ship wt	Cubes
Video Conference Top Base					
	O - Omit Technology	P-OV9654VTB (2 vertical pcs)	\$ 1513	120	20
		P-OV12054VTB (2 vertical pcs)	\$ 1513	120	20
		P-OV14454VTB (3 vertical pcs)	\$ 2323	120	20
		P-OV14460VTB (3 vertical pcs)	\$ 2323	120	20
	T - Accommodates Technology	P-OV16854VTB (3 vertical pcs)	\$ 2323	120	20
		P-OV16860VTB (3 vertical pcs)	\$ 2323	120	20
		P-OV19254VTB (3 vertical pcs)	\$ 2323	120	20
		P-OV19260VTB (3 vertical pcs)	\$ 2323	120	20
		Number of upright supports per base model given in parentheses above Video conference top base assembly w/access panels Add a "B" to the end of the top model number to obtain the correct base model number (For P-OV12054VT use base P-OV12054VTB)			
		Specify Material & Finish/Technology			

Sample model dot.option string / See page 370 - 371 for a complete list of options**Specify selections, left to right:**

Choose base model	Material & finish	Technology
-------------------	-------------------	------------

P-OV19254VTB.	VLC.	T
----------------------	-------------	----------

Base Height27 $\frac{7}{8}$ **Racetrack Top Bases**




Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236RTB	36	18	27 $\frac{7}{8}$	16848RTB	132	18	27 $\frac{7}{8}$	List of options Table Tops
9648RTB	60	18	27 $\frac{7}{8}$	16854RTB	132	24	27 $\frac{7}{8}$	
12048RTB	84	18	27 $\frac{7}{8}$	16860RTB	132	30	27 $\frac{7}{8}$	page 370 - 371
14448RTB	108	18	27 $\frac{7}{8}$	19248RTB	156	18	27 $\frac{7}{8}$	page 374
14454RTB	108	24	27 $\frac{7}{8}$	19254RTB	156	24	27 $\frac{7}{8}$	
14460RTB	108	30	27 $\frac{7}{8}$	19260RTB	156	30	27 $\frac{7}{8}$	

Specifications

Shipped K/D

Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Racetrack Top Base 	P-OV7236RTB (2 vertical pcs)	\$ 1586	100	16
	P-OV9648RTB (2 vertical pcs)	\$ 1614	120	20
	P-OV12048RTB (2 vertical pcs)	\$ 1614	120	20
	P-OV14448RTB (3 vertical pcs)	\$ 2424	175	30
O - Omit Technology 	P-OV14454RTB (3 vertical pcs)	\$ 2457	185	36
	P-OV14460RTB (3 vertical pcs)	\$ 2457	185	36
	P-OV16848RTB (3 vertical pcs)	\$ 2424	175	30
	P-OV16854RTB (3 vertical pcs)	\$ 2457	185	36
T - Accommodates Technology 	P-OV16860RTB (3 vertical pcs)	\$ 2457	185	36
	P-OV19248RTB (3 vertical pcs)	\$ 2457	175	30
	P-OV19254RTB (3 vertical pcs)	\$ 2457	185	36
	P-OV19260RTB (3 vertical pcs)	\$ 2457	185	36
Number of upright supports per base model given in parentheses above Racetrack top base assembly with access panels Add a "B" to the end of the top model number to obtain the correct base model number (For P-OV16854RT use base P-OV16854RTB)				
Specify Material & Finish/Technology				

Sample model dot.option string / See page 370 - 371 for a complete list of options**Specify selections, left to right:**

Choose base model Material & finish Technology

P-OV19248RTB. VUM. T

Base Height27 $\frac{7}{8}$ **Boat Top Bases**




Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
7236BTB	36	18	27 $\frac{7}{8}$	16848BTB	132	18	27 $\frac{7}{8}$	List of options Table Tops	page 370 - 371 page 375
9648BTB	60	18	27 $\frac{7}{8}$	16854BTB	132	24	27 $\frac{7}{8}$		
12048BTB	84	18	27 $\frac{7}{8}$	16860BTB	132	30	27 $\frac{7}{8}$		
14448BTB	108	18	27 $\frac{7}{8}$	19248BTB	156	18	27 $\frac{7}{8}$		
14454BTB	108	24	27 $\frac{7}{8}$	19254BTB	156	24	27 $\frac{7}{8}$		
14460BTB	108	30	27 $\frac{7}{8}$	19260BTB	156	30	27 $\frac{7}{8}$		

Specifications

Shipped K/D

Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Boat Top Base 	P-OV7236BTB (2 vertical pcs)	\$ 1360	100	16
	P-OV9648BTB (2 vertical pcs)	\$ 1388	100	20
	P-OV12048BTB (2 vertical pcs)	\$ 1388	100	20
O - Omit Technology 	P-OV14448BTB (3 vertical pcs)	\$ 2193	160	30
	P-OV14454BTB (3 vertical pcs)	\$ 2221	165	36
	P-OV14460BTB (3 vertical pcs)	\$ 2221	165	36
	P-OV16848BTB (3 vertical pcs)	\$ 2193	160	30
	P-OV16854BTB (3 vertical pcs)	\$ 2221	165	36
	P-OV16860BTB (3 vertical pcs)	\$ 2221	165	36
T - Accommodates Technology 	P-OV19248BTB (3 vertical pcs)	\$ 2221	160	30
	P-OV19254BTB (3 vertical pcs)	\$ 2221	165	36
	P-OV19260BTB (3 vertical pcs)	\$ 2221	165	36

Number of upright supports per base model given in parentheses above
 Boat top base assembly with access panels
 Add a "B" to the end of the top model number
 to obtain the correct base model number
 (For P-OV9648BT use base P-OV9648BTB)

Specify Material & Finish/Technology**Sample model dot.option string / See page 370 - 371 for a complete list of options****Specify selections, left to right:**

Choose base model Material & finish Technology

P-OV12048BTB. VCM. O

Square & Round Top Bases

Sizes Dimensions

	W	D	H
4200	18	18	27 $\frac{7}{8}$
4242	18	18	27 $\frac{7}{8}$
4800	18	18	27 $\frac{7}{8}$
4848	24	24	27 $\frac{7}{8}$
6000	24	24	27 $\frac{7}{8}$
6060	28	28	27 $\frac{7}{8}$

Reference Pages


List of options
Table Tops

page 370 - 371
page 376


Specifications

Base assembly with access panels
Trough runs inside the base

SIN # 711-9

Square Top Base 	Description / Model	List Price	Ship wt	Cubes
	P-OV4242STB (1 vertical pc)	\$ 1029	10	12.6
	P-OV4848STB (1 vertical pc)	\$ 1107	115	18.9
	P-OV6060STB (1 vertical pc)	\$ 1378	130	23.7
Add a "B" to the end of the top model number to obtain the correct base model number (For P-OV4848ST use base P-OV4848STB)				

Specify Material & Finish/Technology

Round Top Base 				
	P-OV4200TTB (1 vertical pc)	\$ 1029	100	12.6
	P-OV4800TTB (1 vertical pc)	\$ 1029	10	12.6
	P-OV6000TTB (1 vertical pc)	\$ 1298	115	18.9
Add a "B" to the end of the top model number to obtain the correct base model number (For P-OV4200TT use base P-OV4200TTB)				

Specify Material & Finish/Technology

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Technology

P-OV4800TTB. **VNC.** **O**

Buffet Credenzas

Sizes	Dimensions		
	W	D	H
2454BU1	54	24	36 ⁵ / ₁₆
2460BU1	60	24	36 ⁵ / ₁₆
2460BU2	60	24	36 ⁵ / ₁₆

Reference Pages

List of options


page 370 - 371

Specifications

Crescent pull (CS) not available

SIN # 711-9

	Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship Wt	Cubes
Buffet Credenza with Floating Top	P-OV2454BU1	\$ 3391	\$ 3897	234	27




shown with notch

Two doors - one adjustable shelf - locking
 Full corners (CO)
 Notched corners (NO)
Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top	P-OV2460BU1	\$ 3599	\$ 4105	245	32
-----------------------------------	--------------------	---------	---------	-----	----




shown with notch

Three doors - two adjustable shelves - locking
 Full corners (CO)
 Notched corners (NO)
Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top	P-OV2460BU2	\$ 3617	\$ 4123	245	32
-----------------------------------	--------------------	---------	---------	-----	----



shown with notch

One drawer, three doors - three adjustable shelves - locking
 Full corners (CO)
 Notched corners (NO)
Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Corner	Pull	Lock Key
P-OV2460BU2.	VVVM.	QB.	NO.	STMC.	STD

Buffet Credenzas and Hospitality Table

Sizes	Dimensions		
	W	D	H
2472BU1	72	24	36 $\frac{5}{16}$
2472BU2	72	24	36 $\frac{5}{16}$
2160HT	60	21	36 $\frac{5}{16}$
2172HT	72	21	36 $\frac{5}{16}$

Reference Pages

List of options

page 370 - 371


Specifications

Crescent pull (CS) not available

SIN # 711-9

Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship Wt	Cubes
---------------------	-------------------	----------------------	---------	-------

Buffet Credenza with Floating Top

**P-OV2472BU1**

\$ 4414

\$ 5099

350

46

Four doors - two adjustable shelves - locking

Full corners (CO)


Notched corners (NO)

Crescent pull (CS) not available

shown with notch

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top

**P-OV2472BU2**

\$ 4578

\$ 5252

355

46

One drawers, four doors - three adjustable shelves - locking

Full corners (CO)


Notched corners (NO)

Crescent pull (CS) not available

shown with notch

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Hospitality Table with Floating Top

**P-OV2160HT**

\$ 2407

\$ 2980

150

32

P-OV2172HT

\$ 2615

\$ 3188

175

46

Full corners (CO)

Notched corners (NO)

Crescent pull (CS) not available

shown with notch

Specify Material & Finish/Edge/Corner/Pull

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Corner	Pull	Lock Key
-------------------	-------------------	------	--------	------	----------

P-OV2472BU1.	VVHC.	CF.	CO.	BDMB.	OMT
---------------------	--------------	------------	------------	--------------	------------

Serving Cart, Telephone Stand, Lectern and Media Center

Sizes	Dimensions			Reference Pages	page 370 - 371
	W	D	H		
2446HC	46	24	36 ⁵ / ₁₆	List of options	
2124TS	24	21	29 ⁵ / ₁₆		
2124FLC	26 ¹ / ₂	24 ¹ / ₄	49		
5442WMC	54	5	41 ¹ / ₁₆		
7242WMC	72	5	41 ¹ / ₁₆		

Specifications

Crescent pull (CS) not available (Serving Cart & Telephone Stand)

SIN # 711-9

	Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship Wt	Cubes
	Serving Cart with Floating Top				
	P-OV2446HC	\$ 3779	\$ 4431	175	27
	Two doors; One adjustable shelf - locking Full corners (CO) Notched corners (NO) Crescent pull (CS) not available				


shown with notch

Specify Material & Finish/Edge/Corner/Pull/Lock Key


	Telephone Stand with Floating Top				
	P-OV2124TS	\$ 2119	\$ 2119	115	9
	Full corners (CO) Notched corners (NO) Crescent pull (CS) not available				

shown with notch

Specify Material & Finish/Edge/Corner/Pull

	Description / Model	List Price	Ship wt	Cubes
	Fixed Height Lectern			
	P-OV2124FLC	\$ 1765	160	18
	Wire access in base Two adjustable shelves in lower section - cable access Top portion is 16 ¹ / ₄ "W x 13 ¹ / ₄ "D x 5"H and has grommet inside to allow wires to run full height of lectern			

Specify Material & Finish

	Wall Hanging Media Center - TV			
	P-OV5442WMC	\$ 1546	90	8.3
	P-OV7242WMC	\$ 1642	120	10.9
	Can be wall mounted or stacking on free standing or modular buffet unit Hanging brackets attached Opening for TV mount is 31"W x 21"H TV up to 54" wide in P-OV5442WMC and 72" wide in P-OV7242WMC Plasma/LCD TV and mount NOT included See www.levelmount.com - Model MC65 recommended			

Specify Material & Finish

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish

P-OV5442WMC. VUM

Freestanding Buffets

Sizes	Dimensions		
	W	D	H
2436WB1	36	24	36 $\frac{5}{16}$
2436WB2	36	24	36 $\frac{5}{16}$
2454WB1	54	24	36 $\frac{5}{16}$
2454WB2	54	24	36 $\frac{5}{16}$

Reference Pages

List of options

page 370 - 371

Specifications

Vented backs are optional: NV - No vent, YV - Yes vent

For optional AV rack system, see www.middleatlantic.com

Standard top has corners - notch not an option - top included

SIN # 711-9

Freestanding Buffet	Description / Model	List Price	Ship wt	Cubes
	P-OV2436WB1	\$ 2221	175	20



Two doors - one adjustable shelf - locking

Specify Material & Finish/Edge/Pull/Lock Key/Vent


Freestanding Buffet	Description / Model	List Price	Ship wt	Cubes
	P-OV2436WB2	\$ 2310	175	20



One drawer, two doors - one adjustable shelf - locking

Specify Material & Finish/Edge/Pull/Lock Key/Vent


Freestanding Buffet	Description / Model	List Price	Ship wt	Cubes
	P-OV2454WB1	\$ 3008	234	27



Three doors - two adjustable shelves - locking

Specify Material & Finish/Edge/Pull/Lock Key/Vent

Freestanding Buffet	Description / Model	List Price	Ship wt	Cubes
	P-OV2454WB2	\$ 3300	234	27



One drawer, three doors - three adjustable shelves - locking

Specify Material & Finish/Edge/Pull/Lock Key/Vent

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Pull Lock Key Vent

P-OV2436WB2. VVTC. CF. ACMB. STD. NV





Freestanding and Modular Buffets

Sizes	Dimensions			Reference Pages	
	W	D	H		
2472WB1	72	24	36 $\frac{5}{16}$	List of options Modular Buffet Tops	page 370 - 371 page 387
2472WB2	72	24	36 $\frac{5}{16}$		
2418MBL1	18	24	34 $\frac{7}{8}$		
2418MBR1	18	24	34 $\frac{7}{8}$		
2418MBL2	18	24	34 $\frac{7}{8}$		

Specifications

Vented backs are optional: NV - No vent, YV - Yes vent
For optional AV rack system, see www.middleatlantic.com

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
Freestanding Buffet				
	P-OV2472WB1	\$ 3774	355	46
Four doors - two adjustable shelves - locking Standard top has corners - notch not an option - top included				
Specify Material & Finish/Edge/Pull/Lock Key/Vent				
Freestanding Buffet				
	P-OV2472WB2	\$ 4077	355	46
One drawer, four doors - three adjustable shelves - locking Standard top has corners - notch not an option - top included				
Specify Material & Finish/Edge/Pull/Lock Key/Vent				
Modular Buffet Left				
	P-OV2418MBL1	\$ 1057	75	9
Hinged door left - one adjustable shelf - locking Order top separately				
Specify Material & Finish/Pull/Lock Key/Vent				
Modular Buffet Left				
	P-OV2418MBR1	\$ 1057	75	9
Hinged door right - one adjustable shelf - locking Order top separately				
Specify Material & Finish/Pull/Lock Key/Vent				
Modular Buffet Left				
	P-OV2418MBL2	\$ 1119	75	9
Drawer/Hinged door - left - one adjustable shelf - locking Order top separately				
Specify Material & Finish/Pull/Lock Key/Vent				

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Pull	Lock Key	Vent
P-OV2418MBL2.	VCM.	CHMB.	STD.	YV

Modular Buffets & Modular Buffet Cabinet Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
2418MBR2	18	24	34 $\frac{7}{8}$	2454WCT	54	24	17 $\frac{1}{6}$	List of options Modular Buffet Tops
2436MB1	36	24	34 $\frac{7}{8}$	2472WCT	72	24	17 $\frac{1}{6}$	
2436MB2	36	24	34 $\frac{7}{8}$	2490WCT	90	24	17 $\frac{1}{6}$	
2418WCT	18	24	17 $\frac{1}{6}$	24108WCT	108	24	17 $\frac{1}{6}$	
2436WCT	36	24	17 $\frac{1}{6}$					

page 370 - 371
see below

Specifications



Buffets:

Vented backs are optional: NV - No vent, YV - Yes vent

For optional AV rack system, see www.middleatlantic.com

Order top separately

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Modular Buffet Right 	P-OV2418MBR2	\$ 1119	75	9
	Drawer/Hinged door - right - one adjustable shelf - locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet 	P-OV2436MB1	\$ 1248	175	20
	Two doors - one adjustable shelf-locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet 	P-OV2436MB2	\$ 1339	185	20
	One drawer, two doors - one adjustable shelf - locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet Cabinet Tops 	P-OV2418WCT	\$ 1006	29	2
	P-OV2436WCT	\$ 1102	37	2
	P-OV2454WCT	\$ 1355	60	4
	P-OV2472WCT	\$ 1569	70	4
	P-OV2490WCT	\$ 1901	84	5
	P-OV24108WCT	\$ 2211	97	5
	Edge profile on approach side only			
Specify Material & Finish/Edge				

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge

P-OV2454WCT. VNM. QB

Stacking Bookcases

Sizes	Dimensions		
	W	D	H
1636WSB	36	16	41 ¹¹ / ₁₆
1618WSL	18	16	41 ¹¹ / ₁₆
1618WSR	18	16	41 ¹¹ / ₁₆

Reference Pages


List of options page 370 - 371
Bookcase Tops page 389

Specifications

Three shelves - two adjustable


SIN # 711-9

	Description / Model	No Doors (DO)	Wood Doors (DW)	Glass Doors (DG)	Ship Wt	Cube
Stacking Bookcase	P-OV1636WSB	\$ 1344	\$ 1545	\$ 1558	150	18



Specify Material & Finish/Doors & Pulls


Stacking Bookcase Left	P-OV1618WSL	\$ 1057	\$ 1141	\$ 1158	100	9
------------------------	--------------------	---------	---------	---------	-----	---



Hinged door - left

Specify Material & Finish/Doors & Pulls

Stacking Bookcase Right	P-OV1618WSR	\$ 1057	\$ 1141	\$ 1158	100	9
-------------------------	--------------------	---------	---------	---------	-----	---



Hinged door - right

Specify Material & Finish/Doors & Pulls

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:


Choose base model	Material & finish	Doors & Pulls
P-OV1618WSR.	VGM.	DWBRMC

Bookcase Cabinet Tops and Wall Mounted Marker Boards

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
1618WCT	18	16 $\frac{7}{8}$	1 $\frac{7}{16}$	4848WMB	48	3	48	List of options Bookcases
1636WCT	36	16 $\frac{7}{8}$	1 $\frac{7}{16}$	5448WMB	54	3	48	
1654WCT	54	16 $\frac{7}{8}$	1 $\frac{7}{16}$	6048WMB	60	3	48	page 370 - 371
1672WCT	72	16 $\frac{7}{8}$	1 $\frac{7}{16}$	7248WMB	72	3	48	page 388
1690WCT	90	16 $\frac{7}{8}$	1 $\frac{7}{16}$	9648WMB	96	3	48	
16108WCT	108	16 $\frac{7}{8}$	1 $\frac{7}{16}$					
16126WCT	126	16 $\frac{7}{8}$	1 $\frac{7}{16}$					
16144WCT	144	16 $\frac{7}{8}$	1 $\frac{7}{16}$					

SIN # 711-9


Bookcase Cabinet Tops



Description / Model	List Price	Ship wt	Cubes
P-OV1618WCT	\$ 894	20	1
P-OV1636WCT	\$ 1001	29	2
P-OV1654WCT	\$ 1214	41	2
P-OV1672WCT	\$ 1367	53	3
P-OV1690WCT	\$ 1642	65	3
P-OV16108WCT	\$ 1968	77	4
P-OV16126WCT	\$ 2531	82	4
P-OV16144WCT	\$ 2756	94	4

Specify Material & Finish/Edge

Wall Mounted Marker Boards



P-XO4848WMB	\$ 861	45	4.3
P-XO5448WMB	\$ 950	65	5.3
P-XO6048WMB	\$ 1040	75	6.3
P-XO7248WMB	\$ 1214	85	7.5
P-XO9648WMB	\$ 1564	95	8.6

White porcelain with aluminum frame,
includes 4 markers & eraser
Aluminum frame finish: AL - Alloy (no Upcharge),
BL - Black (Upcharge for P-XO4848WMB **\$54**,
for P-XO5448WMB **\$59**, for P-XO6048WMB **\$54**,
for P-XO7248WMB **\$70** & for P-XO9648WMB **\$86**)

Specify Metal Finish

Sample model dot.option string / See page 370 - 371 for a complete list of options

Specify selections, left to right:

Choose base
model

Metal
finish

P-XO9648WMB.

AL


18" x 108" Work Wall

Sizes	Dimensions			Reference Pages	page 370 - 371
	W	D	H		
1860FMW	63	6	78	List of options	
1450MSU	50	14	8		
1860MDU	60	18	16		
2478MML	27	6	78		
2478MMR	27	6	78		

Specifications

***Center Media Wall unit includes machining for and should be ordered with the Media Shelf Unit**

SIN # 711-9

Work Wall	Description / Model	List Price	Ship wt	Cubes
	18"x 108" Work Wall	\$ 9841	567	63.2
	Consists of: Center Media Wall* P-OV1860FMW	\$ 2013	143	24.1
	Media Shelf Unit* P-OV1450MSU	\$ 782	52	4.8
	Media Drawer Unit P-OV1860MDU	\$ 1434	142	12.9
	Media Marker Board Left P-OV2478MML	\$ 2806	115	10.7
	Media Marker Board Right P-OV2478MMR	\$ 2806	115	10.7
	Center Media Wall - Hanging kit included Unit is pre-bored to accommodate Media Shelf and Drawer Units Opening for TV mount 31"W x 21"H TV up to 60" wide in P-OV1860FMW Mounts flush to the wall with 4 3/8" cavity to manage power and data Plasma/LCD TV and mount NOT included See www.levelmount.com - Model MC65 recommended Specify Material & Finish Media Shelf Unit* - Hangs on Media Wall Hanging kit included Specify Material & Finish Media Drawer Unit - Sits on floor against Media Wall Hanging kit included Specify Material & Finish/Pull Media Marker Board - Hanging kit included Hinged door opens to provide two 24"x 48" marker board surfaces Specify Material & Finish			

18" x 60" Work Wall

Sizes	Dimensions		
	W	D	H
1860FMW	63	6	78
1450MSU	50	14	8
1860MDU	60	18	16

Reference Pages


List of options

page 370 - 371

Specifications

***Center Media Wall unit includes machining for and should be ordered with the Media Shelf Unit**

SIN # 711-9

Center Media Wall	Description / Model	List Price	Ship wt	Cubes
	18" x 60" Work Wall	\$ 4229	337	41.8
	Consists of: Center Media Wall* P-OV1860FMW	\$ 2013	143	24.1
	Media Shelf Unit* P-OV1450MSU	\$ 782	52	4.8
	Media Drawer Unit P-OV1860MDU	\$ 1434	142	12.9
	Center Media Wall - Hanging kit included Unit is pre-bored to accommodate Media Shelf and Drawer Units Opening for TV mount 31"W x 21"H TV up to 60" wide in P-OV1860FMW Mounts flush to the wall with 4 3/8" cavity to manage power and data Plasma/LCD TV and mount NOT included See www.levelmount.com - Model MC65 recommended Specify Material & Finish Media Shelf Unit* - Hangs on Media Wall Hanging kit included Specify Material & Finish Media Drawer Unit - Sits on floor against Media Wall Hanging kit included Specify Material & Finish/Pull			

Locks

Specifications

Key numbers available for locks are X100T-X125T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.

For example, if you need 15 locks ordered for your office with five keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - P-PCMB.X101T, 10 - P-PCMB.X102T

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Locks				
Lock Core Matte Black	P-PCMB	\$ 12	1	.10
Lock Core Matte Chrome	P-PCMC	\$ 12	1	10
Specify Key Number				
Master Key	P-PMK	\$ 5	1	.10
Change Key	P-PCK	\$ 10	1	.10

Sample model dot.option string

Specify selections, left to right:

Choose base
model

Key Number

P-PCMB.

X113T