

EXECUTIVE AND MANAGEMENT



SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-NB-HDW-AA5

ON16



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610	Width between arms	17 1/4	435
Back width	18	457			

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON16	E3 Black	Grade 1	658	FTL	Std	NB	Std	HDW	Std	FA	Std
		Grade 2	670			SB	62	SDW	26	AA5	31
		Grade 3	687			PCB	177	BRC	42	RPA	73
		Grade 4	726					BGL	31		
		Grade 5	743								
		Grade 6	790								
		Grade 7	1,153								
		Grade 8	838								

ON15



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	23 3/4	603
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610			
Back width	18	457			

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)	
ON15	E3 Black	Grade 1	619	FTL	Std	NB	Std	HDW	Std
		Grade 2	630			SB	62	SDW	26
		Grade 3	648			PCB	177	BRC	42
		Grade 4	686					BGL	31
		Grade 5	703						
		Grade 6	752						
		Grade 7	1,114						
		Grade 8	799						

ON11



Standard features

Waterfall seat
 Back height adjustment
 Seat depth adjustment
 Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 3/8-41 3/8	860-1051		
Seat width	19	483	Overall width	25 1/2	648		
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622		
Back height	19 7/8-22	505-559	Width between arms	17 3/8	435		
Back width	17 3/4	451					

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON11	E3 Black	Grade 1	613	FTL	Std	NB	Std	HDW	Std	FA	Std
		Grade 2	624			SB	62	SDW	26	AA5	31
		Grade 3	643			PCB	177	BRC	42	RPA	73
		Grade 4	680					BGL	31		
		Grade 5	698								
		Grade 6	746								
		Grade 7	1,108								
		Grade 8	794								

ON10



Standard features

Waterfall seat
 Back height adjustment
 Seat depth adjustment
 Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 3/8-41 3/8	860-1051		
Seat width	19	483	Overall width	23 3/4	603		
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622		
Back height	19 7/8-22	505-559					
Back width	17 3/4	451					

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)	
ON10	E3 Black	Grade 1	574	FTL	Std	NB	Std	HDW	Std
		Grade 2	584			SB	62	SDW	26
		Grade 3	603			PCB	177	BRC	42
		Grade 4	642					BGL	31
		Grade 5	658						
		Grade 6	706						
		Grade 7	1,069						
		Grade 8	754						



GUEST

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on ON33, ON33C, ON34 and ON34C models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame finish is chosen, all plastic components remain black.
- ON31C, ON32C, ON33C and ON34C come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON32C-E8-ONWH-XM12-HDW-SP

ON32




Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24 ½	622
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON32	E3 Black	ONBK Black	Grade 1 348 x 2 = 696	SP 42/chair
		ONPT Platinum	Grade 2 360 x 2 = 720	
	E8 Metallic Silver	ONWH White	Grade 3 378 x 2 = 756	
			Grade 4 416 x 2 = 832	
			Grade 5 433 x 2 = 866	
			Grade 6 482 x 2 = 964	
			Grade 7 843 x 2 = 1,686	
			Grade 8 528 x 2 = 1,056	

ON32C



Standard features

Ships 2 per carton **HDW: Hard dual-wheel casters**
Stacks 4 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24	610
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON32C	E3 Black	ONBK Black	Grade 1 371 x 2 = 742	HDW Std SDW 26 x 2 = 52	SP 42/chair
		ONPT Platinum	Grade 2 383 x 2 = 766		
	E8 Metallic Silver	ONWH White	Grade 3 400 x 2 = 800		
			Grade 4 439 x 2 = 878		
			Grade 5 456 x 2 = 912		
			Grade 6 504 x 2 = 1,008		
			Grade 7 866 x 2 = 1,732		
			Grade 8 551 x 2 = 1,102		

ON31




Standard features

Ships 2 per carton
 Stacks 6 high
 Polypropylene back shell
 Upholstered seat
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing
 High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24½	622
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON31	E3 Black	ONBK Black	Grade 1 304 x 2 = 608	SP 42/chair
		ONPT Platinum	Grade 2 315 x 2 = 630	
	E8 Metallic Silver	ONWH White	Grade 3 333 x 2 = 666	
			Grade 4 371 x 2 = 742	
			Grade 5 388 x 2 = 776	
			Grade 6 437 x 2 = 874	
			Grade 7 799 x 2 = 1,598	
			Grade 8 484 x 2 = 968	

ON31C



Standard features

Ships 2 per carton **HDW: Hard dual-wheel casters**
 Stacks 6 high
 Polypropylene back shell
 Upholstered seat
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24	610
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Castors (\$)	Other options (\$)
ON31C	E3 Black	ONBK Black	Grade 1 327 x 2 = 654	HDW Std SDW 26 x 2 = 52	SP 42/chair
		ONPT Platinum	Grade 2 337 x 2 = 674		
	E8 Metallic Silver	ONWH White	Grade 3 356 x 2 = 712		
			Grade 4 394 x 2 = 788		
			Grade 5 411 x 2 = 822		
			Grade 6 459 x 2 = 918		
			Grade 7 822 x 2 = 1,644		
			Grade 8 506 x 2 = 1,012		

ON34



Standard features

Ships 2 per carton
 Stacks 6 high
 Upholstered seat and back
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing
 Steel tubular frame arms
 Self-skinning polyurethane armrests
 High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32¾	857
Seat width	18¾	476	Overall width	23	584
Seat depth	18¼	463	Overall depth	24½	622
Back height	16	406	Width between arms	19½	495
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON34	E3 Black	Grade 1 405 x 2 = 810	SP 42/chair
		Grade 2 416 x 2 = 832	
	E8 Metallic Silver	Grade 3 434 x 2 = 868	
		Grade 4 472 x 2 = 944	
		Grade 5 489 x 2 = 978	
		Grade 6 538 x 2 = 1,076	
		Grade 7 900 x 2 = 1,800	
		Grade 8 584 x 2 = 1,168	

ON34C



Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
 Stacks 4 high
 Upholstered seat and back
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing
 Steel tubular frame arms
 Self-skinning polyurethane armrests

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON34C	E3 Black	Grade 1 427 x 2 = 854	HDW Std	SP 42/chair
	E8 Metallic Silver	Grade 2 439 x 2 = 878	SDW 26 x 2 = 52	
		Grade 3 457 x 2 = 914		
		Grade 4 495 x 2 = 990		
		Grade 5 512 x 2 = 1,024		
		Grade 6 561 x 2 = 1,122		
		Grade 7 922 x 2 = 1,844		
		Grade 8 607 x 2 = 1,214		

ON33



Standard features

Ships 2 per carton
 Stacks 6 high
 Upholstered seat and back
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing
 High-density polyethylene floor glides

Dimensions


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24 ½	622

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON33	E3 Black	Grade 1 360 x 2 = 720	SP 42/chair
	E8 Metallic Silver	Grade 2 371 x 2 = 742	
		Grade 3 389 x 2 = 778	
		Grade 4 427 x 2 = 854	
		Grade 5 444 x 2 = 888	
		Grade 6 493 x 2 = 986	
		Grade 7 855 x 2 = 1,710	
		Grade 8 540 x 2 = 1,080	

ON33C



Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
 Stacks 6 high
 Upholstered seat and back
 Back flex of 2" (51 mm)
 1", 13-gauge round steel tubing

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24	610

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON33C	E3 Black	Grade 1 383 x 2 = 766	HDW Std	SP 42/chair
	E8 Metallic Silver	Grade 2 394 x 2 = 788	SDW 26 x 2 = 52	
		Grade 3 412 x 2 = 824		
		Grade 4 450 x 2 = 900		
		Grade 5 467 x 2 = 934		
		Grade 6 515 x 2 = 1,030		
		Grade 7 878 x 2 = 1,756		
		Grade 8 563 x 2 = 1,126		



STOOL

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ON52-E3-SL01-SL01-FTL-P-CAB-HDW-AA5

ON52



Standard features

Waterfall seat	FTL: Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	CAB: Cast-aluminum base
Adjustable polished chrome footring	HDW: Hard dual-wheel casters
	FA: Fixed arms with 10" PVC armrests

	Dimensions (in)	Dimensions (mm)	Dimensions (in)	Dimensions (mm)
Seat height	26 1/2-32 3/16	673-818	Overall height	45 7/8-54 1/2 1166-1384
Seat width	19	483	Overall width	25 1/2 648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2 622
Back height	19 7/8-22	505-559	Width between arms	17 3/8 435
Back width	17 3/4	451		

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	
ON52	E3 Black	Grade 1	787	FTL Std	P Std	CAB Std	HDW Std	FA Std
		Grade 2	799		SCL 78		SDW 26	AA5 31
		Grade 3	816		XTC 62		BRC 42	RPA 73
		Grade 4	855				BGL 31	
		Grade 5	872					
		Grade 6	920					
		Grade 7	1,282					
		Grade 8	967					

ON51



Standard features

Waterfall seat	FTL: Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	CAB: Cast-aluminum base
Adjustable polished chrome footring	HDW: Hard dual-wheel casters

	Dimensions (in)	Dimensions (mm)	Dimensions (in)	Dimensions (mm)
Seat height	26 1/2-32 3/16	673-818	Overall height	45 7/8-54 1/2 1166-1384
Seat width	19	483	Overall width	25 1/2 648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2 622
Back height	19 7/8-22	505-559		
Back width	17 3/4	451		

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	
ON51	E3 Black	Grade 1	748	FTL Std	P Std	CAB Std	HDW Std
		Grade 2	759		SCL 78		SDW 26
		Grade 3	777		XTC 62		BRC 42
		Grade 4	815				BGL 31
		Grade 5	832				
		Grade 6	881				
		Grade 7	1,243				
		Grade 8	928				