



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CPT06C-CPT06C-P-SB-SDW-3D3-C33

SVX16



Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)				
SVX16	E3 Black	Grade 1	705	P Std	NB Std	HDW Std	SSP	80			
		Grade 2	716				SB 62	SDW 26	HLA 15	C33	130
		Grade 3	732				PCB 177	BRC 42	FLA 15	PBG ⁽¹⁾	46
		Grade 4	768				BGL 31	HWA3 57			
		Grade 5	783					3D3 31			
		Grade 6	827					RPA 73			
		Grade 7	1,159								
		Grade 8	870								

SVX15



Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)				
SVX15	E3 Black	Grade 1	649	P Std	NB Std	HDW Std	SSP	80		
		Grade 2	659				SB 62	SDW 26	C33	130
		Grade 3	676				PCB 177	BRC 42	PBG ⁽¹⁾	46
		Grade 4	710				BGL 31			
		Grade 5	726							
		Grade 6	771							
		Grade 7	1,102							
		Grade 8	813							

(1) PBG: N/A with C33 option.

SVX11




Standard features

Swivel-tilt control **P:** Pneumatic seat height
 Tilt tension **NB:** Nylon base
 Infinite tilt lock **HDW:** Hard dual-wheel casters
 Independently adjustable seat and back angle **AA3:** Height adjustable arms
 Fully upholstered back panel
 Forward seat pitch adjustment
 Patented adjustable lumbar

Dimensions			Dimensions		
	(in)	(mm)		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)					
SVX11	E3 Black	Grade 1	P Std	NB Std	HDW Std	AA3 Std	SSP	80				
		Grade 2					631	SB 62	SDW 26	HLA 15	C33	130
		Grade 3					648	PCB 177	BRC 42	FLA 15	PBG ⁽¹⁾	46
		Grade 4					684					
		Grade 5					700			3D3 31		
		Grade 6					746			RPA 73		
		Grade 7					1,087					
		Grade 8					790					

SVX10



Standard features

Swivel-tilt control **P:** Pneumatic seat height
 Tilt tension **NB:** Nylon base
 Infinite tilt lock **HDW:** Hard dual-wheel casters
 Independently adjustable seat and back angle
 Fully upholstered back panel
 Forward seat pitch adjustment
 Patented adjustable lumbar

Dimensions			Dimensions		
	(in)	(mm)		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)				
SVX10	E3 Black	Grade 1	P Std	NB Std	HDW Std	SSP	80			
		Grade 2				573	SB 62	SDW 26	C33	130
		Grade 3				590	PCB 177	BRC 42	PBG ⁽¹⁾	46
		Grade 4				626				
		Grade 5				642				
		Grade 6				687				
		Grade 7				1,029				
		Grade 8				732				

EXECUTIVE CHAIRS

SV16



Standard features

Tilt tension **STB:** Swivel-tilt control with back angle adjustment
 Tilt lock
 Fully upholstered back panel **P:** Pneumatic seat height
 Patented adjustable lumbar **NB:** Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions			Dimensions		
	(in)	(mm)		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)					
SV16	E3 Black	Grade 1	STB Std	P Std	NB Std	HDW Std	AA3 Std	C33	130				
		Grade 2						685	SB 62	SDW 26	HLA 15	PBG ⁽¹⁾	46
		Grade 3						702	PCB 177	BRC 42	FLA 15	PBG ⁽¹⁾	46
		Grade 4						736					
		Grade 5						752			3D3 31		
		Grade 6						797					
		Grade 7						1,128					
		Grade 8						839					

(1) PBG: N/A with C33 option.

SV15



Standard features

Tilt tension	STB: Swivel-tilt control with back angle adjustment
Tilt lock	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Patented adjustable lumbar	HDW: Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200		
Seat width	21 ½	546	Overall width	25	635		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	25	635					
Back width	19	483					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV15	E3 Black	Grade 1	618	STB Std	P Std	NB Std SB 62	HDW Std SDW 26 C33 130
		Grade 2	628			PCB 177	PBG (1) 46
		Grade 3	645				BRC 42
		Grade 4	680				BGL 31
		Grade 5	696				
		Grade 6	739				
		Grade 7	1,071				
		Grade 8	783				

MANAGEMENT SWIVEL-TILT CHAIRS

SV11



Standard features

Tilt tension	ST: Swivel-tilt control
Tilt lock	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Patented adjustable lumbar	HDW: Hard dual-wheel casters
	AA3: Height adjustable arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073		
Seat width	21 ½	546	Overall width	27	686		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	21	533	Width between arms	18 ¼	464		
Back width	18 ½	470					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV11	E3 Black	Grade 1	562	ST Std	P Std	NB Std SB 62	HDW Std SDW 26 AA3 Std C33 130	
		Grade 2	573			PCB 177	HLA 15 PBG (1) 46	
		Grade 3	590				FLA 15	
		Grade 4	626				BRC 42 FLA 15 HWA3 57	
		Grade 5	642				BGL 31 3D3 31	
		Grade 6	687					
		Grade 7	1,029					
		Grade 8	732					

SV10



Standard features

Tilt tension	ST: Swivel-tilt control
Tilt lock	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Patented adjustable lumbar	HDW: Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073		
Seat width	21 ½	546	Overall width	25	635		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	21	533					
Back width	18 ½	470					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV10	E3 Black	Grade 1	503	ST Std	P Std	NB Std SB 62	HDW Std SDW 26 C33 130
		Grade 2	515			PCB 177	PBG (1) 46
		Grade 3	531				BRC 42
		Grade 4	567				BGL 31
		Grade 5	583				
		Grade 6	629				
		Grade 7	970				
		Grade 8	673				

(1) **PBG:** N/A with C33 option.

SV6



Standard features

Swivel-tilt control with back angle adjustment
 Tilt tension
 Tilt lock
 Fully upholstered back panel
 Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions

	(in)	(mm)
Seat height	16 3/4-21 1/4	425-540
Seat width	21 1/2	546
Seat depth	17 1/2	445
Back height	21	533
Back width	18 1/2	470

Dimensions

	(in)	(mm)
Overall height	37 1/2-42 1/4	953-1073
Overall width	27	686
Overall depth	26	660
Width between arms	18 1/4	464

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
SV6	E3 Black	Grade 1	589	P Std	NB Std	HDW Std	AA3 Std	SSP 80
		Grade 2	599		SB 62	SDW 26	HLA 15	C33 130
		Grade 3	616		PCB 177	BRC 42	FLA 15	PBG ⁽¹⁾ 46
		Grade 4	652			BGL 31	HWA3 57	
		Grade 5	668				3D3 31	
		Grade 6	713					
		Grade 7	1,056					
		Grade 8	758					

SV5



Standard features

Swivel-tilt control with back angle adjustment
 Tilt tension
 Tilt lock
 Fully upholstered back panel
 Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	16 3/4-21 1/4	425-540
Seat width	21 1/2	546
Seat depth	17 1/2	445
Back height	21	533
Back width	18 1/2	470

Dimensions

	(in)	(mm)
Overall height	37 1/2-42 1/4	953-1073
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
SV5	E3 Black	Grade 1	530	P Std	NB Std	HDW Std	SSP 80
		Grade 2	541		SB 62	SDW 26	C33 130
		Grade 3	557		PCB 177	BRC 42	PBG ⁽¹⁾ 46
		Grade 4	594			BGL 31	
		Grade 5	609				
		Grade 6	655				
		Grade 7	996				
		Grade 8	700				

(1) PBG: N/A with C33 option.



24-HOUR

SPECIFICATIONS

- Savvy 24-hour models are rated for 24 hours/7 days use.
- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- Heavy-duty cylinder and knee-tilt control.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-SD10-SD10-P-PCB-HDW-RPA

SV26



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194		
Seat width	21 ½	546	Overall width	27	686		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	25	635	Width between arms	20	508		
Back width	19	483					

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)								
SV26	E3 Black	Grade 1	816	P	Std	NB	Std	HDW	Std	HLA	Std	C33	130							
		Grade 2	827										SB	62	SDW	26	RPA	73	PBG ⁽¹⁾	46
		Grade 3	844										PCB	177	BRC	42				
		Grade 4	880												BGL	31				
		Grade 5	896																	
		Grade 6	941																	
		Grade 7	1,283																	
		Grade 8	986																	

SV25



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194		
Seat width	21 ½	546	Overall width	25	635		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	25	635					
Back width	19	483					

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)							
SV25	E3 Black	Grade 1	753	P	Std	NB	Std	HDW	Std	C33		130					
		Grade 2	763									SB	62	SDW	26	PBG ⁽¹⁾	46
		Grade 3	780									PCB	177	BRC	42		
		Grade 4	816											BGL	31		
		Grade 5	832														
		Grade 6	878														
		Grade 7	1,220														
		Grade 8	922														

(1) PBG: N/A with C33 option.

SV24



Standard features

Knee-tilt control **P:** Pneumatic seat height
 Tilt tension **NB:** Nylon base
 5-position tilt lock with forward seat pitch adjustment **HDW:** Hard dual-wheel casters
 Fully upholstered back panel **HLA:** Half loop arms
 Patented adjustable lumbar

Dimensions

	(in)	(mm)
Seat height	18-22 ½	457-572
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38-43	965-1092
Overall width	27	686
Overall depth	26	660
Width between arms	20	508

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV24	E3 Black	Grade 1	710	P Std	NB Std	HDW Std	HLA Std C33 130
		Grade 2	721		SB 62	SDW 26	RPA 73 PBG ⁽¹⁾ 46
		Grade 3	738		PCB 177	BRC 42	
		Grade 4	774			BGL 31	
		Grade 5	790				
		Grade 6	835				
		Grade 7	1,177				
		Grade 8	880				

SV23



Standard features

Knee-tilt control **P:** Pneumatic seat height
 Tilt tension **NB:** Nylon base
 5-position tilt lock with forward seat pitch adjustment **HDW:** Hard dual-wheel casters
 Fully upholstered back panel
 Patented adjustable lumbar

Dimensions

	(in)	(mm)
Seat height	18-22 ½	457-572
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38-43	965-1092
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV23	E3 Black	Grade 1	647	P Std	NB Std	HDW Std C33 130
		Grade 2	657		SB 62	SDW 26 PBG ⁽¹⁾ 46
		Grade 3	674		PCB 177	BRC 42
		Grade 4	710			BGL 31
		Grade 5	726			
		Grade 6	772			
		Grade 7	1,114			
		Grade 8	816			

(1) **PBG:** N/A with C33 option.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: SV32-E3-50F-50F-HLA

SV32



Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
 Fully upholstered back panel
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
SV32	E3 Black	Grade 1 497	HLA Std	C33 130
		Grade 2 509	FLA 15	PBG ⁽¹⁾ 46
		Grade 3 525		
		Grade 4 563		
		Grade 5 578		
		Grade 6 625		
		Grade 7 973		
		Grade 8 671		

SV31



Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
 Fully upholstered back panel

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SV31	E3 Black	Grade 1 422	C33 130
		Grade 2 433	PBG ⁽¹⁾ 46
		Grade 3 450	
		Grade 4 487	
		Grade 5 503	
		Grade 6 549	
		Grade 7 898	
		Grade 8 595	

(1) PBG: N/A with C33 option.



STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: SV52-E3-SL25-SL25-P-HDW-HLA

SV52



Standard features


Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
SV52	E3 Black	Grade 1	693	P Std	HDW Std	AA3 Std	C33 130
		Grade 2	703	SCL 78	SDW 26	HLA 15	PBG ⁽¹⁾ 46
		Grade 3	721	XTC 62	BRC 42	FLA 15	
		Grade 4	757		BGL 31	HWA3 57	
		Grade 5	774			3D3 31	
		Grade 6	820				
		Grade 7	1,168				
		Grade 8	865				

SV51



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)	
SV51	E3 Black	Grade 1	632	P Std	HDW Std	C33 130
		Grade 2	644	SCL 78	SDW 26	PBG ⁽¹⁾ 46
		Grade 3	660	XTC 62	BRC 42	
		Grade 4	698		BGL 31	
		Grade 5	713			
		Grade 6	760			
		Grade 7	1,109			
		Grade 8	806			

(1) PBG: N/A with C33 option.