

EXECUTIVE, MANAGEMENT AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.



EXECUTIVE CHAIRS

SAMPLE ORDER: V216-E3-AE10-AE10-NB-HDW-4D

V216



Standard features


Synchronous control
 Side tilt tension adjustment
 Patented adjustable lumbar support
 Seat depth adjustment
 Fully upholstered back panel
 Back angle adjustment
 Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters
4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 1/2-21	419-533	Overall height	41 1/2-46	1054-1168
Seat width	19 1/2	495	Overall width	26 1/2-28 1/2	673-724
Seat depth	16 1/2-18 3/4	419-476	Overall depth	26 1/2	673
Back height	26	660	Width between arms	17 1/2-19 1/2	445-495
Back width	16 3/4	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
V216	E3 Black	Grade 1	831	NB Std	HDW Std	4D Std	C33 130
		Grade 2	842	SB 62	SDW 26		
		Grade 3	860	PCB 177	BRC 42		
		Grade 4	896		BGL 31		
		Grade 5	913				
		Grade 6	960				
		Grade 7	1,262				
		Grade 8	1,006				

V215



Standard features

Synchronous control
 Side tilt tension adjustment
 Patented adjustable lumbar support
 Seat depth adjustment
 Fully upholstered back panel
 Back angle adjustment
 Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 1/2-21	419-533	Overall height	41 1/2-46	1054-1168
Seat width	19 1/2	495	Overall width	26	660
Seat depth	16 1/2-18 3/4	419-476	Overall depth	26 1/2	673
Back height	26	660			
Back width	16 3/4	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Other options (\$)	
V215	E3 Black	Grade 1	775	NB Std	HDW Std	C33 130
		Grade 2	786	SB 62	SDW 26	
		Grade 3	804	PCB 177	BRC 42	
		Grade 4	840		BGL 31	
		Grade 5	857			
		Grade 6	904			
		Grade 7	1,205			
		Grade 8	950			

V211



Standard features	
Synchronous control	NB: Nylon base
Side tilt tension adjustment	HDW: Hard dual-wheel casters
Patented adjustable lumbar support	4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests
Seat depth adjustment	
Fully upholstered back panel	
Back angle adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26 ½-28 ½	673-724
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572	Width between arms	17 ½-19 ½	445-495
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
V211	E3 Black	Grade 1	742	NB Std	HDW Std	4D Std	C33 130
		Grade 2	753	SB 62	SDW 26		
		Grade 3	771	PCB 177	BRC 42		
		Grade 4	807		BGL 31		
		Grade 5	824				
		Grade 6	870				
		Grade 7	1,172				
		Grade 8	916				

V210



Standard features	
Synchronous control	NB: Nylon base
Side tilt tension adjustment	HDW: Hard dual-wheel casters
Patented adjustable lumbar support	
Seat depth adjustment	
Fully upholstered back panel	
Back angle adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26	660
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Other options (\$)	
V210	E3 Black	Grade 1	680	NB Std	HDW Std	C33 130
		Grade 2	692	SB 62	SDW 26	
		Grade 3	709	PCB 177	BRC 42	
		Grade 4	746		BGL 31	
		Grade 5	762			
		Grade 6	809			
		Grade 7	1,111			
		Grade 8	855			

V214



Standard features	
Swivel only control	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters
Pneumatic seat height	FA: Fixed arms with self-skinning polyurethane 9" armrests
Integrated lumbar support	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	34 ¼-38 ¾	870-984
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
V214	E3 Black	Grade 1	619	NB Std	HDW Std	FA Std	C33 130
		Grade 2	630	SB 62	SDW 26		
		Grade 3	648	PCB 177	BRC 42		
		Grade 4	684		BGL 31		
		Grade 5	701				
		Grade 6	748				
		Grade 7	1,049				
		Grade 8	794				



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS WITH CANTILEVERED SLED BASE

SAMPLE ORDER: V232-E3-AE10-AE10-FA

V232



Standard features

Cantilevered sled base of 1",
12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

FA: Fixed arms with self-skinning
polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
V232	E3 Black	Grade 1	558	FA Std C33 130
		Grade 2	571	
		Grade 3	590	
		Grade 4	628	
		Grade 5	646	
		Grade 6	696	
		Grade 7	1,015	
		Grade 8	745	

V231



Standard features

Cantilevered sled base of 1",
12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Other options (\$)
V231	E3 Black	Grade 1	478 C33 130
		Grade 2	491
		Grade 3	510
		Grade 4	549
		Grade 5	567
		Grade 6	617
		Grade 7	939
		Grade 8	666



STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: V252-E3-SL23-SL23-P-HDW-FA

V252



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Cast-aluminum base
Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters
FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
V252	E3 Black	Grade 1	763	P Std	HDW Std	C33 130
		Grade 2	776	SCL 78	SDW 26	
		Grade 3	794	XTC 62	BRC 42	
		Grade 4	832		BGL 31	
		Grade 5	849			
		Grade 6	898			
		Grade 7	1,212			
		Grade 8	945			

V251



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Cast-aluminum base
Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)	
V251	E3 Black	Grade 1	697	P Std	HDW Std	C33 130
		Grade 2	708	SCL 78	SDW 26	
		Grade 3	727	XTC 62	BRC 42	
		Grade 4	764		BGL 31	
		Grade 5	782			
		Grade 6	831			
		Grade 7	1,144			
		Grade 8	878			