



TASK

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: ZPX11-E3-53F-53F-XCON-P-NB-SDW-HWA3

ZPX11




Standard features

Tilt tension	XCON: Multifunction control
Back height adjustment	P: Pneumatic seat height
Back angle adjustment with infinite lock	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters
Free-floating seat tilt with infinite lock	HWA3: Height and width adjustable arms
Heavy-duty tilt tension control	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	25½	648
Seat depth	17	432	Overall depth	24½	622
Back height	16½-20	419-508	Width between arms	18¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZPX11	E3 Black	Grade 1	568	XCON Std	P Std	NB Std	HDW Std	HWA3 Std	C33 130
		Grade 2	579			SB 62	SDW 26	3D3 31	SSP 80
		Grade 3	597			PCB 177	BRC 42		PBG ⁽¹⁾ 46
		Grade 4	635				BGL 31		
		Grade 5	652						
		Grade 6	714						
		Grade 7	1,116						
		Grade 8	775						

ZPX10



Standard features

Tilt tension	XCON: Multifunction control
Back height adjustment	P: Pneumatic seat height
Back angle adjustment with infinite lock	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters
Free-floating seat tilt with infinite lock	
Heavy-duty tilt tension control	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	24½	622
Seat depth	17	432	Overall depth	24½	622
Back height	16½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZPX10	E3 Black	Grade 1	497	XCON Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	509			SB 62	SDW 26	SSP 80
		Grade 3	526			PCB 177	BRC 42	PBG ⁽¹⁾ 46
		Grade 4	565				BGL 31	
		Grade 5	581					
		Grade 6	644					
		Grade 7	1,045					
		Grade 8	704					

(1) PBG: N/A with C33 option.

ZP11



Standard features				Dimensions (in)			Dimensions (mm)		
Tilt lock	ST: Swivel-tilt control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Tilt tension	P: Pneumatic seat height	Seat width	20 ½	521	Overall width	25 ½	648		
Back height adjustment	NB: Nylon base	Seat depth	17 ½	445	Overall depth	24 ½	622		
Fully upholstered back panel	HDW: Hard dual-wheel casters	Back height	16 ½-20	419-508	Width between arms	18 ¼	464		
	PA3: Solid steel arms with 9" pads	Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP11	E3 Black	Grade 1	383	ST Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2	394			SB 62	SDW 26	AA3 31	PBG ⁽¹⁾ 46
		Grade 3	412			PCB 177	BRC 42	HWA3 57	
		Grade 4	450				BGL 31	3D3 31	
		Grade 5	467						
		Grade 6	528						
		Grade 7	930						
		Grade 8	590						

ZP10



Standard features				Dimensions (in)			Dimensions (mm)		
Tilt lock	ST: Swivel-tilt control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Tilt tension	P: Pneumatic seat height	Seat width	20 ½	521	Overall width	24 ½	622		
Back height adjustment	NB: Nylon base	Seat depth	17 ½	445	Overall depth	24 ½	622		
Fully upholstered back panel	HDW: Hard dual-wheel casters	Back height	16 ½-20	419-508					
		Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP10	E3 Black	Grade 1	337	ST Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	348			SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3	367			PCB 177	BRC 42	
		Grade 4	405				BGL 31	
		Grade 5	422					
		Grade 6	484					
		Grade 7	885					
		Grade 8	544					


ZP6



Standard features				Dimensions (in)			Dimensions (mm)		
Back height adjustment	SW: Swivel only control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Back depth adjustment	P: Pneumatic seat height	Seat width	20 ½	521	Overall width	25 ½	648		
Fully upholstered back panel	NB: Nylon base	Seat depth	17 ½	445	Overall depth	24	610		
	HDW: Hard dual-wheel casters	Back height	16 ½-20	419-508	Width between arms	18 ¼	464		
	PA3: Solid steel arms with 9" pads	Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP6	E3 Black	Grade 1	360	SW Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2	371			SB 62	SDW 26	AA3 31	PBG ⁽¹⁾ 46
		Grade 3	389			PCB 177	BRC 42	HWA3 57	
		Grade 4	405				BGL 31	3D3 31	
		Grade 5	422						
		Grade 6	484						
		Grade 7	885						
		Grade 8	544						

ZP5



Standard features				Dimensions (in)			Dimensions (mm)		
Back height adjustment	SW: Swivel only control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Back depth adjustment	P: Pneumatic seat height	Seat width	20 ½	521	Overall width	23	584		
Fully upholstered back panel	NB: Nylon base	Seat depth	17 ½	445	Overall depth	24	610		
	HDW: Hard dual-wheel casters	Back height	16 ½-20	419-508					
		Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP5	E3 Black	Grade 1	315	SW Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	327			SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3	344			PCB 177	BRC 42	
		Grade 4	383				BGL 31	
		Grade 5	399					
		Grade 6	461					
		Grade 7	863					
		Grade 8	522					

(1) PBG: N/A with C33 option.

ZP2



Standard features

Back depth adjustment **SW**: Swivel only control
 Fully upholstered back panel **P**: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	25½	648
Seat depth	17½	445	Overall depth	24	610
Back height	16½-20	419-508	Width between arms	18¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP2	E3 Black	Grade 1	327	SW Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2	337			SB 62	SDW 26	AA3 31	PBG ⁽¹⁾ 46
		Grade 3	356			PCB 177	BRC 42	HWA3 57	
		Grade 4	394				BGL 31	3D3 31	
		Grade 5	411						
		Grade 6	472						
		Grade 7	874						
		Grade 8	534						

ZP1



Standard features

Back depth adjustment **SW**: Swivel only control
 Fully upholstered back panel **P**: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	23	584
Seat depth	17½	445	Overall depth	24	610
Back height	16½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP1	E3 Black	Grade 1	281	SW Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	292			SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3	311			PCB 177	BRC 42	
		Grade 4	348				BGL 31	
		Grade 5	366					
		Grade 6	427					
		Grade 7	829					
		Grade 8	488					

(1) **PBG**: N/A with C33 option.



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ZP52-E3-PA10-PA10-SW-XTC-SB-HDW-AA3

ZP52



Standard features

Back height adjustment	SW: Swivel only control
Back depth adjustment	P: Pneumatic seat height
Fully upholstered back panel	SB: Steel base
Foot support	HDW: Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP52	E3 Black	Grade 1	484	SW Std	P Std	SB Std	HDW Std	PA3 Std	CFR ⁽¹⁾ 46
		Grade 2	495		SCL 78		SDW 26	AA3 31	C33 130
		Grade 3	513		XTC 62		BRC 42	HWA3 57	PBG ⁽²⁾ 46
		Grade 4	551				BGL 31	3D3 31	
		Grade 5	568						
		Grade 6	630						
		Grade 7	1,032						
		Grade 8	691						

ZP51



Standard features

Back height adjustment	SW: Swivel only control
Back depth adjustment	P: Pneumatic seat height
Fully upholstered back panel	SB: Steel base
Foot support	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP51	E3 Black	Grade 1	439	SW Std	P Std	SB Std	HDW Std	CFR ⁽¹⁾ 46
		Grade 2	450		SCL 78		SDW 26	C33 130
		Grade 3	468		XTC 62		BRC 42	PBG ⁽²⁾ 46
		Grade 4	506				BGL 31	
		Grade 5	523					
		Grade 6	584					
		Grade 7	987					
		Grade 8	646					

(1) **IMPORTANT** – CFR: Footrest will be changed for a footring, chrome finish.

(2) **PBG:** N/A with C33 option.