

Get Your Bespoke Office Design Today

We'll Get You The Right Office Furniture

Call Now (856)-368-9085

Call Now To Order (856) 368-9085

50% OFF Sale On Now

Nationwide Delivery and Installation

Office Doctor Discount Office Furniture

<u>www.OfficeDr.com</u> 856-368-9085

Global Sale On Now

Take 45% Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service

Connectables Tables



SQUARE TOPS 36--24" 30" 36"--

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | |
|------------------|---------|----------------|---------------|---------|-----------|------------|--------|--|
| | | D x W x H | | | | | | |
| | CNS2424 | 24 x 24 x 1.12 | 70 | 18 | 1 | \$431 | \$216 | |
| ι τ ι | CNS3030 | 30 x 30 x 1.12 | 70 | 27 | 1.56 | \$525 | \$264 | |
| 24" 30" | CNS3636 | 36 x 36 x 1.12 | 70 | 39 | 2 | \$563 | \$283 | |

Square Top

RECT/

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

| ECTANGULAR TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------------------------|----------|----------------------------|---------------|--------|-----------|------------|--------|
| | | | | | | | |
| | CNR2030 | 20 x 30 x 1 | 70 | 22 | 1.25 | \$312 | \$158 |
| | CNR2036 | 36 x 20 x 1 | 60 | 22.5 | 0.46 | \$346 | \$174 |
| | CNR2042 | 20 x 42 x 1 | 70 | 31 | 1.75 | \$372 | \$187 |
| | CNR2048 | 20 x 48 x 1 | 70 | 35 | 2 | \$414 | \$209 |
| | CNRU2054 | 20 x 54 x 1 | 60 | 33.75 | 0.69 | \$513 | \$259 |
| | CNRU2060 | 20 x 60 x 1 | 65 | 37.5 | 1.4 | \$552 | \$278 |
| | CNRU2066 | 20 x 66 x 1 | 60 | 41.25 | 0.84 | \$597 | \$302 |
| | CNRU2072 | 20 x 72 x 1 | 60 | 45 | 1 | \$637 | \$319 |
| | CNR2430 | 24 x 30 x 1 | 70 | 22 | 1.25 | \$312 | \$158 |
| | CNR2430 | 24 x 30 x 1 24 x 36 x 1 | 70 | 22 | 1.25 | \$312 | \$158 |
| | CNR2430 | 24 x 30 x 1 24 x 42 x 1 | 70 | 31 | 1.75 | \$340 | \$174 |
| | CNR2442 | | 70 | 35 | 2 | \$372 | \$107 |
| | | 24 x 48 x 1 | | | | | |
| | CNRU2454 | 24 x 54 x 1 | 70 | 42 | 2.34 | \$513 | \$259 |
| | CNRU2460 | 24 x 60 x 1 | 70 | 47 | 2.5 | \$552 | \$278 |
| | CNRU2466 | 24 x 66 x 1 | 70 | 52 | 2.8 | \$597 | \$302 |
| | CNRU2472 | 24 x 72 x 1 | 70 | 57 | 3 | \$637 | \$319 |
| | CNR3036 | 30 x 36 x 1 | 70 | 33 | 1.88 | \$414 | \$209 |
| | CNR3042 | 30 x 42 x 1 | 70 | 38 | 2.19 | \$451 | \$226 |
| | CNR3048 | 30 x 48 x 1 | 70 | 44 | 2.5 | \$477 | \$241 |
| 🛋 30" 36" 42" 54" 60" 66" 72" 🗭 | CNRU3054 | 30 x 54 x 1 | 70 | 52 | 2.8 | \$590 | \$296 |
| T | CNRU3060 | 30 x 60 x 1 | 70 | 59 | 3.13 | \$634 | \$318 |
| 20" 24" | CNRU3066 | 30 x 66 x 1 | 70 | 64 | 3.44 | \$677 | \$341 |
| 20° 244 30° 36° | CNRU3072 | 30 x 72 x 1 | 70 | 70 | 3.75 | \$721 | \$362 |
| | CNR3642 | 36 x 42 x 1 | 60 | 52.5 | 1.6 | \$597 | \$302 |
| - | | | | | | | |
| \frown | CNR3648 | 36 x 48 x 1 | 60 | 60 | 1.8 | \$653 | \$328 |
| | CNRU3654 | 36 x 54 x 1 | 60 | 70 | 2 | \$789 | \$396 |
| | CNRU3660 | 36 x 60 x 1 | 60 | 78 | 2.2 | \$875 | \$441 |
| | CNRU3666 | 36 x 66 x 1 | 60 | 87 | 2.4 | \$958 | \$482 |
| | CNRU3672 | 36 x 72 x 1 | 60 | 94 | 2.6 | \$1043 | \$524 |

Rectangle Top

 \langle

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations. Tops 54" and longer are standard with a 16 gauge steel support channel.

| TRAPEZOID TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-------------------|------------------------|-----------------------|-------------|-------------------|------------|--------|
| | CNT2048 | 17.5 x 48 x 1 | 60 | 26.25 | 0.55 | \$435 | \$219 |
| 48" 60" 72" | CNT2060 | 17.5 x 60 x 1 | 65 | 44 | 1.85 | \$522 | \$263 |
| 20° 24° - | CNT2448 | 20.5 x 48 x 1 | 92.5 | 21 | 2 | \$435 | \$219 |
| ⁴ 20° 24° → 30° 36° → ↓ | CNT2460 | 20.5 x 60 x 1 | 65 | 44 | 1.85 | \$522 | \$263 |
| | CNT3060 | 25.75 x 60 x 1 | 92.5 | 35 | 3.13 | \$571 | \$287 |
| | CNT3072 | 25.75 x 72 x 1 | 60 | 66 | 2.2 | \$637 | \$319 |
| | CNT3660 | 31 x 60 x 1 | 60 | 66 | 2.2 | \$814 | \$409 |
| | CNT3672 | 31 x 72 x 1 | 65 | 79.2 | 3.5 | \$971 | \$488 |
| Trapezoid Top | T-mold edging. Pr | edrilled with threaded | steel inserts for fre | estanding a | and linking insta | llations. | |

Required Specifications Top Finish Edge Finish

Optional Specifications Grommet

Accessories Power Block



CONNECTABLES[®] C

| 90° CRESCENT TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------------------|----------------------------------|---|-----------------------------|--------------|-------------------|-------------|--------|
| | CNC2430 CNC3036 | D x W x H 30 x 30 x 1 | 85 | 20 | 1.56 | \$455 | \$228 |
| | 30- 38- 38- 42- CNC3036 | 36 x 36 x 1 | 85 | 30 | 2.25 | \$645 | \$323 |
| | T T CNC3642 | 42 x 42 x 1 | 70 | 50 | 3.15 | \$885 | \$444 |
| ▲ 34* 30* 38* | 61163042 | 42 X 42 X 1 | 70 | 50 | 5.15 | 400J | 9444 |
| 90° Crescent Top | | Predrilled with threaded | steel inserts for fre | eestanding a | and linking insta | Illations. | |
| | | use with 24" deep tops use with 30" deep tops | | | | | |
| | | use with 36" deep tops | | | | | |
| | | s not require a center le | g | | | | |
| QUARTER ROUND TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
| 7 24 38° 38° | CN02424 | 24 x 24 x 1 | 85 | 14 | 1 | \$287 | \$145 |
| 30°" | CNQ3030 | 30 x 30 x 1 | 85 | 21 | 1.56 | \$347 | \$175 |
| | CNQ3636 | 36 x 36 x 1 | 60 | 45 | 1.3 | \$492 | \$247 |
| - 24" | 30"-I 6" | 00 / 00 / 1 | 00 | 10 | 1.0 | ¢ ioz | ΨL II |
| Quarter Round Top | | Predrilled with threaded | steel inserts for lin | nking insta | llations ONLY | | |
| 45° WEDGE TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
| \sim | CNW2424 | 24 x 24 x 1 | 92.5 | 10 | 1 | \$307 | \$156 |
| | CNW3030 | 30 x 30 x 1 | 100 | 14 | 1.56 | \$373 | \$187 |
| | | | | | | | |
| ⊭- 24·30 45° Wedge Top | | Predrilled with threaded | steel inserts for li | nking insta | llations ONLY | | |
| THREE WAY CONNECTOR TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
| <u>← 24"30</u> ₩ | CNY2424 | 24 x 24 x 1 | 85 | 13 | 1 | \$287 | \$145 |
| | CNY3030 | 30 x 30 x 1 | 92.5 | 18 | 1.56 | \$347 | \$175 |
| | 29. 30. | | | | | | |
| Three Way Connector Top | | Predrilled with threaded | | - | | | |
| HALF ROUND TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
| | CNHFS2448 | 24 x 48 x 1 | 70 | 36 | 2 | \$438 | \$220 |
| 48" 60" 72" | CNHFS3060 | 30 x 60 x 1 | 70 | 56 | 3.13 | \$567 | \$286 |
| | CNHFS3672 | 36 x 72 x 1 | 65 | 81 | 3.3 | \$971 | \$488 |
| Half Round Top | | Predrilled with threaded legs for freestanding | steel inserts for fre | eestanding a | and linking insta | Illations. | |
| EXTENDED HALF ROUND TOPS | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LB. | CUBIC FT. | LIST PRICE | HP ADD |
| \frown | CNHE24 | 28 x 48 x 1 | 65 | 50 | 1.88 | \$536 | \$269 |
| 48" 60" 72" | CNHE30 | 36 x 60 x 1 | 65 | 75 | 2.87 | \$745 | \$375 |
| | CNHE36 | 42 x 72 x 1 | 65 | 102 | 3.88 | \$1185 | \$594 |
| | | | | nkina inoto | llations ONLV | | |
| Extended Half Round Top | T-mold edging. F | redrilled with threaded | steel inserts for III | nking insta | | | |
| Extended Half Round Top | T-mold edging. F | | Optional Specif | - | | Accessories | |



Modesty Panel



Modesty Panel



For use with **CNC crescent tops**. 11 ³/⁴ high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| CNQA2424 | 2.75 x 27 x 11.75 | 150 | 2.2 | 0.4 | \$218 |
|----------|-------------------|-----|-----|-----|-------|
| CNQA3030 | 2.75 x 35 x 11.75 | 150 | 2.8 | 0.5 | \$255 |
| CNQA3636 | 2.75 x 44 x 11.75 | 150 | 3.3 | 0.6 | \$297 |

For use with **CNO quarter round tops**. 11 ³⁴" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| CNRA2030 | 2.75 x 29 x 11.75 | 150 | 2.8 | 0.5 | \$218 | |
|----------|-------------------|-----|-----|-----|-------|--|
| CNRA2036 | 2.75 x 35 x 11.75 | 150 | 3.3 | 0.6 | \$255 | |
| CNRA2042 | 2.75 x 41 x 11.75 | 150 | 3.9 | 0.7 | \$297 | |
| CNRA2048 | 2 75 x 47 x 11 75 | 150 | 4.4 | 0.8 | \$337 | |
| CNRA2054 | 2.75 x 53 x 11.75 | 150 | 5 | 0.9 | \$389 | |
| CNRA2060 | 2.75 x 59 x 11.75 | 150 | 5.5 | 1 | \$422 | |
| CNRA2066 | 2.75 x 65 x 11.75 | 150 | 6.1 | 1.1 | \$463 | |
| CNRA2072 | 2.75 x 71 x 11.75 | 150 | 6.6 | 1.2 | \$505 | |
| | | | | | | |
| CNRA2430 | 2.75 x 29 x 11.75 | 150 | 2.8 | 0.5 | \$218 | |
| CNRA2436 | 2.75 x 35 x 11.75 | 150 | 3.3 | 0.6 | \$255 | |
| CNRA2442 | 2.75 x 41 x 11.75 | 150 | 3.9 | 0.7 | \$297 | |
| CNRA2448 | 2.75 x 47 x 11.75 | 150 | 4.4 | 0.8 | \$337 | |
| CNRA2454 | 2.75 x 53 x 11.75 | 150 | 5 | 0.9 | \$389 | |
| CNRA2460 | 2.75 x 59 x 11.75 | 150 | 5.5 | 1 | \$422 | |
| CNRA2466 | 2.75 x 65 x 11.75 | 150 | 6.1 | 1.1 | \$463 | |
| CNRA2472 | 2.75 x 71 x 11.75 | 150 | 6.6 | 1.2 | \$505 | |
| | | | | | | |
| CNRA3036 | 2.75 x 35 x 11.75 | 150 | 3.3 | 0.6 | \$255 | |
| CNRA3042 | 2.75 x 41 x 11.75 | 150 | 3.9 | 0.7 | \$297 | |
| CNRA3048 | 2.75 x 47 x 11.75 | 150 | 4.4 | 0.8 | \$337 | |
| CNRA3054 | 2.75 x 53 x 11.75 | 150 | 5 | 0.9 | \$389 | |
| CNRA3060 | 2.75 x 59 x 11.75 | 150 | 5.5 | 1 | \$422 | |
| CNRA3066 | 2.75 x 65 x 11.75 | 150 | 6.1 | 1.1 | \$463 | |
| CNRA3072 | 2.75 x 71 x 11.75 | 150 | 6.6 | 1.2 | \$505 | |
| | | | | | | |
| CNRA3642 | 2.75 x 41 x 11.75 | 150 | 3.9 | 0.7 | \$297 | |
| CNRA3648 | 2.75 x 47 x 11.75 | 150 | 4.4 | 0.8 | \$337 | |
| CNRA3654 | 2.75 x 53 x 11.75 | 150 | 5 | 0.9 | \$389 | |
| CNRA3660 | 2.75 x 59 x 11.75 | 150 | 5.5 | 1 | \$422 | |
| CNRA3666 | 2.75 x 65 x 11.75 | 150 | 6.1 | 1.1 | \$463 | |
| CNRA3672 | 2.75 x 71 x 11.75 | 150 | 6.6 | 1.2 | \$505 | |
| | | | | | | |



Modesty Panel

For use with **CNR/CNRU rectangular tops**. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

Required Specifications Top Finish Edge Finish Optional Specifications Grommet Accessories Power Block



MODESTY PANELS



Modesty Panel



Modesty Panel



Modesty Panel



Modesty Panel



Modesty Panel

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | |
|--|----------|-------------------|---------------|---------|-----------|------------|--|
| | | D x W x H | | | | | |
| | CNSA2424 | 2.75 x 23 x 11.7 | 5 150 | 2.2 | 0.4 | \$174 | |
| | CNSA3030 | 2.75 x 29 x 11.7 | 5 150 | 2.8 | 0.5 | \$218 | |
| | CNSA3636 | 2.75 x 35 x 11.75 | 5 150 | 3.3 | 0.6 | \$255 | |

For use with long side of CNS square tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| CNTA2048L | 20 x 43 | 150 | 4.4 | 0.8 | \$297 | |
|-----------|-------------------|-----|-----|-----|-------|--|
| CNTA2060L | 2.750 x 55 | 150 | 5.5 | 1.2 | \$389 | |
| | | | | | | |
| CNTA2448L | 2.75 x 43 x 11.75 | 150 | 4.4 | 0.8 | \$297 | |
| CNTA2460L | 2.75 x 55 x 11.75 | 150 | 5.5 | 1.2 | \$389 | |
| | | | | | | |
| CNTA3060L | 2.75 x 55 x 11.75 | 150 | 5.5 | 1.2 | \$389 | |
| CNTA3072L | 2.75 x 67 x 11.75 | 150 | 6.6 | 1.4 | \$463 | |
| | | | | | | |
| CNTA3660L | 2.75 x 55 x 11.75 | 150 | 5.5 | 1.2 | \$389 | |
| CNTA3672L | 2.75 x 67 x 11.75 | 150 | 6.6 | 1.4 | \$463 | |
| | | | | | | |

For use with long side of CNT trapezoid tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| CNTA2048S | 20 x 24 | 150 | 2.2 | 0.4 | \$174 | |
|-----------|-------------------|-----|-----|-----|-------|--|
| CNTA2060S | 20 x 36 | 150 | 2.8 | 0.5 | \$255 | |
| | | | | | | |
| CNTA2448S | 2.75 x 23 x 11.75 | 150 | 2.2 | 0.4 | \$174 | |
| CNTA2460S | 2.75 x 35 x 11.75 | 150 | 2.2 | 0.4 | \$255 | |
| | | | | | | |
| CNTA3060S | 2.75 x 29 x 11.75 | 150 | 2.8 | 0.5 | \$218 | |
| CNTA3072S | 2.75 x 41 x 11.75 | 150 | 2.8 | 0.5 | \$297 | |
| | | | | | | |
| CNTA3660S | 2.75 x 23 x 11.75 | 150 | 3.3 | 0.6 | \$174 | |
| CNTA3672S | 2.75 x 35 x 11.75 | 150 | 3.3 | 0.6 | \$255 | |
| | | | | | | |

For use with short side of CNT trapezoid tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| CNWA2424 | 2.75 x 17 x 11.75 | 150 | 2.2 | 0.4 | \$135 | |
|----------|-------------------|-----|-----|-----|-------|--|
| CNWA3030 | 2.75 x 22 x 11.75 | 150 | 2.8 | 0.5 | \$174 | |

For use with CNW wedge tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

| | 2 75 v 22 v 11 75 | 150 | 2.2 | 0.4 | ¢164 | |
|----------|-------------------|-----|-----|-----|-------|--|
| UNTAZ4Z4 | Z.75 X ZZ X 11.75 | 150 | Z.Z | 0.4 | \$104 | |
| CNYA3030 | 2.75 x 27 x 11.75 | 150 | 2.8 | 0.5 | \$199 | |

For use with CNY triangle tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

Required Specifications Optional Specifications Accessories Top Finish Grommet Power Block Edge Finish




globalfurnituregroup.com

WIRE MANAGEMENT UNITS

| Wire | Manag | ement | Unit |
|------|-------|-------|------|
| | | | |



Wire Management Unit



DIMENSIONS

FREIGHT CLASS

MODEL#

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs*.

WT/LBS.

CUBIC FT.


LIST PRICE

| CNQB2424 | 2.75 x 27 x 6 | 70 | 1.2 | 0.4 | \$162 |
|----------|---------------|----|-----|-----|-------|
| CNQB3030 | 2.75 x 35 x 6 | 70 | 1.5 | 0.5 | \$193 |
| CNQB3636 | 2.75 x 44 x 6 | 70 | 1.8 | 0.6 | \$248 |
| | | | | | |

For use with **CNQ quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

| CNRB2030 | 2.75 x 29 x 6 | 70 | 1.5 | 0.5 | \$162 |
|----------------------|---------------|-----|-----|-----|----------------|
| CNRB2036 | 2.75 x 35 x 6 | 70 | 1.5 | 0.6 | \$193 |
| CNRB2042 | 2.75 x 41 x 6 | 250 | 2.1 | 0.7 | \$215 |
| CNRB2048 | 2.75 x 47 x 6 | 250 | 2.1 | 0.8 | \$297 |
| CNRB2054 | 2.75 x 53 x 6 | 250 | | 0.0 | |
| CNRB2054 CNRB2060 | 2.75 x 53 x 6 | 250 | 2.7 | | \$312 \$312 |
| | | 250 | | 1 | 1.5 |
| CNRB2066 | 2.75 x 65 x 6 | | 3.3 | 1.1 | \$312 |
| CNRB2072 | 2.75 x 71 x 6 | 250 | 3.6 | 1.2 | \$422 |
| | | =. | | | |
| CNRB2430 | 2.75 x 29 x 6 | 70 | 1.5 | 0.5 | \$162 |
| CNRB2436 | 2.75 x 35 x 6 | 70 | 1.8 | 0.6 | \$193 |
| CNRB2442 | 2.75 x 41 x 6 | 250 | 2.1 | 0.7 | \$215 |
| CNRB2448 | 2.75 x 47 x 6 | 250 | 2.4 | 0.8 | \$297 |
| CNRB2454 | 2.75 x 53 x 6 | 250 | 2.7 | 0.9 | \$312 |
| CNRB2460 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$312 |
| CNRB2466 | 2.75 x 65 x 6 | 250 | 3.3 | 1.1 | \$312 |
| CNRB2472 | 2.75 x 71 x 6 | 250 | 3.6 | 1.2 | \$422 |
| | | | | | |
| CNRB3036 | 2.75 x 35 x 6 | 70 | 1.8 | 0.6 | \$193 |
| CNRB3042 | 2.75 x 41 x 6 | 250 | 2.1 | 0.7 | \$215 |
| CNRB3048 | 2.75 x 47 x 6 | 250 | 2.4 | 0.8 | \$248 |
| CNRB3054 | 2.75 x 53 x 6 | 250 | 2.7 | 0.9 | \$279 |
| CNRB3060 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$312 |
| CNRB3066 | 2.75 x 65 x 6 | 250 | 3.3 | 1.1 | \$368 |
| CNRB3072 | 2.75 x 71 x 6 | 250 | 3.6 | 1.2 | \$422 |
| | | | | | |
| CNRB3642 | 2.75 x 41 x 6 | 250 | 2.1 | 0.7 | \$215 |
| CNRB3648 | 2.75 x 47 x 6 | 250 | 2.4 | 0.8 | \$279 |
| CNRB3654 | 2.75 x 53 x 6 | 250 | 2.7 | 0.9 | \$279 |
| CNRB3660 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$312 |
| CNRB3666 | 2.75 x 65 x 6 | 250 | 3.3 | 1.1 | \$312 |
| CNRB3672 | 2.75 x 71 x 6 | 250 | 3.6 | 1.2 | \$422 |
| | | | | | |



Wire Management Unit

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.


Required Specifications Top Finish Edge Finish Optional Specifications Grommet Accessories Power Block

global g

WIRE MANAGEMENT UNITS



Wire Management Unit



Wire Management Unit



Wire Management Unit



Wire Management Unit



Wire Management Unit

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | |
|----------|---------------|---------------|---------|-----------|------------|--|
| | D x W x H | | | | | |
| CNSB2424 | 2.75 x 23 x 6 | 70 | 1.8 | 0.4 | \$129 | |
| CNSB3030 | 2.75 x 29 x 6 | 70 | 1.5 | 0.5 | \$162 | |
| CNSB3636 | 2.75 x 35 x 6 | 70 | 1.8 | 0.6 | \$193 | |

For use with **CNS square tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs.*

| CNTB2048L | 0 x 43 | 250 | 2.4 | 0.8 | \$215 | |
|-----------|---------------|-----|-----|-----|-------|--|
| CNTB2060L | 0 x 55 | 250 | 3 | 1 | \$279 | |
| | | | | | | |
| CNTB2448L | 2.75 x 43 x 6 | 250 | 2.4 | 0.8 | \$215 | |
| CNTB2460L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$279 | |
| | | | | | | |
| CNTB3060L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$279 | |
| CNTB3072L | 2.75 x 67 x 6 | 250 | 3.6 | 1.2 | \$389 | |
| | | | | | | |
| CNTB3660L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$279 | |
| CNTB3672L | 2.75 x 67 x 6 | 250 | 3.6 | 1.2 | \$389 | |
| | | | | | | |

For use with **long side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

| CNTB2048S | 0 x 24 | 70 | 1.2 | 0.4 | \$129 | |
|-----------|---------------|----|-----|-----|-------|--|
| CNTB2060S | 0 x 36 | 70 | 1.2 | 0.4 | \$123 | |
| | | | | | | |
| CNTB2448S | 2.75 x 23 x 6 | 70 | 1.2 | 0.4 | \$129 | |
| CNTB2460S | 2.75 x 35 x 6 | 70 | 1.2 | 0.4 | \$193 | |
| | | | | | | |
| CNTB3060S | 2.75 x 29 x 6 | 70 | 1.5 | 0.5 | \$162 | |
| CNTB3072S | 2.75 x 41 x 6 | 70 | 1.5 | 0.5 | \$215 | |
| | | | | | | |
| CNTB3660S | 2.75 x 23 x 6 | 70 | 1.8 | 0.6 | \$129 | |
| CNTB3672S | 2.75 x 35 x 6 | 70 | 1.8 | 0.6 | \$193 | |
| | | | | | | |

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.


| CNWB2424 | 2.75 x 17 x 6 | 70 | 1.2 | 0.4 | \$106 | |
|----------|---------------|----|-----|-----|-------|--|
| CNWB3030 | 2.75 x 22 x 6 | 70 | 1.5 | 0.5 | \$129 | |

For use with **CNW wedge tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs.*

| CNYB2424 | 2.75 x 22 x 6 | 70 | 1.2 | 0.4 | \$129 | |
|----------|---------------|----|-----|-----|-------|--|
| CNYB3030 | 2.75 x 27 x 6 | 70 | 1.5 | 0.5 | \$162 | |

For use with **CNY triangle tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs.*

| Required Specifications | Optional Specifications | Accessories | |
|-------------------------|-------------------------|-------------|--|
| Top Finish | Grommet | Power Block | |
| Edge Finish | | | |



MODESTY PANEL WITH WIRE MANAGEMENT



| MANAGEMEN | r MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | |
|-----------|----------|------------------|---------------|---------|-----------|------------|--|
| | | D x W x H | | | | | |
| | CNCC2430 | 2.75 x 35 x 11.7 | 5 100 | 4.3 | 0.5 | \$279 | |
| | CNCC3036 | 2.75 x 43 x 11.7 | 5 100 | 5.1 | 0.6 | \$317 | |
| | CNCC3642 | 2.75 x 53 x 11.7 | 5 100 | 6 | 0.7 | \$411 | |

Modesty Panel with Wire Management

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs*.



| CNQC2424 | 2.75 x 27 x 11.75 | 100 | 3.4 | 0.4 | \$233 | |
|----------|-------------------|-----|-----|-----|-------|--|
| CNQC3030 | 2.75 x 35 x 11.75 | 100 | 4.3 | 0.5 | \$279 | |
| CNQC3636 | 2.75 x 44 x 11.75 | 100 | 5.1 | 0.6 | \$317 | |

Modesty Panel with Wire Management

For use with **CNC quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

| CNRC2030 | 2.75 x 29 x 11.75 | 100 | 4.3 | 0.5 | \$233 |
|-----------|-------------------|-----|------------|-----|------------------------------|
| CNRC2036 | 2.75 x 35 x 11.75 | 100 | 4.3 5.1 | 0.6 | \$279 |
| CNRC2042 | 2.75 x 41 x 11.75 | 100 | 6 | 0.7 | \$317 |
| CNRC2048 | 2.75 x 47 x 11.75 | 100 | 6.8 | 0.8 | \$369 |
| CNRC2054 | 2.75 x 53 x 11.75 | 100 | 7.7 | 0.9 | \$411 |
| CNRC2060 | 2.75 x 59 x 11.75 | 100 | 8.5 | 1 | \$456 |
| CNRC2066 | 2.75 x 65 x 11.75 | 100 | 9.4 | 1.1 | \$493 |
| CNRC2072 | 2.75 x 71 x 11.75 | 100 | 10.2 | 1.2 | \$522 |
| 011102072 | 2.75 × 71 × 11.75 | 100 | 10.2 | 1.2 | Ψ J <u>Z</u> <u>Z</u> |
| CNRC2430 | 2.75 x 29 x 11.75 | 100 | 4.3 | 0.5 | \$233 |
| CNRC2436 | 2.75 x 35 x 11.75 | 100 | 5.1 | 0.6 | \$279 |
| CNRC2442 | 2.75 x 41 x 11.75 | 100 | 6 | 0.7 | \$317 |
| CNRC2448 | 2.75 x 47 x 11.75 | 100 | 6.8 | 0.8 | \$369 |
| CNRC2454 | 2.75 x 53 x 11.75 | 100 | 7.7 | 0.9 | \$411 |
| CNRC2460 | 2.75 x 59 x 11.75 | 100 | 8.5 | 1 | \$456 |
| CNRC2466 | 2.75 x 65 x 11.75 | 100 | 9.4 | 1.1 | \$493 |
| CNRC2472 | 2.75 x 71 x 11.75 | 100 | 10.2 | 1.2 | \$522 |
| | | | | | |
| CNRC3036 | 2.75 x 35 x 11.75 | 100 | 5.1 | 0.6 | \$279 |
| CNRC3042 | 2.75 x 41 x 11.75 | 100 | 6 | 0.7 | \$317 |
| CNRC3048 | 2.75 x 47 x 11.75 | 100 | 6.8 | 0.8 | \$369 |
| CNRC3054 | 2.75 x 53 x 11.75 | 100 | 7.7 | 0.9 | \$411 |
| CNRC3060 | 2.75 x 59 x 11.75 | 100 | 8.5 | 1 | \$456 |
| CNRC3066 | 2.75 x 65 x 11.75 | 100 | 9.4 | 1.1 | \$493 |
| CNRC3072 | 2.75 x 71 x 11.75 | 100 | 10.2 | 1.2 | \$522 |
| | | | | | |
| CNRC3642 | 2.75 x 41 x 11.75 | 100 | 6 | 0.7 | \$317 |
| CNRC3648 | 2.75 x 47 x 11.75 | 100 | 6.8 | 0.8 | \$369 |
| CNRC3654 | 2.75 x 53 x 11.75 | 100 | 7.7 | 0.9 | \$411 |
| CNRC3660 | 2.75 x 59 x 11.75 | 100 | 8.5 | 1 | \$456 |
| CNRC3666 | 2.75 x 65 x 11.75 | 100 | 9.4 | 1.1 | \$493 |
| CNRC3672 | 2.75 x 71 x 11.75 | 100 | 10.2 | 1.2 | \$522 |
| | | | | | |



Modesty Panel with Wire Management

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

Required Specifications Top Finish Leg Finish Edge Finish Optional Specifications Grommet Accessories Power Block




| MODESTY PANEL WITH WIRE MANAGEMENT | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | |
|------------------------------------|----------|------------------|---------------|---------|-----------|------------|---|
| | | D x W x H | | | | | , |
| | CNSC2424 | 2.75 x 23 x 11.7 | 5 100 | 3.5 | 0.4 | \$193 | |
| | CNSC3030 | 2.75 x 29 x 11.7 | 5 100 | 4.3 | 0.5 | \$233 | |
| | CNSC3636 | 2.75 x 35 x 11.7 | 5 100 | 5.1 | 0.6 | \$279 | |

Modesty Panel with Wire Management

For use with **CNC square tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs.*

| CNTC2048L | 2.75 x 43 x 11.75 | 100 | 6.8 | 0.8 | \$317 | |
|-----------|-------------------|-----|------|-----|-------|--|
| CNTC2060L | 2.75 x 55 x 11.75 | 100 | 8.5 | 1 | \$411 | |
| | | | | | | |
| CNTC2448L | 2.75 x 43 x 11.75 | 100 | 6.8 | 0.8 | \$317 | |
| CNTC2460L | 2.75 x 55 x 11.75 | 100 | 8.5 | 1 | \$411 | |
| | | | | | | |
| CNTC3060L | 2.75 x 55 x 11.75 | 100 | 8.5 | 1 | \$411 | |
| CNTC3072L | 2.75 x 67 x 11.75 | 100 | 10.2 | 1.2 | \$493 | |
| | | | | | | |
| CNTC3660L | 2.75 x 55 x 11.75 | 100 | 8.5 | 1 | \$411 | |
| CNTC3672L | 2.75 x 67 x 11.75 | 100 | 10.2 | 1.2 | \$493 | |
| | | | | | | |



management grommet.

CNTC2048S

CNTC2060S

CNTC2448S

CNTC2460S

CNTC3060S

CNTC3072S

CNTC3660S

CNTC3672S



Modesty Panel with Wire Management

For use with **short side of CNT trapezoid tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

3.4

3.5

3.4

3.4

4.3

4.3

5.1

5.1

0.4

0.5

0.4

0.4

0.5

0.5

0.6

0.6

\$193

\$279

\$193

\$279 \$233

\$317

\$193

\$279

• Can not be used when worksurface tops are attached to flip top legs.

• Can not be used when worksurface tops are attached to flip top legs.

100

100

100

100

100

100

100

100

2.75 x 23 x 11.75

2.75 x 35 x 11.75

2.75 x 23 x 11.75

2.75 x 35 x 11.75

2.75 x 29 x 11.75

2.75 x 41 x 11.75

2.75 x 23 x 11.75

2.75 x 35 x 11.75



For use with **CNW wedge tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs.*

| CNYC2424 | 2.75 x 22 x 11.75 | 100 | 3.4 | 0.4 | \$193 | |
|----------|-------------------|-----|-----|-----|-------|--|
| CNYC3030 | 2.75 x 27 x 11.75 | 100 | 4.3 | 0.5 | \$233 | |

For use with **CNY triangle tops**. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Can not be used when worksurface tops are attached to flip top legs*.

| Required Specifications | Optional Specifications | Accessories | |
|-------------------------|-------------------------|-------------|--|
| Top Finish | Grommet | Power Block | |
| Leg Finish | | | |
| Edge Finish | | | |





Modesty Panel with Wire Management



Modesty Panel with Wire Management







"T" Leg



Flip Top "T" Leg

"T" Leg



18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" tops.

• For a single leg, order GCNTLEG18.

• For a pair of legs (set of 2), order GCNTLG18P.

Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG18 and \$186 list for model GCNTLG18P.

| GCNTLEG24 | 5.25 x 20 x 27.63 | 150 | 9 | 2.1 | \$294 |
|-----------|-------------------|-----|----|-----|-------|
| GCNTLG24P | 5.25 x 20 x 27.63 | 100 | 17 | 2.1 | \$578 |

20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" tops.

• For a single leg, order GCNTLEG24

• For a pair of legs (set of 2), order GCNTLG24P.

Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG24 and \$186 list for model GCNTLG24P.

| GCNTLEG30 | 5.25 x 26 x 27.63 | 250 | 10 | 2.6 | \$317 |
|-----------|-------------------|-----|----|-----|-------|
| GCNTLG30P | 5.25 x 26 x 27.63 | 125 | 19 | 2.6 | \$630 |

26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" tops.

For a single leg, order GCNTLEG30.

• For a pair of legs (set of 2), order GCNTLG30P.

• Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG30 and \$186 list for model GCNTLG30P.

| GCNTLEG36 | 5.75 x 32 x 27.63 | 150 | 14 | 3.3 | \$637 | |
|-----------|-------------------|-----|----|-----|--------|--|
| GCNTLG36P | 5.25 x 32 x 27.63 | 100 | 27 | 3.3 | \$1262 | |

32" long with double post plastic elliptical column cover, leveling glides and end caps. For assembly with 36" tops.

- For a single leg, order GCNTLEG36.
- For a pair of legs (set of 2), order GCNTLG36P.

• Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG36 and \$186 list for model GCNTLG36P.

CNTFLEG24 1.75 x 20 x 27.62 150 10 2.4 \$547

20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" deep rectangular and square tops only. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews.

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per each leg.
- Chrome (CHM) is available (on foot only). Add \$96 list.

Required Specifications

Leg Finish

