



Get Your Bespoke Office Design Today

We'll Get You The Right Office Furniture

Call Now (856)-368-9085

Call Now To Order (856) 368-9085

50% OFF Sale On Now

Nationwide Delivery and Installation

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Global Sale On Now

Take 45% Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service

Zira Lockers

GENERAL INFORMATION

- Comprehensive range of personal storage in a variety of sizes and configurations starting at 27.5"/28"H single column widths up to 66.5"/67"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared work spaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Available in two depths with door front in thermally fused laminate to add warmth and complement desking products or millwork.
- Multiple door pull options to match Global Desking series
- Units have internal drill points for optional ganging.
- Ships fully assembled.

CONSTRUCTION

- Tops are available in 1" or 1.5" thick thermally fused laminate tops with a variety of edge details
- Side panels utilize 1" thick material
- Shelves and backs utilize 11/16" thick material.
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Virtually no loose hardware
- Leveling glides are standard

LOCKS

- Locks are standard on all lockers. Finish will coordinate with handles and/or aluminum doors.
- Please note that Flared Brass (HW) handle defaults to Black locks

SHIPPING

- Shipped assembled, 1 per carton, unless otherwise noted.

PRODUCT CODE BREAKDOWN:

- ZL**- indicates Zira locker
- ##** - 3rd & 4th position indicates height
- ##** - 5th & 6th position indicates width
- F** - indicates 18"D overall / **L** - indicates 24"D overall
- #** - 8th position indicates the number of columns side to side
- #** - 9th position indicates the number of rows top to bottom
- L** or **R** - indicates doors installed for left or right hand hinge


FINISH OPTIONS

- Must specify finish for top, case and doors separately

Thermally fused laminate finish options:

| | |
|---------------------|------------------------|
| ACJ Absolute Acajou | NBL Noce Biondo |
| ASN Asian Night | NGL Noce Grigio |
| AWC Avant Cherry | NEL Noce Leggero |
| AWH Avant Honey | NML Noce Medio |
| BLK Black | QTM Quartered Mahogany |
| BRC Brushed Cobalt | SBY Sheer Beauty |
| CMB Clear Maple | SOG Storm Grey |
| DES Dark Espresso | WHE Walnut Heights |
| DWT Designer White | WHC White Chocolate |
| FAS Fashionista | WCR Winter Cherry |
| FCL First Class | |

Top Thickness/Edge Detail



A3 1" top, standard flat edge



AR 1" top, bicut edge



C3 1.5" top, standard flat edge



CR 1.5" top, bicut edge



CF 1.5" top, fluted edge

HANDLES

- To order handles, please specify corresponding code to image as below (**HS, HO, HW, HX, HV, HU, HQ, HZ, or HR**):



HS Flared Silver



HV Square Edge Silver



HO Crescent Black



HW Flared Brass



HU Square Edge Black



HZ Dimpled Nickel



HX Flared Black



HQ Bar Silver



HR Bar Black


INTERIOR SHELF AND HANGING OPTIONS

- Hooks and hat shelves are standard in certain units. See individual product description for details
- When standard, hat shelf is 11/16" thick and includes 9" of clearance.
- A chrome coat hook is affixed to the left or right side wall of the opening (based on left and right handed units) on single row lockers 40.5" and up, and on double row lockers 53.5"h and up.
- When standard, a chrome coat hook is affixed to the door.

GANGING


- **All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.**
- Units ship factory ready for ganging and include pre-drills on cabinet interiors as well as the necessary hardware to connect unit to unit.

SINGLE COLUMN LOCKERS




Left shown

One Column, One Row - 27.5/28" H



Left shown

One Column, One Row - 40.5/41" H



Left shown

One Column, One Row - 53.5/54" H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------------|---------------|---------|-----------|--------------|--------------|
| ZL2712F11L | 18 x 12 x 27.5-28 | 92.5 | 52 | 5 | \$702 | \$720 |
| ZL2712F11R | 18 x 12 x 27.5-28 | 92.5 | 52 | 5 | \$702 | \$720 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

| | | | | | | |
|------------|-------------------|------|-----|-------|---------------|---------------|
| ZL4012F11L | 18 x 12 x 40.5-41 | 92.5 | 71 | 7.09 | \$907 | \$942 |
| ZL4015F11L | 18 x 15 x 40.5-41 | 100 | 74 | 8.75 | \$980 | \$1015 |
| ZL4018F11L | 18 x 18 x 40.5-41 | 100 | 86 | 10.25 | \$1071 | \$1106 |
| ZL4012L11L | 24 x 12 x 40.5-41 | 100 | 89 | 9.35 | \$997 | \$1032 |
| ZL4015L11L | 24 x 15 x 40.5-41 | 100 | 97 | 11.25 | \$1088 | \$1106 |
| ZL4018L11L | 24 x 18 x 40.5-41 | 125 | 105 | 13.25 | \$1179 | \$1218 |

| | | | | | | |
|------------|-------------------|------|-----|-------|---------------|---------------|
| ZL4012F11R | 18 x 12 x 40.5-41 | 92.5 | 71 | 7.09 | \$907 | \$942 |
| ZL4015F11R | 18 x 15 x 40.5-41 | 100 | 74 | 8.75 | \$980 | \$1015 |
| ZL4018F11R | 18 x 18 x 40.5-41 | 100 | 86 | 10.25 | \$1071 | \$1106 |
| ZL4012L11R | 24 x 12 x 40.5-41 | 100 | 89 | 9.35 | \$997 | \$1032 |
| ZL4015L11R | 24 x 15 x 40.5-41 | 100 | 97 | 11.25 | \$1088 | \$1106 |
| ZL4018L11R | 24 x 18 x 40.5-41 | 125 | 105 | 13.25 | \$1179 | \$1218 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL5312F11L | 18 x 12 x 53.5-54 | 100 | 92 | 9.25 | \$1161 | \$1179 |
| ZL5315F11L | 18 x 15 x 53.5-54 | 100 | 101 | 11.25 | \$1275 | \$1309 |
| ZL5318F11L | 18 x 18 x 53.5-54 | 100 | 111 | 13 | \$1399 | \$1456 |
| ZL5312L11L | 24 x 12 x 53.5-54 | 100 | 115 | 12 | \$1275 | \$1309 |
| ZL5315L11L | 24 x 15 x 53.5-54 | 100 | 126 | 14.5 | \$1366 | \$1400 |
| ZL5318L11L | 24 x 18 x 53.5-54 | 100 | 136 | 17 | \$1495 | \$1546 |

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL5312F11R | 18 x 12 x 53.5-54 | 100 | 92 | 9.25 | \$1161 | \$1179 |
| ZL5315F11R | 18 x 15 x 53.5-54 | 100 | 101 | 11.25 | \$1275 | \$1309 |
| ZL5318F11R | 18 x 18 x 53.5-54 | 100 | 111 | 13 | \$1399 | \$1456 |
| ZL5312L11R | 24 x 12 x 53.5-54 | 100 | 115 | 12 | \$1275 | \$1309 |
| ZL5315L11R | 24 x 15 x 53.5-54 | 100 | 126 | 14.5 | \$1366 | \$1400 |
| ZL5318L11R | 24 x 18 x 53.5-54 | 100 | 136 | 17 | \$1495 | \$1546 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications


Top Finish
 Door Finish
 Top/Edge Detail
 Handles
 Base Finish

Optional Specifications

Key #

Accessories

SINGLE COLUMN LOCKERS




Left shown

One Column, One Row - 66.5/67" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------------|-------------------|---------------|---------|-----------|---------------|---------------|
| D x W x H | | | | | | |
| ZL6612F11L | 18 x 12 x 66.5-67 | 100 | 111 | 11.5 | \$1326 | \$1349 |
| ZL6615F11L | 18 x 15 x 66.5-67 | 100 | 122 | 13.75 | \$1422 | \$1456 |
| ZL6618F11L | 18 x 18 x 66.5-67 | 125 | 127 | 16.25 | \$1586 | \$1620 |
| ZL6612L11L | 24 x 12 x 66.5-67 | 100 | 139 | 15 | \$1473 | \$1513 |
| ZL6615L11L | 24 x 15 x 66.5-67 | 100 | 151 | 18 | \$1569 | \$1620 |
| ZL6618L11L | 24 x 18 x 66.5-67 | 125 | 163 | 22 | \$1717 | \$1768 |
| ZL6612F11R | 18 x 12 x 66.5-67 | 100 | 111 | 11.5 | \$1326 | \$1349 |
| ZL6615F11R | 18 x 15 x 66.5-67 | 100 | 122 | 13.75 | \$1422 | \$1456 |
| ZL6618F11R | 18 x 18 x 66.5-67 | 125 | 127 | 16.25 | \$1586 | \$1620 |
| ZL6612L11R | 24 x 12 x 66.5-67 | 100 | 139 | 15 | \$1473 | \$1513 |
| ZL6615L11R | 24 x 15 x 66.5-67 | 100 | 151 | 18 | \$1569 | \$1620 |
| ZL6618L11R | 24 x 18 x 66.5-67 | 125 | 163 | 22 | \$1717 | \$1768 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, TWO ROWS




Left shown

One Column, Two Rows - 27.5/28" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|--------------|--------------|
| ZL2712F12L | 18 x 12 x 27.5-28 | 92.5 | 55 | 5 | \$833 | \$862 |
| ZL2712F12R | 18 x 12 x 27.5-28 | 92.5 | 55 | 5 | \$833 | \$862 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



Left shown

One Column, Two Rows - 66.5/67" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL6612F12L | 18 x 12 x 66.5-67 | 100 | 112 | 11.5 | \$1478 | \$1508 |
| ZL6618F12L | 18 x 18 x 66.5-67 | 100 | 135 | 16.25 | \$1727 | \$1773 |
| ZL6612L12L | 24 x 12 x 66.5-67 | 100 | 140 | 15 | \$1619 | \$1654 |
| ZL6618L12L | 24 x 18 x 66.5-67 | 125 | 165 | 21.25 | \$1881 | \$1932 |
| ZL6612F12R | 18 x 12 x 66.5-67 | 100 | 112 | 11.5 | \$1478 | \$1508 |
| ZL6618F12R | 18 x 18 x 66.5-67 | 100 | 135 | 16.25 | \$1727 | \$1773 |
| ZL6612L12R | 24 x 12 x 66.5-67 | 100 | 140 | 15 | \$1619 | \$1654 |
| ZL6618L12R | 24 x 18 x 66.5-67 | 125 | 165 | 21.25 | \$1881 | \$1932 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications


Top Finish _____ Base Finish _____
 Door Finish _____
 Top/Edge Detail _____
 Handles _____

Optional Specifications

Key # _____

Accessories

ONE COLUMN LOCKERS, THREE ROWS




Left shown

One Column, Three Rows - 53.5/54" H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------------|---------------|---------|-----------|---------------|---------------|
| ZL5312F13L | 18 x 12 x 53.5-54 | 92.5 | 96 | 9.25 | \$1308 | \$1337 |
| ZL5318F13L | 18 x 18 x 53.5-54 | 100 | 118 | 13.25 | \$1563 | \$1603 |
| ZL5312L13L | 24 x 12 x 53.5-54 | 100 | 121 | 12.25 | \$1427 | \$1462 |
| ZL5318L13L | 24 x 18 x 53.5-54 | 100 | 145 | 17.25 | \$1694 | \$1801 |
| ZL5312F13R | 18 x 12 x 53.5-54 | 92.5 | 96 | 9.25 | \$1308 | \$1337 |
| ZL5318F13R | 18 x 18 x 53.5-54 | 100 | 118 | 13.25 | \$1563 | \$1603 |
| ZL5312L13R | 24 x 12 x 53.5-54 | 100 | 121 | 12.25 | \$1427 | \$1462 |
| ZL5318L13R | 24 x 18 x 53.5-54 | 100 | 145 | 17.25 | \$1694 | \$1801 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.




Left shown

One Column, Three Rows - 66.5/67" H

| | | | | | | |
|------------|-------------------|------|-----|-------|---------------|---------------|
| ZL6612F13L | 18 x 12 x 66.5-67 | 92.5 | 115 | 11.5 | \$1478 | \$1508 |
| ZL6618F13L | 18 x 18 x 66.5-67 | 100 | 140 | 16.25 | \$1750 | \$1807 |
| ZL6612L13L | 24 x 12 x 66.5-67 | 100 | 144 | 15 | \$1614 | \$1649 |
| ZL6618L13L | 24 x 18 x 66.5-67 | 100 | 171 | 21.25 | \$1909 | \$1960 |
| ZL6612F13R | 18 x 12 x 66.5-67 | 92.5 | 115 | 11.5 | \$1478 | \$1508 |
| ZL6618F13R | 18 x 18 x 66.5-67 | 100 | 140 | 16.25 | \$1750 | \$1807 |
| ZL6612L13R | 24 x 12 x 66.5-67 | 100 | 144 | 15 | \$1614 | \$1649 |
| ZL6618L13R | 24 x 18 x 66.5-67 | 100 | 171 | 21.25 | \$1909 | \$1960 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, FOUR ROWS



Left shown

One Column, Four Rows - 66.5/67" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|---------------|---------------|
| ZL6612F14L | 18 x 12 x 66.5-67 | 92.5 | 119 | 11.5 | \$1642 | \$1672 |
| ZL6612L14L | 24 x 12 x 66.5-67 | 100 | 149 | 15 | \$1784 | \$1819 |
| ZL6612F14R | 18 x 12 x 66.5-67 | 92.5 | 119 | 11.5 | \$1642 | \$1672 |
| ZL6612L14R | 24 x 12 x 66.5-67 | 100 | 149 | 15 | \$1784 | \$1819 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications


Top Finish _____ Base Finish _____
 Door Finish _____
 Top/Edge Detail _____
 Handles _____

Optional Specifications

Key # _____

Accessories

TWO COLUMN LOCKERS, ONE ROW




Left shown

Two Columns, One Row - 40.5/41" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------------|-------------------|---------------|---------|-----------|---------------|---------------|
| D x W x H | | | | | | |
| ZL4024F21L | 18 x 24 x 40.5-41 | 100 | 118 | 13.25 | \$1535 | \$1591 |
| ZL4030F21L | 18 x 30 x 40.5-41 | 100 | 133 | 16.5 | \$1659 | \$1728 |
| ZL4024L21L | 24 x 24 x 40.5-41 | 100 | 149 | 17.25 | \$1687 | \$1750 |
| ZL4030L21L | 24 x 30 x 40.5-41 | 125 | 166 | 21.25 | \$1818 | \$1897 |
| ZL4024F21R | 18 x 24 x 40.5-41 | 100 | 118 | 13.25 | \$1535 | \$1591 |
| ZL4030F21R | 18 x 30 x 40.5-41 | 100 | 133 | 16.5 | \$1659 | \$1728 |
| ZL4024L21R | 24 x 24 x 40.5-41 | 100 | 149 | 17.25 | \$1687 | \$1750 |
| ZL4030L21R | 24 x 30 x 40.5-41 | 125 | 166 | 21.25 | \$1818 | \$1897 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening

TWO COLUMN LOCKERS, TWO ROWS




Left shown

Two Columns, Two Rows - 27.5/28" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|---------------|---------------|
| ZL2724F22L | 18 x 24 x 27.5-28 | 100 | 94 | 9.5 | \$1427 | \$1478 |
| ZL2724F22R | 18 x 24 x 27.5-28 | 100 | 94 | 9.5 | \$1427 | \$1478 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening.




Left shown

Two Columns, Two Rows - 40.5/41" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL4024F22L | 18 x 24 x 40.5-41 | 100 | 125 | 13.25 | \$1677 | \$1728 |
| ZL4030F22L | 18 x 30 x 40.5-41 | 100 | 142 | 16.25 | \$1818 | \$1881 |
| ZL4024L22L | 24 x 24 x 40.5-41 | 100 | 158 | 17.25 | \$1841 | \$1904 |
| ZL4030L22L | 24 x 30 x 40.5-41 | 100 | 178 | 21.25 | \$1993 | \$2073 |
| ZL4024F22R | 18 x 24 x 40.5-41 | 100 | 125 | 13.25 | \$1677 | \$1728 |
| ZL4030F22R | 18 x 30 x 40.5-41 | 100 | 142 | 16.25 | \$1818 | \$1881 |
| ZL4024L22R | 24 x 24 x 40.5-41 | 100 | 158 | 17.25 | \$1841 | \$1904 |
| ZL4030L22R | 24 x 30 x 40.5-41 | 100 | 178 | 21.25 | \$1993 | \$2073 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening.



Left shown

Two Columns, Two Rows - 66.5/67" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL6624F22L | 18 x 24 x 66.5-67 | 100 | 187 | 21.25 | \$2503 | \$2554 |
| ZL6636F22L | 18 x 36 x 66.5-67 | 125 | 235 | 31 | \$2939 | \$3013 |
| ZL6636L22L | 24 x 36 x 66.5-67 | 125 | 283 | 40 | \$3159 | \$3250 |
| ZL6624F22R | 18 x 24 x 66.5-67 | 100 | 187 | 21.25 | \$2503 | \$2554 |
| ZL6636F22R | 18 x 36 x 66.5-67 | 125 | 235 | 31 | \$2939 | \$3013 |
| ZL6636L22R | 24 x 36 x 66.5-67 | 125 | 283 | 40 | \$3159 | \$3250 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening and on each door.

Required Specifications


Top Finish _____ Base Finish _____
 Door Finish _____
 Top/Edge Detail _____
 Handles _____

Optional Specifications

Key # _____

Accessories

TWO COLUMN LOCKERS, THREE ROWS




Left shown

Two Columns, Three Rows - 53.5/54" H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------------|---------------|---------|-----------|--------|----------|
| ZL5324F23L | 18 x 24 x 53.5-54 | 100 | 163 | 17.25 | \$2237 | \$2294 |
| ZL5330F23L | 18 x 30 x 53.5-54 | 100 | 185 | 21.25 | \$2429 | \$2492 |
| ZL5336F23L | 18 x 36 x 53.5-54 | 100 | 207 | 25.25 | \$2662 | \$2741 |
| ZL5324L23L | 24 x 24 x 53.5-54 | 100 | 205 | 22.5 | \$2447 | \$2509 |
| ZL5330L23L | 24 x 30 x 53.5-54 | 100 | 230 | 27.5 | \$2650 | \$2730 |
| ZL5336L23L | 24 x 36 x 53.5-54 | 125 | 252 | 32.75 | \$2887 | \$2978 |
| ZL5324F23R | 18 x 24 x 53.5-54 | 100 | 163 | 17.25 | \$2237 | \$2294 |
| ZL5330F23R | 18 x 30 x 53.5-54 | 100 | 185 | 21.25 | \$2429 | \$2492 |
| ZL5336F23R | 18 x 36 x 53.5-54 | 100 | 207 | 25.25 | \$2662 | \$2741 |
| ZL5324L23R | 24 x 24 x 53.5-54 | 100 | 205 | 22.5 | \$2447 | \$2509 |
| ZL5330L23R | 24 x 30 x 53.5-54 | 100 | 230 | 27.5 | \$2650 | \$2730 |
| ZL5336L23R | 24 x 36 x 53.5-54 | 125 | 252 | 32.75 | \$2887 | \$2978 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.




Left shown

Two Columns, Three Rows - 66.5-67" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|--------|--------|
| ZL6624F23L | 18 x 24 x 66.5-67 | 100 | 194 | 21.25 | \$2497 | \$2548 |
| ZL6630F23L | 18 x 30 x 66.5-67 | 100 | 219 | 26 | \$2712 | \$2775 |
| ZL6636F23L | 18 x 36 x 66.5-67 | 125 | 246 | 31 | \$2985 | \$3064 |
| ZL6624L23L | 24 x 24 x 66.5-67 | 100 | 243 | 27.5 | \$2730 | \$2792 |
| ZL6630L23L | 24 x 30 x 66.5-67 | 100 | 271 | 33.75 | \$2962 | \$3036 |
| ZL6636L23L | 24 x 36 x 66.5-67 | 125 | 297 | 40 | \$3228 | \$3319 |
| ZL6624F23R | 18 x 24 x 66.5-67 | 100 | 194 | 21.25 | \$2497 | \$2548 |
| ZL6630F23R | 18 x 30 x 66.5-67 | 100 | 219 | 26 | \$2712 | \$2775 |
| ZL6636F23R | 18 x 36 x 66.5-67 | 125 | 246 | 31 | \$2985 | \$3064 |
| ZL6624L23R | 24 x 24 x 66.5-67 | 100 | 243 | 27.5 | \$2730 | \$2792 |
| ZL6630L23R | 24 x 30 x 66.5-67 | 100 | 271 | 33.75 | \$2962 | \$3036 |
| ZL6636L23R | 24 x 36 x 66.5-67 | 125 | 297 | 40 | \$3228 | \$3319 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

TWO COLUMN LOCKERS, FOUR ROWS



Left shown

Two Columns, Four Rows - 66.5/67" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|--------|----------|
| ZL6624F24L | 18 x 24 x 66.5-67 | 100 | 201 | 21.25 | \$2826 | \$2877 |
| ZL6624L24L | 24 x 24 x 66.5-67 | 100 | 252 | 27.5 | \$3069 | \$3138 |
| ZL6624F24R | 18 x 24 x 66.5-67 | 100 | 201 | 21.25 | \$2826 | \$2877 |
| ZL6624L24R | 24 x 24 x 66.5-67 | 100 | 252 | 27.5 | \$3069 | \$3138 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.

Required Specifications


Top Finish
 Door Finish
 Top/Edge Detail
 Handles

Optional Specifications

Key #

Accessories

THREE COLUMN LOCKERS, ONE ROW




Left shown

Three Columns, One Row - 40.5/41" H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------------|---------------|---------|-----------|---------------|---------------|
| ZL4036F31L | 18 x 36 x 40.5-41 | 100 | 165 | 19.5 | \$2129 | \$2209 |
| ZL4036L31L | 24 x 36 x 40.5-41 | 100 | 203 | 25.25 | \$2305 | \$2395 |
| ZL4036F31R | 18 x 36 x 40.5-41 | 100 | 165 | 19.5 | \$2129 | \$2209 |
| ZL4036L31R | 24 x 36 x 40.5-41 | 100 | 203 | 25.25 | \$2305 | \$2395 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening




Left shown

Three Columns, One Row - 53.5/54" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL5336F31L | 18 x 36 x 53.5-54 | 100 | 215 | 25.25 | \$2627 | \$2707 |
| ZL5336L31L | 24 x 36 x 53.5-54 | 100 | 265 | 32.75 | \$2882 | \$2973 |
| ZL5336F31R | 18 x 36 x 53.5-54 | 100 | 215 | 25.25 | \$2627 | \$2707 |
| ZL5336L31R | 24 x 36 x 53.5-54 | 100 | 265 | 32.75 | \$2882 | \$2973 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes hat shelf and coat hook in each opening.




Left shown

Three Columns, One Row - 66.5/67" H

| | | | | | | |
|------------|-------------------|-----|-----|----|---------------|---------------|
| ZL6636F31L | 18 x 36 x 66.5-67 | 100 | 258 | 31 | \$2985 | \$3059 |
| ZL6636L31L | 24 x 36 x 66.5-67 | 125 | 317 | 40 | \$3267 | \$3357 |
| ZL6636F31R | 18 x 36 x 66.5-67 | 100 | 258 | 31 | \$2985 | \$3059 |
| ZL6636L31R | 24 x 36 x 66.5-67 | 125 | 317 | 40 | \$3267 | \$3357 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes hat shelf and coat hook in each opening.

THREE COLUMN LOCKERS, TWO ROWS




Left shown

Three Columns, Two Rows - 40.5/41" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|---------------|---------------|
| ZL4036F32L | 18 x 36 x 40.5-41 | 100 | 176 | 19.5 | \$2339 | \$2413 |
| ZL4036L32L | 24 x 36 x 40.5-41 | 100 | 218 | 25.25 | \$2537 | \$2627 |
| ZL4036F32R | 18 x 36 x 40.5-41 | 100 | 176 | 19.5 | \$2339 | \$2413 |
| ZL4036L32R | 24 x 36 x 40.5-41 | 100 | 218 | 25.25 | \$2537 | \$2627 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening.



Left shown

Three Columns, Two Rows - 53.5/54" H

| | | | | | | |
|------------|-------------------|-----|-----|-------|---------------|---------------|
| ZL5336F32L | 18 x 36 x 53.5-54 | 100 | 219 | 25.25 | \$3159 | \$3233 |
| ZL5336L32L | 24 x 36 x 53.5-54 | 100 | 269 | 32.75 | \$3392 | \$3482 |
| ZL5336F32R | 18 x 36 x 53.5-54 | 100 | 219 | 25.25 | \$3159 | \$3233 |
| ZL5336L32R | 24 x 36 x 53.5-54 | 100 | 269 | 32.75 | \$3392 | \$3482 |

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening and on each door.

Required Specifications


Top Finish _____ Base Finish _____
 Door Finish _____
 Top/Edge Detail _____
 Handles _____

Optional Specifications

Key # _____

Accessories

THREE COLUMN LOCKERS, TWO ROWS




Left shown

Three Columns, Two Rows - 66.5/67" H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------------|---------------|---------|-----------|---------------|---------------|
| ZL6636F32L | 18 x 36 x 66.5-67 | 100 | 262 | 31 | \$3556 | \$3630 |
| ZL6636L32L | 24 x 36 x 66.5-67 | 100 | 322 | 40 | \$3833 | \$3923 |
| ZL6636F32R | 18 x 36 x 66.5-67 | 100 | 262 | 31 | \$3556 | \$3630 |
| ZL6636L32R | 24 x 36 x 66.5-67 | 100 | 322 | 40 | \$3833 | \$3923 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes coat hook in each opening and on each door.

THREE COLUMN LOCKERS, THREE ROWS




Left shown

Three Columns, Three Rows - 53.5/54" H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | 1" TOP | 1.5" TOP |
|------------|-------------------|---------------|---------|-----------|---------------|---------------|
| ZL5336F33L | 18 x 36 x 53.5-54 | 100 | 229 | 25.25 | \$3154 | \$3228 |
| ZL5336L33L | 24 x 36 x 53.5-54 | 100 | 283 | 32.75 | \$3402 | \$3493 |
| ZL5336F33R | 18 x 36 x 53.5-54 | 100 | 229 | 25.25 | \$3154 | \$3228 |
| ZL5336L33R | 24 x 36 x 53.5-54 | 100 | 283 | 32.75 | \$3402 | \$3493 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.



Left shown

Three Columns, Three Rows - 66.5/67" H

| | | | | | | |
|------------|-------------------|-----|-----|----|---------------|---------------|
| ZL6636F33L | 18 x 36 x 66.5-67 | 100 | 272 | 31 | \$3550 | \$3624 |
| ZL6636L33L | 24 x 36 x 66.5-67 | 100 | 336 | 40 | \$3850 | \$3941 |
| ZL6636F33R | 18 x 36 x 66.5-67 | 100 | 272 | 31 | \$3550 | \$3624 |
| ZL6636L33R | 24 x 36 x 66.5-67 | 100 | 336 | 40 | \$3850 | \$3941 |

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.

Required Specifications

Top Finish _____ Base Finish _____
 Door Finish _____
 Top/Edge Detail _____
 Handles _____

Optional Specifications

Key # _____

Accessories