

## NEW PRICING FEBRUARY 14

Effective February 14, 2022,  
Indiana Furniture will incur  
an **8% price increase** on all  
models and options.

# Tables + Space Division

PRICING EFFECTIVE DECEMBER 6, 2021

Indiana  
FURNITURE

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

## Social Responsibility

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to [www.IndianaFurniture.com/resources](http://www.IndianaFurniture.com/resources).



## Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



\* Recently launched or new products may still be in testing; Cush Pillows is currently not BIFMA Compliant due to no available compliance test.

Contemporary components complement our Madera and Allegiance casegoods collections, along with Aura Reception. Add technology function with wall units that include AV cabinets and valance with optional pull down projection screen. For easy table-to-floor connectivity, combine a table top power center with a cylinder or canoe base with hinged wire access door. Aura is also available in a Premium Veneer Option.

**CONSTRUCTION**

*Aura Tables and Components feature your choice of either a Veneer or HPL top, Veneer and Metal bases, and Veneer chassis (where applicable).*

**VENEERS**

- Choose from premium veneer or select veneer on exposed surfaces in Cherry, Maple, White Oak or American Black Walnut, carefully selected and matched to assure proper balance and consistency

**LAMINATES**

- Exposed surfaces are produced from wood grained laminates fused to a particle-board core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

**TOPS**

- Wood Veneer worksurfaces are 5-ply balanced construction, while High Pressure Laminated (HPL) worksurfaces are 3-ply balanced construction, 1<sup>7</sup>/<sub>16</sub>" thick with solid hardwood rims
- All buffets, credenzas, serving carts, video cabinets, and storage/wardrobe cabinets are shaped on the user side only
- Grain direction runs left to right, unless otherwise noted

**CHASSIS**

- Tops and end panels are securely fastened using high quality European fastening systems to ensure maximum strength
- All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors

**DRAWERS**

- All drawer fronts are standard with elegant vertically matched veneer faces
- Drawers feature 5-sided construction with 3/4" 3-ply fronts, 7/16" thick hardwood sides and 5/32" hardboard bottoms
- Units with 36" wide file drawers feature 1/4" thick drawer bottoms for maximum storage strength
- Drawer interiors are sanded, sealed, and finished to provide for a smooth, quality feel and appearance.
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- Box and file drawers are tested for 100lb capacity
- Lateral files are tested for 200lb capacity
- All suspensions have a limited lifetime warranty

**STORAGE**

- All hinged doors include soft close hinges, unless otherwise noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

**LOCKING**

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- Units are shipped randomly keyed as standard
- Keyed alike units are available upon request at no additional charge
- Lock core will match pull color

**INTERIOR DRAWER DIMENSIONS**

**Models**

92-2472BFD      92-2436SV

**Drawers**

|     | <b>W</b>                           | <b>L</b>                         | <b>D</b>                          |
|-----|------------------------------------|----------------------------------|-----------------------------------|
| Box | 14 <sup>17</sup> / <sub>32</sub> " | 19 <sup>1</sup> / <sub>4</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |

**Models**

92-2436BF      92-2472BF

**Drawers**

|     | <b>W</b>                          | <b>L</b>                         | <b>D</b>                          |
|-----|-----------------------------------|----------------------------------|-----------------------------------|
| Box | 32 <sup>9</sup> / <sub>16</sub> " | 19 <sup>1</sup> / <sub>4</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |

**Models**

92-2472SBF

**Drawers**

|     | <b>W</b>                           | <b>L</b>                         | <b>D</b>                          |
|-----|------------------------------------|----------------------------------|-----------------------------------|
| Box | 14 <sup>17</sup> / <sub>32</sub> " | 19 <sup>1</sup> / <sub>4</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| Box | 32 <sup>9</sup> / <sub>16</sub> "  | 19 <sup>1</sup> / <sub>4</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |

**HOW TO ORDER EXAMPLES**

|                      | <b>QTY</b> | <b>MODEL NO.</b> | <b>DESCRIPTION</b>  | <b>EXAMPLE</b>            |
|----------------------|------------|------------------|---|---------------------------|
| <b>TOP</b>           | 1          | 92-4296RT        | Premium or Standard Veneer<br>Top Material<br>Finish/Color<br>Edge Profile<br>Grommet/Power/Data Location | PV<br>W<br>AW<br>Y<br>ELR |
| <b>BASES</b>         | 2          | 01-2020CB        | Premium or Standard Veneer<br>Finish<br>Grommet Option  | PV<br>AW<br>GCB1S         |
| <b>PORTS</b>         | 1          | 01-INTRFC1A      |   |                           |
| <b>TELECOM PLATE</b> | 1          | 01-ABLABB        |   |                           |
| <b>BUFFET</b>        | 1          | 92-2472BFD       | Premium or Standard Veneer<br>Top Material<br>Finish/Color<br>Edge Profile<br>Pull                        | PV<br>W<br>AW<br>Y<br>AOR |

### PREMIUM VENEER (PV) AND VENEER (W) OPTIONS

Veneer features UV Advantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

|     |                    |     |                     |
|-----|--------------------|-----|---------------------|
| AW  | Artisan Walnut     | HW  | Harvest Walnut      |
| CO  | Columbian Walnut   | LW  | Legacy Walnut       |
| DC  | Dark Cherry        | MW  | Mahogany Walnut     |
| DFW | Dark Forest Walnut | MO  | Medium Oak*         |
| EW  | Espresso           | SCH | Select Cherry       |
| FO  | Fawn Oak*          | SKC | Shaker Cherry       |
| GC  | Golden Cherry      | SM  | Sugar Maple         |
| HVM | Harvest Maple      | WC  | Williamsburg Cherry |

\*Finish is Low Sheen

### HPL (P) LAMINATE OPTIONS

#### WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| CO  | Columbian Walnut | MO  | Medium Oak          |
| EF  | Espresso         | SM  | Sugar Maple         |
| GC  | Golden Cherry    | SCH | Select Cherry       |
| HVM | Harvest Maple    | SKC | Shaker Cherry       |
| MW  | Mahogany Walnut  | WC  | Williamsburg Cherry |

### HPL (P) LAMINATE OPTIONS FOR RECTANGULAR BOX BASE ONLY

#### WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| AS  | Asian Night      | PNW | Pinnacle Walnut     |
| BW  | Beigewood        | SCH | Select Cherry       |
| CO  | Columbian Walnut | SKC | Shaker Cherry       |
| EF  | Espresso         | SBP | Smoky Brown Pear    |
| GC  | Golden Cherry    | TK  | Studio Teak         |
| HVM | Harvest Maple    | SM  | Sugar Maple         |
| MW  | Mahogany Walnut  | WTA | Weathered Ash       |
| ORW | Oak Riftwood     | WC  | Williamsburg Cherry |

#### SOLID

|     |                |     |            |
|-----|----------------|-----|------------|
| BL  | Black          | PPD | Pepperdust |
| WH  | Designer White | SG  | Slate Grey |
| FHG | Fashion Grey   | WHS | White Sand |

### EDGE PROFILES

|   |          |   |         |   |           |
|---|----------|---|---------|---|-----------|
| B | Bevel    | O | Phoenix | Z | Tail      |
| D | Bullnose | A | Radius  | E | Tri-Round |
| X | Flute    | Y | Square  | N | Waterfall |



Bevel (B) Bullnose (D) Flute (X)



Phoenix (O) Radius (A) Square (Y)



Tail (Z) Tri-Round (E) Waterfall (N)

### METAL FINISH OPTIONS

|      |          |      |              |
|------|----------|------|--------------|
| ALUM | Aluminum | OYST | Oyster White |
| MIST | Mist     | SUGC | Sugar Cookie |
| NOIR | Noir     |      |              |

### GROMMET/POWER/DATA OPTIONS & LOCATIONS

See options on Pages 38 to 43; See Locations on Pages 221 to 229

### PULL OPTIONS

Note: Lock Core will match Pull Color

|     |                   |     |                  |
|-----|-------------------|-----|------------------|
| AAV | Alcove, Aluminum  | AEL | Elite, Aluminum  |
| CAV | Alcove, Chrome    | BEL | Elite, Black     |
| AAC | Arc, Aluminum     | AFL | Flair, Aluminum  |
| BAC | Arc, Black        | CFL | Flair, Chrome    |
| ABM | Beam, Aluminum    | AFC | Focus, Aluminum  |
| BBM | Beam, Black       | BFC | Focus, Black     |
| ABT | Bow Tie, Aluminum | AOR | Orbit, Aluminum  |
| NBT | Bow Tie, Nickel   | BOR | Orbit, Black     |
| ABU | Buckle, Aluminum  | AQD | Quadra, Aluminum |
| BBU | Buckle, Black     | BQD | Quadra, Black    |



### LOCKING DOORS


Locking doors are available on specific units, where noted. You must specify WITH LOCKING when ordering and add upcharge.

|            |       |
|------------|-------|
| 72"W Units | \$ 90 |
| 36"W Units | \$ 71 |
| 18"W Units | \$ 54 |

### CERTIFICATIONS & COMPLIANCE


- ETL Environmental Certification
- BIFMA level® Certified
- BIFMA Compliant Certified
- TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED Contribution

**Tops/Shapes**



Rectangular (See Page 28)    Arc Rectangular (See Page 29)    Racetrack (See Page 30)    Boat-Shaped (See Page 31)


**Bases**



Rectangular Panel (See Page 32)    Rectangular with Door (See Page 32)    Cylinder (See Page 33)    Canoe (See Page 33)    V-Capped Panel (See Page 33)    Flat-Capped Panel (See Page 34)

Metal (See Page 34)    Strut (See Page 34)    Arch Stretcher Rails (See Page 32)

**Storage Components**





Two Door Buffet w/Drawer (See Page 35)    Four Door Buffet w/2 Drawers (See Page 35)    Four Door Buffet w/2 Drawers & Open Storage (See Page 35)    Four Door Buffet w/3 Drawers (See Page 35)

Two Door Credenza (See Page 36)    Four Door Credenza (See Page 36)    Storage Cabinet Double Doors (See Page 36)    Wardrobe/Storage Cabinet (See Page 36)

Mobile Serving Cart (See Page 37)    Lectern Stand (See Page 37)    Visual Board (See Page 37)    Visor Rail (See Page 37)

**Wire Management & Power/Data Accessories (Starting on Page 38)**



| Item   | Model No.                         | W   | D  | H      | Ship Wt | Cubic Ft | List Price                        |
|--|-----------------------------------|-----|----|--------|---------|----------|-----------------------------------|
| <b>RECTANGULAR TOPS</b><br> | <b>192" or 16' - 2 Piece Tops</b> |     |    |        |         |          |                                   |
|  | 92-48192RT                        | 192 | 48 | 1 3/16 | 375     | 15.5     | P\$ 6265<br>W\$ 7833<br>PV\$ 9165 |
|  | <b>168" or 14' - 2 Piece Tops</b> |     |    |        |         |          |                                   |
|  | 92-48168RT                        | 168 | 48 | 1 3/16 | 325     | 13.6     | P\$ 6179<br>W\$ 7312<br>PV\$ 8556 |
|  | <b>144" or 12' - 2 Piece Tops</b> |     |    |        |         |          |                                   |
|  | 92-48144RT                        | 144 | 48 | 1 3/16 | 275     | 12.3     | P\$ 5221<br>W\$ 6091<br>PV\$ 7125 |
|  | <b>120" or 10' - 2 Piece Tops</b> |     |    |        |         |          |                                   |
|  | 92-48120RT                        | 120 | 48 | 1 3/16 | 225     | 10.3     | P\$ 4699<br>W\$ 5396<br>PV\$ 6313 |
|  | <b>96" or 8' - 1 Piece Top</b>    |     |    |        |         |          |                                   |
|  | 92-4296RT                         | 96  | 42 | 1 3/16 | 180     | 9.4      | P\$ 3568<br>W\$ 4091<br>PV\$ 4787 |
|  | <b>72" or 6' - 1 Piece Top</b>    |     |    |        |         |          |                                   |
|  | 92-3672RT                         | 72  | 36 | 1 3/16 | 100     | 6.2      | P\$ 2386<br>W\$ 2784<br>PV\$ 3257 |

Must Specify (in this order):


Model #  
 Top Material  
 Finish/Color  
 Edge Profile  
 Grommet/Power/Data Location

**Description**

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Starting on Page 32; Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, See Page 34
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data; For Locations See Pages 221 to 229, Options Available Starting on Page 38

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

| Item   | Model No.                         | W   | D                  | H                  | Ship Wt | Cubic Ft | List Price |       |
|--|-----------------------------------|-----|--------------------|--------------------|---------|----------|------------|-------|
| <b>ARC RECTANGULAR TOPS</b><br><br> | <b>192" or 16' - 2 Piece Tops</b> |     |                    |                    |         |          |            |       |
|  | 92-48192AR                        | 192 | 48                 | 1 $\frac{3}{16}$ " | 375     | 15.5     | P\$        | 7491  |
|  |                                   |     |                    |                    |         |          | W\$        | 8703  |
|  |                                   |     |                    |                    |         |          | PV\$       | 10183 |
|  | <b>168" or 14' - 2 Piece Tops</b> |     |                    |                    |         |          |            |       |
|  | 92-48168AR                        | 168 | 48                 | 1 $\frac{3}{16}$ " | 325     | 13.6     | P\$        | 7136  |
|  |                                   |     |                    |                    |         |          | W\$        | 8265  |
|  |                                   |     |                    |                    |         |          | PV\$       | 9670  |
|  | <b>144" or 12' - 2 Piece Tops</b> |     |                    |                    |         |          |            |       |
|  | 92-48144AR                        | 144 | 48                 | 1 $\frac{3}{16}$ " | 275     | 12.3     | P\$        | 6005  |
|  |                                   |     |                    |                    |         |          | W\$        | 6875  |
|  |                                   |     |                    |                    |         |          | PV\$       | 8045  |
|  | <b>120" or 10' - 2 Piece Tops</b> |     |                    |                    |         |          |            |       |
|  | 92-48120AR                        | 120 | 48                 | 1 $\frac{3}{16}$ " | 225     | 10.3     | P\$        | 5655  |
|  |                                   |     |                    |                    |         | W\$      | 6354       |       |
|  |                                   |     |                    |                    |         | PV\$     | 7431       |       |
| <b>96" or 8' - 1 Piece Top</b>   |                                   |     |                    |                    |         |          |            |       |
| 92-4296AR  | 96                                | 42  | 1 $\frac{3}{16}$ " | 180                | 9.4     | P\$      | 4265       |       |
|  |                                   |     |                    |                    |         | W\$      | 4787       |       |
|  |                                   |     |                    |                    |         | PV\$     | 5598       |       |
| <b>72" or 6' - 1 Piece Top</b>   |                                   |     |                    |                    |         |          |            |       |
| 92-3672AR  | 72                                | 36  | 1 $\frac{3}{16}$ " | 100                | 6.2     | P\$      | 2784       |       |
|  |                                   |     |                    |                    |         | W\$      | 3185       |       |
|  |                                   |     |                    |                    |         | PV\$     | 3726       |       |

Must Specify (in this order):

Model #  
 Top Material  
 Finish/Color  
 Edge Profile  
 Grommet/Power/Data Location

**Description**


- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Starting on Page 32; Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and 192"W; Must Order Separately, See Page 34
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data; For Locations See Pages 221 to 229, Options Available Starting on Page 38

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

**8% Price Increase Effective Feb 14**

Aura Tables 29

| Item   | Model No.                         | W   | D  | H   | Ship Wt | Cubic Ft | List Price |       |
|--|-----------------------------------|-----|----|-----|---------|----------|------------|-------|
| <b>RACETRACK TOPS</b><br><br> | <b>192" or 16' - 2 Piece Tops</b> |     |    |     |         |          |            |       |
|  | 92-48192AT                        | 192 | 48 | 1¾  | 375     | 15.5     | P\$        | 8180  |
|  |                                   |     |    |     |         |          | W\$        | 9749  |
|  |                                   |     |    |     |         |          | PV\$       | 11407 |
|  | <b>168" or 14' - 2 Piece Tops</b> |     |    |     |         |          |            |       |
|  | 92-48168AT                        | 168 | 48 | 1¾  | 325     | 13.6     | P\$        | 8006  |
|  |                                   |     |    |     |         |          | W\$        | 9141  |
|  |                                   |     |    |     |         |          | PV\$       | 10694 |
|  | <b>144" or 12' - 2 Piece Tops</b> |     |    |     |         |          |            |       |
|  | 92-48144AT                        | 144 | 48 | 1¾  | 275     | 12.3     | P\$        | 6790  |
|  |                                   |     |    |     |         |          | W\$        | 7658  |
|  |                                   |     |    |     |         |          | PV\$       | 8960  |
|  | <b>120" or 10' - 2 Piece Tops</b> |     |    |     |         |          |            |       |
|  | 92-48120AT                        | 120 | 48 | 1¾  | 225     | 10.3     | P\$        | 6265  |
|  |                                   |     |    |     |         |          | W\$        | 6961  |
|  |                                   |     |    |     |         | PV\$     | 8144       |       |
| <b>96" or 8' - 1 Piece Top</b>   |                                   |     |    |     |         |          |            |       |
| 92-4296AT  | 96                                | 42  | 1¾ | 180 | 9.4     | P\$      | 4526       |       |
|  |                                   |     |    |     |         | W\$      | 5050       |       |
|  |                                   |     |    |     |         | PV\$     | 5907       |       |
| <b>72" or 6' - 1 Piece Top</b>   |                                   |     |    |     |         |          |            |       |
| 92-3672AT  | 72                                | 36  | 1¾ | 100 | 6.2     | P\$      | 3253       |       |
|  |                                   |     |    |     |         | W\$      | 3654       |       |
|  |                                   |     |    |     |         | PV\$     | 4276       |       |

Must Specify (in this order):

- Model #
- Top Material
- Finish/Color
- Edge Profile
- Grommet/Power/Data Location


**Description**

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Starting on Page 32; Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 168"W; Must Order Separately, See Page 34
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data; For Locations See Pages 221 to 229, Options Available Starting on Page 38

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.



| Item   | Model No.                         | W   | D  | H                | Ship Wt | Cubic Ft | List Price                         |
|--|-----------------------------------|-----|----|------------------|---------|----------|------------------------------------|
| <b>BOAT-SHAPED TOPS</b><br> | <b>192" or 16' - 2 Piece Tops</b> |     |    |                  |         |          |                                    |
|  | 92-48192BT                        | 192 | 48 | 1 $\frac{1}{16}$ | 375     | 15.5     | P\$ 8180<br>W\$ 9749<br>PV\$ 11407 |
|  | <b>168" or 14' - 2 Piece Tops</b> |     |    |                  |         |          |                                    |
|  | 92-48168BT                        | 168 | 48 | 1 $\frac{1}{16}$ | 325     | 13.6     | P\$ 8006<br>W\$ 9141<br>PV\$ 10694 |
|  | <b>144" or 12' - 2 Piece Tops</b> |     |    |                  |         |          |                                    |
|  | 92-48144BT                        | 144 | 48 | 1 $\frac{1}{16}$ | 275     | 12.3     | P\$ 6790<br>W\$ 7658<br>PV\$ 8960  |
|  | <b>120" or 10' - 2 Piece Tops</b> |     |    |                  |         |          |                                    |
|  | 92-48120BT                        | 120 | 48 | 1 $\frac{1}{16}$ | 225     | 10.3     | P\$ 6265<br>W\$ 6961<br>PV\$ 8144  |
|  | <b>96" or 8' - 1 Piece Top</b>    |     |    |                  |         |          |                                    |
|  | 92-4296BT                         | 96  | 42 | 1 $\frac{1}{16}$ | 180     | 9.4      | P\$ 4526<br>W\$ 5050<br>PV\$ 5907  |
|  | <b>72" or 6' - 1 Piece Top</b>    |     |    |                  |         |          |                                    |
|  | 92-3672BT                         | 72  | 36 | 1 $\frac{1}{16}$ | 100     | 6.2      | P\$ 3253<br>W\$ 3654<br>PV\$ 4276  |

**Must Specify (in this order):**

Model #  
 Top Material  
 Finish/Color  
 Edge Profile  
 Grommet/Power/Data Location

**Description**

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Starting on Page 32; Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, See Page 34
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data; For Locations See Pages 221 to 229, Options Available Starting on Page 38


PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

**8% Price Increase Effective Feb 14**

Aura Tables 31

| Item                          | Model No.                      | W  | D | H   | Ship Wt | Cubic Ft | List Price          |
|-------------------------------|--------------------------------|----|---|-----|---------|----------|---------------------|
| <b>RECTANGULAR PANEL BASE</b> | <b>For Tables 48"D</b>         |    |   |     |         |          |                     |
|                               | 01-2428RBV                     | 24 | 2 | 28½ | 34      | 2.7      | W\$ 851<br>PV\$ 996 |
|                               | <b>For Tables 36"D to 42"D</b> |    |   |     |         |          |                     |
|                               | 01-2028RBV                     | 20 | 2 | 28½ | 28      | 2.3      | W\$ 796<br>PV\$ 932 |



Must Specify (in this order):


- Model # and Quantity
- Premium or Standard Veneer
- Finish
- Stretcher Rail

**Description**

- Stretcher Rails Included; Specify Model (See Below)
- Also available with Arch Stretcher Rails; Sold Separately
- See Number of Bases Required Per Table Width Below

| Table Widths                      | 72"      | 96"      | 120"      | 144"      | 168"      | 192"      |
|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|
| <b>Number of Bases Required</b>   | 2        | 2        | 3         | 3         | 3         | 5         |
| <b>Stretcher Rails (Included)</b> | 01-72STR | 01-96STR | 01-120STR | 01-144STR | 01-168STR | 01-192STR |

| Item                        | Model No.   | W   | D | H      | Ship Wt | Cubic Ft | List Price            |
|-----------------------------|-------------|-----|---|--------|---------|----------|-----------------------|
| <b>ARCH STRETCHER RAILS</b> | 01-192ARCHV | 192 | ¾ | 8 - 12 | 77      | 4.2      | W\$ 2019<br>PV\$ 2362 |
|                             | 01-168ARCHV | 168 | ¾ | 8 - 12 | 68      | 4.2      | W\$ 1257<br>PV\$ 1474 |
|                             | 01-144ARCHV | 144 | ¾ | 8 - 12 | 57      | 4.2      | W\$ 1151<br>PV\$ 1347 |
|                             | 01-120ARCHV | 120 | ¾ | 8 - 12 | 46      | 4.2      | W\$ 1062<br>PV\$ 1243 |
|                             | 01-96ARCHV  | 96  | ¾ | 8 - 12 | 35      | 4.2      | W\$ 719<br>PV\$ 842   |
|                             | 01-72ARCHV  | 72  | ¾ | 8 - 12 | 28      | 4.2      | W\$ 647<br>PV\$ 755   |




Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Finish

**Description**

- For Use With Rectangular Bases; 01-2428RBV or 01-2028RBV
- Must Be Field Installed in Place of the Standard Stretcher Rails Shipped with Rectangular Bases
- Rails for Tables 120" to 168" will Ship as Two (2) Sets of Two (2)
- Rails for Tables 192" will Ship as Four (4) Sets of Two (2)

| Item                                  | Model No.   | W  | D  | H   | Ship Wt | Cubic Ft | List Price                                  |
|---------------------------------------|-------------|----|----|-----|---------|----------|---|
| <b>RECTANGULAR BOX BASE WITH DOOR</b> | 01-1220RBDV | 20 | 12 | 28½ | 50      | 5.4      | W\$ 687<br>PV\$ 801<br>C\$ 666<br>CPV\$ 784 |



Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Primary Finish/Color
- Accent Finish/Color

**Description**

- Rectangular Base with Lift-Off Removable Panel
- Available in Veneer, or a Combination of Veneer and Laminate; For Color Options See Page 26
- Must Indicate Accent Selection and Primary Selection on Order
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom


| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 3    |

PV = Premium Veneer W = Veneer C = Veneer and Laminate CPV = Premium Veneer and Laminate

For ordering options, see overview at the beginning of this section.

| Item | Model No. | W | D | H | Ship Wt | Cubic Ft | List Price |
|------|-----------|---|---|---|---------|----------|------------|
|------|-----------|---|---|---|---------|----------|------------|

**CYLINDER BASE**



For Tables 42"D to 48"D

|           |    |    |     |     |      |                       |
|-----------|----|----|-----|-----|------|-----------------------|
| 01-2020CB | 20 | 20 | 28½ | 136 | 10.9 | W\$ 1212<br>PV\$ 1416 |
|-----------|----|----|-----|-----|------|-----------------------|

For Tables 36"D

|           |    |    |     |     |     |                       |
|-----------|----|----|-----|-----|-----|-----------------------|
| 01-1616CB | 16 | 16 | 28½ | 101 | 7.2 | W\$ 1107<br>PV\$ 1296 |
|-----------|----|----|-----|-----|-----|-----------------------|

**Description**

- Veneer Cylinder Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Weighted for Stability
- Two (2) Wire Management Black Grommets Standard at Top Edge; 8" Wire Management Opening Standard at Bottom
- See Number of Bases Required Per Table Width Below

**Additional Grommet Options: Specify & Add**


|       |                             |    |     |
|-------|-----------------------------|----|-----|
| GCBIS | One (1) Grommet At Top Edge | \$ | N/C |
| NOGC  | No Grommets At Top Edge     | \$ | N/C |

| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 3    |

Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Finish
- Grommet Options

**CANOE BASE**



Shown With Door

|            |    |    |     |    |     |                       |
|------------|----|----|-----|----|-----|-----------------------|
| 01-1222CS  | 22 | 12 | 28½ | 27 | 5.8 | W\$ 2781<br>PV\$ 3252 |
| 01-1222CSD | 22 | 12 | 28½ | 27 | 5.8 | W\$ 3226<br>PV\$ 3774 |

**Description**

- Veneer Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Two (2) Wire Management Black Grommets Standard at Top Edge; 6" Wire Management Opening in the Bottom
- Models with Doors Have a 18"H x 6"W Opening (Does Not Feature Soft Close Hinges)
- Adjustable Levelers

**Additional Grommet Options: Specify & Add**


|       |                             |    |     |
|-------|-----------------------------|----|-----|
| GCBIS | One (1) Grommet At Top Edge | \$ | N/C |
| NOGC  | No Grommets At Top Edge     | \$ | N/C |

| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 3    |

Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Finish
- Grommet Options

**V-CAPPED PANEL BASE**



|             |     |   |     |    |     |                       |
|-------------|-----|---|-----|----|-----|-----------------------|
| 01-0430VPBV | 30½ | 6 | 27¾ | 28 | 3.5 | W\$ 1691<br>PV\$ 1979 |
|-------------|-----|---|-----|----|-----|-----------------------|

**Description**

- Metal V-Cap Accents Veneer Panel Base
- Select From Five (5) Powdercoat Finishes; See Page 26 for Color Options
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 5    |


Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Finish
- Metal Finish

PV = Premium Veneer W = Veneer

For ordering options, see overview at the beginning of this section.

| Item                   | Model No.   | W    | D  | H    | Ship Wt | Cubic Ft | List Price            |
|------------------------|-------------|------|----|------|---------|----------|-----------------------|
| FLAT-CAPPED PANEL BASE | 01-0427FPBV | 27¾" | 4" | 27¾" | 31      | 3.5      | W\$ 1736<br>PV\$ 2028 |



**Description**

- Metal Flat-Cap Accents Veneer Panel Base
- Select From (5) Powdercoat Finishes; See Page 26 for Color Options
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

Must Specify (in this order):

- Model # and Quantity
- Premium or Standard Veneer
- Finish
- Metal Finish

| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 5    |

| METAL BASE | Model No.  | Color    | W   | D   | H    | Ship Wt | Cubic Ft | List Price |
|------------|------------|----------|-----|-----|------|---------|----------|------------|
|            | 01-0400MBB | Black    | 32" | 32" | 27¾" | 32      | 3.2      | \$ 780     |
|            | 01-0400MBA | Aluminum | 32" | 32" | 27¾" | 32      | 3.2      | \$ 780     |



Open Market Only

**Description**

- Shipped KD; Some Assembly Required

Must Specify (in this order):

- Model # and Quantity

| Table Widths                    | 72" | 96" | 120" | 144" | 168" | 192" |
|---------------------------------|-----|-----|------|------|------|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    | 3    | 3    | 3    |

| STRUT TABLE LEGS | Model No.                             | W   | D    | H    | Ship Wt | Cubic Ft | List Price |
|------------------|---------------------------------------|-----|------|------|---------|----------|------------|
|                  | 01-2228STR2<br><i>1 Pair (2 Legs)</i> | 1½" | 22½" | 28⅞" | 32      | 4.5      | \$ 998     |
|                  | 01-2228STR4<br><i>2 Pair (4 Legs)</i> | 1½" | 22½" | 28⅞" | 64      | 9.0      | \$ 1996    |



**Description**

- Available in Aluminum (ALUM) or Black (BLK); Must Specify Color
- Built-In Wire Management Cover on Inside of Legs
- Each Leg has Adjustable Glides
- Legs not Available To Be Sold Separately
- For Use with Indiana Furniture Tops Only

Must Specify (in this order):

- Model # and Quantity
- Color
- Stiffener Bar and Quantity

**Options: Specify & Add**

|                          |        |
|--------------------------|--------|
| 01-00048SB Stiffener Bar | \$ 194 |
|--------------------------|--------|

*See Individual Tops for Recommended Number of Stiffener Bars*


| Table Widths                    | 72" | 96" | 120" | 144" | 168"* | 192" |
|---------------------------------|-----|-----|------|------|-------|------|
| <b>Number of Bases Required</b> | 4   | 4   | 6    | 6    | 8     | 8    |

\*168" Racetrack Tops Require 6 Bases

PV = Premium Veneer W = Veneer

For ordering options, see overview at the beginning of this section.

| Item                               | Model No. | W  | D  | H  | Ship Wt | Cubic Ft | List Price                        |
|------------------------------------|-----------|----|----|----|---------|----------|-----------------------------------|
| <b>TWO DOOR BUFFET WITH DRAWER</b> | 92-2436BF | 36 | 24 | 36 | 189     | 21.7     | P\$ 3593<br>W\$ 3654<br>PV\$ 4276 |


**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- One (1) Drawer with Storage Behind Two (2) Doors and One (1) Adjustable Shelf

Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Edge Profile  
Pull

|  |           |    |    |    |     |      |                                   |
|--|-----------|----|----|----|-----|------|-----------------------------------|
| <b>FOUR DOOR BUFFET WITH TWO DRAWERS</b> | 92-2472BF | 72 | 24 | 36 | 342 | 45.6 | P\$ 7031<br>W\$ 7136<br>PV\$ 8349 |
|--|-----------|----|----|----|-----|------|-----------------------------------|


**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Two (2) Drawers with Storage Behind Four (4) Doors and Two (2) Adjustable Shelves

Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Edge Profile  
Pull

|   |            |    |    |    |     |      |                                   |
|---|------------|----|----|----|-----|------|-----------------------------------|
| <b>FOUR DOOR BUFFET WITH TWO DRAWERS AND OPEN STORAGE</b> | 92-2472BFD | 72 | 24 | 36 | 337 | 45.6 | P\$ 7814<br>W\$ 7920<br>PV\$ 9267 |
|---|------------|----|----|----|-----|------|-----------------------------------|


**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Two (2) Drawers with Open Storage and One (1) Adjustable Shelf
- Left and Right Storage Behind Doors with One (1) Adjustable Shelf
- Storage Behind Center Doors

Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Edge Profile  
Pull

|  |            |    |    |    |     |      |                                   |
|--|------------|----|----|----|-----|------|-----------------------------------|
| <b>FOUR DOOR BUFFET WITH THREE DRAWERS</b> | 92-2472SBF | 72 | 24 | 36 | 362 | 45.6 | P\$ 7814<br>W\$ 7920<br>PV\$ 9267 |
|--|------------|----|----|----|-----|------|-----------------------------------|

**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Three (3) Drawers with Storage Behind Four (4) Doors and Three (3) Adjustable Shelves
- Center Section is Stepped Back

Must Specify (in this order):


Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Edge Profile  
Pull

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

## 8% Price Increase Effective Feb 14

| Item              | Model No. | W  | D  | H  | Ship Wt | Cubic Ft | List Price                        |
|-------------------|-----------|----|----|----|---------|----------|-----------------------------------|
| TWO DOOR CREDENZA | 92-2436CC | 36 | 24 | 30 | 150     | 17.6     | P\$ 2812<br>W\$ 2871<br>PV\$ 3360 |




Must Specify (in this order):

- Model #
- Premium or Standard Veneer
- Top Material
- Finish/Color
- Edge Profile
- Pull
- Locking Option

**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Two (2) Doors with One (1) Adjustable Shelf Behind Doors
- Additional Option: Locking Doors (See Page 26)

|                    |           |    |    |    |     |      |                                   |
|--------------------|-----------|----|----|----|-----|------|-----------------------------------|
| FOUR DOOR CREDENZA | 92-2472CC | 72 | 24 | 30 | 290 | 34.2 | P\$ 5551<br>W\$ 5655<br>PV\$ 6618 |
|--------------------|-----------|----|----|----|-----|------|-----------------------------------|




Must Specify (in this order):

- Model #
- Premium or Standard Veneer
- Top Material
- Finish/Color
- Edge Profile
- Pull
- Locking Option

**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Four (4) Doors with Two (2) Adjustable Shelves Behind Doors
- Additional Option: Locking Doors (See Page 26)

|                             |            |    |    |                                  |     |      |                       |
|-----------------------------|------------|----|----|----------------------------------|-----|------|-----------------------|
| DOUBLE DOOR STORAGE CABINET | 92-3672SUD | 36 | 24 | 70 <sup>13</sup> / <sub>16</sub> | 285 | 42.0 | W\$ 5902<br>PV\$ 6907 |
|-----------------------------|------------|----|----|----------------------------------|-----|------|-----------------------|




Must Specify (in this order):

- Model #
- Premium or Standard Veneer
- Finish
- Edge Profile
- Pull

**Description**

- Top Section has Two (2) Adjustable Shelves; Bottom Section has One (1) Adjustable Shelf

| WARDROBE/STORAGE CABINET | HINGED LEFT | HINGED RIGHT |    |    |                                  |     |      |                       |  |
|--------------------------|-------------|--------------|----|----|----------------------------------|-----|------|-----------------------|--|
|                          | 92-1872WL   | 92-1872WR    | 18 | 24 | 70 <sup>13</sup> / <sub>16</sub> | 155 | 22.0 | W\$ 4265<br>PV\$ 4991 |  |



Shown as Left

Must Specify (in this order):

- Model #
- Premium or Standard Veneer
- Finish
- Pull


**Description**

- Fixed Top Shelf; Coat Rod Under Fixed Shelf
- Three (3) Adjustable Shelves Behind Door
- Adjustable Shelves can be Removed for Wardrobe Application

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

| Item       | Model No. | W  | D  | H                | Ship Wt | Cubic Ft | List Price            |
|------------|-----------|----|----|------------------|---------|----------|-----------------------|
| VISOR RAIL | 92-2472VR | 72 | 24 | 5 $\frac{3}{16}$ | 100     | 8.9      | W\$ 1133<br>PV\$ 1323 |



Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Finish  
Projection Screen  
Task Light

**Description**

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Buffets (Ordered Separately)

**Options: Specify & Add**

|         |   |    |     |
|---------|---|----|-----|
| 1-PS    | Projection Screen (Requires Field Installation) | \$ | 829 |
| TL-0848 | Task Light (Requires Field Installation)        | \$ | 347 |

|              |           |    |    |    |     |      |                                   |
|--------------|-----------|----|----|----|-----|------|-----------------------------------|
| SERVING CART | 92-2436SV | 36 | 24 | 36 | 149 | 24.0 | P\$ 4077<br>W\$ 4133<br>PV\$ 4834 |
|--------------|-----------|----|----|----|-----|------|-----------------------------------|



Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Edge Profile  
Pull  
Grommet Option

**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Two (2) Box Drawers with Storage Behind Two (2) Doors
- Open Storage
- Locking Casters

**Grommet Option: Specify & Add**

|        |   |    |    |
|--------|---|----|----|
| 1-GRMT | Grommet in Back Panel; Must Specify Black or Silver | \$ | 60 |
|--------|---|----|----|

|               |           |    |    |    |     |      |                       |
|---------------|-----------|----|----|----|-----|------|-----------------------|
| LECTERN STAND | 92-2650LS | 26 | 24 | 50 | 130 | 21.9 | W\$ 3350<br>PV\$ 3918 |
|---------------|-----------|----|----|----|-----|------|-----------------------|




Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Finish  
Edge Profile

**Description**

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Fixed Reading Shelf
- Pullout Shelf
- Two (2) Adjustable Storage Shelves in Lower Compartment
- Two (2) Locking and Two (2) Non-Locking Casters
- Wire Management Grommet in Bottom Shelf

|              |           |    |   |    |     |      |                       |
|--------------|-----------|----|---|----|-----|------|-----------------------|
| VISUAL BOARD | 92-4848VB | 48 | 5 | 48 | 150 | 11.0 | W\$ 3832<br>PV\$ 4436 |
|--------------|-----------|----|---|----|-----|------|-----------------------|



Must Specify (in this order):

Model #  
Premium or Standard Veneer  
Finish  
Project Screen  
Tackboard Fabric

**Description**

- Tackboard on Each Door Standard in Black Fabric Unless Specified; Price Valid for Grades 1, 2, & 3 (See Other Pricing Below)
- Display Rail with Adjustable Hooks for Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Includes Flipchart, Set of Four (4) Dry Erase Markers and Eraser, Mounting Hardware
- Does Not Feature Soft Close Hinges

**Options: Specify & Add**

|                         | Grade 4   | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Grade 9 | Grade 10 |     |
|-------------------------|---|---------|---------|---------|---------|---------|----------|-----|
| Tackboard Fabric Change | \$ 216  | 316     | 422     | 568     | 720     | 900     | 1106     |     |
| 1-PS                    | Projection Screen (Requires Field Installation) |         |         |         |         |         | \$       | 829 |

PV = Premium Veneer W = Veneer P = HPL

For ordering options, see overview at the beginning of this section.

8% Price Increase Effective Feb 14

Aura Tables 37

| Item                     | Model No.    | W  | D   | H  | Ship Wt | Cubic Ft | List Price |
|--------------------------|--------------|----|-----|----|---------|----------|------------|
| TABLE POWER & DATA VAULT | 01-CVAULTG2A | 4½ | 15⅞ | 4⅛ | 10      | 0.4      | \$ 1518    |



Open Market Only

**Description**

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- Two (2) Data Ports, Three (3) Power Outlets, and One (1) HDMI and Two (2) 5V USB
- 6' Power Cord
- UL and CSA Recognized

| Item                     | Model No.   | Material | W   | D  | H  | Ship Wt | Cubic Ft | List Price |
|--------------------------|-------------|----------|-----|----|----|---------|----------|------------|
| WORKSURFACE POWER CENTER | 01-INTRFC1A | Aluminum | 14¼ | 6⅝ | 2⅞ | 11      | 0.3      | \$ 1612    |
|                          | 01-INTRFC1B | Black    |     |    |    |         |          |            |

**Description**

- For Use with Conference Tables
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLBB Plate (Consists of Two (2) RJ45 Cat 6)
- 6' Power Cord
- Convenience Plug on Bottom
- UL Listed/CSA Certified
- Additional Telecom Plates, See APage 43

| Item                    | Model No.  | Material | W   | D  | H  | Ship Wt | Cubic Ft | List Price |
|-------------------------|------------|----------|-----|----|----|---------|----------|------------|
| OASIS MINI POWER & DATA | 01-OASISMA | Aluminum | 14¼ | 6⅝ | 2⅞ | 11      | 0.3      | \$ 2492    |
|                         | 01-OASISMB | Black    |     |    |    |         |          |            |

**Description**

- For Use with Conference Tables
- Soft Touch Hinged Lid
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Power Cord
- UL Listed
- Additional Telecom Plates, See Page 43






| Item                  | Model No.      | Material | W | D  | H  | Ship Wt | Cubic Ft | List Price |
|-----------------------|----------------|----------|---|----|----|---------|----------|------------|
| INTERACT POWER & DATA | 01-INTERACTG2A | Aluminum | 9 | 5⅝ | 2¼ | 5       | 0.2      | \$ 696     |
|                       | 01-INTERACTG2B | Black    |   |    |    |         |          |            |

**Description**


- Includes: Two (2) Power Outlets, Two (2) USB-A Charging Ports, One (1) Telecom Plate Opening; Two (2) Keystone Openings for Voice/Data Jacks
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- Convenience Plug on Bottom
- 6' Power Cord
- UL and CSA Recognized
- Additional Telecom Plates, See Page 43

For ordering options, see overview at the beginning of this section.





| Item  | Model No.  |          | W                | D               | H | Ship Wt | Cubic Ft | List Price |
|---|--|----------|------------------|-----------------|---|---------|----------|------------|
| <b>POWER 440</b><br>       | 01-DATA440A  | Aluminum | 5 $\frac{5}{16}$ | 4 $\frac{3}{8}$ | - | 5       | 0.2      | \$ 753     |
|   | 01-DATA440B  | Black    |                  |                 |   |         |          |            |
|   | <b>Description</b>   |          |                  |                 |   |         |          |            |
|   | <ul style="list-style-type: none"> <li>• Two (2) Power Outlets</li> <li>• Soft Touch Hinged Lid</li> <li>• 6' Power Cord</li> <li>• UL and CSA Recognized</li> </ul>   |          |                  |                 |   |         |          |            |
| <b>POWER DATA PORT</b><br> | 01-DPORT4A   | Aluminum | 8                | 4               | - | 7       | 0.2      | \$ 853     |
|   | 01-DPORT4B   | Black    |                  |                 |   |         |          |            |
|   | <b>Description</b>   |          |                  |                 |   |         |          |            |
|   | <ul style="list-style-type: none"> <li>• Retracts into Work Surface to Regain Productive Space; One-Touch Access to Power and Data</li> <li>• Two (2) Power Outlets and Two (2) Open Ports for Data</li> <li>• Optional Telecom Port Components, See Page 43</li> <li>• Water-Proof Simplex (Outlets)</li> <li>• Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required</li> <li>• 6' Power Cord</li> <li>• UL and CSA Recognized</li> </ul> |          |                  |                 |   |         |          |            |
| <b>USB PORT</b><br>      | 01-USBPORT   |          | -                | -               | - | -       | -        | \$ 126     |
|   | <b>Description</b>   |          |                  |                 |   |         |          |            |
|   | <ul style="list-style-type: none"> <li>• Increases Transfer Speed Up to 5 gbs/sec</li> <li>• Simultaneous Read/Write Capability; Idle Device Power Saving State</li> <li>• 6' Cord</li> <li>• Compatible with 01-DPORT4</li> </ul>   |          |                  |                 |   |         |          |            |
| <b>VOICE COUPLER</b><br> | 01-VOICE1  |          | -                | -               | - | -       | -        | \$ 57      |
|   | <b>Description</b>   |          |                  |                 |   |         |          |            |
|   | <ul style="list-style-type: none"> <li>• 6-Pin Modular Plug</li> <li>• Molded Black; Cord Not included</li> <li>• Compatible with 01-DPORT4</li> </ul>   |          |                  |                 |   |         |          |            |
| <b>DATA PORT</b><br>     | 01-RJ4DATA   |          | -                | -               | - | -       | -        | \$ 130     |
|   | <b>Description</b>   |          |                  |                 |   |         |          |            |
|   | <ul style="list-style-type: none"> <li>• 8-Pin Modular Plug; Cat 5 Ethernet Cable; Pre-terminated Cable</li> <li>• 9' Cord</li> <li>• Compatible with 01-DPORT4</li> </ul>   |          |                  |                 |   |         |          |            |

For ordering options, see overview at the beginning of this section.

| Item   | Model No.  |        | W                 | D                 | H | Ship Wt | Cubic Ft | List Price |
|--|--|--------|-------------------|-------------------|---|---------|----------|------------|
| ROUND GROMMET COVER<br> | 01-GRMTB   | Black  | 2 $\frac{3}{8}$ " | 2 $\frac{3}{8}$ " | - | 1       | 0.1      | \$ 28      |
|  | 01-GRMTSL  | Silver | 2 $\frac{3}{8}$ " | 2 $\frac{3}{8}$ " | - | 1       | 0.1      | \$ 28      |
|  | <i>Open Market Only</i>  |        |                   |                   |   |         |          |            |
|  | <b>Description</b>   |        |                   |                   |   |         |          |            |
|  | <ul style="list-style-type: none"> <li>• 2<math>\frac{3}{8}</math>" (60mm) Round Grommet Cover</li> <li>• Field Installed</li> </ul> |        |                   |                   |   |         |          |            |
|  | <b>Option: Specify</b>   |        |                   |                   |   |         |          |            |
|  | Factory Installed  |        |                   |                   |   |         |          | \$ 60      |


|   |   |        |   |   |   |   |     |       |
|---|---|--------|---|---|---|---|-----|-------|
| SINGLE POWER SAND DOLLAR<br> | 01-SAND60PS   | Silver | 3 | 3 | 4 | 1 | 0.2 | \$ 76 |
|   | 01-SAND60PW   | White  |   |   |   |   |     |       |
|   | 01-SAND60PB   | Black  |   |   |   |   |     |       |
|   | <b>Description</b>  |        |   |   |   |   |     |       |
|   | <ul style="list-style-type: none"> <li>• Mounts in 2<math>\frac{3}{8}</math>" (60mm) Round Grommet</li> <li>• Single Power Outlet with 6' Cord</li> </ul> |        |   |   |   |   |     |       |

|   |  |        |   |   |   |   |     |        |
|---|--|--------|---|---|---|---|-----|--------|
| DOUBLE USB SAND DOLLAR<br> | 01-SAND60US  | Silver | 3 | 3 | 4 | 1 | 0.2 | \$ 216 |
|   | 01-SAND60UW  | White  |   |   |   |   |     |        |
|   | 01-SAND60UB  | Black  |   |   |   |   |     |        |
|   | <b>Description</b>   |        |   |   |   |   |     |        |
|   | <ul style="list-style-type: none"> <li>• Mounts in 2<math>\frac{3}{8}</math>" (60mm) Round Grommet</li> <li>• Dual USB Outlets with 6' Cord</li> </ul> |        |   |   |   |   |     |        |

|  |   |        |                   |   |   |   |     |        |
|--|---|--------|-------------------|---|---|---|-----|--------|
| DUO CLAMP NEMA PLUG<br> | 01-DUOCLAMPS  | Silver | 5 $\frac{1}{2}$ " | 3 | 7 | 1 | 0.2 | \$ 446 |
|  | 01-DUOCLAMPW  | White  | 5 $\frac{1}{2}$ " |   |   |   |     |        |
|  | 01-DUOCLAMPB  | Black  | 5 $\frac{1}{2}$ " |   |   |   |     |        |
|  | <b>Description</b>  |        |                   |   |   |   |     |        |
|  | <ul style="list-style-type: none"> <li>• Silver Metal Trim</li> <li>• Clamps to Top</li> <li>• Two (2) Power/Two (2) USB</li> <li>• Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Port</li> <li>• All Mounting Hardware Included</li> <li>• FCC Part 15A and UL Approved for Horizontal and Vertical Applications</li> <li>• 10' Cord</li> </ul> |        |                   |   |   |   |     |        |


For ordering options, see overview at the beginning of this section.

| Item                 | Model No.     |        | W | D | H | Ship Wt | Cubic Ft | List Price |
|----------------------|---------------|--------|---|---|---|---------|----------|------------|
| TRIO CLAMP NEMA PLUG | 01-TRIOCLAMPS | Silver | 8 | 3 | 7 | 1       | 0.2      | \$ 524     |
|                      | 01-TRIOCLAMPW | White  |   |   |   |         |          |            |
|                      | 01-TRIOCLAMPS | Black  |   |   |   |         |          |            |


**Description**


- Silver Metal Trim
- Clamps to Top
- Three (3) Power/Two (2) USB Power/One (1) Open Data; 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately; See Below
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|   |             |  |   |   |   |   |     |        |
|---|-------------|--|---|---|---|---|-----|--------|
| HDMI DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMHDMI |  | - | - | - | 1 | 0.2 | \$ 129 |
|---|-------------|--|---|---|---|---|-----|--------|




Open Market

|  |            |  |   |   |   |   |     |       |
|--|------------|--|---|---|---|---|-----|-------|
| VGA DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMVGA |  | - | - | - | 1 | 0.2 | \$ 95 |
|--|------------|--|---|---|---|---|-----|-------|



|   |             |  |   |   |   |   |     |       |
|---|-------------|--|---|---|---|---|-----|-------|
| RJ45 DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMRJ45 |  | - | - | - | 1 | 0.2 | \$ 62 |
|---|-------------|--|---|---|---|---|-----|-------|



For ordering options, see overview at the beginning of this section.

**8% Price Increase Effective Feb 14**


| Item               | Model No. | W   | D  | H   | Ship Wt | Cubic Ft | List Price |
|--------------------|-----------|-----|----|-----|---------|----------|------------|
| VESTA POWER CENTER | 01-PDCTR  | 10¾ | 12 | 28¾ | 14      | 2.5      | \$ 1386    |



### Description

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall


|               |          |    |    |   |   |   |       |
|---------------|----------|----|----|---|---|---|-------|
| WIRE MANAGERS | 01-WMGR4 | 16 | 1½ | ¾ | 1 | - | \$ 91 |
|---------------|----------|----|----|---|---|---|-------|



### Description

- Four (4) Wire Manager Strips
- Black Plastic
- Snap Lock Channel
- Attaches with Adhesive Strips
- Can be Placed on All Units to Route Wires


|            |           |    |    |   |   |   |       |
|------------|-----------|----|----|---|---|---|-------|
| CABLE GRIP | 01-WMGRCB | 5¾ | 2½ | - | - | - | \$ 14 |
|------------|-----------|----|----|---|---|---|-------|



### Description

- Under Surface Wire Management
- Black

|             |         |   |   |   |   |   |        |
|-------------|---------|---|---|---|---|---|--------|
| POWER STRIP | 01-PRSP | 9 | 2 | 2 | 1 | - | \$ 159 |
|-------------|---------|---|---|---|---|---|--------|



### Description

- Includes Four (4) Outlets and Two (2) Phone Jacks
- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL Listed and CSA Certified
- Suitable for Surface or Recessed Mounting
- Ships via UPS Only

For ordering options, see overview at the beginning of this section.

| Item               | Model No.     | Description  | List Price |
|--------------------|---------------|--|------------|
| ECA TELECOM PLATES | 01-ABL        | Telecom Plate, Blank Plate   | \$ 32      |
|                    | 01-ABL737373  | Telecom Plate, Three (3) RJ45 Cat 5e   | \$ 287     |
|                    | 01-ABLAB      | Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone  | \$ 160     |
|                    | 01-ABLAB102   | Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3, One (1) USB W/72" Patch Cord                              | \$ 249     |
|                    | 01-ABLABB     | Telecom Plate, Two (2) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone  | \$ 249     |
|                    | 01-ABLB       | Telecom Plate, One (1) RJ45 Cat 6  | \$ 117     |
|                    | 01-ABLBB      | Telecom Plate, Two (2) RJ45 Cat 6  | \$ 203     |
|                    | 01-ABLBBB     | Telecom Plate, Three (3) RJ45 Cat 6  | \$ 287     |
|                    | 01-ABLBBBB    | Telecom Plate, Four (4) RJ45 Cat 6   | \$ 372     |
|                    | 01-ABLBBC51   | Telecom Plate, Two (2) RJ45 Cat 6, One (1) 15 Pin HD VGA w/72" Patch Cord  | \$ 348     |
|                    | 01-ABLBC51L   | Telecom Plate, One (1) RJ45 Cat 6, One (1) Mini Stereo Inline, One (1) 15 Pin HD VGA w/72" Patch Cord            | \$ 319     |
|                    | 01-ABLC3811   | Telecom Plate, One (1) RJ45 Cat 6 Data Inline, One (1) RJ11 Cat 3 Phone Inline                                   | \$ 154     |
|                    | 01-ABLC45     | Telecom Plate, One (1) HDMI w/36" Patch Cord   | \$ 231     |
|                    | 01-ABLC45C51L | Telecom Plate, One (1) Mini Stereo Inline, One (1) HDMI w/36" Patch Cord, One (1) 15 Pin HD VGA w/72" Patch Cord | \$ 435     |
|                    | 01-ABLC51L    | Telecom Plate, One (1) 15 Pin HD VGA & One (1) Mini Stereo Inline Jack   | \$ 233     |
|                    | 01-ABLCRDM    | Telecom Plate, Three (3) Cord Bushings   | \$ 75      |

Compatible with:


 Oasis Mini Power & Data  
 01-OASISMA, 01-OASISMB

 Interact Power & Data  
 01-INTERACTG2A, 01-INTERACTG2B

 Power Center  
 01-INTRFCIA, 01-INTRFCIB

For ordering options, see overview at the beginning of this section.

**8% Price Increase Effective Feb 14**

**Standard Cutout Types & General Location Information**


- Grommets can be specified, at an upcharge, for field or factory installation (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- For measurements of exact Module locations, see page 223.
- For specific locations available by table size, see pages 224-229 for Aura/Canvas/Gesso and see pages 230-232 for Cameo.

**Cutout Locations Available**

**OC** = On Center  
**BB** = Between Bases (*requires 2 modules*)  
**CL** = Left of Center  
**CR** = Right of Center  
**EL** = End Left  
**ER** = End Right  
**ML** = Middle Left  
**MR** = Middle Right

**General Location of Cutouts**

*For Tables with **Two (2) Bases** and **One (1) Location**:*




**On Center**  
(OC)




**One End**  
(EL)

*For Tables with **Two (2) Bases** and **Two (2) Locations**:*



**Both Ends**  
(EL + ER)


*For Tables with **Three (3) Bases** and **One (1) Location**:*



**On Center**  
(OC)




**One End**  
(EL)




**Off Center**  
(CL)


*For Tables with **Three (3) Bases** and **Two (2) Locations**:*




**Both Ends**  
(EL + ER)



**Middle of Each End**  
(ML + MR)




**Off Center Left and Right**  
(CL + CR)




**Between the Bases**  
(BB, Slightly Off Center Between Bases)


*For Tables with **Three (3) Bases** and **Three (3) Locations**:*



**On Center and Both Ends**  
(OC + EL + ER)



**Left of Center and Both Ends**  
(CL + EL + ER)



**Off Center and Middle of Each End**  
(CL + ML + MR)

*Continued on Next Page.*

**Standard Cutout Types & General Location Information (Continued)**

- Grommets can be specified, at an upcharge, for field or factory installation (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- For measurements of exact Module locations, see page 223.
- For specific locations available by table size, see pages 224-229 for Aura/Canvas/Gesso and see pages 230-232 for Cameo.

**Cutout Locations Available**

**OC** = On Center  
**BB** = Between Bases (*requires 2 modules*)  
**CL** = Left of Center  
**CR** = Right of Center  
**EL** = End Left  
**ER** = End Right  
**ML** = Middle Left  
**MR** = Middle Right


**General Location of Cutouts**

*Continued from Previous Page*

*For Tables with **Three (3) Bases** and **Four (4) Locations**:*




**Middle of Each End and Both Ends**  
(ML + MR + EL + ER)




**Off Center and Both Ends**  
(CL + CR + EL + ER)


*For Tables with **Five (5) Bases** and **One (1) Location**:*



**On Center**  
(OC)




**One End**  
(EL)




**Off Center**  
(CL)


*For Tables with **Five (5) Bases** and **Two (2) Locations**:*




**Both Ends**  
(EL + ER)



**Middle of Each End**  
(ML + RL)




**Off Center Left and Right**  
(CL + CR)




**Between the Bases**  
(BB, Slightly Off Center Between Bases)


*For Tables with **Five (5) Bases** and **Three (3) Locations**:*



**On Center and Both Ends**  
(OC + EL + ER)




**Left of Center and Both Ends**  
(CL + EL + ER)




**Off Center and Middle of Each End**  
(CL + ML + MR)

*For Tables with **Five (5) Bases** and **Four (4) Locations**:*










**Middle of Each End and Both Ends**  
(ML + MR + EL + ER)




**Off Center and Both Ends**  
(CL + CR + EL + ER)

**Location Measurements By Module**



|  | 72" Tops  | 96" Tops  | 120", 144" & 168" Tops  | 192" Tops  |
|--|---|---|---|--|
|  | <b>OC</b> On Center<br><b>BB</b> Between Bases (requires 2 modules) |   | <b>CL</b> Left of Center<br><b>CR</b> Right of Center   | <b>EL</b> End Left<br><b>ER</b> End Right<br><b>ML</b> Middle Left<br><b>MR</b> Middle Right   |
| <b>GROMMET</b><br>  | OC Center of Table  | OC Center of Table<br>EL, EL + ER 24½" from end | CL, CL + CR 5½" from center<br>EL, EL + ER 24½" from end<br>CL + EL + ER, 5½" from center and<br>CL + CR + EL + ER 24½" from end<br>BB Slightly off centered<br>between bases                                       | CL, CL + CR 5½" from center<br>EL, EL + ER 24½" from end<br>CL + EL + ER, 5½" from center and<br>CL + CR + EL + ER 24½" from end<br>BB Slightly off centered<br>between bases<br>ML + MR 48" from end<br>CL + ML + MR, 5½" from center and<br>CL + CR + ML + MR 48" from end   |
| <b>POWER 440</b><br><br><b>INTERACT</b><br>  | OC Center of Table  | OC Center of Table<br>EL, EL + ER 25" from end  | OC Splits seam in center<br>of bases<br>EL, EL + ER 25" from end<br>CL, CL + CR 5" from center<br>CL + EL + ER, 5" from center and<br>CL + CR + EL + ER 25" from end<br>BB Slightly off centered<br>between bases   | OC Splits seam in center<br>of bases<br>EL, EL + ER 25" from end<br>CL, CL + CR 5" from center<br>CL + EL + ER, 5" from center and<br>CL + CR + EL + ER 25" from end<br>BB Slightly off centered<br>between bases<br>ML + MR 48" from end<br>CL + ML + MR, 5" from center and<br>CL + CR + ML + MR 48" from end  |
| <b>DPORT 4A</b><br><br><b>OASIS MINI,</b><br><br><b>INTRFC1</b><br><br><b>POWER &amp; DATA VAULT</b><br> | OC Center of Table  | OC Center of Table<br>EL, EL + ER 29" from end  | OC Splits seam in center<br>of bases<br>EL, EL + ER 29" from end<br>CL + EL + ER, 9½" from center and<br>CL + CR + EL + ER 29" from end<br>CL, CL + CR 9½" from center<br>BB Slightly off centered<br>between bases | OC Splits seam in center<br>of bases<br>EL, EL + ER 29" from end<br>CL + EL + ER, 9½" from center and<br>CL + CR + EL + ER 29" from end<br>CL, CL + CR 9½" from center<br>BB Slightly off centered<br>between bases<br>ML + MR 48" from end<br>OC+ EL + ER Splits center seam<br>and 29" from end<br>OC+ ML + MR Splits center seam<br>and 48" from end<br>CL + ML + MR, 9½" from center and<br>CL + CR + ML + MR 48" from end |




















# 36"x72" TOPS

For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

## 36X72 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center  
BB Between Bases (requires 2 modules)  
CL Left of Center  
CR Right of Center  
EL End Left  
ER End Right  
ML Middle Left  
MR Middle Right

|  | METAL BASE<br> | STRUT LEGS<br> | CYLINDER<br> | RECTANGLE<br> | RECTANGULAR BOX W/DOOR<br> | CANOE<br> | V-CAPPED<br> | FLAT-CAPPED<br> |
|--|---|---|---|--|---|--|---|--|
| <b>GROMMET</b><br>                | OC  | OC  | OC  | OC   | OC  | OC   | OC  | OC   |
| <b>POWER &amp; DATA VAULT</b><br> | OC  | OC  |   | OC   | OC  | OC   | OC  | OC   |
| <b>OASIS MINI</b><br>           | OC  | OC  |   | OC   | OC  | OC   | OC  | OC   |
| <b>INTERACT</b><br>             | OC  | OC  | OC  | OC   | OC  | OC   | OC  | OC   |
| <b>INTRFC1</b><br>              | OC  | OC  | OC  | OC   | OC  | OC   | OC  | OC   |
| <b>POWER 440</b><br>            | OC  | OC  | OC  | OC   | OC  | OC   | OC  | OC   |
| <b>DPORT4A</b><br>              | OC  | OC  | OC  | OC   | OC  | OC   | OC  | OC   |


















# 42"x96" TOPS


For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

## 42X96 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

**OC** On Center      **CL** Left of Center      **EL** End Left      **ML** Middle Left  
**BB** Between Bases (requires 2 modules)      **CR** Right of Center      **ER** End Right      **MR** Middle Right

|  | METAL BASE<br> | STRUT LEGS<br> | CYLINDER<br> | RECTANGLE<br> | RECTANGULAR BOX W/DOOR<br> | CANOE<br> | V-CAPPED<br> | FLAT-CAPPED<br> |
|--|---|---|---|--|---|--|---|--|
| <b>GROMMET</b><br>                | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  |
| <b>POWER &amp; DATA VAULT</b><br> | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC  | OC   | OC  | OC   |
| <b>OASIS MINI</b><br>           | OC  | OC<br>EL*<br>EL + ER*   | OC  | OC<br>EL<br>EL + ER  | OC  | OC   | OC  | OC   |
| <b>INTERACT</b><br>             | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC  | OC   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  |
| <b>INTRFC1</b><br>              | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC  | OC   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  |
| <b>POWER 440</b><br>            | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC<br>EL<br>EL + ER   | OC   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  |
| <b>DPORT4A</b><br>              | OC  | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  | OC  | OC   | OC<br>EL<br>EL + ER   | OC<br>EL<br>EL + ER  |

\* Works on all tops except Racetrack Shaped.


















# 48"x120" TOPS

For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

## 48X120 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center      CL Left of Center      EL End Left      ML Middle Left  
BB Between Bases (requires 2 modules)      CR Right of Center      ER End Right      MR Middle Right

|  | METAL BASE<br> | STRUT LEGS<br> | CYLINDER<br> | RECTANGLE<br> | RECTANGULAR BOX W/DOOR<br> | CANOE<br> | V-CAPPED<br> | FLAT-CAPPED<br> |
|--|---|---|---|--|---|--|---|--|
| <b>GROMMET</b><br>                | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>EL<br>CL + CR<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                     | BB<br>CL<br>EL<br>CL + CR<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB<br>EL<br>EL + ER   | BB<br>EL<br>EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                          |
| <b>POWER &amp; DATA VAULT</b><br> | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | OC<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | BB  | BB   |
| <b>OASIS MINI</b><br>           | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       |   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | BB  | BB   |
| <b>INTERACT</b><br>             | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | OC<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |
| <b>INTRFC1</b><br>              | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | OC<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |
| <b>POWER 440</b><br>            | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                     | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB<br>EL<br>EL + ER   | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                          |
| <b>DPORT4A</b><br>              | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | OC<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |



















**48"x144" TOPS**

For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

**48X144 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION**

**OC** On Center      **CL** Left of Center      **EL** End Left      **ML** Middle Left  
**BB** Between Bases (requires 2 modules)      **CR** Right of Center      **ER** End Right      **MR** Middle Right

|  | <b>METAL BASE</b><br> | <b>STRUT LEGS</b><br> | <b>CYLINDER</b><br> | <b>RECTANGLE</b><br> | <b>RECTANGULAR BOX W/DOOR</b><br> | <b>CANOE</b><br> | <b>V-CAPPED</b><br> | <b>FLAT-CAPPED</b><br> |
|--|--|--|--|---|--|---|--|---|
| <b>GROMMET</b><br>                | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                            | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB<br>EL<br>EL + ER  | BB<br>EL<br>EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                                 |
| <b>POWER &amp; DATA VAULT</b><br> | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB   | BB  | BB   | BB  |
| <b>OASIS MINI</b><br>           | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB   | BB  | BB   | BB  |
| <b>INTERACT</b><br>             | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | OC<br>BB   | BB  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   |
| <b>INTRFC1</b><br>              | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB   | BB  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   |
| <b>POWER 440</b><br>            | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                            | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB<br>EL<br>EL + ER  | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                                 |
| <b>DPORT4A</b><br>              | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                              | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | OC<br>BB   | BB  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   |


















**48"x168" TOPS**

For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

**48X168 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION**

**OC** On Center      **CL** Left of Center      **EL** End Left      **ML** Middle Left  
**BB** Between Bases (requires 2 modules)      **CR** Right of Center      **ER** End Right      **MR** Middle Right

|  | METAL BASE<br> | STRUT LEGS<br> | CYLINDER<br> | RECTANGLE<br> | RECTANGULAR BOX W/DOOR<br> | CANOE<br> | V-CAPPED<br> | FLAT-CAPPED<br> |
|--|---|---|---|--|---|--|---|--|
| <b>GROMMET</b><br>                | BB  | CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                             | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                     | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB<br>EL<br>EL + ER   | BB<br>EL<br>EL + ER  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                          |
| <b>POWER &amp; DATA VAULT</b><br> | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | BB  | BB   |
| <b>OASIS MINI</b><br>           | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | BB  | BB   |
| <b>INTERACT</b><br>             | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |
| <b>INTRFC1</b><br>              | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |
| <b>POWER 440</b><br>            | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                     | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | BB<br>EL<br>EL + ER   | BB   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                       | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                          |
| <b>DPORT4A</b><br>              | BB  | OC*<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | BB<br>CL<br>CL + CR<br>EL<br>EL + ER<br>CL + EL + ER<br>CL + CR + EL + ER                      | OC<br>BB  | BB   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER  |

\* Works on all tops except Racetrack Shaped.


















# 48"x192" TOPS

For General Location Information See Pages 221 to 222; For Exact Measurements of Locations See Page 223.

## 48X192 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

**OC** On Center      **CL** Left of Center      **EL** End Left      **ML** Middle Left  
**BB** Between Bases (requires 2 modules)      **CR** Right of Center      **ER** End Right      **MR** Middle Right

|  | METAL BASE<br> | STRUT LEGS<br>                         | CYLINDER<br>                           | RECTANGLE<br>                      | RECTANGULAR BOX W/DOOR<br> | CANOE<br> | V-CAPPED<br>                         | FLAT-CAPPED<br>                      |
|--|---|---|---|---|---|--|---|---|
| <b>GROMMET</b><br>                | BB<br>ML + MR   | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR     | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>EL<br>EL + ER<br>ML + MR  | BB<br>EL<br>EL + ER<br>ML + MR   | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR |
| <b>POWER &amp; DATA VAULT</b><br> | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>EL<br>EL + ER<br>OC + EL + ER   | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>ML + MR   | BB<br>ML + MR  | BB<br>ML + MR   | BB<br>ML + MR   |
| <b>OASIS MINI</b><br>           | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>ML + MR   | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>ML + MR   | BB<br>ML + MR  | BB<br>ML + MR   | BB<br>ML + MR   |
| <b>INTERACT</b><br>             | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER<br>OC + ML + MR  | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>ML + MR   | BB<br>ML + MR  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  |
| <b>INTRFC1</b><br>              | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER<br>OC + ML + MR  | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>ML + MR   | BB<br>ML + MR  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  |
| <b>POWER 440</b><br>            | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB<br>EL<br>EL + ER<br>ML + MR  | BB<br>ML + MR  | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | BB, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR |
| <b>DPORT4A</b><br>              | BB<br>ML + MR   | OC, CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER<br>OC + ML + MR  | CL or EL<br>CL + CR<br>EL + ER<br>ML + MR<br>CL + EL + ER<br>CL + ML + MR<br>CL + CR + EL + ER<br>CL + CR + ML + MR | OC<br>BB<br>ML + MR   | BB<br>ML + MR  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  | OC<br>BB<br>EL<br>EL + ER<br>ML + MR<br>OC + EL + ER  |

## ORDERING INFORMATION

All orders should be emailed to [neworders@indianafurniture.com](mailto:neworders@indianafurniture.com).  
Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture  
P.O. Box 270  
1224 Mill Street  
Jasper, IN 47547-0270

## ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

## PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

## ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies.

## BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

## CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

## PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

## REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

## WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, a **.067% per calendar day** (2% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

## DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

**Obvious Damage/Missing Cartons** — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

**Concealed Damage** — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered 1/3 by the carrier and 2/3 by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

## RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGAs for the following reasons:

1. Manufacturing defect (inspected by Indiana Furniture representative)
2. Indiana Furniture order processing error
3. Shipping error
4. Mis-marked cartons
5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

**All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.**

## DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$2000 (net value, product only) will be assessed a small order fee of \$200 Net per shipment. This fee will be waived for items shipped via small package carriers.

## BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. (“**Indiana Furniture**”) warrants to the original purchaser all product in this price list (“**Product**”) to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture’s sole discretion) any Product, part, or component covered by this warranty and sold after December 6, 2021, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

**Warranty periods are limited** for certain Products and parts as follows:

**12-year Warranty** (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

**7-year Warranty** (from the date of shipment)

- Pneumatic Table Lift
- Electric Table Lift

**5-year Warranty** (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

**3-year Warranty** (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

**THIS WARRANTY DOES NOT COVER:**

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer’s own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.

If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

































INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.  
Attn: Customer Service  
1224 Mill Street, P.O. Box 270  
Jasper, Indiana 47547-0270  
800.422.5727  
Fax 812.482.9035  
custserv@indianafurniture.com



# Surface Materials

## Wood Finishes and Woodgrain, Solid, and Patterned Laminates

|  |  |  |  |   |   |
|--|--|--|--|---|---|
|   |   |   |  |  |  |
| <b>Beigewood (BW)</b><br>TFL, HPL, Seating*  | <b>Sugar Maple (SM)</b><br>Veneer, TFL, HPL, Seating                               | <b>Oak Riftwood (ORW)</b><br>Veneer*, TFL, HPL, Seating*                           | <b>Sunglow Walnut (SW)</b><br>Veneer, Seating                                      | <b>Fawn Oak (FO)</b><br>Veneer*, Seating*   | <b>Weathered Ash (WTA)</b><br>Veneer*, TFL, HPL, Seating*                           |
|   |   |   |  |  |  |
| <b>Smoky Brown Pear (SBP)</b><br>Veneer, TFL, HPL, Seating*                        | <b>Asian Night (AS)</b><br>Veneer, TFL, HPL, Seating                               | <b>Studio Teak (TK)</b><br>TFL, HPL, Seating                                       | <b>Pinnacle Walnut (PNW)</b><br>TFL, HPL, Seating                                  | <b>Tavern Teak (TT)</b><br>Veneer, Seating*   | <b>Harvest Maple (HVM)</b><br>Veneer, TFL, HPL, Seating*                            |
|   |   |   |  |  |  |
| <b>Medium Oak (MO)</b><br>Veneer*, Seating*  | <b>Golden Cherry (GC)</b><br>Veneer, TFL, HPL, Seating                             | <b>Legacy Walnut (LW)</b><br>Veneer, Seating                                       | <b>Artisan Walnut (AW)</b><br>Veneer, Seating                                      | <b>Shaker Cherry (SKC)</b><br>Veneer, TFL, HPL, Seating                             | <b>Select Cherry (SCH)</b><br>Veneer, TFL, HPL, Seating                             |
|   |   |   |  |  |  |
| <b>Williamsburg Cherry (WC)</b><br>Veneer, TFL, HPL, Seating                       | <b>Harvest Walnut (HW)</b><br>Veneer, Seating                                      | <b>Dark Cherry (DC)</b><br>Veneer, Seating   | <b>Mahogany Walnut (MW)</b><br>Veneer, TFL, HPL, Seating                           | <b>Columbian Walnut (CO)</b><br>Veneer, TFL, HPL, Seating                           | <b>Dark Forest Walnut (DFW)</b><br>Veneer, Seating*                                 |
|   |   |   |  |  |  |
| <b>Espresso (EW/EF)</b><br>Veneer, TFL, HPL, Seating                               | <b>Designer White (WH)</b><br>TFL, HPL, Seating                                    | <b>White Sand (WHS)</b><br>TFL, HPL  | <b>Fashion Grey (FHG)</b><br>TFL, HPL  | <b>Pepperdust (PPD)</b><br>TFL, HPL   | <b>Slate Grey (SG)</b><br>TFL, HPL  |
|  |  |  |  |   |   |
| <b>Black (BL)</b><br>TFL, HPL, Seating   | <b>Pewter Mesh (PTM)</b><br>HPL (training tables only)                             | <b>Steel Mesh (STM)</b><br>HPL (training tables only)                              |  |   |   |

\* Finish is Low Sheen

## Metal Options

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| <b>Oyster White (OYST)</b>  | <b>Sugar Cookie (SUGC)</b>  | <b>Aluminum (ALUM)</b>  | <b>Chrome (CHRM)</b>   | <b>Mist (MIST)</b>  | <b>Black (BLK) / Noir (NOIR)</b>  |






## Square One Wood Finishes

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>Aspen White (AWH)</b>  | <b>Natural Beech (NB)</b>   | <b>Truffle Rain (TR)</b>  | <b>Orchard (OR)</b>  | <b>Ember Gray (EG)</b>  |

## Square One Acrylic Options

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>Frosted (FSTA)</b>   | <b>Raffia (RAFA)</b>  | <b>Tinsel (TNSA)</b>  | <b>Twigwork (TGWA)</b>   | <b>Woven (WOVA)</b>   |

## Square One Acoustic Options

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>Milky (MLK)</b>  | <b>Taupe (TPE)</b>  | <b>Grey (GRY)</b>   | <b>Ash (ASH)</b>   | <b>Black (BLK)</b>  |

**8% Price Increase Effective Feb 14**

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To see actual colors, please visit our website or contact our Sales team or order online at [www.indianafurniture.com](http://www.indianafurniture.com). Graining and finish colors may vary, yet will continue to complement, across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.

# Indiana<sup>®</sup> FURNITURE

1224 Mill Street  
PO Box 270  
Jasper, Indiana 47547-0270

Tel 812.482.5727  
Tol 800.422.5727  
Fax 812.482.9035  
sales@indianafurniture.com  
www.indianafurniture.com

Federal Classification: Small Business

8% Price Increase Effective Feb 14

