NEW PRICING FEBRUARY 14

Effective February 14, 2022, Indiana Furniture will incur an 8% price increase on all models and options.

-2 0 N • 9 Y ш m Σ ш U ш Δ ш TIV С Ш ц., ц., • ш U C I N **2** Δ Indiana

FURNITURE

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Social Responsibility

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship

and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- · Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.









ProjectMatrix

SIN 33721 TRI-ONE™ MULTI-USE TABLES (8500/8600 SERIES)

Designers Jim Contois and Ramsey Madsen complement existing products with the Tri-One Table Collection. A full offering of training, meeting, and modular tables are available in flexible models that is sure to meet every expectation with integrated power and data capabilities.

CONSTRUCTION

LAMINATE

- Thermally-Fused Laminate (TFL) and High-Pressure Laminate (HPL) are made of woodgrain and solid color laminates fused to particleboard core; each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance VENEER
- Surfaces feature select-grade, plain-sliced hardwood Cherry, Maple, American Black Walnut, White Oak, and composite veneers; Veneers are carefully selected and matched to assure proper balance and consistency
- Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology TOPS
- Tops with the Square (Y) edge profile are 1" thick TFL or $13\!\!/_{16}$ " HPL with a 3mm PVC rim; or 13/16" Veneer with 1.5mm edge banding
- Tops with the Knife (K) edge profile are 1³/₁₆" HPL with a 3mm PVC rim or 13/16" Veneer with 11/2 mm edge banding
- Training and Modular tops feature shaped profiles on the user side while Meeting tops are shaped on all four sides
- Tops are pre-drilled for the specified base assembly and for ganging where applicable
- Grain direction runs left-to-right, unless noted



Square (Y)

LEGS/BASES

- The Envy and Vantage leg/base styles are powder-coated Aluminum and include a 5mm steel mounting plate; Strut legs are made of steel and are powder-coated Aluminum or Black
- · Envy style legs are aluminum extrusions while Vantage style legs are welded steel
- · All legs and bases come standard with adjustable glides

GANGING

- All Modular and Training tops are pre-drilled with threaded inserts for ganging applications
- Ganging brackets include quick release thumb screws for ease of use; No tools required

NESTING

- Training tables offer an exclusive flip mechanism which can be accessed from any position to allow easier nesting of tables
- Optional flip mechanisms are factory installed and must be specified at the time of order

POWER/DATA/CORD MANAGEMENT

- Grommets are available in tops, where noted
- Grommets are 2 3/8" in diameter and available in black or silver
- Power/Data units available for under-surface mount, routed into tops, or for use in standard grommet holes (e.g., Sand Dollar)
- Power/Data Units comply with FCC Part 15A and UL
- Standard Power/Data plugs and daisy-chain connections are available; daisy chains are non-sequential; connect up to 8 modules

| HOW TO ORDER EXAMPL | ES | | | |
|---------------------|-----|---------------|----------------|----------|
| MODULAR TABLE | QTY | MODEL NO. | | EXAMPLE |
| ТОР | 4 | 85-3084MCT | Finish | FO |
| LEG | 4 | 08-0227APL4 | | |
| GANGING | 3 | 08-1505GB | | |
| MODESTY | 4 | 85-0884MD | Finish | FO |
| GROMMET/POWER/DATA | 4 | 01-DUOBEZELS | | PDC-L |
| FLEXIBLE SIZE TOP | QTY | MODEL NO. | | EXAMPLE |
| ТОР | 4 | 86-FLEXMCT30 | Width Color | 79 WH |
| LEG | 4 | 08-0227SPL4 | | |
| GANGING | 3 | 08-1505GB | | |
| MODESTY | | No Modesty | | |
| GROMMET/POWER/DATA | | No Grommet | | |
| MEETING TABLE | QTY | MODEL NO. | | EXAMPLE |
| ТОР | 1 | 86-4296MTKH | Color | WTA |
| LEG | 1 | 08-2828YLG84 | Finish | BLK |
| GROMMET/POWER/DATA | 1 | GC | Color | BLK |
| | | | | |
| TRAINING TABLE | | MODEL NO. | | EXAMPLE |
| TOP | 6 | 86-2472TTKH | Color | PTM |
| LEG | 6 | 08-2427TLC72 | Casters | SOFT |
| GANGING | 5 | | | |
| NESTING | 6 | 00120 | | |
| MODESTY | 6 | | Color | PTM |
| GROMMET/POWER/DATA | 6 | 01-PDUOBEZELW | | PDC-C |

TFL (T) & HPL (P) LAMINATE OPTIONS

Tops with Knife Edge Profile available in HPL Only.

WOODGRAIN

| AS BW CO EF GC HVM MW ORW | Asian Night Beigewood Columbian Walnut Espresso Golden Cherry Harvest Maple Mahogany Walnut Oak Riftwood | PNW SCH SKC SBP TK SM WTA WC | Pinnacle Walnut Select Cherry Shaker Cherry Smoky Brown Pear Studio Teak Sugar Maple Weathered Ash Williamsburg Cherry |
|--|---|---|---|
| SOLID BL WH FHG | Black Designer White Fashion Grey NED (HPL ONLY) | PPD SG WHS | Pepperdust Slate Grey White Sand |
| PTM | Pewter Mesh | STM | Steel Mesh |

TRI-ONETM MULTI-USE TABLES (8500/8600 SERIES)

VENEER (W) OPTIONS

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

| AW | Artisan Walnut | MW | Mahogany Walnut |
|-----|--------------------|-----|---------------------|
| AS | Asian Night | MO | Medium Oak* |
| CO | Columbian Walnut | ORW | Oak Riftwood* |
| DC | Dark Cherry | SCH | Select Cherry |
| DFW | Dark Forest Walnut | SKC | Shaker Cherry |
| EF | Espresso | SBP | Smoky Brown Pear |
| FO | Fawn Oak* | SM | Sugar Maple |
| GC | Golden Cherry | SW | Sunglow Walnut |
| HVM | Harvest Maple | TT | Tavern Teak |
| HW | Harvest Walnut | WTA | Weathered Ash* |
| LW | Legacy Walnut | WC | Williamsburg Cherry |

* Finish is Low Sheen

GROMMET OPTIONS & POWER/DATA UNIT LOCATIONS

Grommets are available in modular, meeting, and training tops. Tops may also be ordered without grommets at no additional charge. Please specify NO GROMMET on order.

Power/Data units must be specified separately with surface mount location. Specify location on order, as well as the power/data unit. Routed for field placement at no additional charge.

Grommets are available in standard locations. Please specify using info below. Multiple locations may be selected. Only one grommet/ power/data unit per location.

GROMMET LOCATIONS (Black = BLK and Silver = SLV)

| GC | Grommet, Center - Must Specify BLK or SLV | \$ 60 |
|----|---|----------|
| GL | Grommet, Left - Must Specify BLK or SLV | \$ 60 |
| GR | Grommet, Right - Must Specify BLK or SLV | \$ 60 |


DUO/TRIO BEZEL LOCATIONS (Starting on Page 200)

PDC-C Bezel, Center

| PDC-L | Bezel, Left |
|-------|--------------|
| PDC-R | Bezel, Right |


Grommets and Power/Data Units may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

24" Modular Tops



GL/GR: Located 10" from end based on widest dimension, 13 % " from user side GC/PDC-C: Located 13 % " from user side

30" Modular Tops




GL/GR: Located 10" from end based on widest dimension, 19 ¾" from user side GC/PDC-C: Located 19¾" from user side

Meeting Tops (Where Applicable)



GC/PDC-C: On Center, front to back

18" Training Tables




GL/GR/PDC-L/PDC-R: Located 10" from end, 12" from user side GC/PDC-C: Located 12" from user side

24" Training Tables



GL/GR: Located 10" from end, 16½" from user side GC: Located 16½" from user side

30" Training Tables



GL/GR: Located 10" from end, 20" from user side GC: Located 20" from user side

CERTIFICATIONS & COMPLIANCE

- ETL Environmental Certification
- BIFMA level[®] Certified
- BIFMA Compliant[®] Certified
- TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED® Contribution





Modular Tops & Legs



Rectangular Modular Tops in Standard and Flexible Sizes (See Pages 196 to 197)



Modesty Panels (See Pages 204 to 206)



Trapezoid Modular Tops in Standard and Flexible Sizes (See Pages 198 to 201)



Ganging Brackets (See Page 204)

O e



Pentagon and Bridge Ganging Tops (See Pages 202 to 203)



Grommets, Power/Data, and Accessories

(See Pages 216 to 220)

Round Meeting Tops

(See Page 210)

ംറ്റ

Envy Post Vantage Leg Post Leg

(See Page 204)

Meeting Tops & Legs



Rectangular Meeting Tops (See Page 207)

Square Meeting Tops

(See Page 209)

Soft Rectangular Meeting Tops (See Page 208)



Soft View Meeting Tops (See Page 210)



Ellipse Meeting Tops*




Grommets, Power/Data, and Accessories (See Pages 216 to 220)

* The Ellipse Meeting Tops will use the Envy Post or Vantage Post Legs

Bases and Legs (See Page 212)





X-Bases Strut Legs

Soft Square Meeting Tops

(See Page 209)

Training Tops & Legs



Rectangular Training Tops (See Page 213)



Ö Grommets, Power/Data, and Accessories (See Pages 216 to 220)





Envy C-Legs Vantage T-Legs (See Pages 214 to 215)

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| tem | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|----------------------------------|-----------------------------|---------------|-----|----|---|---------|----------|------------|--------------|
| RECTANGULAR MODULAR TOPS | Square Edge | | | | | | | | |
| | 86-3084MCT | TFL | 84 | 30 | - | 76.4 | 6.0 | Т\$ | 792 |
| | 86-3084MCTH | HPL | | | | | | P\$ | 107 |
| | 85-3084MCT | Veneer | | | | | | W\$ | 1588 |
| | 86-3072MCT | TFL | 72 | 30 | - | 65.5 | 5.1 | Т\$ | 640 |
| | 86-3072MCTH | HPL | | | | | | P\$ | 868 |
| User Side | 85-3072MCT | Veneer | | | | | | W\$ | 1286 |
| | 86-3060MCT | TFL | 60 | 30 | - | 54.6 | 4.3 | Τ\$ | 576 |
| | 86-3060MCTH | HPL | | | | | | P\$ | 781 |
| | 85-3060MCT | Veneer | | | | | | W\$ | 1153 |
| | 86-3048MCT | TFL | 48 | 30 | - | 43.7 | 3.5 | Т\$ | 430 |
| | 86-3048MCTH | HPL | | | | | | P\$ | 584 |
| | 85-3048MCT | Veneer | | | | | | W\$ | 865 |
| | 86-2484MCT | TFL | 84 | 24 | - | 61.1 | 4.9 | Т\$ | 734 |
| | 86-2484MCTH | HPL | | | | | | P\$ | 997 |
| | 85-2484MCT | Veneer | | | | | | W\$ | 1475 |
| Must Specify (in this order): | 86-2472MCT | TFL | 72 | 24 | - | 52.4 | 4.2 | T\$ | 592 |
| Model # | 86-2472MCTH | HPL | | | | | | P\$ | 801 |
| Top Finish/Color Leg Model # | 85-2472MCT | Veneer | | | | | | W\$ | 1186 |
| Ganging Brackets | 86-2460MCT | TFL | 60 | 24 | - | 43.7 | 3.5 | Τ\$ | 539 |
| Modesty Model # and Finish/Color | 86-2460MCTH | HPL | | | | | | P\$ | 728 |
| Grommet/Power/Data Location | 85-2460MCT | Veneer | | | | | | W\$ | 1076 |
| | 86-2448MCT | TFL | 48 | 24 | - | 34.9 | 2.8 | T\$ | 399 |
| | 86-2448MCTH | HPL | | | | | | P\$ | 541 |
| | 85-2448MCT | Veneer | | | | | | W\$ | 798 |
| | Knife Edge | | | | | | | | |
| | 86-3084MCTKH | HPL | 84 | 30 | - | 76.4 | 6.0 | P\$ | 1404 |
| | 85-3084MCTK | Veneer | | | | | | W\$ | 1935 |
| | 86-3072MCTKH | HPL | 72 | 30 | - | 65.5 | 5.1 | P\$ | 1138 |
| | 85-3072MCTK | Veneer | | | | | | W\$ | 1568 |
| | 86-3060MCTKH | HPL | 60 | 30 | - | 54.6 | 4.3 | P\$ | 1022 |
| | 85-3060MCTK | Veneer | 40 | 70 | | | 7.5 | W\$ | 1408 |
| | 86-3048MCTKH 85-3048MCTK | HPL Veneer | 48 | 30 | - | 43.7 | 3.5 | P\$ W\$ | 765 1056 |
| | | | 0.4 | 24 | | C11 | 4.0 | | |
| | 86-2484MCTKH 85-2484MCTK | HPL Veneer | 84 | 24 | - | 61.1 | 4.9 | P\$ W\$ | 1307 1798 |
| | 86-2472MCTKH | HPL | 72 | 24 | - | 52.4 | 4.2 | P\$ | 1050 |
| | 85-2472MCTKH 85-2472MCTK | Veneer | 12 | 24 | - | 52.4 | 4.2 | P\$ W\$ | 1448 |
| | 86-2460MCTKH | HPL | 60 | 24 | - | 43.7 | 3.5 | P\$ | 953 |
| | 85-2460MCTK | Veneer | 00 | 24 | - | 43.7 | 5.5 | P5 W\$ | 1313 |
| | 86-2448MCTKH | HPL | 48 | 24 | - | 34.9 | 2.8 | P\$ | 705 |
| | 85-2448MCTK | Veneer | 40 | 24 | - | 54.9 | 2.0 | P5 W\$ | 974 |



Description

- ٠ Profile on User Side Only
- Flexible Sizes Available, See Next Page, Page 197
- Tops 60" or Larger Include Stiffener Bar
- Legs Required (Assembly Required); Sold Separately, See Page 204 •
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204
- Fixed Modesty Panel Options Available; Sold Separately, See Page 204
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

Must Order Envy or Vantage Post Legs. See Page 204.

T = TFL P = HPL W = Veneer

196

RECTANGULAR MODULAR TOPS

Item

FLEXIBLE SIZES

User Side

Must Specify (in this order):

Modesty Model # and Finish/Color

Grommet/Power/Data Location

Top Width Measurement Top Finish/Color Leg Model #

Ganging Brackets

Model #

Model No.

Square Edge

86-FLEXMCT30 86-FLEXMCTH30 85-FLEXMCT30

86-FLEXMCT24 86-FLEXMCTH24 85-FLEXMCT24

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| | MUL | 1-03 | | DLES (O | 500/80 | | (IES) |
|--------|-------|------|---|---------|----------|-----|---------|
| | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
| | | | | | | | |
| TFL | 84-73 | 30 | - | 76.4 | 6.0 | Т\$ | 792 |
| HPL | | | | | | P\$ | 1071 |
| Veneer | | | | | | W\$ | 1588 |
| | 72-61 | 30 | - | 65.5 | 5.1 | Т\$ | 640 |
| | | | | | | P\$ | 868 |
| | | | | | | W\$ | 1286 |
| | 60-49 | 30 | - | 54.6 | 4.3 | Т\$ | 576 |
| | | | | | | P\$ | 781 |
| | | | | | | W\$ | 1153 |
| | 48-36 | 30 | - | 43.7 | 3.5 | Т\$ | 430 |
| | | | | | | P\$ | 584 |
| | | | | | | W\$ | 865 |
| TFL | 84-73 | 24 | - | 61.1 | 4.9 | Т\$ | 734 |
| HPL | | | | | | P\$ | 997 |
| Veneer | | | | | | W\$ | 1475 |
| | 72-61 | 24 | - | 52.4 | 4.2 | Т\$ | 592 |
| | | | | | | P\$ | 801 |
| | | | | | | W\$ | 1186 |
| | 60-49 | 24 | - | 43.7 | 3.5 | Т\$ | 539 |
| | | | | | | | |

| | | | | VVΦ | 1100 |
|----|---|------|-----|-----|------|
| 24 | - | 43.7 | 3.5 | Т\$ | 539 |
| | | | | P\$ | 728 |
| | | | | W\$ | 1076 |
| 24 | - | 34.9 | 2.8 | T\$ | 399 |
| | | | | P\$ | 541 |
| | | | | W\$ | 798 |
| | | | | | |

| Knife Edge | | | | | | | | |
|----------------|--------|-------|----|---|------|-----|-----|------|
| 86-FLEXMCTKH30 | HPL | 84-73 | 30 | - | 76.4 | 6.0 | P\$ | 1404 |
| 85-FLEXMCTK30 | Veneer | | | | | | W\$ | 1935 |
| | | 72-61 | 30 | - | 65.5 | 5.1 | P\$ | 1138 |
| | | | | | | | W\$ | 1568 |
| | | 60-49 | 30 | - | 54.6 | 4.3 | P\$ | 1022 |
| | | | | | | | W\$ | 1408 |
| | | 48-36 | 30 | - | 43.7 | 3.5 | P\$ | 765 |
| | | | | | | | W\$ | 1056 |
| 86-FLEXMCTKH24 | HPL | 84-73 | 24 | - | 61.1 | 4.9 | P\$ | 1307 |
| 85-FLEXMCTK24 | Veneer | | | | | | W\$ | 1798 |
| | | 72-61 | 24 | - | 52.4 | 4.2 | P\$ | 1050 |
| | | | | | | | W\$ | 1448 |
| | | 60-49 | 24 | - | 43.7 | 3.5 | P\$ | 953 |
| | | | | | | | W\$ | 1313 |
| | | 48-36 | 24 | - | 34.9 | 2.8 | P\$ | 705 |
| | | | | | | | W\$ | 974 |



Description

- Profile on User Side Only
- Must Specify Width In One Inch Increments from 36" to 84"
- Tops 60" or Larger Include Stiffener Bar
- Legs Required (Assembly Required); Sold Separately, See Page 204
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204

48-36

- Fixed Modesty Panel Options Available; Sold Separately, See Page 206
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

Must Order Envy or Vantage

Post Legs. See Page 204.

For ordering options, see overview at the beginning of this section.

8% Price Increase Effective Feb 14

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|--|---------------|--------|----|----|---|---------|----------|-----|---------|
| EFT TRAPEZOID MODULAR TOPS | Square Edge | | | | | | | | |
| ~ | 86-3084LMCT | TFL | 84 | 30 | - | 76.4 | 6.0 | T\$ | 760 |
| | 86-3084LMCTH | HPL | | | | | | P\$ | 1030 |
| | 85-3084LMCT | Veneer | | | | | | W\$ | 1524 |
| Item LEFT TRAPEZOID MODULAR TOPS User Side User Side User Side Must Specify (in this order): Model # Top Finish/Color Leg Model # Ganging Brackets Modesty Model # and Finish/Color Grommet/Power/Data Location | 86-3072LMCT | TFL | 72 | 30 | - | 65.5 | 5.1 | Т\$ | 615 |
| | 86-3072LMCTH | HPL | | | | | | P\$ | 832 |
| User Side | 85-3072LMCT | Veneer | | | | | | W\$ | 1232 |
| | 86-3060LMCT | TFL | 60 | 30 | - | 54.6 | 4.3 | Т\$ | 553 |
| / | 86-3060LMCTH | HPL | | | | | | P\$ | 751 |
| | 85-3060LMCT | Veneer | | | | | | W\$ | 1110 |
| | 86-3048LMCT | TFL | 48 | 30 | - | 43.7 | 3.5 | Т\$ | 414 |
| | 86-3048LMCTH | HPL | | | | | | P\$ | 561 |
| | 85-3048LMCT | Veneer | | | | | | W\$ | 829 |
| | 86-2484LMCT | TFL | 84 | 24 | - | 61.1 | 4.9 | Τ\$ | 705 |
| | 86-2484LMCTH | HPL | | | | | | P\$ | 958 |
| | 85-2484LMCT | Veneer | | | | | | W\$ | 1419 |
| Must Specify (in this order): | 86-2472LMCT | TFL | 72 | 24 | - | 52.4 | 4.2 | Т\$ | 566 |
| Model # | 86-2472LMCTH | HPL | | | | | | P\$ | 768 |
| | 85-2472LMCT | Veneer | | | | | | W\$ | 1137 |
| • | 86-2460LMCT | TFL | 60 | 24 | - | 43.7 | 3.5 | Т\$ | 516 |
| | 86-2460LMCTH | HPL | | | | | | P\$ | 699 |
| | 85-2460LMCT | Veneer | | | | | | W\$ | 1036 |
| Gronnet/Fower/Data Eocation | 86-2448LMCT | TFL | 48 | 24 | - | 34.9 | 2.8 | Т\$ | 380 |
| | 86-2448LMCTH | HPL | | | | | | P\$ | 515 |
| | 85-2448LMCT | Veneer | | | | | | W\$ | 762 |
| | Knife Edge | | | | | | | | |
| | 86-3084LMCTKH | HPL | 84 | 30 | - | 76.4 | 6.0 | P\$ | 1350 |
| | 85-3084LMCTK | Veneer | | | | | | W\$ | 1860 |
| | 86-3072LMCTKH | HPL | 72 | 30 | - | 65.5 | 5.1 | P\$ | 1090 |
| | 85-3072LMCTK | Veneer | | | | | | W\$ | 1502 |
| | 86-3060LMCTKH | HPL | 60 | 30 | - | 54.6 | 4.3 | P\$ | 982 |
| | 85-3060LMCTK | Veneer | | | | | | W\$ | 1354 |
| | 86-3048LMCTKH | HPL | 48 | 30 | - | 43.7 | 3.5 | P\$ | 733 |
| | 85-3048LMCTK | Veneer | | | | | | W\$ | 1011 |
| | 86-2484LMCTKH | HPL | 84 | 24 | - | 61.1 | 4.9 | P\$ | 1254 |
| | 85-2484LMCTK | Veneer | | | | | | W\$ | 1730 |
| | 86-2472LMCTKH | HPL | 72 | 24 | - | 52.4 | 4.2 | P\$ | 1007 |
| | 85-2472LMCTK | Veneer | | | | | | W\$ | 1387 |
| | 86-2460LMCTKH | HPL | 60 | 24 | - | 43.7 | 3.5 | P\$ | 916 |
| | 85-2460LMCTK | Veneer | | | | | | W\$ | 1263 |
| | 86-2448LMCTKH | HPL | 48 | 24 | - | 34.9 | 2.8 | P\$ | 675 |
| | 85-2448LMCTK | Veneer | | | | | | W\$ | 931 |

Description

- Profile on User Side Only
- Flexible Sizes Available, See Next Page, Page 199
- Tops 60" or Larger Include Stiffener Bar
- Legs Required (Assembly Required); Sold Separately, See Page 204
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204
- Fixed Modesty Panel Options Available; Sold Separately, See Page 204
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

Must Order Envy or Vantage Post Legs. See Page 204.



SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

199

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|----------------------------------|-------------------------------|--------|-------|----|---|---------|----------|------------|------------|
| LEFT TRAPEZOID MODULAR TOPS | Square Edge | | | | | | | | |
| FLEXIBLE SIZES | 86-FLEXLMCT30 | TFL | 84-73 | 30 | - | 76.4 | 6.0 | Т\$ | 760 |
| | 86-FLEXLMCTH30 | HPL | | | | | | P\$ | 1030 |
| | 85-FLEXLMCT30 | Veneer | | | | | | W\$ | 1524 |
| | | | 72-61 | 30 | - | 65.5 | 5.1 | Т\$ | 615 |
| | | | | | | | | P\$ | 832 |
| User Side | | | | | | | | W\$ | 1232 |
| | | | 60-49 | 30 | - | 54.6 | 4.3 | Т\$ | 553 |
| | | | | | | | | P\$ | 751 |
| | | | | | | | | W\$ | 1110 |
| | | | 48-36 | 30 | - | 43.7 | 3.5 | Т\$ | 414 |
| | | | | | | | | P\$ | 561 |
| | | | | | | | | W\$ | 829 |
| | 86-FLEXLMCT24 | TFL | 84-73 | 24 | - | 61.1 | 4.9 | Т\$ | 705 |
| | 86-FLEXLMCTH24 | HPL | | | | | | P\$ | 958 |
| | 85-FLEXLMCT24 | Veneer | | | | | | W\$ | 1419 |
| Must Specify (in this order): | | | 72-61 | 24 | - | 52.4 | 4.2 | Т\$ | 566 |
| Model # | | | | | | | | P\$ | 768 |
| Top Width Measurement | | | 60.40 | 24 | | 47.7 | 7 5 | W\$ | 1137 |
| Top Finish/Color Leg Model # | | | 60-49 | 24 | - | 43.7 | 3.5 | T\$ | 516 |
| Ganging Brackets | | | | | | | | P\$ | 699 |
| Modesty Model # and Finish/Color | | | 40.70 | 24 | | 74.0 | 2.0 | W\$ | 1036 |
| Grommet/Power/Data Location | | | 48-36 | 24 | - | 34.9 | 2.8 | T\$ | 380 |
| | | | | | | | | P\$ W\$ | 515 762 |
| | Kuife Estus | | | | | | | ¢۷۷ | 702 |
| | Knife Edge 86-FLEXLMCTKH30 | HPL | 84-73 | 30 | - | 76.4 | 6.0 | P\$ | 1350 |
| | 85-FLEXLMCTK30 | Veneer | | | | | | W\$ | 1860 |
| | 03 TEEXENCTING | Veneer | 72-61 | 30 | - | 65.5 | 5.1 | P\$ | 1000 |
| | | | 72-01 | 30 | - | 05.5 | 5.1 | • | |
| | | | | | | | | W\$ | 1502 |
| | | | 60-49 | 30 | - | 54.6 | 4.3 | P\$ | 982 |
| | | | | | | | | W\$ | 1354 |
| | | | 48-36 | 30 | - | 43.7 | 3.5 | P\$ | 733 |
| | | | | | | | | W\$ | 1011 |
| | 86-FLEXLMCTKH24 | HPL | 84-73 | 24 | - | 61.1 | 4.9 | P\$ | 1254 |
| | 85-FLEXLMCTK24 | Veneer | | | | | | W\$ | 1730 |
| | | | 72-61 | 24 | - | 52.4 | 4.2 | P\$ | 1007 |
| | | | | | | | | W\$ | 1387 |
| | | | 60-49 | 24 | - | 43.7 | 3.5 | P\$ | 916 |
| | | | | | | | | W\$ | 1263 |
| | | | 48-36 | 24 | - | 34.9 | 2.8 | P\$ | 675 |
| | | | | | | | | | |



Must Order Envy or Vantage Post Legs. See Page 204.

Description

- Profile on User Side Only
- Tops 60" or Larger Include Stiffener Bar •
- Legs Required (Assembly Required); Sold Separately, See Page 204 ٠
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204 ٠
- ٠ Fixed Modesty Panel Options Available; Sold Separately, See Page 204
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

For ordering options, see overview at the beginning of this section.

8% Price Increase Effective Feb 14 **Tri-One Tables**

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| tem | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|---|---------------|--------|----|----|---|---------|----------|-----|---------|
| RIGHT TRAPEZOID MODULAR TOPS | Square Edge | | | | | | | | |
| - | 86-3084RMCT | TFL | 84 | 30 | - | 76.4 | 6.0 | T\$ | 760 |
| | 86-3084RMCTH | HPL | | | | | | P\$ | 1030 |
| | 85-3084RMCT | Veneer | | | | | | W\$ | 1524 |
| | 86-3072RMCT | TFL | 72 | 30 | - | 65.5 | 5.1 | Т\$ | 615 |
| | 86-3072RMCTH | HPL | | | | | | P\$ | 832 |
| User Side | 85-3072RMCT | Veneer | | | | | | W\$ | 1232 |
| | 86-3060RMCT | TFL | 60 | 30 | - | 54.6 | 4.3 | Т\$ | 553 |
| | 86-3060RMCTH | HPL | | | | | | P\$ | 751 |
| | 85-3060RMCT | Veneer | | | | | | W\$ | 111C |
| | 86-3048RMCT | TFL | 48 | 30 | - | 43.7 | 3.5 | Т\$ | 414 |
| | 86-3048RMCTH | HPL | | | | | | P\$ | 561 |
| | 85-3048RMCT | Veneer | | | | | | W\$ | 829 |
| | 86-2484RMCT | TFL | 84 | 24 | - | 61.1 | 4.9 | Т\$ | 705 |
| | 86-2484RMCTH | HPL | | | | | | P\$ | 958 |
| | 85-2484RMCT | Veneer | | | | | | W\$ | 1419 |
| <u>Must Specify (in this order):</u> Model # Top Finish/Color | 86-2472RMCT | TFL | 72 | 24 | - | 52.4 | 4.2 | Т\$ | 566 |
| | 86-2472RMCTH | HPL | | | | | | P\$ | 768 |
| | 85-2472RMCT | Veneer | | | | | | W\$ | 1137 |
| Leg Model # | 86-2460RMCT | TFL | 60 | 24 | - | 43.7 | 3.5 | Т\$ | 516 |
| Ganging Brackets | 86-2460RMCTH | HPL | | | | | | P\$ | 699 |
| Modesty Model # and Finish/Color Grommet/Power/Data Location | 85-2460RMCT | Veneer | | | | | | W\$ | 1030 |
| Giommet, Fower, Data Escation | 86-2448RMCT | TFL | 48 | 24 | - | 34.9 | 2.8 | Т\$ | 380 |
| | 86-2448RMCTH | HPL | | | | | | P\$ | 515 |
| | 85-2448RMCT | Veneer | | | | | | W\$ | 762 |
| | Knife Edge | | | | | | | | |
| | 86-3084RMCTKH | HPL | 84 | 30 | - | 76.4 | 6.0 | P\$ | 1350 |
| | 85-3084RMCTK | Veneer | | | | | | W\$ | 1860 |
| | 86-3072RMCTKH | HPL | 72 | 30 | - | 65.5 | 5.1 | P\$ | 1090 |
| | 85-3072RMCTK | Veneer | | | | | | W\$ | 1502 |
| | 86-3060RMCTKH | HPL | 60 | 30 | - | 54.6 | 4.3 | P\$ | 982 |
| | 85-3060RMCTK | Veneer | | | | | | W\$ | 1354 |
| | 86-3048RMCTKH | HPL | 48 | 30 | - | 43.7 | 3.5 | P\$ | 733 |
| | 85-3048RMCTK | Veneer | | | | | | W\$ | 101 |
| | 86-2484RMCTKH | HPL | 84 | 24 | - | 61.1 | 4.9 | P\$ | 1254 |
| | 85-2484RMCTK | Veneer | | | | | | W\$ | 1730 |
| | 86-2472RMCTKH | HPL | 72 | 24 | - | 52.4 | 4.2 | P\$ | 100 |
| | 85-2472RMCTK | Veneer | | | | | | W\$ | 1383 |
| | 86-2460RMCTKH | HPL | 60 | 24 | - | 43.7 | 3.5 | P\$ | 916 |
| | 85-2460RMCTK | Veneer | | | | | | W\$ | 1263 |
| | 86-2448RMCTKH | HPL | 48 | 24 | - | 34.9 | 2.8 | P\$ | 675 |
| | 85-2448RMCTK | Veneer | | | | | | W\$ | 931 |



- Profile on User Side Only •
- Flexible Sizes Available, See Next Page, Page 201 •
- Tops 60" or Larger Include Stiffener Bar
- Legs Required (Assembly Required); Sold Separately, See Page 204 ٠
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204
- Fixed Modesty Panel Options Available; Sold Separately, See Page 205
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

Must Order Envy or Vantage

Post Legs. See Page 204.

RIGHT TRAPEZOID MODULAR TOPS

Item

FLEXIBLE SIZES

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

43.7

61.1

52.4

43.7

| AB | BLES (8 | 500/86 | 00 SEF | RIES) |
|----|---------|----------|--------|---------|
| н | Ship Wt | Cubic Ft | Lis | t Price |
| | | | | |
| - | 76.4 | 6.0 | Т\$ | 760 |
| | | | P\$ | 1030 |
| | | | W\$ | 1524 |
| - | 65.5 | 5.1 | T\$ | 615 |
| | | | P\$ | 832 |
| | | | W\$ | 1232 |
| - | 54.6 | 4.3 | Т\$ | 553 |
| | | | P\$ | 751 |

3.5

4.9

4.2

3.5

W\$

Т\$

Ρ\$

W\$

Т\$

P\$

W\$

T\$

P\$

W\$

T\$

1110

414

561

829

705

958 1419

566

768

1137

516

201

User Side User Side B6-FLEXRMCT24 86-FLEXRMCTH24 85-FLEXRMCTH24 85-FLEXRMCT24 Must Specify (in this order): Model # Top Width Measurement Top Width Measurement Top Kinsh/Color Ganging Brackets Ganging Model # Modesty Model # and Finish/Color Grommet/Power/Data Location

Model No.

Square Edge

86-FLEXRMCT30

85-FLEXRMCT30

86-FLEXRMCTH30

| | | | | | | | • • | |
|-----------------|--------|-------|----|---|------|-----|-----|------|
| | | | | | | | P\$ | 699 |
| | | | | | | | W\$ | 1036 |
| | | 48-36 | 24 | - | 34.9 | 2.8 | Т\$ | 380 |
| | | | | | | | P\$ | 515 |
| | | | | | | | W\$ | 762 |
| Knife Edge | | | | | | | | |
| 86-FLEXRMCTKH30 | HPL | 84-73 | 30 | - | 76.4 | 6.0 | P\$ | 1350 |
| 85-FLEXRMCTK30 | Veneer | | | | | | W\$ | 1860 |
| | | 72-61 | 30 | - | 65.5 | 5.1 | P\$ | 1090 |
| | | | | | | | W\$ | 1502 |
| | | 60-49 | 30 | - | 54.6 | 4.3 | P\$ | 982 |
| | | | | | | | W\$ | 1354 |
| | | 48-36 | 30 | - | 43.7 | 3.5 | P\$ | 733 |
| | | | | | | | W\$ | 1011 |
| 86-FLEXRMCTKH24 | HPL | 84-73 | 24 | - | 61.1 | 4.9 | P\$ | 1254 |
| 85-FLEXRMCTK24 | Veneer | | | | | | W\$ | 1730 |
| | | 72-61 | 24 | - | 52.4 | 4.2 | P\$ | 1007 |
| | | | | | | | W\$ | 1387 |
| | | 60-49 | 24 | - | 43.7 | 3.5 | P\$ | 916 |
| | | | | | | | W\$ | 1263 |
| | | 48-36 | 24 | - | 34.9 | 2.8 | P\$ | 675 |
| | | | | | | | W\$ | 931 |
| | | | | | | | | |



Must Order Envy or Vantage Post Legs. See Page 204.

Description

- Profile on User Side Only
- Tops 60" or Larger Include Stiffener Bar
- Legs Required (Assembly Required); Sold Separately, See Page 204
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Page 204

w

84-73

72-61

60-49

48-36

84-73

72-61

60-49

TFL

HPL

Veneer

TFL

HPL

Veneer

D

30

30

30

30

24

24

24

ŀ

-

-

-

_

- Fixed Modesty Panel Options Available; Sold Separately, See Page 206
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 200

T = TFL P = HPL W = Veneer

For ordering options, see overview at the beginning of this section.

8% Price Increase Effective Feb 14 Tri-One Tables

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | List | t Price |
|---------------------------------|--------------------------|----------|----------|----------|---|---------|----------|------|---------|
| PENTAGON MODULAR TOPS | Square Edge | | | | | | | | |
| | For Use with 30"D Modula | ar Tops: | | | | | | | |
| | 86-30MCTP | TFL | 58-48% | 18-25 | - | 44 | 3.6 | Т\$ | 483 |
| | 86-30MCTPH | HPL | | | | | | P\$ | 654 |
| | 85-30MCTP | Veneer | | | | | | W\$ | 968 |
| User Side | For Use with 24"D Modula | nr Tops: | | | | | | | |
| | 86-24MCTP | TFL | 461/3-37 | 18-231/2 | - | 33.7 | 3.6 | Т\$ | 426 |
| | 86-24MCTPH | HPL | | | | | | P\$ | 577 |
| | 85-24MCTP | Veneer | | | | | | W\$ | 855 |
| | Knife Edge | | | | | | | | |
| Must Specify (in this order): | For Use with 30"D Modula | ar Tops: | | | | | | | |
| Model # | 86-30MCTPKH | HPL | 58-485% | 18-25 | - | 44 | 3.6 | P\$ | 858 |
| Top Finish/Color Leg Model # | 85-30MCTPK | Veneer | | | | | | W\$ | 1179 |
| Ganging Brackets | For Use with 24"D Modula | ar Tops: | | | | | | | |
| | 86-24MCTPKH | HPL | 46⅓-37 | 18-23½ | - | 33.7 | 3.6 | P\$ | 755 |
| | 85-24MCTPK | Veneer | | | | | | W\$ | 1042 |
| | Description | | | | | | | | |

Description

٠

•

· Profile on User Side Only

• Not a Freestanding Unit

- Legs Required (Assembly Required); See Page 204
- 24" Tops Require Set of 2 Legs; 30" Tops Require Set of 4 Legs
- Pre-Drilled for Required Ganging Brackets

Specify & Add: Ganging Brackets - Requires 2 Sets

| 08-1505GB Ganging Bracket Kit - Set of 2 with Thumb Screws | \$ | 64 | |
|--|----|----|--|
|--|----|----|--|

| Square Edge | | | | | | | | |
|---------------------------|--------|-----|----|---|------|-----|-----|------|
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3090MCTB | TFL | 42% | 30 | - | 18.2 | 2.0 | T\$ | 540 |
| 86-3090MCTBH | HPL | | | | | | P\$ | 729 |
| 85-3090MCTB | Veneer | | | | | | W\$ | 1079 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2490MCTB | TFL | 34 | 24 | - | 11.6 | 1.3 | Т\$ | 380 |
| 86-2490MCTBH | HPL | | | | | | P\$ | 515 |
| 85-2490MCTB | Veneer | | | | | | W\$ | 762 |
| Knife Edge | | | | | | | | |
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3090MCTBKH | HPL | 42% | 30 | - | 18.2 | 2.0 | P\$ | 956 |
| 85-3090MCTBK | Veneer | | | | | | W\$ | 1317 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2490MCTBKH | HPL | 34 | 24 | - | 11.6 | 1.3 | P\$ | 675 |
| 85-2490MCTBK | Veneer | | | | | | W\$ | 931 |

Description

•

• Profile on User Side Only

90° Bridge to Connect Two Table Tops •

- Not a Freestanding Unit
- Pre-Drilled for Required Ganging Brackets

Specify & Add: Ganging Brackets - Requires 2 Sets

| 08-1505GB Ganging Bracket Kit - Set of 2 with Thumb Screws | \$ |
|--|----|
|--|----|

T = TFL P = HPL W = Veneer

For ordering options, see overview at the beginning of this section.

64



Must Order Envy or Vantage Post Legs. See Page 204.

90° BRIDGE MODULAR TOPS



Must Specify (in this order): Model # Top Finish/Color Ganging Brackets

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

| Model No. | | w | D | н | Ship Wt | Cubic Ft | List | t Price |
|---------------------------|---|---|--|---|--|--|--|--|
| Square Edge | | _ | | | | | | |
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3045MCTB | TFL | 271⁄5 | 30 | - | 16.1 | 2.0 | T\$ | 390 |
| 86-3045MCTBH | HPL | | | | | | P\$ | 529 |
| 85-3045MCTB | Veneer | | | | | | W\$ | 785 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2445MCTB | TFL | 22 ² / ₅ | 24 | - | 10.8 | 1.4 | Т\$ | 349 |
| 86-2445MCTBH | HPL | | | | | | P\$ | 474 |
| 85-2445MCTB | Veneer | | | | | | W\$ | 699 |
| Knife Edge | | | | | | | | |
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3045MCTBKH | HPL | 271⁄5 | 30 | - | 16.1 | 2.0 | P\$ | 694 |
| 85-3045MCTBK | Veneer | | | | | | W\$ | 956 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2445MCTBKH | HPL | 22 ² / ₅ | 24 | - | 10.8 | 1.4 | P\$ | 619 |
| 85-2445MCTBK | Veneer | | | | | | W\$ | 854 |
| | For Use with 30°D Modular 86-3045MCTB 86-3045MCTB 86-3045MCTBH 85-3045MCTB For Use with 24°D Modular 86-2445MCTB 86-2445MCTBH 85-2445MCTB 86-2445MCTBH 85-2445MCTBH 85-2445MCTB Knife Edge For Use with 30°D Modular 86-3045MCTBKH 85-3045MCTBK For Use with 24°D Modular 86-2445MCTBKH | For Use with 30"D Modular Tops: 86-3045MCTB TFL 86-3045MCTB HPL 85-3045MCTB Veneer For Use with 24"D Modular Tops: 86-2445MCTB 86-2445MCTB TFL 86-2445MCTB HPL 85-2445MCTB Veneer Kaife Edge Veneer For Use with 30"D Modular Tops: 86-3045MCTBKH 85-3045MCTBKH HPL 85-3045MCTBK Veneer For Use with 24"D Modular Tops: 86-2445MCTBK 86-2445MCTBK HPL | 86-3045MCTB TFL 27½ 86-3045MCTB HPL 85-3045MCTB 85-3045MCTB Veneer 7000000000000000000000000000000000000 | For Use with 30°D Modular Tops: 86-3045MCTB TFL 27½ 30 86-3045MCTBH HPL 85-3045MCTBH HPL 85-3045MCTB Veneer | For Use with 30"D Modular Tops: 86-3045MCTB TFL 27½ 30 - 86-3045MCTBH HPL 85-3045MCTB Veneer 85-3045MCTB Veneer - - For Use with 24"D Modular Tops: 86-2445MCTB TFL 22½ 24 - 86-2445MCTB TFL 22½ 24 - - 86-2445MCTB Weneer - 86-2445MCTB Veneer - - - - - 86-2445MCTB - <td< td=""><td>For Use with 30"D Modular Tops: 86-3045MCTB TFL 27½ 30 - 16.1 86-3045MCTBH HPL 85-3045MCTB Veneer - 16.1 86-3045MCTB Veneer - 16.1 - 16.1 86-3045MCTB Veneer - 10.8 - - 10.8 86-2445MCTB TFL 22½ 24 - 10.8 - - 10.8 - - 10.8 - - - 10.8 - - - 10.8 - - 10.8 - - 10.8 - - - 10.8 - - - 10.8 - - - 10.8 - - 10.1 - - - 16.1 - - 16.1 - - 16.1 - - - 16.1 - - - 16.1 - - - 16.1 - -</td><td>For Use with 30"D Modular Tops: 86-3045MCTB TFL 271/s 30 - 16.1 2.0 86-3045MCTB HPL 85-3045MCTB Veneer - 16.1 2.0 86-3045MCTB HPL 85-3045MCTB Veneer - 10.8 1.4 86-2445MCTB TFL 223/s 24 - 10.8 1.4 86-2445MCTB HPL 85-2445MCTB Veneer - 10.8 1.4 86-2445MCTB Veneer - 10.8 1.4 86-2445MCTB - 10.8 1.4 85-2445MCTB Veneer - - 16.1 2.0 85-2445MCTB Veneer - 16.1 2.0 86-3045MCTBKH HPL 271/s 30 - 16.1 2.0 85-3045MCTBK Veneer - - 16.1 2.0 85-3045MCTBK Veneer - 16.1 2.0 86-2445MCTBKH HPL 223/s</td><td>For Use with 30°D Modular Tops: 86-3045MCTB TFL 27½ 30 - 16.1 2.0 T\$ 86-3045MCTB HPL P\$ 85-3045MCTB P\$ 85-3045MCTB Veneer W\$ P\$ For Use with 24″D Modular Tops: 86-2445MCTB TFL 22½ 24 - 10.8 1.4 T\$ 86-2445MCTB HPL 22½ 24 - 10.8 1.4 T\$ 86-2445MCTB Veneer W\$ P\$ 85-2445MCTB P\$ 85-2445MCTB Veneer W\$ \$ \$ \$ 86-2445MCTB Veneer W\$ \$ \$ \$ 85-2445MCTB Veneer W\$ \$ \$ \$ 86-3045MCTBKH HPL 27½ 30 - 16.1 2.0 \$ 86-3045MCTBK Veneer W\$ \$ \$ \$ \$ For Use with 24″D Modular Tops: 8 \$ \$</td></td<> | For Use with 30"D Modular Tops: 86-3045MCTB TFL 27½ 30 - 16.1 86-3045MCTBH HPL 85-3045MCTB Veneer - 16.1 86-3045MCTB Veneer - 16.1 - 16.1 86-3045MCTB Veneer - 10.8 - - 10.8 86-2445MCTB TFL 22½ 24 - 10.8 - - 10.8 - - 10.8 - - - 10.8 - - - 10.8 - - 10.8 - - 10.8 - - - 10.8 - - - 10.8 - - - 10.8 - - 10.1 - - - 16.1 - - 16.1 - - 16.1 - - - 16.1 - - - 16.1 - - - 16.1 - - | For Use with 30"D Modular Tops: 86-3045MCTB TFL 271/s 30 - 16.1 2.0 86-3045MCTB HPL 85-3045MCTB Veneer - 16.1 2.0 86-3045MCTB HPL 85-3045MCTB Veneer - 10.8 1.4 86-2445MCTB TFL 223/s 24 - 10.8 1.4 86-2445MCTB HPL 85-2445MCTB Veneer - 10.8 1.4 86-2445MCTB Veneer - 10.8 1.4 86-2445MCTB - 10.8 1.4 85-2445MCTB Veneer - - 16.1 2.0 85-2445MCTB Veneer - 16.1 2.0 86-3045MCTBKH HPL 271/s 30 - 16.1 2.0 85-3045MCTBK Veneer - - 16.1 2.0 85-3045MCTBK Veneer - 16.1 2.0 86-2445MCTBKH HPL 223/s | For Use with 30°D Modular Tops: 86-3045MCTB TFL 27½ 30 - 16.1 2.0 T\$ 86-3045MCTB HPL P\$ 85-3045MCTB P\$ 85-3045MCTB Veneer W\$ P\$ For Use with 24″D Modular Tops: 86-2445MCTB TFL 22½ 24 - 10.8 1.4 T\$ 86-2445MCTB HPL 22½ 24 - 10.8 1.4 T\$ 86-2445MCTB Veneer W\$ P\$ 85-2445MCTB P\$ 85-2445MCTB Veneer W\$ \$ \$ \$ 86-2445MCTB Veneer W\$ \$ \$ \$ 85-2445MCTB Veneer W\$ \$ \$ \$ 86-3045MCTBKH HPL 27½ 30 - 16.1 2.0 \$ 86-3045MCTBK Veneer W\$ \$ \$ \$ \$ For Use with 24″D Modular Tops: 8 \$ \$ |

Description

- Profile on User Side Only
- 45° Bridge to Connect Two Table Tops
- Not a Freestanding Unit
- · Pre-Drilled for Required Ganging Brackets

Specify & Add: Ganging Brackets - Requires 2 Sets

| 08-1505GB | Ganging Bracket Kit - Set of 2 with Thumb Screws | \$ 64 |
|-----------|--|-------|
|-----------|--|-------|







<u>Must Specify (in this order):</u> Model # Top Finish/Color Ganging Brackets

| Square Edge | | | | | | | | |
|---------------------------|--------|-----|----|---|------|-----|-----|-----|
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3030MCTB | TFL | 19¾ | 30 | - | 11.4 | 1.5 | Т\$ | 367 |
| 86-3030MCTBH | HPL | | | | | | P\$ | 496 |
| 85-3030MCTB | Veneer | | | | | | W\$ | 733 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2430MCTB | TFL | 16⅔ | 24 | - | 8.6 | 1.1 | Т\$ | 333 |
| 86-2430MCTBH | HPL | | | | | | P\$ | 515 |
| 85-2430MCTB | Veneer | | | | | | W\$ | 664 |
| Knife Edge | | | | | | | | |
| For Use with 30"D Modular | Tops: | | | | | | | |
| 86-3030MCTBKH | HPL | 19¾ | 30 | - | 11.4 | 1.5 | P\$ | 651 |
| 85-3030MCTBK | Veneer | | | | | | W\$ | 894 |
| For Use with 24"D Modular | Tops: | | | | | | | |
| 86-2430MCTBKH | HPL | 16⅔ | 24 | - | 8.6 | 1.1 | P\$ | 590 |
| 85-2430MCTBK | Veneer | | | | | | W\$ | 810 |

Description

- Profile on User Side Only
- 30° Bridge to Connect Two Table Tops
- Not a Freestanding Unit
- Pre-Drilled for Required Ganging Brackets

Specify & Add: Ganging Brackets - Requires 2 Sets

08-1505GB Ganging Bracket Kit - Set of 2 with Thumb Screws

\$ 64

T = TFL P = HPL W = Veneer

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|--|---------|----------|------------|
| ENVY POST LEG FOR MODULAR TOPS | 08-0227APL2 Set of 2: For Use with 24" Pentagon Modular Tops Only | 10 | 0.8 | \$ 388 |
| | 08-0227APL4 Set of 4 | 20 | 1.6 | \$ 675 |
| | Description | | | |

• Available in Aluminum

• Each Leg has Adjustable Glides

• Must Specify with Modular Top; Legs Are Not Available To Be Sold Separately

| VANTAGE POST LEG FOR |
|----------------------|
| MODULAR TOPS |

| 08-0227SPL2 | 10 | 0.8 | \$ 322 |
|---|----|-----|--------|
| Set of 2: For Use with 24" Pentagon Modular Tops Only | | | |
| 08-0227SPL4 | 20 | 1.6 | \$ 545 |
| Set of 4 | | | |

Description

• Available in Aluminum

• Each Leg has Adjustable Glides

• Must Specify with Modular Top; Legs Are Not Available To Be Sold Separately

| GANGING BRACKET FOR | 08-1505GB | 2 | 0.5 | \$ 64 |
|---------------------|----------------------------|---|-----|-------|
| MODULAR TOPS | Set of 2 with Thumb Screws | | | |



| FIXED MODESTY PANEL FOR | For 84"W TOPS | | | |
|---|---------------|--------|-----|-----|
| RECTANGULAR MODULAR TOPS | 86-0884MD | TFL | Т\$ | 395 |
| | 86-0884MDH | HPL | P\$ | 540 |
| | 85-0884MD | Veneer | W\$ | 797 |
| | For 72"W TOPS | | | |
| | 86-0872MD | TFL | Т\$ | 386 |
| | 86-0872MDH | HPL | P\$ | 523 |
| <u>Aust Specify (in this order):</u> Model # | 85-0872MD | Veneer | W\$ | 774 |
| Finish/Color | For 60"W Tops | | | |
| | 86-0860MD | TFL | Т\$ | 365 |
| | 86-0860MDH | HPL | P\$ | 492 |
| | 85-0860MD | Veneer | W\$ | 729 |
| | For 48"W Tops | | | |
| | 86-0848MD | TFL | Т\$ | 353 |
| | 86-0848MDH | HPL | P\$ | 478 |
| | 85-0848MD | Veneer | W\$ | 705 |

T = TFL P = HPL W = Veneer

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

FIXED MODESTY PANEL FOR RECTANGULAR MODULAR TOPS WITH FLEXIBLE SIZES



Item

<u>Must Specify (in this order):</u> Model # Finish/Color

| Model No. | | Ship Wt | Cubic Ft | Lis | t Price |
|-------------------|--------|---------|----------|-----|---------|
| For 84"-73"W TOPS | | | | | |
| 86-FLEXMD | TFL | | | Т\$ | 395 |
| 86-FLEXMDH | HPL | | | P\$ | 540 |
| 85-FLEXMD | Veneer | | | W\$ | 797 |
| For 72"-61"W TOPS | | | | | |
| 86-FLEXMD | TFL | | | Т\$ | 386 |
| 86-FLEXMDH | HPL | | | P\$ | 523 |
| 85-FLEXMD | Veneer | | | W\$ | 774 |
| For 60"-49"W Tops | | | | | |
| 86-FLEXMD | TFL | | | Т\$ | 365 |
| 86-FLEXMDH | HPL | | | P\$ | 492 |
| 85-FLEXMD | Veneer | | | W\$ | 729 |
| For 48"-36"W Tops | | | | | |
| 86-FLEXMD | TFL | | | Т\$ | 353 |
| 86-FLEXMDH | HPL | | | P\$ | 478 |
| 85-FLEXMD | Veneer | | | W\$ | 705 |

FIXED MODESTY PANEL FOR LEFT & RIGHT TRAPEZOID MODULAR TOPS



Must Specify (in this order): Model # Finish/Color

| For 30"D TRAPEZOID TOPS | | |
|-------------------------|--------|---------|
| For 84"W TOPS | | |
| 86-0884MDT30 | TFL | T\$ 420 |
| 86-0884MDTH30 | HPL | P\$ 567 |
| 85-0884MDT30 | Veneer | W\$ 840 |
| For 72"W TOPS | | |
| 86-0872MDT30 | TFL | T\$ 379 |
| 86-0872MDTH30 | HPL | P\$ 514 |
| 85-0872MDT30 | Veneer | W\$ 760 |
| For 60"W Tops | | |
| 86-0860MDT30 | TFL | T\$ 356 |
| 86-0860MDTH30 | HPL | P\$ 483 |
| 85-0860MDT30 | Veneer | W\$ 716 |
| For 48"W Tops | | |
| 86-0848MDT30 | TFL | T\$ 336 |
| 86-0848MDTH30 | HPL | P\$ 454 |
| 85-0848MDT30 | Veneer | W\$ 672 |
| For 24"D TRAPEZOID TOPS | | |
| For 84"W TOPS | | |
| 86-0884MDT24 | TFL | T\$ 411 |
| 86-0884MDTH24 | HPL | P\$ 557 |
| 85-0884MDT24 | Veneer | W\$ 824 |
| For 72"W TOPS | | |
| 86-0872MDT24 | TFL | T\$ 370 |
| 86-0872MDTH24 | HPL | P\$ 501 |
| 85-0872MDT24 | Veneer | W\$ 741 |
| For 60"W Tops | | |
| 86-0860MDT24 | TFL | T\$ 349 |
| 86-0860MDTH24 | HPL | P\$ 474 |
| 85-0860MDT24 | Veneer | W\$ 699 |
| For 48"W Tops | | |
| 86-0848MDT24 | TFL | T\$ 325 |
| 00 004010124 | | |
| 86-0848MDTH24 | HPL | P\$ 444 |

T = TFL P = HPL W = Veneer

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

| | Model No. | | Ship Wt | Cubic Ft | List | Price |
|----|-------------------------|--------|---------|----------|------|-------|
| OR | For 30"D TRAPEZOID TOPS | | | | | |
|) | For 84"W-73"W TOPS | | | | | |
| | 86-FLEXMDTRP30 | TFL | | | Т\$ | 420 |
| | 86-FLEXMDTRP30H | HPL | | | P\$ | 567 |
| 7 | 85-FLEXMDTRP30 | Veneer | | | W\$ | 840 |
| | For 72"W-61"W TOPS | | | | | |
| | 86-FLEXMDTRP30 | TFL | | | Т\$ | 379 |
| | 86-FLEXMDTRP30H | HPL | | | P\$ | 514 |
| | 85-FLEXMDTRP30 | Veneer | | | W\$ | 760 |
| | For 60"W-49"W Tops | | | | | |
| | 86-FLEXMDTRP30 | TFL | | | Т\$ | 356 |
| | 86-FLEXMDTRP30H | HPL | | | P\$ | 483 |
| | 85-FLEXMDTRP30 | Veneer | | | W\$ | 716 |
| | For 48"W-36"W Tops | | | | | |
| | 86-FLEXMDTRP30 | TFL | | | Т\$ | 336 |
| | 86-FLEXMDTRP30H | HPL | | | P\$ | 454 |
| | 85-FLEXMDTRP30 | Veneer | | | W\$ | 672 |
| | For 24"D TRAPEZOID TOPS | | | | | |
| | For 84"W-73"W TOPS | | | | | |
| | 86-FLEXMDTRP24 | TFL | | | Т\$ | 411 |
| | 86-FLEXMDTRP24H | HPL | | | P\$ | 557 |
| | 85-FLEXMDTRP24 | Veneer | | | W\$ | 824 |
| | For 72"W-61"W TOPS | | | | | |
| | 86-FLEXMDTRP24 | TFL | | | Т\$ | 370 |
| | 86-FLEXMDTRP24H | HPL | | | P\$ | 501 |
| | 85-FLEXMDTRP24 | Veneer | | | W\$ | 741 |
| | For 60"W-49"W Tops | | | | | |
| | 86-FLEXMDTRP24 | TFL | | | Т\$ | 349 |
| | 86-FLEXMDTRP24H | HPL | | | P\$ | 474 |
| | 85-FLEXMDTRP24 | Veneer | | | W\$ | 699 |
| | For 48"W-36"W Tops | | | | | |
| | 86-FLEXMDTRP24 | TFL | | | Т\$ | 325 |
| | 86-FLEXMDTRP24H | HPL | | | P\$ | 444 |
| | 85-FLEXMDTRP24 | Veneer | | | W\$ | 657 |

ltem

FIXED MODESTY PANEL FOR LEFT & RIGHT TRAPEZOID MODULAR TOPS WITH FLEXIBLE SIZES



<u>Must Specify (in this order):</u> Model # Finish/Color

T = TFL P = HPL W = Veneer

SIN 33721 TRI-ON MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | Kneespace | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|---------------------------------------|-------------|--------|-----------|----|----|---|---------|----------|-----|---------|
| RECTANGULAR MEETING TOPS | Square Edge | | | | | | | | | |
| | 86-4296MT | TFL | 55 | 96 | 42 | - | 122.2 | 9.4 | Τ\$ | 910 |
| | 86-4296MTH | HPL | | | | | | | P\$ | 1234 |
| | 85-4296MT | Veneer | | | | | | | W\$ | 1828 |
| ~ | 86-4284MT | TFL | 47 | 84 | 42 | - | 106.9 | 8.2 | Т\$ | 856 |
| 1 | 86-4284MTH | HPL | | | | | | | P\$ | 1159 |
| | 85-4284MT | Veneer | | | | | | | W\$ | 1715 |
| | 86-4272MT | TFL | 39 | 72 | 42 | - | 91.7 | 7.1 | Τ\$ | 760 |
| | 86-4272MTH | HPL | | | | | | | P\$ | 1030 |
| | 85-4272MT | Veneer | | | | | | | W\$ | 1524 |
| | 86-4260MT | TFL | 31½ | 60 | 42 | - | 76.4 | 5.7 | Т\$ | 697 |
| | 86-4260MTH | HPL | | | | | | | P\$ | 944 |
| | 85-4260MT | Veneer | | | | | | | W\$ | 1399 |
| Must Specify (in this order): | 86-3696MT | TFL | 55 | 96 | 36 | - | 104.8 | 8.1 | Т\$ | 822 |
| Model # Top Finish/Color | 86-3696MTH | HPL | | | | | | | P\$ | 1113 |
| Leg Model # and Color (if applicable) | 85-3696MT | Veneer | | | | | | | W\$ | 1650 |
| Grommet/Power/Data Location | 86-3684MT | TFL | 47 | 84 | 36 | - | 92 | 7.1 | Т\$ | 765 |
| | 86-3684MTH | HPL | | | | | | | P\$ | 1037 |
| | 85-3684MT | Veneer | | | | | | | W\$ | 1534 |
| | 86-3672MT | TFL | 39 | 72 | 36 | - | 78.6 | 6.1 | Т\$ | 696 |
| | 86-3672MTH | HPL | | | | | | | P\$ | 943 |
| | 85-3672MT | Veneer | | | | | | | W\$ | 1396 |
| | 86-3660MT | TFL | 31½ | 60 | 36 | - | 65.5 | 5.1 | Т\$ | 639 |
| | 86-3660MTH | HPL | | | | | | | P\$ | 867 |
| | 85-3660MT | Veneer | | | | | | | W\$ | 1284 |
| | Knife Edge | | | | | | | | | |
| | 86-4296MTKH | HPL | 55 | 96 | 42 | - | 122.2 | 9.4 | P\$ | 1617 |
| | 85-4296MTK | Veneer | | | | | | | W\$ | 2229 |
| | 86-4284MTKH | HPL | 47 | 84 | 42 | - | 106.9 | 8.2 | P\$ | 1518 |
| | 85-4284MTK | Veneer | | | | | | | W\$ | 2092 |
| | 86-4272MTKH | HPL | 39 | 72 | 42 | - | 91.7 | 7.1 | P\$ | 1350 |
| | 85-4272MTK | Veneer | | | | | | | W\$ | 1860 |
| | 86-4260MTKH | HPL | 31½ | 60 | 42 | - | 76.4 | 5.7 | P\$ | 1239 |
| | 85-4260MTK | Veneer | | | | | | | W\$ | 1704 |
| | 86-3696MTKH | HPL | 55 | 96 | 36 | - | 104.8 | 8.1 | P\$ | 1459 |
| | 85-3696MTK | Veneer | | | | | | | W\$ | 2012 |
| | 86-3684MTKH | HPL | 47 | 84 | 36 | - | 92 | 7.1 | P\$ | 1356 |
| \leq | 85-3684MTK | Veneer | | | | | | | W\$ | 1872 |
| | 86-3672MTKH | HPL | 39 | 72 | 36 | - | 78.6 | 6.1 | P\$ | 1237 |
| | 85-3672MTK | Veneer | | | | | | | W\$ | 1703 |
| J | 86-3660MTKH | HPL | 31½ | 60 | 36 | - | 65.5 | 5.1 | P\$ | 1136 |
| 4 | 85-3660MTK | Veneer | | | | | | | W\$ | 1565 |

Must Order X-Base, Y-Base, or Strut Legs. See Page 212.

Description

- · Profiled on All Four Sides
- Seated Height Base/Legs Required (Assembly Required); Sold Separately, See Page 212
- When Using with Strut Legs (on Page 212), We Recommend Using Two Stiffener Bars on 36"D Tops that are 84" and wider, and on 42"D Tops that are 72" and wider; Must Order Separately, See Page 212
- Strut Leg Not Available on 60"W x 36"D Tops
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | Kneespace | w | D | н | Ship Wt | Cubic Ft | List | t Price |
|--|--------------|--------|-----------|----|----|---|---------|----------|------|---------|
| SOFT RECTANGULAR | Square Edge | | | | | | | | | |
| MEETING TOPS | 86-4296SMT | TFL | 55 | 96 | 42 | - | 122.2 | 9.4 | Т\$ | 880 |
| | 86-4296SMTH | HPL | | | | | | | P\$ | 1192 |
| | 85-4296SMT | Veneer | | | | | | | W\$ | 1765 |
| | 86-4284SMT | TFL | 47 | 84 | 42 | - | 106.9 | 8.2 | Т\$ | 828 |
| | 86-4284SMTH | HPL | | | | | | | P\$ | 1121 |
| | 85-4284SMT | Veneer | | | | | | | W\$ | 1660 |
| | 86-4272SMT | TFL | 39 | 72 | 42 | - | 91.7 | 7.1 | Т\$ | 734 |
| | 86-4272SMTH | HPL | | | | | | | P\$ | 997 |
| | 85-4272SMT | Veneer | | | | | | | W\$ | 1475 |
| | 86-4260SMT | TFL | 31½ | 60 | 42 | - | 76.4 | 5.7 | Т\$ | 676 |
| | 86-4260SMTH | HPL | | | | | | | P\$ | 916 |
| | 85-4260SMT | Veneer | | | | | | | W\$ | 1355 |
| | 86-3696SMT | TFL | 55 | 96 | 36 | - | 104.8 | 8.1 | Т\$ | 793 |
| | 86-3696SMTH | HPL | | | | | | | P\$ | 1076 |
| 1ust Specify (in this order): | 85-3696SMT | Veneer | | | | | | | W\$ | 1589 |
| Model # | 86-3684SMT | TFL | 47 | 84 | 36 | - | 92 | 7.1 | Т\$ | 739 |
| Top Finish/Color | 86-3684SMTH | HPL | | | | | | | P\$ | 100 |
| Leg Model # and Color (if applicable) Grommet/Power/Data Location | 85-3684SMT | Veneer | | | | | | | W\$ | 1482 |
| | 86-3672SMT | TFL | 39 | 72 | 36 | - | 78.6 | 6.1 | Т\$ | 674 |
| | 86-3672SMTH | HPL | | | | | | | P\$ | 912 |
| | 85-3672SMT | Veneer | | | | | | | W\$ | 135 |
| | 86-3660SMT | TFL | 31½ | 60 | 36 | - | 65.5 | 5.1 | Т\$ | 620 |
| | 86-3660SMTH | HPL | | | | | | | P\$ | 840 |
| | 85-3660SMT | Veneer | | | | | | | W\$ | 1244 |
| | Knife Edge | | | | | | | | | |
| | 86-4296SMTKH | HPL | 55 | 96 | 42 | - | 122.2 | 9.4 | P\$ | 1562 |
| | 85-4296SMTK | Veneer | | | | | | | W\$ | 2152 |
| | 86-4284SMTKH | HPL | 47 | 84 | 42 | - | 106.9 | 8.2 | P\$ | 1470 |
| | 85-4284SMTK | Veneer | | | | | | | W\$ | 202 |
| | 86-4272SMTKH | HPL | 39 | 72 | 42 | - | 91.7 | 7.1 | P\$ | 130 |
| | 85-4272SMTK | Veneer | | | | | | | W\$ | 1798 |
| | 86-4260SMTKH | HPL | 31½ | 60 | 42 | - | 76.4 | 5.7 | P\$ | 1200 |
| | 85-4260SMTK | Veneer | | | | | | | W\$ | 1655 |
| | 86-3696SMTKH | HPL | 55 | 96 | 36 | - | 104.8 | 8.1 | P\$ | 1407 |
| | 85-3696SMTK | Veneer | | | | | | | W\$ | 1936 |
| | 86-3684SMTKH | HPL | 47 | 84 | 36 | - | 92 | 7.1 | P\$ | 1312 |
| | 85-3684SMTK | Veneer | | | | | | | W\$ | 1807 |
| | 86-3672SMTKH | HPL | 39 | 72 | 36 | - | 78.6 | 6.1 | P\$ | 1194 |
| | 85-3672SMTK | Veneer | | | | | | | W\$ | 1649 |
| | 86-3660SMTKH | HPL | 31½ | 60 | 36 | - | 65.5 | 5.1 | P\$ | 1102 |
| | 85-3660SMTK | Veneer | | | | | | | W\$ | 1518 |



· Profiled on All Four Sides

• Seated Height Base/Legs Required (Assembly Required); Sold Separately, See Page 212

When Using with Strut Legs (on Page 212), We Recommend Using Two Stiffener Bars on 36"D Tops that •

- are 84" and wider, and on 42"D Tops that are 72" and wider; Must Order Separately, See Page 212
- Strut Leg Not Available on 60"W x 36"D Tops

• Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

T = TFL P = HPL W = Veneer

Must Order X-Base, Y-Base, or

Strut Legs. See Page 212.

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|---|-------------|--------|----|----|---|---------|----------|-----|---------|
| SQUARE MEETING TOPS | Square Edge | | | | | | | | |
| | 86-4242SQ | TFL | 42 | 42 | - | 70 | 3.3 | Т\$ | 536 |
| | 86-4242SQH | HPL | | | | | | P\$ | 725 |
| | 85-4242SQ | Veneer | | | | | | W\$ | 1071 |
| | 86-3636SQ | TFL | 36 | 36 | - | 37 | 2.5 | Т\$ | 456 |
| | 86-3636SQH | HPL | | | | | | P\$ | 619 |
| | 85-3636SQ | Veneer | | | | | | W\$ | 916 |
| | 86-3030SQ | TFL | 30 | 30 | - | 30 | 2.2 | Т\$ | 402 |
| | 86-3030SQH | HPL | | | | | | P\$ | 544 |
| | 85-3030SQ | Veneer | | | | | | W\$ | 804 |
| | Knife Edge | | | | | | | | |
| Must Specify (in this order): | 86-4242SQKH | HPL | 42 | 42 | - | 70 | 3.3 | P\$ | 947 |
| Model # | 85-4242SQK | Veneer | | | | | | W\$ | 1309 |
| Top Finish/Color Leg Model # and Color (if applicable) | 86-3636SQKH | HPL | 36 | 36 | - | 37 | 2.5 | P\$ | 810 |
| | 85-3636SQK | Veneer | | | | | | W\$ | 1117 |
| | 86-3030SQKH | HPL | 30 | 30 | - | 30 | 2.2 | P\$ | 713 |
| | 85-3030SQK | Veneer | | | | | | W\$ | 981 |



Legs. See Page 212.

| TOPS | Square Edge | | | | | | | | |
|------------|--------------|--------|----|----|---|----|-----|-----|------|
| | 86-4242SSQ | TFL | 42 | 42 | - | 70 | 3.3 | Т\$ | 517 |
| | 86-4242SSQH | HPL | | | | | | P\$ | 700 |
| | 85-4242SSQ | Veneer | | | | | | W\$ | 1071 |
| | 86-3636SSQ | TFL | 36 | 36 | - | 37 | 2.5 | T\$ | 444 |
| | 86-3636SSQH | HPL | | | | | | P\$ | 599 |
| | 85-3636SSQ | Veneer | | | | | | W\$ | 889 |
| | 86-3030SSQ | TFL | 30 | 30 | - | 30 | 2.2 | Т\$ | 391 |
| | 86-3030SSQH | HPL | | | | | | P\$ | 531 |
| | 85-3030SSQ | Veneer | | | | | | W\$ | 788 |
| | Knife Edge | | | | | | | | |
| | 86-4242SSQKH | HPL | 42 | 42 | - | 70 | 3.3 | P\$ | 917 |
| <u>r):</u> | 85-4242SSQK | Veneer | | | | | | W\$ | 1265 |
| | 86-3636SSQKH | HPL | 36 | 36 | - | 37 | 2.5 | P\$ | 787 |
| oplicable) | 85-3636SSQK | Veneer | | | | | | W\$ | 1084 |
| | 86-3030SSQKH | HPL | 30 | 30 | - | 30 | 2.2 | P\$ | 697 |
| | 85-3030SSQK | Veneer | | | | | | W\$ | 961 |



Must Order X-Base or Strut Legs. See Page 212.

T = TFL P = HPL W = Veneer

For ordering options, see overview at the beginning of this section.

Must Order X-Base or Strut

SOFT SQUARE MEETING



Must Specify (in this order) Model # Top Finish/Color Leg Model # and Color (if app

Description

Description

· Profiled on All Four Sides

• Strut Legs Available on 42" Tops Only

• Base/Legs Required (Assembly Required); See Page 212

- Profiled on All Four Sides
- Base/Legs Required (Assembly Required); Sold Separately, See Page 212
- Strut Legs Available on 42" Tops Only

8% Price Increase Effective Feb 14

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|---------------------------------------|-------------|--------|----|----|---|---------|----------|-----|---------|
| ROUND MEETING TOPS | Square Edge | | | | | | | | |
| | 86-4848CT | TFL | 48 | 48 | - | 95 | 4.3 | Τ\$ | 579 |
| | 86-4848CTH | HPL | | | | | | P\$ | 785 |
| | 85-4848CT | Veneer | | | | | | W\$ | 1160 |
| | 86-4242CT | TFL | 42 | 42 | - | 70 | 3.3 | Т\$ | 502 |
| | 86-4242CTH | HPL | | | | | | P\$ | 681 |
| <pre>/)</pre> | 85-4242CT | Veneer | | | | | | W\$ | 1007 |
| <pre> /</pre> | 86-3636CT | TFL | 36 | 36 | - | 37 | 2.5 | Т\$ | 440 |
| | 86-3636CTH | HPL | | | | | | P\$ | 595 |
| \smile | 85-3636CT | Veneer | | | | | | W\$ | 881 |
| | 86-3030CT | TFL | 30 | 30 | - | 30 | 2.2 | Т\$ | 388 |
| Must Specify (in this order): | 86-3030CTH | HPL | | | | | | P\$ | 526 |
| Model # | 85-3030CT | Veneer | | | | | | W\$ | 779 |
| Top Finish/Color | Knife Edge | | | | | | | | |
| Leg Model # and Color (if applicable) | 86-4848CTKH | HPL | 48 | 48 | - | 95 | 4.3 | P\$ | 1027 |
| | 85-4848CTK | Veneer | | | | | | W\$ | 1415 |
| | 86-4242CTKH | HPL | 42 | 42 | - | 70 | 3.3 | P\$ | 892 |
| | 85-4242CTK | Veneer | | | | | | W\$ | 1229 |
| | 86-3636CTKH | HPL | 36 | 36 | - | 37 | 2.5 | P\$ | 781 |
| | 85-3636CTK | Veneer | | | | | | W\$ | 1075 |
| | 86-3030CTKH | HPL | 30 | 30 | - | 30 | 2.2 | P\$ | 689 |
| | 85-3030CTK | Veneer | | | | | | W\$ | 949 |

Must Order X-Base or Strut Legs. See Page 212.

Description

Description

٠

• Profiled on All Four Sides

· Profiled on All Sides

• Base/Legs Required (Assembly Required); Sold Separately, See Page 212

• Strut Legs Available on 48" Tops Only

| SOFT VIEW MEETING TOPS | Square Edge | | | | | | | | |
|--|--------------|--------|----|-------|---|-------|-----|-----|------|
| | 86-4296SVT | TFL | 96 | 42-36 | - | 122.2 | 9.4 | T\$ | 875 |
| | 86-4296SVTH | HPL | | | | | | P\$ | 1185 |
| | 85-4296SVT | Veneer | | | | | | W\$ | 1755 |
| | 86-4284SVT | TFL | 84 | 42-36 | - | 106.9 | 8.2 | Т\$ | 792 |
| | 86-4284SVTH | HPL | | | | | | P\$ | 1071 |
| | 85-4284SVT | Veneer | | | | | | W\$ | 1588 |
| | 86-4272SVT | TFL | 72 | 42-36 | - | 91.7 | 7.1 | T\$ | 733 |
| | 86-4272SVTH | HPL | | | | | | P\$ | 996 |
| | 85-4272SVT | Veneer | | | | | | W\$ | 1473 |
| Much Crassific (in this and a) | Knife Edge | | | | | | | | |
| Must Specify (in this order): Model # | 86-4296SVTKH | HPL | 96 | 42-36 | - | 122.2 | 9.4 | P\$ | 1554 |
| Top Finish/Color | 85-4296SVTK | Veneer | | | | | | W\$ | 2142 |
| Leg Model # and Color (if applicable) | 86-4284SVTKH | HPL | 84 | 42-36 | - | 106.9 | 8.2 | P\$ | 1404 |
| Grommet/Power/Data Location | 85-4284SVTK | Veneer | | | | | | W\$ | 1935 |
| | 86-4272SVTKH | HPL | 72 | 42-36 | - | 91.7 | 7.1 | P\$ | 1305 |
| | 85-4272SVTK | Veneer | | | | | | W\$ | 1797 |
| | | | | | | | | | |

When Using with Strut Legs (on Page 218), We Recommend Using Two Stiffener Bars on Tops that are 84"

Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194



Must Order X-Base, Y-Base, or Strut Legs. See Page 212.

T = TFL P = HPL W = Veneer

For ordering options, see overview at the beginning of this section.

• Base/Legs Required (Assembly Required); Sold Separately, See Page 212

and wider; Must Order Separately, See Page 212

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|-------------------------------|--------------|--------|----|----|---|---------|----------|-----|---------|
| ELLIPSE MEETING TOPS | Square Edge | | | | | | | | |
| | 86-4284EMT | TFL | 84 | 42 | - | 106.9 | 8.2 | Т\$ | 821 |
| | 86-4284EMTH | HPL | | | | | | P\$ | 1111 |
| | 85-4284EMT | Veneer | | | | | | W\$ | 1646 |
| | 86-3672EMT | TFL | 72 | 36 | - | 78.6 | 6.1 | Т\$ | 666 |
| | 86-3672EMTH | HPL | | | | | | P\$ | 904 |
| | 85-3672EMT | Veneer | | | | | | W\$ | 1338 |
| | Knife Edge | | | | | | | | |
| | 86-4284EMTKH | HPL | 84 | 42 | - | 106.9 | 8.2 | P\$ | 1456 |
| | 85-4284EMTK | Veneer | | | | | | W\$ | 2006 |
| | 86-3672EMTKH | HPL | 72 | 36 | - | 78.6 | 6.1 | P\$ | 1183 |
| Must Specify (in this order): | 85-3672EMTK | Veneer | | | | | | W\$ | 1631 |

Must Specify (in this order): Model # Top Finish/Color Leg Model # Grommet/Power/Data Location



Must Order Envy or Vantage Post Legs.

Description

• Includes Stiffener Bar

• Profiled on All Four Sides

• Legs Required (Assembly Required); Sold Separately, See Below

• Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

Specify & Add: Your Choice Of Legs

| 08-0227APL4 | Envy Post Leg (Set of 4) | 20 | 1.6 | \$ 675 |
|-------------|---|----|-----|-----------|
| | Available in Aluminum Each Leg has Adjustable Glides Legs Are Not Available To Be Sold Separately | | | |
| 08-0227SPL4 | Vantage Post Leg (Set of 4) | 20 | 1.6 | 545 |
| | Available in Aluminum Each Leg has Adjustable Glides Legs Are Not Available To Be Sold Separately | | | |

T = TFL P = HPL W = Veneer

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | Ship Wt | Cubic Ft | List Price |
|--------------------------|--|---------|----------|------------|
| X-BASES FOR MEETING TOPS | Large X-Base: For Use with 42"D and 48"D Tops | | | |
| × | 08-2642LXB For 42"H Tables; Square, Soft Square, and Circular Tops Only | 33 | 20.0 | \$ 1032 |
| | 08-2636LXB For 36"H Tables; Square, Soft Square, and Circular Tops Only | 30 | 17.2 | \$ 995 |
| > | 08-2630LXB For 30"H Tables | 27 | 14.5 | \$ 953 |
| | Small X-Base: For Use with 30"D and 36"D Tops | | | |
| | 08-2042SXB For 42"H Tables; Square, Soft Square, and Circular Tops Only | 27 | 15.9 | \$ 964 |
| | 08-2036SXB For 36"H Tables; Square, Soft Square, and Circular Tops Only | 24 | 13.7 | \$ 926 |
| | 08-2030SXB For 30"H Tables | 21 | 11.6 | \$ 889 |

Description

- Available in Aluminum
- Square, Soft Square, and Circular Tops Require One (1) Base; All Other Meeting Tops Require Two (2) Seated Height (30"H) Bases
- Bases Are Not Available To Be Sold Separately

Y-BASES FOR MEETING TOPS



| 08-2828YLG96 | 47 | 6.5 | \$ 1356 |
|--------------------------------|----|-----|---------|
| For Use with 96"W Meeting Tops | | | |
| 08-2828YLG84 | 43 | 5.4 | \$ 1337 |
| For Use with 84"W Meeting Tops | | | |
| 08-2828YLG72 | 39 | 4.3 | \$ 1308 |
| For Use with 72"W Meeting Tops | | | |
| 08-2828YLG60 | 35 | 3.2 | \$ 1256 |
| For Use with 60"W Meeting Tops | | | |

Description

- Available in Aluminum
- Y-Base Includes Trough with Removable Panels for Wire Management
- Bases Are Not Available To Be Sold Separately

| STRUT LEGS FOR MEETING TOPS | 01-2228STR4 | 64 | 9.0 | \$ 1996 | | | | |
|-----------------------------|--|----------------------|----------------|----------------|--|--|--|--|
| | Set of 4 | | | | | | | |
| | Description | | | | | | | |
| | Available in Aluminum (ALUM) or Black (BLK), Must Specify Color | | | | | | | |
| | Built-In Wire Management Cover on Inside of Legs Each Leg has Adjustable Glides | | | | | | | |
| U | See Individual Meeting Tops For Usage Availability and St Shown Below) | iffener Bar Recommer | ndations (Orde | er Separately, | | | | |
| | Legs Not Available To Be Sold Separately; For Use with Indiana Furniture Tops Only | | | | | | | |
| | Specify & Add: Stiffener Bar | | | | | | | |
| | 01-00048SB Stiffener Bar | | | \$ 194 | | | | |

T = TFL P = HPL W = Veneer

Tri-One Tables

212

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| em | Model No. | Kneespace | w | D | н | Ship Wt | Cubic Ft | Lis | t Price |
|------------------------------|-------------|--------------------|----|----|---|---------|----------|-----|---------|
| ECTANGULAR TRAINING TOPS | Square Edge | | | | | | | | |
| | 86-3072TT | 65½ | 72 | 30 | - | 75.5 | 5.2 | T\$ | 575 |
| | 86-3072TTH | | | | | | | P\$ | 779 |
| | 86-3060TT | 53 ² ⁄5 | 60 | 30 | - | 64.6 | 4.3 | Т\$ | 513 |
| | 86-3060TTH | | | | | | | P\$ | 694 |
| User Side | 86-3048TT | 41½ | 48 | 30 | - | 53.7 | 3.5 | Т\$ | 468 |
| | 86-3048TTH | | | | | | | P\$ | 632 |
| | 86-2472TT | 65½ | 72 | 24 | - | 62.4 | 4.2 | Т\$ | 524 |
| | 86-2472TTH | | | | | | | P\$ | 713 |
| | 86-2460TT | 53 ² ⁄5 | 60 | 24 | - | 53.7 | 3.5 | Т\$ | 472 |
| | 86-2460TTH | | | | | | | Р\$ | 636 |
| | 86-2448TT | 41½ | 48 | 24 | - | 44.9 | 2.8 | Т\$ | 432 |
| ust Specify (in this order): | 86-2448TTH | | | | | | | P\$ | 585 |
| 1odel # Top Finish/Color | 86-1872TT | 65½ | 72 | 18 | - | 49.3 | 3.2 | Т\$ | 474 |
| _eg Model # | 86-1872TTH | | | | | | | P\$ | 640 |
| Ganging Model # | 86-1860TT | 53 ² ⁄5 | 60 | 18 | - | 43.7 | 2.7 | Т\$ | 427 |
| Nesting Model # | 86-1860TTH | | | | | | | Р\$ | 579 |
| Grommet/Power/Data Location | 86-1848TT | 41½ | 48 | 18 | - | 36.2 | 2.2 | Т\$ | 394 |
| | 86-1848TTH | | | | | | | P\$ | 539 |
| | Knife Edge | | | | | | | | |
| | 86-3072TTKH | 65½ | 72 | 30 | - | 75.5 | 5.2 | P\$ | 1020 |
| | 86-3060TTKH | 53⅔ | 60 | 30 | - | 64.6 | 4.3 | P\$ | 909 |
| | 86-3048TTKH | 41½ | 48 | 30 | - | 53.7 | 3.5 | P\$ | 828 |
| | 86-2472TTKH | 65½ | 72 | 24 | - | 62.4 | 4.2 | P\$ | 932 |
| | 86-2460TTKH | 53 ² ⁄5 | 60 | 24 | - | 53.7 | 3.5 | P\$ | 836 |
| | 86-2448TTKH | 41½ | 48 | 24 | - | 44.9 | 2.8 | P\$ | 767 |
| | | 65½ | 72 | 18 | - | 49.3 | 3.2 | P\$ | 840 |
| | 86-1860TTKH | 53 ² ⁄5 | 60 | 18 | - | 42.7 | 2.7 | P\$ | 757 |
| 0 | | | | | | | | | |



Must Order Envy C-Leg or Vantage T-Leg Base. See Pages 214 and 215.

Description

- Profile on User Side Only
- Legs Required (Assembly Required); Sold Separately, See Pages 214 and 215
- · Leg Assemblies available with Glides or Casters
- 18"D Tops Available with Envy C-Leg Base Only
- Pre-Drilled for Optional Ganging Brackets, See Below
- Optional Flip Mechanism for Nesting is Available, See Below
- · Modesty Panel Standard on C-Leg Base and Optional on Vantage T-Leg Base; Sold Separately, See Pages 214 and 215
- Power & Data Options Available; Sold Separately, Starting on Page 216; Locations on Page 194

Options: Specify & Add

| GANGING | | |
|-----------|---|-----------|
| 08-1505GB | Ganging Bracket Kit | \$ 64 |
| | Set of 2 with Thumb ScrewsTops Are Pre-Drilled | |
| NESTING | | |
| 08-FLIP | Flip Mechanism for Nesting (Factory Installed) | \$ 393 |

T = TFL P = HPL W = Veneer

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| tem | Model No. | Ship Wt | Cubic Ft | List Price |
|------------------------------|---|---------|----------|------------|
| ENVY C-LEG BASE ASSEMBLY | Large C-Leg Base Assembly: For Use with 24"D and 30"D Tops | | | |
| FOR TRAINING TOPS | With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) | | | |
| Ä | 08-2428CLC72 | 40 | 4.3 | \$ 1203 |
| and l | For 72"W Tops | | | |
| | 08-2428CLC60 | 36 | 3.2 | \$ 1157 |
| | For 60"W Tops | | | |
| | 08-2428CLC48 | 32 | 2.9 | \$ 1119 |
| | For 48"W Tops | | | |
| | With Glides: | | | |
| | 08-2428CLG72 | 39 | 4.3 | \$ 1097 |
| | For 72"W Tops | | | |
| ust Specify (in this order): | 08-2428CLG60 | 35 | 3.2 | \$ 1055 |
| Model # | For 60"W Tops | | | |
| Caster Type (if applicable) | 08-2428CLG48 | 31 | 2.9 | \$ 1016 |
| | For 48"W Tops | | | |
| | Small C-Leg Base Assembly: For Use with 18"D Tops | | | |
| | With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) | | | |
| | 08-1828CLC72 | 36 | 4.3 | \$ 1106 |
| | For 72"W Tops | | | |
| | 08-1828CLC60 | 32 | 3.2 | \$ 1064 |
| | For 60"W Tops | | | |
| | 08-1828CLC48 | 28 | 2.9 | \$ 1024 |
| | For 48"W Tops | | | |
| | With Glides: | | | |
| | 08-1828CLG72 | 35 | 4.3 | \$ 1002 |
| | For 72"W Tops | | | |
| | 08-1828CLG60 | 31 | 3.2 | \$ 960 |
| | For 60"W Tops | | | |
| | 08-1828CLG48 | 27 | 2.9 | \$ 920 |
| | For 48"W Tops | | | |

Description

- Available in Aluminum
- Includes Trough/Modesty
- Legs Feature Removable Panel for Wire Management
- When Casters are Specified, Must Choose Soft Wheel (SOFT) or Hard Wheel (Hard)
- Caster Option Features Two Locking Casters and Two Non-Locking Casters
- Bases Are Not Available To Be Sold Separately

T = TFL P = HPL W = Veneer

TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

| Item | Model No. | Ship Wt | Cubic Ft | List Price |
|--|---|---------|----------|------------|
| VANTAGE T-LEG BASE ASSEMBLY FOR TRAINING TOPS | Large T-Leg Base Assembly: For Use with 24"D and 30"D Tops With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) | | | |
| | 08-2428TLC72 For 72"W Tops | 36 | 4.3 | \$ 576 |
| | 08-2428TLC60 For 60"W Tops | 32 | 3.2 | \$ 550 |
| | 08-2428TLC48 For 48"W Tops | 28 | 2.9 | \$ 528 |
| | With Glides: | | | |
| | 08-2428TLG72 For 72"W Tops | 35 | 4.3 | \$ 553 |
| <u>Must Specify (in this order):</u> Model # Caster Type (if applicable) | 08-2428TLG60 For 60"W Tops | 31 | 3.2 | \$ 528 |
| Optional Modesty Optional Modesty Color | 08-2428TLG48 For 48"W Tops | 27 | 2.9 | \$ 508 |

Description

- Available in Aluminum
- Not Available for Use on 18"D Tops
- Includes Stretcher Rail
- When Casters are Specified, Must Choose Soft Wheel (SOFT) or Hard Wheel (Hard)
- Caster Option Features Two Locking Casters and Two Non-Locking Casters
- Optional Modesty Panel, See Below
- Bases Are Not Available To Be Sold Separately

Optional Modesty Panels: Specify & Add

FIXED MODESTY: Used on Standard, Non-Nesting Tables

| 86-0872MD | TFL | For 72"W Tops | T\$ 386 |
|------------|-----|---------------|---------|
| 86-0872MDH | HPL | | P\$ 523 |
| 86-0860MD | TFL | For 60"W Tops | T\$ 365 |
| 86-0860MDH | HPL | | P\$ 492 |
| 86-0848MD | TFL | For 48" Tops | T\$ 353 |
| 86-0848MDH | HPL | | P\$ 478 |
| | | | |

HINGED MODESTY: Used on Nesting Tables with Flip Mechanism

| 86-0865HMD | TFL | For 72"W Tops | Т\$ | 386 |
|-------------|-----|---------------|-----|-----|
| 86-0865HMDH | HPL | | P\$ | 523 |
| 86-0853HMD | TFL | For 60"W Tops | Т\$ | 366 |
| 86-0853HMDH | HPL | | P\$ | 495 |
| 86-0841HMD | TFL | For 48" Tops | Т\$ | 354 |
| 86-0841HMDH | HPL | | P\$ | 481 |
| | | | | |

T = TFL P = HPL W = Veneer

216

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem | Model No. | | w | D | н | Ship Wt | Cubic Ft | List Price |
|-------------------------|--|---------------------|------------|-----------|-------|---------|----------|------------|
| ROUND GROMMET COVER | 01-GRMTB | Black | 23⁄8 | 23⁄8 | - | 1 | 0.1 | \$ 28 |
| | 01-GRMTSL Open Market Only | Silver | 23⁄8 | 23⁄8 | - | 1 | 0.1 | \$ 28 |
| ipen Market Only | Description 2³%" (60mm) Roun Field Installed | d Grommet C | over | | | | | |
| | Option: Specify | | | | | | | |
| | Factory Installed | | | | | | | \$ 60 |
| NGLE POWER SAND DOLLAR | 01-SAND60PW | White | 3 | 3 | 4 | 1 | 0.2 | \$ 76 |
| 20 | 01-SAND60PB | Black | | | | | | \$ 76 |
| | 01-SAND60PS | Silver | | | | | | \$ 76 |
| | Unit is 2¾" Diamet 6' Cord Single Power Outle | | 60mm Roi | und Gromi | met | | | |
| OUBLE USB SAND DOLLAR | 01-SAND60UW | White | 3 | 3 | 4 | 1 | 0.2 | \$ 216 |
| | 01-SAND60UB | Black | | | | | | \$ 216 |
| | 01-SAND60US | Silver | | | | | | \$ 216 |
| | Description Unit is 2%" Diame 6' Cord Dual USB Outlets | ter; Mounts in | 60mm Ro | und Grom | met | | | |
| /IRE MANAGEMENT CHANNEL | 01-WMGR4 | | | 16 | 1½ | 3/4 | 1 - | \$ |
| | Description | | | | | | | |
| | Set of Four (4) Bla Snap Lock Channe Attaches with Adh Ships via UPS Only | el Nesive Strips | re Managei | ment Char | nnels | | | |
| ABLE GRIP | 01-WMGRCB | | 5¾ | 25⁄8 | - | - | - | \$ 14 |
| Ū, KŪ | Description | | ıt | | | | | |

TRI-ON MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | w | D | Н | Ship Wt | Cubic Ft | List Price |
|--------------------------|--------------|--------|----|------|---|---------|----------|------------|
| UNDERMOUNT DUO NEMA PLUG | 01-DUOUNDERW | White | 6½ | 21/5 | 3 | 1 | 0.2 | \$ 427 |
| | 01-DUOUNDERB | Black | | | | | | \$ 427 |
| | 01-DUOUNDERS | Silver | | | | | | \$ 427 |

Description

Sits Under Table Top and Includes: Two (2) Power, Two (2) USB, 10' Cord, and All Mounting Hardware

- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications

9

Works with Tri-One Modular, Meeting, and Training Tables

White

Black

Silver

UNDERMOUNT TRIO NEMA PLUG

01-TRIOUNDERS Description

01-TRIOUNDERW

01-TRIOUNDERB

 Sits Under Table Top and Includes: Three (3), Power, Two (2) USB, One (1) Open Data, 10' Cord, and All Mounting Hardware

21/5

3

1

0.2

\$

\$

\$

512

512

512

217

- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Page 219
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- Works with Tri-One Modular, Meeting, and Training Tables

| UNDERMOUNT DUO | 01-PDUOUNDERW | White | 6½ | 24⁄5 | 3 | 1 | 0.2 | \$ 421 |
|------------------|---------------|--------|----|------|---|---|-----|-----------|
| DAISY CHAIN PLUG | 01-PDUOUNDERB | Black | | | | | | \$ 421 |
| | 01-PDUOUNDERS | Silver | | | | | | \$ 421 |

Description

- Sits Under Table Top and Includes: Two (2) Power, Two (2) USB, 12" Cord, and All Mounting Hardware ٠
- Requires Daisy Chain Power Box, Specified Separately, See Page 220
- Non-Sequential System Allows up to 8 Modules to be Connected with Jumper Cord, See Page 220
 - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal Applications
- · Works with Tri-One Modular, Meeting, and Training Tables

| UNDERMOUNT TRIO | 01-PTRIOUNDERW | White | 9 | 21/5 | 3 | 1 | 0.2 | \$ 504 |
|------------------|----------------|--------|---|------|---|---|-----|-----------|
| DAISY CHAIN PLUG | 01-PTRIOUNDERB | Black | | | | | | \$ 504 |
| R | 01-PTRIOUNDERS | Silver | | | | | | \$ 504 |
| | | | | | | | | |

Description

- Sits Under Table Top and Includes: Three (3), Power, Two (2) USB, One (1) Open Data, 12" Cord, and All Mounting Hardware
- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Page 219
- Requires Daisy Chain Power Box, Specified Separately, See Page 220
- Non-Sequential System Allows up to Eight (8) Modules to be Connected with Jumper Cord, See Page 220
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal Applications
- Works with Tri-One Modular, Meeting, and Training Tables

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | | w | D | н | Ship Wt | Cubic Ft | Li | st Price |
|---------------------|--------------|--------|----|---|---|---------|----------|----|----------|
| DUO CLAMP NEMA PLUG | 01-DUOCLAMPW | White | 5½ | 3 | 7 | 1 | 0.2 | \$ | 446 |
| , Se | 01-DUOCLAMPB | Black | | | | | | \$ | 446 |
| | 01-DUOCLAMPS | Silver | | | | | | \$ | 446 |

Description

Clamps to Table Top and Includes: Two (2) Power, Two (2) USB, 10' Cord, and All Mounting Hardware

• Silver Metal Trim on All Color Options

- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- · Works with Tri-One Modular, Meeting, and Training Tables

| TRIO CLAMP NEMA PLUG | 01-TRIOCLAMPW | White | 8 | 3 | 7 | 1 | 0.2 | \$ 524 |
|--|---------------|--------|---|---|---|---|-----|-----------|
| | 01-TRIOCLAMPB | Black | | | | | | \$ 524 |
| No de la constance | 01-TRIOCLAMPS | Silver | | | | | | \$ 524 |

Description

- Clamps to Table Top and Includes: Three (3), Power, Two (2) USB, One (1) Open Data, 10' Cord, and All Mounting Hardware
- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Page 219
- Silver Metal Trim on All Color Options
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- Works with Tri-One Modular, Meeting, and Training Tables

| DUO BEZEL NEMA PLUG | 01-DUOBEZELW | White | 6½ | 21/5 | 31/10 | 1 | 0.2 | \$ 527 |
|---------------------|--------------|--------|----|------|-------|---|-----|-----------|
| a la | 01-DUOBEZELB | Black | | | | | | \$ 527 |
| | 01-DUOBEZELS | Silver | | | | | | \$ 527 |
| | Description | | | | | | | |

Description

- Sits on Table Top and Includes: Two (2) Power, Two (2) USB, 10' Cord, and All Mounting Hardware
- · Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- · Works with Tri-One Modular, Meeting, and Training Tables

TRIO BEZEL NEMA PLUG



| 01-TRIOBEZELW | White | 9 | 21/5 | 3 | 1 | 0.2 | \$ 566 |
|---------------|--------|---|------|---|---|-----|-----------|
| 01-TRIOBEZELB | Black | | | | | | \$ 566 |
| 01-TRIOBEZELS | Silver | | | | | | \$ 566 |

Description

• Sits on Table Top and Includes: Three (3), Power, Two (2) USB, One (1) Open Data, 10' Cord, and All Mounting Hardware

- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Page 219
- · Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- · Works with Tri-One Modular, Meeting, and Training Tables

For ordering options, see overview at the beginning of this section.

8% Price Increase Effective Feb 14

SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| | Model No. | | w | D | Н | Ship Wt | Cubic Ft | List | Price |
|---|---------------|--------|----|------|---|---------|----------|------|-------|
| BEZEL DAISY CHAIN PLUG | 01-PDUOBEZELW | White | 6½ | 21/5 | 3 | 1 | 0.2 | \$ | 521 |
| The second se | 01-PDUOBEZELB | Black | | | | | | \$ | 521 |
| | 01-PDUOBEZELS | Silver | | | | | | \$ | 521 |

Description

- Sits on Table Top and Includes: Two (2) Power, Two (2) USB, 12" Cord, and All Mounting Hardware
- Requires Daisy Chain Power Box, Specified Separately, See Page 220
- Non-Sequential System Allows up to 8 Modules to be Connected with Jumper Cord, See Page 220
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications
- Works with Tri-One Modular, Meeting, and Training Tables

| TRIO BEZEL DAISY CHAIN PLUG | 01-PTRIOBEZELW | White | 9 | 21/5 | 3 | 1 | 0.2 | \$ 558 |
|-----------------------------|----------------|--------|---|------|---|---|-----|-----------|
| | 01-PTRIOBEZELB | Black | | | | | | \$ 558 |
| | 01-PTRIOBEZELS | Silver | | | | | | \$ 558 |
| | | | | | | | | |

Description

- Sits on Table Top and Includes: Three (3), Power, Two (2) USB, One (1) Open Data, 12" Cord, and All Mounting Hardware
- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Below
- Requires Daisy Chain Power Box, Specified Separately, See Page 220
- Non-Sequential System Allows up to Eight (8) Modules to be Connected with Jumper Cord, See Page 220
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications
- Works with Tri-One Modular, Meeting, and Training Tables

| HDMI DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMHDMI | - | - | - | 1 | 0.2 | \$ 129 |
|--|--------------------------|---|---|---|---|-----|-----------|
| the states of th | Description | | | | | | |
| 0 | HDMI Port for Trio Units | | | | | | |
| Open Market | | | | | | | |
| VGA DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMVGA | - | - | - | 1 | 0.2 | \$ 95 |
| | Description | | | | | | |
| | VGA Port for Trio Units | | | | | | |
| RJ45 DATA PORT ACCESSORY FOR TRIO UNITS | 01-LCOMRJ45 | - | - | - | 1 | 0.2 | \$ 62 |
| | Description | | | | | | |
| | RJ45 Port for Trio Units | | | | | | |

For ordering options, see overview at the beginning of this section.



DUO BEZEL

Item

6.2

SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item | Model No. | w | D | н | Ship Wt | Cubic Ft | List Price |
|-----------------------|--|---|---|---|---------|----------|------------|
| DAISY CHAIN POWER BOX | 01-PPOWER 76" Perimeter, 36" Power Cord | - | - | - | 1 | 0.2 | \$ 606 |
| - Stell | 01-PPOWER2 24" Perimeter, 144" Power Cord | - | - | - | 1 | 0.2 | \$ 621 |

Description

- Powers up to Eight (8) Duo and Trio Daisy Chain Units
- One (1) Nema Plug and One (1) Daisy Chain Plug
- 12-Amp System Rating
- 15-Amp Over-Current Protection



| 01-6JUMP <i>72" Long</i> | - | - | - | 1 | 0.2 | \$ 234 |
|-----------------------------|---|---|---|---|-----|-----------|
| 01-5JUMP 60" Long | - | - | - | 1 | 0.2 | \$ 221 |
| 01-4JUMP 48" Long | - | - | - | 1 | 0.2 | \$ 187 |
| 01-2JUMP 24" Long | - | - | - | 1 | 0.2 | \$ 172 |

Description

Connects Duo and Trio Daisy Chain Units

• Non-Sequential System Allows up to 8 Modules to be Connected

| POWER STRIP | 01-PRSP | 9 | 2 | 2 | 1 | - | \$ 159 | | |
|-------------|---|-------------|---|---|---|---|--------|--|--|
| | Description | Description | | | | | | | |
| | Includes Four (4) Outlets and Two (2) Phone Jacks Deale Deating with Dealers On (Off Switch | | | | | | | | |

- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL and CSA Recognized
- · Suitable for Surface or Recessed Mounting
- Ships via UPS Only

ORDERING INFORMATION

All orders should be emailed to neworders@indianafurniture.com.

Orders can be faxed to 812-482-9035 or mailed to: Indiana Eurpiture

P.O. Box 270 1224 Mill Street Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, **a .067% per** calendar day (2% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged titm. Once you have notified the carrier, please contact Customer Service for further assistance.

GENERAL INFORMATION + CONDITIONS OF SALE

Obvious Damage/Missing Cartons — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

Concealed Damage — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered $\frac{1}{3}$ by the carrier and $\frac{2}{3}$ by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

- 1. Manufacturing defect (inspected by Indiana Furniture representative)
- 2. Indiana Furniture order processing error
- 3. Shipping error
- 4. Mis-marked cartons
- 5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$2000 (net value, product only) will be assessed a small order fee of \$200 Net per shipment. This fee will be waived for items shipped via small package carriers.

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.





Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("**Indiana Furniture**") warrants to the original purchaser all product in this price list ("**Product**") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after December 6, 2021, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

7-year Warranty (from the date of shipment)

- Pneumatic Table Lift
- Electric Table Lift

5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- · Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.

If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc. Attn: Customer Service 1224 Mill Street, P.O. Box 270 Jasper, Indiana 47547-0270 800.422.5727 Fax 812.482.9035 custserv@indianafurniture.com

Surface Materials

Wood Finishes and Woodgrain, Solid, and Patterned Laminates

| Wood Finishes and | Woodgrain, Solid, a | nd Patterned Lamina | ites | | | | | |
|---|---|---|--|------------------------------------|--|--|--|--|
| | | | | $\lambda = \lambda = \lambda$ | | | | |
| | BOURSESS OF | | | tagi da da da | | | | |
| Beigewood (BW) TFL, HPL, Seating* | Sugar Maple (SM) Veneer, TFL, HPL, Seating | Oak Riftwood (ORW) Veneer*, TFL, HPL, Seating* | Sunglow Walnut (SW) Veneer, Seating | Fawn Oak (FO) Veneer*, Seating* | Weathered Ash (WTA) Veneer*, TFL, HPL, Seating* | | | |
| | | | Arman Res 1 | | | | | |
| Smoky Brown Pear (SBP) | Asian Night (AS) | Studio Teak (TK) | Pinnacle Walnut (PNW) | Tavern Teak (TT) | Harvest Maple (HVM) | | | |
| Veneer, TFL, HPL, Seating* | Veneer, TFL, HPL, Seating | TFL, HPL, Seating | TFL, HPL, Seating | Veneer, Seating* | Veneer, TFL, HPL, Seating* | | | |
| | | | Martin M | dia a na 1 | | | | |
| Medium Oak (MO) | Golden Cherry (GC) | Legacy Walnut (LW) | Artisan Walnut (AW) | Shaker Cherry (SKC) | Select Cherry (SCH) | | | |
| Veneer*, Seating* | Veneer, TFL, HPL, Seating | Veneer, Seating | Veneer, Seating | Veneer, TFL, HPL, Seating | Veneer, TFL, HPL, Seating | | | |
| AS REAL PARTY IN | | | 出版 推改 新叶 | | | | | |
| Williamsburg Cherry (WC) | Harvest Walnut (HW) | Dark Cherry (DC) | Mahogany Walnut (MW) | Columbian Walnut (CO) | Dark Forest Walnut (DFW) | | | |
| Veneer, TFL, HPL, Seating | Veneer, Seating | Veneer, Seating | Veneer, TFL, HPL, Seating | Veneer, TFL, HPL, Seating | Veneer, Seating* | | | |
| | | | | | | | | |
| | | | | | | | | |
| Espresso (EW/EF) Veneer, TFL, HPL, Seating | Designer White (WH) TFL, HPL, Seating | White Sand (WHS) TFL, HPL | Fashion Grey (FHG) TFL, HPL | Pepperdust (PPD) TFL, HPL | Slate Grey (SG) TFL, HPL | | | |
| | | | | | | | | |
| | | | | | | | | |
| Black (BL) TFL, HPL, Seating | Pewter Mesh (PTM) HPL (training tables only) | Steel Mesh (STM) HPL (training tables only) | | | | | | |
| * Finish is Low Sheen | | | | | | | | |
| Metal Options | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Oyster White (OYST) | Sugar Cookie (SUGC) | Aluminum (ALUM) | Chrome (CHRM) | Mist (MIST) | Black (BLK) / Noir (NOIR) | | | |
| Square One Wood Finishes | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Aspen White (AWH) | Natural Beech (NB | Truffle Rain (TR) | Orchard (OR) | Ember Gray (EG) | | | | |
| Square One Acrylic Options | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Frosted (FSTA) | Raffia (RAFA) | Tinsel (TNSA) | Twigwork (TGWA) | Woven (WOVA) | | | | |
| Square One Acoustic Options | | | | | | | | |
| | DATE STATE | | | | | | | |
| | | | | | | | | |
| Milky (MLK) | Taupe (TPE) | Grey (GRY) | Ash (ASH) | Black (BLK) | | | | |
| | | | | | | | | |

8% Price Increase and finish colors may vary slightly from the actual product. To Graining and finish colors may vary yet will continue to complement, across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.



1224 Mill Street PO Box 270 Jasper, Indiana 47547-0270

 Tel
 812.482.5727

 Tol
 800.422.5727

 Fax
 812.482.9035

 sales@indianafurniture.com

 www.indianafurniture.com

Federal Classification: Small Business
8% Price Increase



* MADE