



Get Your Bespoke Office Design Today

We'll Get You The Right Office Furniture

Call Now (856)-368-9085

Call Now To Order (856) 368-9085

50% OFF Sale On Now

Nationwide Delivery and Installation

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF











Call 856-368-9085 Now

Free Layout & Design Service











Accessories


ACCESSORIES


A WIDE RANGE OF ACCESSORIES THAT CAN BE USED WITH ALL LACASSE LAMINATE FURNITURE COLLECTIONS.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Sliding keyboard trays 	<i>Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.</i>			
	28¾ x 15 x 3½	721 x 381 x 89	LGC-SKD27	 306
Self-adhesive wrist rest 	18½ x 1½ x ¾	470 x 38 x 19	LGC-WRKD	119
Corner keyboard supports 	<i>Fits in the angle between 2 work surfaces. Anthracite Grey metal. For 1" thick surfaces</i>			
	20 x 11½ x 1¼	500 x 282 x 30	LGC-CORSUP1	287
	<i>For 1½" thick surfaces</i>			
	20 x 11½ x 1¼	500 x 282 x 46	LGC-CORSUP1.5	340
Rotating trays to install under the work surface 	8½ x 7½ x 1	226 x 190 x 26	LGC-R09	69
	13¼ x 8¼ x 1¾	346 x 208 x 34	LGC-R014	 69
Drawer pencil tray 	<i>Black plastic. Fits inside a box drawer, on left or right side.</i>			
	8⅞ x 6 x ⅞	236 x 152 x 22	LGC-PH	69
Drawers for small objects 	<i>Black plastic drawer front.</i>			
	20 x 16½ x 2½	500 x 419 x 64	LGC-DR20P	 246
CPU support 	<i>Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.</i>			
	5½- x 10 x 17½- 9¾ 22	140- x 250 x 437- 245 550	LGC-CCPU	254

Monitor arms must be used in accordance with the technical specifications (screen dimensions and max. weight) and exclusively above the surface. The use of the monitor arm extending outside the surface is not recommended. This is valid for all monitor arms, with or without knife edge adaptor.


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Essential single monitor arm with docking station 	<i>Double extension monitor arm to support a screen. Docking station included. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	20 ¹¹ / ₁₆ x 19 ⁹ / ₁₆	525 x 485	LGC-SUPE1A2SED_	 738
	Specify finish (K, S).			
Essential double monitor arms with docking station 	<i>Two double extension monitor arms to support two screens. Docking station included. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	20 ¹¹ / ₁₆ x 19 ⁹ / ₁₆	525 x 490	LGC-SUPE2A2SED_	 1,080
	Specify finish (K, S).			
Select single monitor arm 	<i>Monitor arm for one screen. Locks at 180°, compatible with height adjustable tables. Silver or black finish. See technical specifications guide for conditions of use</i>			
	11 ¹ / ₈ x 10 ¹¹ / ₁₆	283 x 272	LGC-SUPE1A1SSN_	 617
	Specify finish (K, S).			
Select double monitor arms 	<i>Two double monitor arms. Locks at 180°, compatible with height adjustable tables. Silver or black finish. See technical specifications guide for conditions of use.</i>			
	13 ¹ / ₈ x 12 ⁹ / ₁₆	333 x 310	LGC-SUPE2A1SSN_	 1,060
	Specify finish (K, S).			
Adaptor for knife edge 	<i>Allows an easy and secure installation of Essential and Select monitor arms on knife edge surfaces.</i>			
	2 ¹ / ₄ x 3 ¹⁹ / ₁₆ x 2 ¹¹ / ₆₄	57 x 100 x 55	LGC-SUPEKEAK_	 88

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Electronic fluorescent task lights 	<i>Electronic tubes are more efficient and do not cause interference. Electronic ballast T5 – 4100K, 19": 10W, 25": 14W, 37": 21W, 49": 28W. 160-degree swivel to orient the light. ETL Certification (UL / CSA equivalent). 9' cord included. Black.</i>			
	18 ⁷ / ₈ x 3 ³ / ₈ x 1	480 x 85 x 26	LGC-T5LE19	306
	24 ⁵ / ₈ x 3 ³ / ₈ x 1	626 x 85 x 26	LGC-T5LE25	340
	36 ¹ / ₂ x 3 ³ / ₈ x 1	927 x 85 x 26	LGC-T5LE37	375
	48 ¹ / ₄ x 3 ³ / ₈ x 1	1226 x 85 x 26	LGC-T5LE49	420

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
LED task lights 	<i>Clear anodized aluminum housing with white end caps. Touch-and-hold dimmer. Brightness adjustability 100%-15% continuous. 10 hours automatic turn off. 4100K, 84 CRI. 17": 6.6W/24 LED, 31": 14.8W/48 LED, 44": 21.8W/72 LED. ETL Certification (UL / CASA equivalent). 9' (17") or 12' (31"-44") cord included. Fully recyclable aluminum housing.</i>			
	16 ¹ / ₂ x 2 x 3 ³ / ₈	417 x 50 x 14	LGC-LED17	480
	24 ¹ / ₈ x 2 x 3 ³ / ₈	765 x 50 x 14	LGC-LED31	601
	36 ⁷ / ₈ x 2 x 3 ³ / ₈	1100 x 50 x 14	LGC-LED44	1,098

Fabrics for screens and tackboards These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%.

Tackboards for hutches Tackboards and rails for hutches may be combined to optimize storage space with the accessories.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Tackboards for hutches  All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.	44" H hutches			
	<i>19" H tackboard</i>			
	<i>15" H tackboard + 1 rail</i>			
	<i>11" H tackboard + 2 rails</i>			
	36" H hutches			
	<i>15" H tackboard</i>			
	<i>11" H tackboard + 1 rail</i>			
	19" (480 mm) high.			
	82 x 1/2 x 19	2045 x 13 x 480	LGC-TK8219E	627
	76 x 1/2 x 19	1895 x 13 x 480	LGC-TK7619E	609
	70 x 1/2 x 19	1745 x 13 x 480	LGC-TK7019E	594
	64 x 1/2 x 19	1595 x 13 x 480	LGC-TK6419E	575
	58 x 1/2 x 19	1445 x 13 x 480	LGC-TK5819E	560
	52 x 1/2 x 19	1295 x 13 x 480	LGC-TK5219E	539
46 x 1/2 x 19	1145 x 13 x 480	LGC-TK4619E	523	
40 x 1/2 x 19	995 x 13 x 480	LGC-TK4019E	508	
34 x 1/2 x 19	845 x 13 x 480	LGC-TK3419E	488	


Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Tackboards for hutches (con't)	<i>15" (380 mm) high.</i>			
	82 x 1/2 x 15	2045 x 13 x 380	LGC-TK8215E	609
	76 x 1/2 x 15	1895 x 13 x 380	LGC-TK7615E	594
	70 x 1/2 x 15	1745 x 13 x 380	LGC-TK7015E	575
	64 x 1/2 x 15	1595 x 13 x 380	LGC-TK6415E	560
	58 x 1/2 x 15	1445 x 13 x 380	LGC-TK5815E	539
	52 x 1/2 x 15	1295 x 13 x 380	LGC-TK5215E	523
	46 x 1/2 x 15	1145 x 13 x 380	LGC-TK4615E	508
	40 x 1/2 x 15	995 x 13 x 380	LGC-TK4015E	488
	34 x 1/2 x 15	845 x 13 x 380	LGC-TK3415E	472

Specify the fabric code at the end of the product code.


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Tackboards for hutches (con't)	<i>11" (280 mm) high.</i>			
	82 x 1/2 x 11	2045 x 13 x 280	LGC-TK8211E	594
	76 x 1/2 x 11	1895 x 13 x 280	LGC-TK7611E	575
	70 x 1/2 x 11	1745 x 13 x 280	LGC-TK7011E	560
	64 x 1/2 x 11	1595 x 13 x 280	LGC-TK6411E	539
	58 x 1/2 x 11	1445 x 13 x 280	LGC-TK5811E	523
	52 x 1/2 x 11	1295 x 13 x 280	LGC-TK5211E	508
	46 x 1/2 x 11	1145 x 13 x 280	LGC-TK4611E	488
	40 x 1/2 x 11	995 x 13 x 280	LGC-TK4011E	472
	34 x 1/2 x 11	845 x 13 x 280	LGC-TK3411E	451

Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Metal hanging rails for hutches 	<i>To be fixed to a hutch to receive accessory trays. Mounting hardware included.</i>			
	82 x 3/4 x 4	2045 x 19 x 100	LGC-RA82E	314
	76 x 3/4 x 4	1895 x 19 x 100	LGC-RA76E	306
	70 x 3/4 x 4	1745 x 19 x 100	LGC-RA70E	298
	64 x 3/4 x 4	1595 x 19 x 100	LGC-RA64E	287
	58 x 3/4 x 4	1445 x 19 x 100	LGC-RA58E	277
	52 x 3/4 x 4	1295 x 19 x 100	LGC-RA52E	270
	46 x 3/4 x 4	1145 x 19 x 100	LGC-RA46E	262
	40 x 3/4 x 4	995 x 19 x 100	LGC-RA40E	254
	34 x 3/4 x 4	845 x 19 x 100	LGC-RA34E	246

Specify the accent color (A, S).

Wall-mounted tackboards Tackboards and wall-mounted hanging rails may be combined to optimize storage space with the accessories.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Wall-mounted tackboards  All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.	<i>21" H tackboard</i>			
	<i>17" H tackboard + 1 rail</i>			
	<i>13" H tackboard + 2 rails</i>			
	21" (540 mm) high.			
	84 x 1/2 x 21	2100 x 13 x 540	LGC-TK8421M	654
	78 x 1/2 x 21	1950 x 13 x 540	LGC-TK7821M	627
	72 x 1/2 x 21	1800 x 13 x 540	LGC-TK7221M	609
	66 x 1/2 x 21	1650 x 13 x 540	LGC-TK6621M	594
	60 x 1/2 x 21	1500 x 13 x 540	LGC-TK6021M	575
	54 x 1/2 x 21	1350 x 13 x 540	LGC-TK5421M	560
	48 x 1/2 x 21	1200 x 13 x 540	LGC-TK4821M	539
	42 x 1/2 x 21	1050 x 13 x 540	LGC-TK4221M	523
	36 x 1/2 x 21	900 x 13 x 540	LGC-TK3621M	508



Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Wall-mounted tackboards	<i>17" (440 mm) high.</i>			
	84 x 1/2 x 17	2100 x 13 x 440	LGC-TK8417M	627
	78 x 1/2 x 17	1950 x 13 x 440	LGC-TK7817M	609
	72 x 1/2 x 17	1800 x 13 x 440	LGC-TK7217M	594
	66 x 1/2 x 17	1650 x 13 x 440	LGC-TK6617M	575
	60 x 1/2 x 17	1500 x 13 x 440	LGC-TK6017M	560
	54 x 1/2 x 17	1350 x 13 x 440	LGC-TK5417M	539
	48 x 1/2 x 17	1200 x 13 x 440	LGC-TK4817M	523
	42 x 1/2 x 17	1050 x 13 x 440	LGC-TK4217M	508
	36 x 1/2 x 17	900 x 13 x 440	LGC-TK3617M	488

Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Wall-mounted tackboards	<i>13" (340 mm) high.</i>			
	84 x 1/2 x 13	2100 x 13 x 340	LGC-TK8413M	609
	78 x 1/2 x 13	1950 x 13 x 340	LGC-TK7813M	594
	72 x 1/2 x 13	1800 x 13 x 340	LGC-TK7213M	575
	66 x 1/2 x 13	1650 x 13 x 340	LGC-TK6613M	560
	60 x 1/2 x 13	1500 x 13 x 340	LGC-TK6013M	539
	54 x 1/2 x 13	1350 x 13 x 340	LGC-TK5413M	523
	48 x 1/2 x 13	1200 x 13 x 340	LGC-TK4813M	508
	42 x 1/2 x 13	1050 x 13 x 340	LGC-TK4213M	488
	36 x 1/2 x 13	900 x 13 x 340	LGC-TK3613M	472

Specify the fabric code at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Wall-mounted metal hanging rails	<i>To be fixed to a wall to receive accessory trays. Mounting hardware included.</i>			
	84 x ¾ x 4	2100 x 19 x 100	LGC-RA84M_	322
	78 x ¾ x 4	1950 x 19 x 100	LGC-RA78M_	314
	72 x ¾ x 4	1800 x 19 x 100	LGC-RA72M_	306
	66 x ¾ x 4	1650 x 19 x 100	LGC-RA66M_	298
	60 x ¾ x 4	1500 x 19 x 100	LGC-RA60M_	287
	54 x ¾ x 4	1350 x 19 x 100	LGC-RA54M_	277
	48 x ¾ x 4	1200 x 19 x 100	LGC-RA48M_	270
	42 x ¾ x 4	1050 x 19 x 100	LGC-RA42M_	262
	36 x ¾ x 4	900 x 19 x 100	LGC-RA36M_	254
	Specify the accent color (A, S).			

TACKBOARDS FOR ACCESSORY BRACKETS

 All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

Mounts to the accessory brackets LGC-SUPAC_ / LGC-SUPL_. Compatible with units having full-width wire access or spacing between surface and base (Quad, Morpheo and Options).

These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%.

71 x 1½ x 17	1778 x 36 x 442	LGC-TK7217_	932
65 x 1½ x 17	1628 x 36 x 442	LGC-TK6617_	908
59 x 1½ x 17	1478 x 36 x 442	LGC-TK6017_	863
53 x 1½ x 17	1328 x 36 x 442	LGC-TK5417_	836
47 x 1½ x 17	1178 x 36 x 442	LGC-TK4817_	783
41 x 1½ x 17	1028 x 36 x 442	LGC-TK4217_	758
35 x 1½ x 17	878 x 36 x 442	LGC-TK3617_	732
29 x 1½ x 17	728 x 36 x 442	LGC-TK3017_	698
23 x 1½ x 17	578 x 36 x 442	LGC-TK2417_	671
71 x 1½ x 8½	1778 x 36 x 213	LGC-TK7208_	706
65 x 1½ x 8½	1628 x 36 x 213	LGC-TK6608_	680
59 x 1½ x 8½	1478 x 36 x 213	LGC-TK6008_	654
53 x 1½ x 8½	1328 x 36 x 213	LGC-TK5408_	617
47 x 1½ x 8½	1178 x 36 x 213	LGC-TK4808_	568
41 x 1½ x 8½	1028 x 36 x 213	LGC-TK4208_	530
35 x 1½ x 8½	878 x 36 x 213	LGC-TK3608_	508
29 x 1½ x 8½	728 x 36 x 213	LGC-TK3008_	480
23 x 1½ x 8½	578 x 36 x 213	LGC-TK2408_	451


Specify the accent code (A, S). Specify the fabric code at the end of the product code.


Short accessory brackets (2)	1½ x 4 x 11	38 x 100 x 284	LGC-SUPAC_	219
	Specify the accent color (A, S).			






Long accessory brackets (2)	1½ x 4 x 20	38 x 100 x 513	LGC-SUPAL_	219
	Specify the accent color (A,S).			





Horizontal paper trays	<i>Metal. Compatible with all Lacasse's accessory rails. Letter size.</i>			
	12 x 2 x 10	305 x 50 x 251	LGC-RPT11_	141
	<i>Legal size.</i>			
	15 x 2 x 10	375 x 50 x 251	LGC-RPT14_	158
	Specify the accent color (A, S).			


Vertical paper tray	<i>Metal. 2¼" (68 mm) clear depth. Compatible with all Lacasse's accessory rails.</i>			
	12 x 8 x 2¾	300 x 68 x 70	LGC-RVPT11_	173
	Specify the accent color (A, S).			


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Accessory trays	<i>Metal. Compatible with all Lacasse's accessory rails.</i>			
	12 x 1¼ x 3⅞	305 x 30 x 96	LGC-RAS12_	119
	20 x 1¼ x 3⅞	505 x 30 x 96	LGC-RAS20_	147
	Specify the accent color (A, S).			



Adhesive wire channels	<i>Self-adhesive. Can hold most power bars.</i>			
	68 x 2¼ x 3¾	1700 x 60 x 80	LGC-HWMC72_ 	173
	44 x 2¼ x 3¾	1100 x 60 x 80	LGC-HWMC48_	147
	20 x 2¼ x 3¾	500 x 60 x 80	LGC-HWMC24_	119
	Specify the accent color (A, S).			


Vertical pigeonholes	<i>21" H – 6 compartments, 17" H – 5 compartments. Legal size.</i>			
	18 x 12 x 20¼	449 x 311 x 515	LGC-DV1821_	671
	18 x 12 x 17¾	449 x 311 x 442	LGC-DV1817_	627
	<i>Letter size.</i>			
	12 x 12 x 20¼	299 x 311 x 515	LGC-DV1221_	609
	12 x 12 x 17¾	299 x 311 x 442	LGC-DV1217_	568


Grommets	<i>Round or square in various dimensions supplied in accordance with the standards of furniture series ordered.</i>				
	<i>Black for Concept 70, 300, 400E</i>			LGC-GRV25N	47
	<i>For Options, Morpheo, Concept 3 (1")</i>			LGC-GRQ25_	47
	Specify the accent code (N,S).				


Cushions for mobile pedestals	<i>Installs on 20" (500 mm) storage units or mobile pedestal with self-fastening band. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.</i>			
	15 x 18 x 1⅞	388 x 450 x 35	LGC-CU1518	358
	Specify the fabric code at the end of the product code.			



Front-to-back suspension bars	<i>Suspension bars for all laminate lateral file drawers. Allows front-to-back filing.</i>			
	15½ x 6 x 1¼	384 x 152 x 32	LGC-FTB2	55
	15½ x 6 x 1¼	384 x 152 x 32	LGC-FTB4	110

Counterweight	<i>Prevents lateral file from tipping over when top drawer is overloaded. To meet BIFMA standards, order 1 counterweight for 24" deep and 2 for 20" deep lateral file.</i>			
	13 x 4 x 4	330 x 100 x 100	LGC-CW 	182


Flush plate	<i>To link and level two surfaces. 10 per package. Black metal.</i>			
	7 x 1½ x ¼	175 x 38 x 3	LGC-FLP	97


Footrest	<i>Adjustable foot support. Tilt angles of 6°, 12°, 16° and 25°. Anti-fatigue rubber surface on platform. Black with grey accents.</i>			
	16 x 14 x 3-5	405 x 350 x 75-125	LGC-FR	200

Coat hook	<i>Stainless steel finish. Hardware included. Can be fixed to wall or other surface.</i>			
	2⅜ x 2⅝/32 x 1½	60 x 20 x 35	LGC-CH	113

Work surface reinforcement bar	<i>Metal black.</i>			
	54 x 2 x 1	1372 x 51 x 25	LGC-BAR 	119




ELECTRICAL AND COMMUNICATION MODULES

Removable electrical / communication module	<i>3 electrical outlets. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. UL and CUL certified.</i>			
	10 x 5½ x 3	255 x 140 x 75	LGC-PCS	539







Half electrical module	<i>2 electrical outlets. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified.</i>			
	4⅞ x 4¾ x 3	120 x 106 x 75	LGC-HPC	358

 = QUICKSHIP PROGRAM

 = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Electrical / communication module 	<i>Includes two electrical outlets. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.</i>			
	8 1/4 x 4 3/8 x 3	212 x 110 x 75	LGC-PC2P	609
Double-sided electrical / communication module 	<i>Includes two electrical outlets on each side. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.</i>			
	8 1/4 x 8 x 3	206 x 200 x 75	LGC-DPC4P	1,080
Wireless charger 	<i>Compatible with any Qi rated devices and smartphones. Black tempered glass surface and stainless steel frame. 78" (1981 mm) cord included. The transformer is UL and CUL certified. Field installation, 3 1/8" H (79 mm).</i>			
	3 1/2 x 3 1/2 x 1	88 x 88 x 25	LGC-CHARGE	788

COUPLERS

Voice coupler 	<i>RJ11 coupler, category 3. Modular coupler to connect a standard phone. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	9/16 x 5/8 x 1 3/16	14 x 16 x 30	LGC-RJ11	90
Data jack 	<i>RJ-45 coupler, category 5. 110 connect jack used for internet and multi-line/VOIP phone systems. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	5/8 x 3/8 x 1 3/16	16 x 16 x 30	LGC-RJ45	157
HDMI connector 	<i>To connect to HD displays that accept HDMI feed. Female / female connection. 18" (457 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	5/8 x 9/16 x 1 3/16	16 x 14 x 30	LGC-HDMI	180
VGA coupler 	<i>Female-to-male connector cable. Device cable not included. 120" (3048 mm) cord included. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	1 1/4 x 1/4 x 1 1/2	33 x 12 x 37	LGC-VGA	180
USB 3.0 coupler 	<i>Simultaneous read and write capability. Transfer speed of 5 gbs/sec. 72" (1829 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.</i>			
	5/8 x 9/16 x 1 3/16	16 x 14 x 30	LGC-USBDATA	147
USB-C charging connector 	<i>USB-C connection for USB-powered devices and for charging mobile electronic devices. 60W power. Cannot be used for data transfer. 72" L (1829 mm) cable with plug. Must be used with the adaptors supplied with the selected accessories, plates or modules. Black or white. Field installation.</i>			
	1 x 1 x 1 3/16	26 x 26 x 21	LGC-USBC60	470

Specify accent color (K, W).