

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service

Nex Series



TABLE OF CONTENTS

SPECIFICATIONS 2

NEX COLLECTION 2

HEIGHT MANAGEMENT AND STACKING COMPATIBILITY 3

DESKS AND SURFACES 3-4

RETURNS 4

RETURN-SURFACES 5

WORK SURFACES WITH STRUT(S) 5-6

ELECTRIC HEIGHT ADJUSTABLE DESKS 6-13

CAFÉ HEIGHT TABLES, MEETING TABLES AND COMPLEMENTARY FURNITURE 13

CUSHIONS 14

STORAGE FURNITURE 14-16

MEDIA PANELS 16-17

MODULAR PRIVACY SCREENS 17

ACCESSORIES 17-18

APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES 18-19

STANDARD SPECIALS 19

SPECIFICATIONS OF OPTIONS AND FINISHES 19

NEX PRICE LIST 20

DESKS 20

WORK SURFACES 20

DESKS WITH MEETING SPACE 21

WORK SURFACES WITH MEETING SPACE 22

COLLABORATIVE SURFACES 23

WORK SURFACES WITH STRUT(S) 24

RETURN-SURFACES 25

RETURNS 25

ELECTRIC HEIGHT ADJUSTABLE WATERFALL DESKS 27

ELECTRIC HEIGHT ADJUSTABLE BRIDGE SURFACE 32

ELECTRIC HEIGHT ADJUSTABLE DESKS WITH CLASSIC SURFACE 32

CAFÉ HEIGHT TABLES 35

MEETING TABLES 36

COMPLEMENTARY FURNITURE 37

STORAGE MODULES – 21" H. 37

STORAGE MODULES – 27" H. 40

STORAGE FURNITURE 42

BOOKCASE HUTCHES 44

MEDIA PANELS 46

WALL-MOUNTED HUTCHES 46

PEDESTALS 47

ACCESSORIES 47

SUGGESTIONS 49





Lacasse products have achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

SPECIFICATIONS


NEX COLLECTION

NEX is a stylish collection of furniture. It offers superior value and incomparable flexibility in its layout possibilities.




HEIGHT MANAGEMENT AND STACKING COMPATIBILITY

The modular nature of the NEX collection's various components enables units of different heights to be aligned so as to ensure visual consistency between work stations. Here is an overview of the principal heights (measurements in Imperial units are nominal):



The 21" H (561 mm) storage module does not create a gap between a shelf or a media panel and a cabinet/bookcase placed next to it.

2½" (64 mm) gap between a shelf or a media panel and a cabinet/bookcase placed next to it.



DESKS AND SURFACES

General characteristics


All desks, work surfaces and returns from the NEX collection are available with a choice of top panel 1" (25 mm) thick with smooth edgebanding or 1½" (38 mm) thick with smooth or knife edge.

Top panels have at least 1 grommet with a metal cover with a satin chrome finish (excluding the return-surfaces and the height adjustable desks). The opening of the grommet can accommodate an electrical module unless indicated otherwise (surfaces with struts).

Desks and returns 20" (500 mm) in depth are not compatible with suspended cabinet NNN_ _-161820F.



Grommet with metal cover



Short or long laminate legs are always 1½" (38 mm) thick and some desk or surface models have a slim, mechanically height adjustable metal leg.

- Slim metal leg
- Steel with brushed chrome satin finish.
 - Translucent plastic floor bumpers.
 - 1" (25 mm) height adjustment.




NEX COLLECTION (cont'd)


Desks

Desks with recessed short backs

- Built with recessed back, 6" (150 mm) in height.



2 long legs – laminate



1 long leg – laminate
1 long leg – metal


The slim metal leg is always 13" (340 mm) recessed.

Desks with recessed full-height modesty panels

- Compatible with pedestals NNN_--161820F or NNN_--MP161820F.
- Modesty panel can have a laminate or High-Gloss Black or High-Gloss White finish.






2 long legs – laminate



1 long leg – laminate

Desks with short backs are compatible with 21" H (561 mm) storage modules.




Modesty panel

Work surfaces


Surfaces with short backs may be placed on top of 1 or 2 21" H (561 mm) storage modules from the NEX collection. They are mounted using double-sided tape.

Surfaces with short backs


- Built with recessed back, 6" (150 mm) in height.



1 long leg – laminate
1 short leg – laminate




2 short legs – laminate




1 short leg – laminate
1 long leg – metal

Collaborative surfaces with centered short backs

- Built with two centered backs, 6" (150 mm) in height.




1 short leg – laminate
1 long leg – metal




1 short leg – laminate
1 long leg – laminate


There are multiple possibilities for layout and positioning. Here are a few examples:




1 storage module positioned perpendicularly




1 storage module placed underneath



1 storage module positioned toward the outside



1 storage module positioned during installation




2 storage modules positioned perpendicularly

RETURNS


General characteristics

Returns are always connected to another surface. They are available with a short or long laminate leg and a short back, 6" (150 mm) in height with a 3" (75 mm) recess. Returns with a short leg must be installed on a 21" H (561 mm) storage module and are attached with double-sided tape. Multiple connections are possible.

Returns – short leg




Returns – long leg




Return with a short leg

Return with a long leg



21" H (561 mm) storage module




RETURN-SURFACES



Return-surfaces can be used to create meeting surfaces that are perpendicular to a given surface. They are always connected to another surface with mounting brackets (included). Modular modesty panels with steel ties have been designed for use with them. Refer to page 17.

Return-surfaces


Possible configurations:




Flush plates
1 long leg - metal




Unauthorized configurations:




The short leg must always be placed on top of the storage module.



The storage module depth must be equal or greater than that of the surface.




The junction between a surface and a return must lie along a low storage module.




Stackables must be placed above solid structures such as desk legs or storage modules.


Non-recommended configurations:



It is recommended that a storage module be positioned beneath a surface and with a recess of approximately 2" (51 mm) when the surface and its legs have knife edgebanding.



Stacking certain pieces of furniture may render their drawers partially or completely inaccessible beneath the surface. It is preferable to choose a different storage configuration.



A careful selection of furniture depths helps avoid a situation where the storage module exceeds the surface depth.

WORK SURFACES WITH STRUT(S)

General characteristics

Elevated surfaces have 1" or 1½" (25 or 38 mm) thick, factory-installed laminate struts that come in a matching finish. These surfaces must be installed on 27" H (690 mm) storage modules with double-sided tape.


Elevated surfaces can accommodate modular privacy screens and modesty panels specially designed for use with them. Refer to the price list.

Rectangular surfaces



2 struts – laminate

Rectangular tables






1 strut – laminate
1 long leg – metal

Returns



1 strut – laminate
Flush plates

Examples of work stations:




2½" (68 mm) gap between the top of the surface and the top of the storage module

SPECIFICATIONS


WORK SURFACES WITH STRUT(S) (cont'd)

Positioning of struts

A strut may be positioned anywhere along one or two 27" H (690 mm) storage module(s). It is important to make sure that all of its surface is in contact with the storage module(s).



Non-recommended configurations:




- Shelves must be placed on top of solid structures.
- No raised surface above a storage module with a door.


ELECTRIC HEIGHT ADJUSTABLE DESKS

NEX electric height adjustable desks are very easy to use. They favor an active mode of work (sitting/standing) and can be adapted to users of different heights.


Waterfall Desks



Bridge Surface



Desks with/without storage module




WATERFALL DESKS AND BRIDGE SURFACE

General characteristics

- Work surface 1½" (38 mm) thick with smooth or knife edge.
- Optional grommet or electrical module offered in Standard Special (see p. 19).
- Telescopic bases conceal the height adjustable columns and removable panels allow easy access for wire management.
- A metal trim with a choice of Black or White accent color is located at the front and back of the telescopic bases.
- Desks are available with or without modesty panel. Modesty panels can have a laminate finish as second tone or High-Gloss Black or High-Gloss White finish.
- A 1" (25 mm) clearance around the surface is recommended.

Electrical height adjustment


- Control keypad is installed beneath the work surface.
- Intuitive control keyboard: Up/Down.
- Operating speed: 1½" H (38 mm) height adjustment per second.
- Concealed 2-column lift capacity: 352 lb (160 kg).
- Concealed 3-column lift capacity: 528 lb (239 kg).
- Recommended functional load capacity: 100 lb (45 kg).
- Failure to respect the loads can cause the desk to malfunction.
- 120" L (3048 mm) cable with plug for wall outlet. 6' (1829 mm) of connector cable available outside the desk.
- Meet CSA and UL standards.
- It is possible to program memory positions using the smartphone application.



Digital intuitive control keypad

Height adjustment range:


1½" (38 mm) TOP	
Minimal position	26" (661 mm)
Maximal position	43" (1092 mm)





Desks with telescopic base and integrated base

General characteristics

- Freestanding desk that can be used with the integrated base on the user's left or right side (reversible).
- The integrated telescopic base fits into a 21" H (561 mm) x 20" (519 mm) or 24" D (619 mm) low module.
- A 6 15/16" W (170 mm) metal trim with a choice of Black or White accent color is located at the front and back of the telescopic base.
- Storage units of the same depth can be placed next to the integrated base according to the desired layout.
- Removable panel on the integrated base allows easy access to concealed mechanism and wire management.



Clearance for legs and knees



Leg clearance between bases varies with width of desk and dimension of integrated base:

20" D integrated base	24" D integrated base
84" W = 55 9/16" W (1411 mm) clearance	84" W = 51 5/8" W (1311 mm) clearance
78" W = 49 9/16" W (1261 mm) clearance	78" W = 45 11/16" W (1161 mm) clearance
72" W = 43 3/4" W (1111 mm) clearance	72" W = 39 13/18" W (1011 mm) clearance
66" W = 37 13/16" W (961 mm) clearance	66" W = 33 7/8" W (861 mm) clearance


Knee clearance varies with desk depth:

36" D (900 mm) desk	Modesty panel recessed 8 5/16" (211 mm) 26 1/2" (673 mm) knee clearance
30" D (750 mm) desk	Modesty panel recessed 5 15/16" (151 mm) 22 15/16" (583 mm) knee clearance



Desks with telescopic bases

General characteristics

- Freestanding desk with two telescopic bases.
- A 6 15/16" W (170 mm) metal trim with a choice of Black or White accent color is located at the front and back of the telescopic bases.
- Removable panels on each telescopic base allow easy access to concealed mechanism and wire management.



Clearance for knees




Clearance for knees varies with table depth:

36" D (900 mm) desk	Modesty panel recessed of 8 5/16" (211 mm) 26 1/2" (673 mm) knee clearance
30" D (750 mm) desk	Modesty panel recessed of 5 15/16" (151 mm) 22 15/16" (583 mm) knee clearance



L-shaped desks with telescopic bases

General characteristics

- L-shaped desk with three telescopic bases.
- A 6 13/16" W (170 mm) metal trim with a choice of Black or White accent color is located at the front and back of each telescopic base.
- Removable panels on each telescopic base allow easy access to mechanism and wire management.
- Includes fabric wire covers for return section for wire management.



Clearance for legs and knees




Clearance for knees varies with table depth:

36" D (900 mm) desk	Modesty panel recessed of 8 5/16" (211 mm) 26 1/2" (673 mm) knee clearance
30" D (750 mm) desk	Modesty panel recessed of 5 15/16" (151 mm) 22 15/16" (583 mm) knee clearance

Bridge surface


General characteristics

- Back surface unit includes two electrical control columns hidden in its base.
- Knife edge option only on the user side.
- Removable panel on the front on the base allows easy access to mechanism and wire management.
- Option of short back (W) with 2 3/16" (56 mm) opening for wire management and access to electrical outlets, recommended when using against a wall.
- Specify full back (M) when the bridge surface is used in a layout that makes the back of the base visible. In this case, wire access is beneath the furniture.
- This furniture is not freestanding. See possible and unauthorized configurations.





Short back

Full back




2 3/16" (56 mm) opening




19 13/16" (504 mm) knee clearance

Bridge surface (cont'd)

Authorized configurations:




Base fastened to a wall



48" (1200 mm)


Fastened on the back of a product of same length and weight of 150 lb or more, with same height than the base or higher.

* Bridge surface 3060 = 240 lb.
* Base height = 21" H (561 mm)




Fastened on each side to furniture of at least 30 lb.

Non authorized configurations:



Standalone bridge surface



With only one storage unit fastened on left or right

DESKS WITH CLASSIC SURFACES

General characteristics



- The laminate back is removable and enables access to the power cable.
- The front panel of the integrated module may have a laminate or High-Gloss Black or High-Gloss White finish.
- The open compartment above the integrated module can accommodate small personal items. The base of the open compartment is covered with textured, 1/2" (13 mm) thick grey felt. An optional cutout for a round wireless charger, LGC-CHARGE, for the open compartment is available as a Standard Special (see p. 19).
- Optional grommets for the surface available as a Standard Special (see p. 19).
- The metal back is available in a choice of Black or White accent color.
- Cantilevered meeting space with a 17" (425 mm) span, except for the 66" L (1650 mm) surface, which has an 11" (275 mm) meeting space.
- A 6" (152 mm) vertical clearance beneath the integrated module makes it possible to accommodate a floor monument.
- A 1" (25 mm) clearance around the surface is recommended.

Electric height adjustment

- Control keypad is installed beneath the work surface.
- Operating speed: 1 1/2" (38 mm) height adjustment per second.
- Lift capacity of 2 columns: 264 lb (120 kg).
- Recommended functional load capacity: 100 lb (45 kg).
- Failure to respect the loads can cause the table/desk to malfunction.
- 120" (3048 mm) cable with plug for wall outlet. 6' (1829 mm) of connector cable available outside the desk.
- Meet CSA and UL standards.




Digital control keypad with memory



Cantilevered meeting space Vertical clearance
* With the exception of surfaces 66" W (1650 mm): 11" (275 mm).


Height adjustment range:

1 1/2" (38 mm) TOP	
Minimal position	26" (661 mm)
Maximum position	43 1/2" (1105 mm)



Desks with classic surface (cont'd)


Clearance for knees



Choice of integrated modules

Electric height adjustable desks with file module


- Open compartment on top can accommodate small personal items.
- File drawer with lock.
- 4" L x 12" H (100 x 297 mm) hidden storage space to the right of the drawer.




File storage module with small hidden space to the right of the file drawer

Electric height adjustable desks with fixed module

- Open compartment on top can accommodate small personal items.
- Closed / fixed storage space with removable front panel to access cables.
- 20" D (519 mm) storage module may be positioned facing the fixed module.




Closed / fixed module with removable front panel




20" D (519 mm) storage module positioned in front of fixed module

Layout recommendations


For certain types of layout with a storage module positioned on top of a low storage module attached to the height adjustable desk, it is important to leave a minimum 8" D (200 mm) spacing in order to avoid impacts during lifting or lowering of the surface.




Possible configuration:



Unauthorized configurations:



It is not possible to attach top storage modules to the integrated module of height adjustable desks.




It is not possible to attach a 27" H (690 mm) storage module or a cabinet taller than 21" H (561 mm) to height adjustable desks.

Desks with return


General characteristics

- The laminate back is removable and enables access to the power cable.
- The front panel of the integrated module may have a laminate or High-Gloss Black or High-Gloss White finish.
- Optional grommets on the surface available as a Standard Special (see p. 19).
- Metal backs are available in a choice of Black or White accent color.
- Cantilevered meeting place with a 10" (250 mm) span.
- Full-width clearance for knees.
- A 6" (152 mm) vertical x 6" (150 mm) deep clearance beneath the desk accommodates a floor monument.
- A 1" (25 mm) clearance around the surface is recommended.




Electric height adjustment

- Control keypad is installed beneath the work surface.
- Operating speed: 1¼" (32 mm) height adjustment per second.
- Lift capacity of 2 columns: 264 lb (120 kg).
- Lift capacity of 3 columns: 330 lb (150 kg).
- Recommended functional load capacity: 100 lb (45 kg).
- Failure to respect the loads can cause the table/desk to malfunction.
- 120" (3048 mm) cable with plug for wall outlet. 6' (1829 mm) of connector cable available outside the desk.
- Meet CSA and UL standards.



Clearance for knees




36" D (900 mm) = 21½" (538 mm) clearance
 32" D (800 mm) = 20½" (512 mm) clearance

Height adjustment range:

1½" (38 mm) TOP	
Minimal position	26" (661 mm)
Maximum position	43½" (1105 mm)




Digital control keypad with memory




Desks with return and storage module with file drawer

- Open compartment on top of storage module can accommodate small personal items.
- File drawer with lock.
- Mechanism is accessible by a removable panel (without handle).




Desks with return and fixed module

- Module with "push-to-open/close" door (without handle) 20" D (519 mm) enabling access to cables, including a small, 6" (150 mm) or 10" (250 mm) storage space.
- A 20" D (519 mm) storage module may be positioned facing the fixed module.
- Return-surfaces are 2" (50 mm) narrower than the integrated module. An 18" D (450 mm) return will therefore have a 20" D (519 mm) integrated module, while a 22" D (550 mm) return will have a 24" D (619 mm) integrated module.




It is possible to place a 20" D (457 mm)/24" D (619 mm) storage module with the file module.




Return-surface with integrated module
20" D (519 mm)



Return-surface with integrated module
24" D (619 mm)




Electric height adjustable desks with return are sold combined with return-surfaces and integrated modules. Here is a description of the combinations available:




Layout recommendations

Calculate the space available underneath the return-surface. Height adjustable table, return-surfaces with integrated file module.




Height adjustable table, surface-returns with fixed module.




Desks with return and fixed module (cont'd)

Possible configurations:



Unauthorized configurations:



CAFÉ HEIGHT TABLES, MEETING TABLES AND COMPLEMENTARY FURNITURE

General characteristics

- All meeting tables, café height tables, occasional tables and benches from the NEX collection are available with a choice of top panel 1" (25 mm) thick with smooth edgebanding or 1½" (38 mm) thick with smooth or knife edge.
- Table and bench legs are in 1½" (38 mm) thick laminate. Modesty panels and table backs can have a laminate or high-gloss black or high-gloss white finish.

- Optional grommets or electric module at center of surface or table available as a Standard Special (see p. 19).

Tables


42" H (1067 mm) café height tables

- 18" H (457 mm) modesty panel.
- Clearance for knees varies with table depth:
 Tables 36" D (900 mm) = 12¼" (309 mm) clearance on either side.
 Tables 30" D (750 mm) = 11¼" (281 mm) clearance on either side.
 Tables 24" D (600 mm) = 20" (500 mm) clearance on either side.

29½" H (752 mm) meeting tables


- Full-height modesty panel, 1½" (38 mm) shorter with respect to the legs.
- Clearance for knees varies with table depth:
 Tables 48" D (1200 mm) = 22" (550 mm) clearance on either side.
 Tables 42" D (1050 mm) = 19" (475 mm) clearance on either side.
 Tables 36" D (900 mm) = 16" (400 mm) clearance on either side.

Café height tables
24" D (600 mm)




Modesty panel with 3" (75 mm) recess

Café height tables
30" D (750 mm)




Centered modesty panels

Café height tables
36" D (900 mm)



Centered modesty panels

Meeting tables
36/42/48" D (900/1050/1200 mm)




Centered modesty panels

Grommet or electric module

Complementary furniture


Console tables

- Full-height modesty panel, 1½" (38 mm) shorter than the legs.
- Console tables are 29½" (752 mm) in height.
- Clearance on either side of modesty panels: 7" (175 mm).




Benches

Benches are used alone or with 29½" H (752 mm) tables. They can accommodate cushions and a grommet on the side (available as Standard Specials, see p.19).



Coffee tables and magazine tables


- Full-height back, 1½" (38 mm) shorter with respect to the legs.
- Coffee tables are 18" (457 mm) in height.
- Magazine tables are 14" (356 mm) in height.



CUSHIONS


Cushions from the NEX collection add a touch of comfort and refinement to a work station. Cushions for 21" H (561 mm) storage modules and for benches are 1⅜" (35 mm) thick and attached using Velcro. They are available in a wide selection of upholstery; please consult www.groupeelacasse.com.

Cushions for 21" H (561 mm) storage modules



Cushions for benches


- To completely cover the surface of the bench, 3 cushions are needed.



STORAGE FURNITURE

General characteristics

The different storage modules from the NEX collection can be used alone, as supports for surfaces or as occasional seats. The front panels and the doors cover the outer sides, the top and the bottom. The integrated back ensures sturdiness and provides a perfect finish. Drawers have a pencil tray, and file drawers have a suspension bar.



Handle options

For the front panels of drawers of most of the storage modules, it is possible to specify the orientation of the handle curve: left, right or both (double). An asymmetrical handle lends furniture a touch of sophistication. To achieve the desired design effect, carefully select the handle orientation during specification.

Locks

Key lock with silver accent. Identical cylinders available as an option: contact Customer Service. The lock locks all drawers or doors. No lock on the top drawer of 27" H (690 mm) storage modules and on shelves.

Metal shelf option

Cabinets and bookcases are available with optional metal shelves (front shelves):

- Thin, ½" (12 mm) thick shelf, 15" (375 mm) deep.
 - Made of sturdy, 16-gauge steel.
 - 2 colors available: Black (K) or White (W).
- Cabinets with a 20" D (500 mm) open bookcase have a double back and 15" D (375 mm) metal shelves only.


Drawers and file drawers

- Telescopic, 16" (406 mm) full-extension slides with ball-bearing suspensions. Load capacity: 75 lb (34 kg) with slow close.
- 16" W (409 mm) storage modules, with soft-close drawers. Slow-close slides.
- For modules wider than 16" (409 mm), only the drawer has slow-close slides.

Lateral file drawers

- Double telescopic, 16" (406 mm) extension slides with ball-bearing suspensions. Load capacity: 150 lb (68 kg).

STORAGE FURNITURE (cont'd)



Combination of handles with left and right curves

Front panel options

Front panels are available with a laminate or high-gloss black or high-gloss white finish.

Doors



The doors of storage modules have 105° soft-close hinges.

21" (561 mm) and 27" H (690 mm) storage modules

21" H (561 mm) storage modules



- 21" H (561 mm) storage modules are available in different depths. They can be used as supports for surfaces with short legs.
- Modules with an open bookcase have no back.

Several configurations available:




CPU storage module

Top and lateral grommets enable wire management inside the storage space.



16" (409 mm) wide



24" (600 mm) wide and more


Levelers

- Standard on all furniture, levelers enable a height adjustment of 1/4" (32 mm). With the exception of two-sided bookcases, whose levelers enable a height adjustment of 1/4" (6 mm).

27" H (690 mm) storage modules


- 27" H (690 mm) storage modules are available in 20" and 24" D (519 and 619 mm) models only. They can be used as supports for raised surfaces. (Module depth must be equal or greater than that of the surface.)
- Modules with an open bookcase have no back.

Several configurations available:




Cabinets and bookcases


Cabinets





Cabinets/lateral file drawer




Bookcases with doors




Bookcases



Optional front panel high-gloss black or high-gloss white finish



Clothes hanger bar with anodized aluminum finish



Metal shelf 15" D (375 mm)


STORAGE FURNITURE (cont'd)

Hutches


Bookcase hutches

- Placed on top of storage modules, their installation requires double-sided tape.
- Can accommodate a bulletin board on the back.
- Doors have slow-close 105° hinges.
- Optional metal shelves for single- or double-sided open bookcases (front shelves).
Bookcases 20" (500 mm) deep have a double back and 15" (375 mm) deep metal shelves only.


Bookcases with doors




Bookcases with sliding door



Bookcases




Double-sided bookcases




Hutches

- Placed on top of storage modules, their installation requires double-sided tape.
- Free space can accommodate a tackboard.
- Full-width cable access.
- Sliding doors do not have a slow-close effect.

44" H (1098 mm) shelves with sliding door




36" H (907 mm) shelves with sliding door



Wall-mounted shelves



- Wall-mounting hardware included.
- Compatible with standard wall-mounted tackboards from the current Lacasse general price book.

Bookcase hutches with doors




Soft-close doors

Wall-mounted hutches with lift-up door



Assisted-opening, soft-close doors

Wall-mounted hutches with sliding door





Sliding doors are not soft-closing.

MEDIA PANELS

General characteristics


Media panels enable the integration of a flat screen into a work station and the set-up of collaborative spaces and work rooms. Media panels are 7" (185 mm) deep and are placed on top of 21" or 27" H (561 or 690 mm) storage modules or 29½" H (752 mm) tables. They are delivered pre-assembled and are installed using double-sided tape and metal fasteners (included). The fasteners are attached beneath a storage module or the laminate leg of a table.



Flat-screen support and cable management


The front panel is designed to accommodate a support for a non-articulated flat screen. The installation area for such a support is solidified and its width varies according to the dimensions of the media panel. Check the width corresponding to the dimensions of the media panel selected before choosing your flat-screen support.

Wires pass through from top to bottom, left to right and front to back thanks to numerous grommets. Depending on the configuration and components of the work station and according to the electronic devices used, additional holes may need to be drilled for the passing of wires (on top or at back of the storage module) during installation.




MEDIA PANELS (cont'd)

Solidified installation area for accommodating a support for a flat screen




(W) Width of the fastening strip:
 Media panel 48" W (1200 mm) = 24" W (610 mm)
 Media panel 42" W (1050 mm) = 18" W (460 mm)
 Media panel 36" W (900 mm) = 12" W (310 mm)
 (H) Vertical clearance:
 The height of the media panel minus the height of the furniture accommodating it.


Possible configurations:



The media panel is installed on top of a 21" or 27" H (561 or 690 mm) storage module of the same width or wider. Modules with drawers do not allow the passage of wires.




The media panel is installed on a 29½" H (752 mm) table or work surface of the same size and only on the laminate leg.




A 21" or 27" H (561 or 690 mm) storage module with media panel can accommodate a surface placed on it directly or raised with a strut.

Unauthorized configurations:



MODULAR PRIVACY SCREENS

Modular privacy screens are 24" or 30" (600 or 750 mm) in height and are installed on surfaces, desks and returns. They must be installed on the side opposite to the user and cannot be installed on the sides of legs. Available in frosted acrylic or in fabric.




ACCESSORIES

Modular modesty panels

Modesty panels are 14" (350 mm) in height and are installed beneath all surfaces with a short back, beneath surfaces raised with one or more struts, and beneath the return-surface of height adjustable desks with returns.


They must be installed on the side opposite to the user and cannot be installed on the sides of legs. A modesty panel may be positioned anywhere, but must always be smaller in size than the desk or surface that accommodates it. Available in laminate or high-gloss black or high-gloss white finish.




ACCESSORIES (cont'd)

MOD modesty panels



- Compatible with desks and returns with a 6" H (150 mm) back.




Possible configurations:




With an N5NNN-RT2472A5 desk, specify modesty panel NNNNN-MOD1469 (full width) or NNNNN-MOD1445 (smaller size).




With an N5NRN-RS2472B5 desk and an N1NRW-UL206021BE storage module, specify modesty panel NNNNN-MOD1449.




With an N5NRN-RS2472PA5 desk, specify modesty panel NNNNB-MOD1457. The slim metal leg always has a 13" (340 mm) recess.



With an N5NRN-R2048A5 return and an N5NNN-RT3072A5 surface, specify modesty panel NNNNN-MOD1449. The modesty panel may be shorter or longer than the return (it is extended underneath the surface).



With an N5KNN-RS3084PD6 desk and an N1NDN-BE207227LUF storage module, specify modesty panel NNNNN-MODS1445 (or a smaller size).



With an N5NLN-RTL7810220FG desk, specify modesty panel NNNNN-MODS1433. To calculate the space available, refer to the section on height adjustable desks with returns, on page 9.

Complementary accessories

- Nex desks are compatible with Select and Essential monitor arms. For knife edge surfaces, an adapter must be added to the order.
- Keyboard support LGC-SKD26 is not compatible with surfaces 20" (500 mm) deep.
- Keyboard supports LGC-BBAKD26 and LGC-GBAKD26 are not compatible with surfaces 20" (500 mm), 24" (600 mm) and 30" (752 mm) deep.
- The short and long accessory supports LGC-SUPAC_ and LGC-SUPAL_ are not compatible

with surfaces and desks that have knife edgebanding.

Several electric and communication accessories compatible with the NEX collection are available. Consult the Accessoires section of the current Lacasse general price list.










APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES

Two-tone laminate application: Shaded area corresponds to the first code to be specified. Second laminate code will be applied to the rest of the product.

Surfaces: First finish specified will be applied to the tops and the legs. Second finish specified will be applied to the back. For classical height adjustable surfaces, the first finish will be applied on the top of the surface, and the second on the base. For waterfall surfaces, the first


finish will be applied on the top and sides of the surface, and the second finish will be applied on bases and modesty panel(s).

Storage modules: First finish specified will be applied to the frame, and the second to the front panel.



APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES (cont'd)

Application of high-gloss black and high-gloss white finish for desks, modesty panels and storage modules.



Examples of codes:

CORRECT N1NRN-UL206021BE CCL/SNO

CORRECT N1NRW-UL206021BE CCL (The W indicates that the front panels will have a High-Gloss White finish.)

WRONG N1NRW-UL206021BE CCL/SNO (The W indicates that the front panels will have a High-Gloss White finish. It is therefore not possible to specify a Snow (SNO) color as a second finish.)

STANDARD SPECIALS

Groupe Lacasse allows certain modifications to be made to standard furniture without the need for filing a request with the Specials department, among them, the addition, modification or removal of a grommet and the addition of a wireless charger (LGC-CHARGE).

Other standard special modifications are available. Consult the current Lacasse general price list.

CODE	TYPE OF GROMMET	CODE AND POSITION		
		Left	Center	Right
MGRQ25	Rectangular – satin chrome finish for surfaces 1" (25 mm) thick	_MGRQ25L	_MGRQ25C	_MGRQ25R
MGRQ38	Rectangular – satin chrome finish for 1½" (38 mm) thick	_MGRQ38L	_MGRQ38C	_MGRQ38R
GR9	Type to be specified	Must be accompanied with a drawing indicating the precise position required.		
CHARGE	Wireless charger (LGC-CHARGE)	Must be accompanied with a drawing indicating the precise position required, except for height adjustable desks.		

Addition, modification or removal of a grommet

- Add the letter "S" before the product code.
- Add the code for the desired position to the product description (refer to table).
- Insert the modification code (A, M, R) at the start of the product code.
A: Addition; M: Modification; R: Removal.

Add surcharge for grommet modification.*

Addition of a metal grommet in standard position:	\$132.00
Addition of a grommet from another collection in non-standard position:	\$87.00
Modification of an existing grommet's position:	\$0.00
Removal or replacement of an existing grommet:	\$0.00
Addition of a cut-out for the wireless charger module (module not included):	\$0.00


*For electric height adjustable desks as well as for benches, grommets and electric modules are added at predetermined positions, according to the build of the furniture piece.

SPECIFICATION OF OPTIONS AND FINISHES

EDGEBANDING

Automatically applied to the top and to the sides.

N Edge



1" and 1½"
(25 and 38 mm)

N edgebanding matches the finish specified for the surface.


K Knife edge




1½"
(38 mm)

K knife-edge available (in coordinated colors) ONLY when a wood grain or SNO or NCN finish is specified for the surface.

HIGH-GLOSS FINISHES



B – High-Gloss Black




W – High-Gloss White


The application of a High-Gloss White or High-Gloss Black finish for desks, modesty panels and storage modules is the same as the application of the second tone.

METAL COMPONENTS


Polished Chrome finish



Grommet cover



Modular screen support



Slim metal leg


ACCESSORIES




LGC-CHARGE

HANDLES


Anodized aluminum



L – Left



D – Double



R – Right

FABRIC


Various fabric choices are available. Refer to the current Lacasse upholstery selection guide at www.grounelacasse.com.

CODIFICATION

Series	Thickness	Options					
		Edgebanding	Handles	High-gloss accent	Dash	Product	Options
N	1 Thermofused laminate 1" (25 mm)	N Smooth edge	L Left	N N/A	-		K Back/Shelves in black metal W Back/Shelves in white metal
	2 High-pressure laminate 1" (25 mm)	K Knife edge	R Right	B High-Gloss Black			
	5 Thermofused laminate 1½" (38 mm)		D Double	W High-Gloss White			
	6 High-pressure laminate 1½" (38 mm)						

DESKS

Rectangular desks, full modesty panel, 2 long legs – 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$435.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>9" (225 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN --161820F or NNN --MP161820F.</i>				
72 x 36 x 29½	1800 x 900 x 752	N_NN_RT3672A	1,395	1,789
66 x 36 x 29½	1650 x 900 x 752	N_NN_RT3666A	1,319	1,649
60 x 36 x 29½	1500 x 900 x 752	N_NN_RT3660A	1,246	1,516
Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).				
72 x 36 x 29½	1800 x 900 x 752	N_NN_RT3672A	1,535	1,917
66 x 36 x 29½	1650 x 900 x 752	N_NN_RT3666A	1,437	1,761
60 x 36 x 29½	1500 x 900 x 752	N_NN_RT3660A	1,332	1,612
Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).				
72 x 36 x 29½	1800 x 900 x 752	N_KN_RT3672A	2,309	2,695
66 x 36 x 29½	1650 x 900 x 752	N_KN_RT3666A	2,172	2,503
60 x 36 x 29½	1500 x 900 x 752	N_KN_RT3660A	2,035	2,309

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

Rectangular desks, full modesty panel, 2 long legs – 30" D




High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$435.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>6" (150 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN --161820F or NNN --MP161820F.</i>				
72 x 30 x 29½	1800 x 750 x 752	N_NN_RT3072A	1,325	1,692
66 x 30 x 29½	1650 x 750 x 752	N_NN_RT3066A	1,278	1,603
60 x 30 x 29½	1500 x 750 x 752	N_NN_RT3060A	1,231	1,509
Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).				
72 x 30 x 29½	1800 x 750 x 752	N_NN_RT3072A	1,455	1,828
66 x 30 x 29½	1650 x 750 x 752	N_NN_RT3066A	1,395	1,714
60 x 30 x 29½	1500 x 750 x 752	N_NN_RT3060A	1,332	1,603
Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).				
72 x 30 x 29½	1800 x 750 x 752	N_KN_RT3072A	2,230	2,597
66 x 30 x 29½	1650 x 750 x 752	N_KN_RT3066A	2,135	2,449
60 x 30 x 29½	1500 x 750 x 752	N_KN_RT3060A	2,030	2,309

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

Rectangular desks, short back, 2 long legs – 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$435.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>9" (225 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.</i>				
78 x 36 x 29½	1950 x 900 x 752	N_NNN_RT3678A5	1,455	1,880
72 x 36 x 29½	1800 x 900 x 752	N_NNN_RT3672A5	1,430	1,813
66 x 36 x 29½	1650 x 900 x 752	N_NNN_RT3666A5	1,395	1,753
60 x 36 x 29½	1500 x 900 x 752	N_NNN_RT3660A5	1,368	1,692
Specify the surface type (1, 2).				
78 x 36 x 29½	1950 x 900 x 752	N_NNN_RT3678A5	1,578	1,998
72 x 36 x 29½	1800 x 900 x 752	N_NNN_RT3672A5	1,542	1,925
66 x 36 x 29½	1650 x 900 x 752	N_NNN_RT3666A5	1,497	1,856
60 x 36 x 29½	1500 x 900 x 752	N_NNN_RT3660A5	1,455	1,774
Specify the surface type (5, 6).				
78 x 36 x 29½	1950 x 900 x 752	N_KNN_RT3678A5	1,978	2,390
72 x 36 x 29½	1800 x 900 x 752	N_KNN_RT3672A5	1,925	2,319
66 x 36 x 29½	1650 x 900 x 752	N_KNN_RT3666A5	1,892	2,240
60 x 36 x 29½	1500 x 900 x 752	N_KNN_RT3660A5	1,856	2,172

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 30" D




High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$435.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>6" (150 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.</i>				
78 x 30 x 29½	1950 x 750 x 752	N_NNN_RT3078A5	1,358	1,714
72 x 30 x 29½	1800 x 750 x 752	N_NNN_RT3072A5	1,325	1,655
66 x 30 x 29½	1650 x 750 x 752	N_NNN_RT3066A5	1,299	1,603
60 x 30 x 29½	1500 x 750 x 752	N_NNN_RT3060A5	1,272	1,542
Specify the surface type (1, 2).				
78 x 30 x 29½	1950 x 750 x 752	N_NNN_RT3078A5	1,455	1,795
72 x 30 x 29½	1800 x 750 x 752	N_NNN_RT3072A5	1,425	1,743
66 x 30 x 29½	1650 x 750 x 752	N_NNN_RT3066A5	1,386	1,672
60 x 30 x 29½	1500 x 750 x 752	N_NNN_RT3060A5	1,344	1,621
Specify the surface type (5, 6).				
78 x 30 x 29½	1950 x 750 x 752	N_KNN_RT3078A5	1,848	2,194
72 x 30 x 29½	1800 x 750 x 752	N_KNN_RT3072A5	1,805	2,128
66 x 30 x 29½	1650 x 750 x 752	N_KNN_RT3066A5	1,768	2,075
60 x 30 x 29½	1500 x 750 x 752	N_KNN_RT3060A5	1,743	2,005

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 24" D



3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 24 x 29½	1800 x 600 x 752	N_NNN_RT2472A5	1,231	1,491
66 x 24 x 29½	1650 x 600 x 752	N_NNN_RT2466A5	1,205	1,437
60 x 24 x 29½	1500 x 600 x 752	N_NNN_RT2460A5	1,186	1,395
54 x 24 x 29½	1350 x 600 x 752	N_NNN_RT2454A5	1,159	1,358
48 x 24 x 29½	1200 x 600 x 752	N_NNN_RT2448A5	1,133	1,309

Specify the surface type (1, 2).

72 x 24 x 29½	1800 x 600 x 752	N_NNN_RT2472A5	1,299	1,551
66 x 24 x 29½	1650 x 600 x 752	N_NNN_RT2466A5	1,272	1,497
60 x 24 x 29½	1500 x 600 x 752	N_NNN_RT2460A5	1,231	1,444
54 x 24 x 29½	1350 x 600 x 752	N_NNN_RT2454A5	1,205	1,404
48 x 24 x 29½	1200 x 600 x 752	N_NNN_RT2448A5	1,177	1,344

Specify the surface type (5, 6).

72 x 24 x 29½	1800 x 600 x 752	N_KNN_RT2472A5	1,684	1,931
66 x 24 x 29½	1650 x 600 x 752	N_KNN_RT2466A5	1,655	1,892
60 x 24 x 29½	1500 x 600 x 752	N_KNN_RT2460A5	1,629	1,841
54 x 24 x 29½	1350 x 600 x 752	N_KNN_RT2454A5	1,603	1,789
48 x 24 x 29½	1200 x 600 x 752	N_KNN_RT2448A5	1,563	1,736

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 20" D



3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 modular modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 20 x 29½	1800 x 500 x 752	N_NNN_RT2072A5	1,177	1,386
66 x 20 x 29½	1650 x 500 x 752	N_NNN_RT2066A5	1,152	1,332
60 x 20 x 29½	1500 x 500 x 752	N_NNN_RT2060A5	1,133	1,299
54 x 20 x 29½	1350 x 500 x 752	N_NNN_RT2054A5	1,098	1,265
48 x 20 x 29½	1200 x 500 x 752	N_NNN_RT2048A5	1,074	1,211

Specify the surface type (1, 2).

72 x 20 x 29½	1800 x 500 x 752	N_NNN_RT2072A5	1,211	1,430
66 x 20 x 29½	1650 x 500 x 752	N_NNN_RT2066A5	1,186	1,386
60 x 20 x 29½	1500 x 500 x 752	N_NNN_RT2060A5	1,159	1,332
54 x 20 x 29½	1350 x 500 x 752	N_NNN_RT2054A5	1,140	1,299
48 x 20 x 29½	1200 x 500 x 752	N_NNN_RT2048A5	1,104	1,255



Specify the surface type (5, 6).

72 x 20 x 29½	1800 x 500 x 752	N_KNN_RT2072A5	1,612	1,813
66 x 20 x 29½	1650 x 500 x 752	N_KNN_RT2066A5	1,578	1,768
60 x 20 x 29½	1500 x 500 x 752	N_KNN_RT2060A5	1,551	1,736
54 x 20 x 29½	1350 x 500 x 752	N_KNN_RT2054A5	1,526	1,684
48 x 20 x 29½	1200 x 500 x 752	N_KNN_RT2048A5	1,497	1,642

Knife edge (K). Specify the surface type (5, 6).

WORK SURFACES

Rectangular surfaces, short back, 1 long and 1 short leg – 36" D



9" (225 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 36 x 29½	2100 x 900 x 752	N_N_RS3684B5	1,509	1,962
78 x 36 x 29½	1950 x 900 x 752	N_N_RS3678B5	1,319	1,743
72 x 36 x 29½	1800 x 900 x 752	N_N_RS3672B5	1,291	1,672
66 x 36 x 29½	1650 x 900 x 752	N_N_RS3666B5	1,265	1,612
60 x 36 x 29½	1500 x 900 x 752	N_N_RS3660B5	1,219	1,551

Specify the surface type (1, 2). Specify left (L) or right (R).

84 x 36 x 29½	2100 x 900 x 752	N_N_RS3684B5	1,642	2,083
78 x 36 x 29½	1950 x 900 x 752	N_N_RS3678B5	1,437	1,856
72 x 36 x 29½	1800 x 900 x 752	N_N_RS3672B5	1,404	1,774
66 x 36 x 29½	1650 x 900 x 752	N_N_RS3666B5	1,358	1,714
60 x 36 x 29½	1500 x 900 x 752	N_N_RS3660B5	1,319	1,642

Specify the surface type (5, 6). Specify left (L) or right (R).

84 x 36 x 29½	2100 x 900 x 752	N_K_RS3684B5	2,144	2,589
78 x 36 x 29½	1950 x 900 x 752	N_K_RS3678B5	1,828	2,240
72 x 36 x 29½	1800 x 900 x 752	N_K_RS3672B5	1,789	2,172
66 x 36 x 29½	1650 x 900 x 752	N_K_RS3666B5	1,753	2,101
60 x 36 x 29½	1500 x 900 x 752	N_K_RS3660B5	1,700	2,022

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular surfaces, short back, 1 long and 1 short leg – 30" D	6" (150 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 30 x 29½	2100 x 750 x 752	N_N_N-RS3084B5	1,425	1,795	
	78 x 30 x 29½	1950 x 750 x 752	N_N_N-RS3078B5	1,231	1,595	
	72 x 30 x 29½	1800 x 750 x 752	N_N_N-RS3072B5	1,205	1,535	
	66 x 30 x 29½	1650 x 750 x 752	N_N_N-RS3066B5	1,177	1,483	
	60 x 30 x 29½	1500 x 750 x 752	N_N_N-RS3060B5	1,152	1,425	
	Specify the surface type (1, 2). Specify left (L) or right (R).					
	84 x 30 x 29½	2100 x 750 x 752	N_N_N-RS3084B5	1,526	1,903	
	78 x 30 x 29½	1950 x 750 x 752	N_N_N-RS3078B5	1,325	1,672	
	72 x 30 x 29½	1800 x 750 x 752	N_N_N-RS3072B5	1,299	1,621	
66 x 30 x 29½	1650 x 750 x 752	N_N_N-RS3066B5	1,265	1,551		
60 x 30 x 29½	1500 x 750 x 752	N_N_N-RS3060B5	1,219	1,491		
Specify the surface type (5, 6). Specify left (L) or right (R).						
84 x 30 x 29½	2100 x 750 x 752	N_K_N-RS3084B5	2,030	2,406		
78 x 30 x 29½	1950 x 750 x 752	N_K_N-RS3078B5	1,727	2,075		
72 x 30 x 29½	1800 x 750 x 752	N_K_N-RS3072B5	1,684	2,005		
66 x 30 x 29½	1650 x 750 x 752	N_K_N-RS3066B5	1,649	1,931		
60 x 30 x 29½	1500 x 750 x 752	N_K_N-RS3060B5	1,621	1,880		
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).						

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular surfaces, short back, 1 long and 1 short leg – 24" D	3" (75 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472B5	1,133	1,386	
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466B5	1,098	1,332	
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460B5	1,080	1,299	
	54 x 24 x 29½	1350 x 600 x 752	N_N_N-RS2454B5	1,052	1,255	
	48 x 24 x 29½	1200 x 600 x 752	N_N_N-RS2448B5	1,029	1,205	
	Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472B5	1,192	1,444	
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466B5	1,159	1,395	
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460B5	1,133	1,344	
54 x 24 x 29½	1350 x 600 x 752	N_N_N-RS2454B5	1,098	1,291		
48 x 24 x 29½	1200 x 600 x 752	N_N_N-RS2448B5	1,074	1,246		
Specify the surface type (5, 6). Specify left (L) or right (R).						
72 x 24 x 29½	1800 x 600 x 752	N_K_N-RS2472B5	1,578	1,841		
66 x 24 x 29½	1650 x 600 x 752	N_K_N-RS2466B5	1,551	1,789		
60 x 24 x 29½	1500 x 600 x 752	N_K_N-RS2460B5	1,526	1,736		
54 x 24 x 29½	1350 x 600 x 752	N_K_N-RS2454B5	1,491	1,684		
48 x 24 x 29½	1200 x 600 x 752	N_K_N-RS2448B5	1,455	1,629		
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).						

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular surfaces, short back, 2 short legs – 36" D	9" (225 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 36 x 7½	2100 x 900 x 191	N_NNN-RS3684C5	1,368	1,828	
	78 x 36 x 7½	1950 x 900 x 191	N_NNN-RS3678C5	1,177	1,603	
	72 x 36 x 7½	1800 x 900 x 191	N_NNN-RS3672C5	1,152	1,535	
	66 x 36 x 7½	1650 x 900 x 191	N_NNN-RS3666C5	1,126	1,483	
	60 x 36 x 7½	1500 x 900 x 191	N_NNN-RS3660C5	1,080	1,412	
	Specify the surface type (1, 2).					
	84 x 36 x 7½	2100 x 900 x 191	N_NNN-RS3684C5	1,497	1,931	
	78 x 36 x 7½	1950 x 900 x 191	N_NNN-RS3678C5	1,299	1,714	
	72 x 36 x 7½	1800 x 900 x 191	N_NNN-RS3672C5	1,255	1,642	
66 x 36 x 7½	1650 x 900 x 191	N_NNN-RS3666C5	1,211	1,563		
60 x 36 x 7½	1500 x 900 x 191	N_NNN-RS3660C5	1,177	1,497		
Specify the surface type (5, 6).						
84 x 36 x 7½	2100 x 900 x 191	N_KNN-RS3684C5	2,005	2,449		
78 x 36 x 7½	1950 x 900 x 191	N_KNN-RS3678C5	1,684	2,101		
72 x 36 x 7½	1800 x 900 x 191	N_KNN-RS3672C5	1,649	2,030		
66 x 36 x 7½	1650 x 900 x 191	N_KNN-RS3666C5	1,612	1,962		
60 x 36 x 7½	1500 x 900 x 191	N_KNN-RS3660C5	1,563	1,880		
Knife edge (K). Specify the surface type (5, 6).						

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular surfaces, short back, 2 short legs – 30" D	6" (150 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 30 x 7½	2100 x 750 x 191	N_NNN-RS3084C5	1,299	1,684	
	78 x 30 x 7½	1950 x 750 x 191	N_NNN-RS3078C5	1,104	1,465	
	72 x 30 x 7½	1800 x 750 x 191	N_NNN-RS3072C5	1,090	1,412	
	66 x 30 x 7½	1650 x 750 x 191	N_NNN-RS3066C5	1,064	1,358	
	60 x 30 x 7½	1500 x 750 x 191	N_NNN-RS3060C5	1,038	1,299	
	Specify the surface type (1, 2).					
	84 x 30 x 7½	2100 x 750 x 191	N_NNN-RS3084C5	1,404	1,768	
	78 x 30 x 7½	1950 x 750 x 191	N_NNN-RS3078C5	1,205	1,551	
	72 x 30 x 7½	1800 x 750 x 191	N_NNN-RS3072C5	1,168	1,491	
66 x 30 x 7½	1650 x 750 x 191	N_NNN-RS3066C5	1,140	1,430		
60 x 30 x 7½	1500 x 750 x 191	N_NNN-RS3060C5	1,098	1,368		
Specify the surface type (5, 6).						
84 x 30 x 7½	2100 x 750 x 191	N_KNN-RS3084C5	1,910	2,278		
78 x 30 x 7½	1950 x 750 x 191	N_KNN-RS3078C5	1,603	1,931		
72 x 30 x 7½	1800 x 750 x 191	N_KNN-RS3072C5	1,563	1,880		
66 x 30 x 7½	1650 x 750 x 191	N_KNN-RS3066C5	1,526	1,813		
60 x 30 x 7½	1500 x 750 x 191	N_KNN-RS3060C5	1,491	1,761		
Knife edge (K). Specify the surface type (5, 6).						

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular surfaces, short back, 2 short legs – 24" D	3" (75 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	72 x 24 x 7½	1800 x 600 x 191	N_NNN-RS2472C5	1,029	1,291	
	66 x 24 x 7½	1650 x 600 x 191	N_NNN-RS2466C5	993	1,246	
	60 x 24 x 7½	1500 x 600 x 191	N_NNN-RS2460C5	976	1,192	
	54 x 24 x 7½	1350 x 600 x 191	N_NNN-RS2454C5	957	1,152	
	48 x 24 x 7½	1200 x 600 x 191	N_NNN-RS2448C5	932	1,104	
	Specify the surface type (1, 2).					
	72 x 24 x 7½	1800 x 600 x 191	N_NNN-RS2472C5	1,090	1,344	
	66 x 24 x 7½	1650 x 600 x 191	N_NNN-RS2466C5	1,052	1,291	
	60 x 24 x 7½	1500 x 600 x 191	N_NNN-RS2460C5	1,029	1,246	
54 x 24 x 7½	1350 x 600 x 191	N_NNN-RS2454C5	993	1,186		
48 x 24 x 7½	1200 x 600 x 191	N_NNN-RS2448C5	969	1,140		
Specify the surface type (5, 6).						
72 x 24 x 7½	1800 x 600 x 191	N_KNN-RS2472C5	1,483	1,736		
66 x 24 x 7½	1650 x 600 x 191	N_KNN-RS2466C5	1,444	1,684		
60 x 24 x 7½	1500 x 600 x 191	N_KNN-RS2460C5	1,412	1,629		
54 x 24 x 7½	1350 x 600 x 191	N_KNN-RS2454C5	1,386	1,578		
48 x 24 x 7½	1200 x 600 x 191	N_KNN-RS2448C5	1,358	1,526		
Knife edge (K). Specify the surface type (5, 6).						

DESKS WITH MEETING SPACE						
	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Rectangular desks, full modesty panel, 1 long and 1 narrow leg, meeting space – 36" D	9" (225 mm) recessed full-height modesty panel. Meeting space. 1 grommet. Must be secured to another surface. Can accommodate 1 pedestal NNN_-161820F or NNN_-MP161820F.					
	78 x 36 x 29½	1950 x 900 x 752	N_N_-RTM3678	1,272	1,684	
	72 x 36 x 29½	1800 x 900 x 752	N_N_-RTM3672	1,231	1,621	
	66 x 36 x 29½	1650 x 900 x 752	N_N_-RTM3666	1,192	1,551	
	60 x 36 x 29½	1500 x 900 x 752	N_N_-RTM3660	1,159	1,491	
	Specify the surface type (1, 2). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).					
	78 x 36 x 29½	1950 x 900 x 752	N_N_-RTM3678	1,425	1,848	
	72 x 36 x 29½	1800 x 900 x 752	N_N_-RTM3672	1,378	1,761	
	66 x 36 x 29½	1650 x 900 x 752	N_N_-RTM3666	1,325	1,672	
	60 x 36 x 29½	1500 x 900 x 752	N_N_-RTM3660	1,278	1,603	
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).						
78 x 36 x 29½	1950 x 900 x 752	N_K_-RTM3678	2,144	2,565		
72 x 36 x 29½	1800 x 900 x 752	N_K_-RTM3672	2,065	2,441		
66 x 36 x 29½	1650 x 900 x 752	N_K_-RTM3666	1,978	2,325		
60 x 36 x 29½	1500 x 900 x 752	N_K_-RTM3660	1,892	2,214		
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).						

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, full modesty panel, 1 long and 1 narrow leg, meeting space – 30" D				
6" (150 mm) recessed full-height modesty panel. Meeting space. 1 grommet. Must be secured to another surface. Can accommodate 1 pedestal NNN_ -161820F or NNN_ -MP161820F.				
78 x 30 x 29½	1950 x 750 x 752	N_N_-RTM3078	1,205	1,542
72 x 30 x 29½	1800 x 750 x 752	N_N_-RTM3072	1,168	1,491
66 x 30 x 29½	1650 x 750 x 752	N_N_-RTM3066	1,133	1,430
60 x 30 x 29½	1500 x 750 x 752	N_N_-RTM3060	1,098	1,378
Specify the surface type (1, 2). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).				
78 x 30 x 29½	1950 x 750 x 752	N_N_-RTM3078	1,319	1,664
72 x 30 x 29½	1800 x 750 x 752	N_N_-RTM3072	1,278	1,603
66 x 30 x 29½	1650 x 750 x 752	N_N_-RTM3066	1,246	1,535
60 x 30 x 29½	1500 x 750 x 752	N_N_-RTM3060	1,192	1,455
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).				
78 x 30 x 29½	1950 x 750 x 752	N_K_-RTM3078	2,035	2,398
72 x 30 x 29½	1800 x 750 x 752	N_K_-RTM3072	1,970	2,283
66 x 30 x 29½	1650 x 750 x 752	N_K_-RTM3066	1,892	2,187
60 x 30 x 29½	1500 x 750 x 752	N_K_-RTM3060	1,813	2,083
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).				



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 36" D				
9" (225 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Can accommodate 1 storage module and 1 modular modesty panel. Must be secured to another surface.				
78 x 36 x 29½	1950 x 900 x 752	N_N-N-RT3678PA5	2,109	2,519
72 x 36 x 29½	1800 x 900 x 752	N_N-N-RT3672PA5	2,075	2,467
66 x 36 x 29½	1650 x 900 x 752	N_N-N-RT3666PA5	2,035	2,398
60 x 36 x 29½	1500 x 900 x 752	N_N-N-RT3660PA5	2,016	2,337
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 36 x 29½	1950 x 900 x 752	N_N-N-RT3678PA5	2,230	2,642
72 x 36 x 29½	1800 x 900 x 752	N_N-N-RT3672PA5	2,194	2,570
66 x 36 x 29½	1650 x 900 x 752	N_N-N-RT3666PA5	2,144	2,503
60 x 36 x 29½	1500 x 900 x 752	N_N-N-RT3660PA5	2,109	2,430
Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 36 x 29½	1950 x 900 x 752	N_K-N-RT3678PA5	2,536	2,955
72 x 36 x 29½	1800 x 900 x 752	N_K-N-RT3672PA5	2,493	2,879
66 x 36 x 29½	1650 x 900 x 752	N_K-N-RT3666PA5	2,456	2,806
60 x 36 x 29½	1500 x 900 x 752	N_K-N-RT3660PA5	2,406	2,729
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 30" D				
6" (150 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Can accommodate 1 storage module and 1 modular modesty panel. Must be secured to another surface.				
78 x 30 x 29½	1950 x 750 x 752	N_N-N-RT3078PA5	2,030	2,378
72 x 30 x 29½	1800 x 750 x 752	N_N-N-RT3072PA5	2,005	2,325
66 x 30 x 29½	1650 x 750 x 752	N_N-N-RT3066PA5	1,978	2,266
60 x 30 x 29½	1500 x 750 x 752	N_N-N-RT3060PA5	1,953	2,214
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 30 x 29½	1950 x 750 x 752	N_N-N-RT3078PA5	2,128	2,484
72 x 30 x 29½	1800 x 750 x 752	N_N-N-RT3072PA5	2,101	2,424
66 x 30 x 29½	1650 x 750 x 752	N_N-N-RT3066PA5	2,065	2,362
60 x 30 x 29½	1500 x 750 x 752	N_N-N-RT3060PA5	2,022	2,309
Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 30 x 29½	1950 x 750 x 752	N_K-N-RT3078PA5	2,441	2,787
72 x 30 x 29½	1800 x 750 x 752	N_K-N-RT3072PA5	2,398	2,729
66 x 30 x 29½	1650 x 750 x 752	N_K-N-RT3066PA5	2,362	2,676
60 x 30 x 29½	1500 x 750 x 752	N_K-N-RT3060PA5	2,337	2,616
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 24" D				
3" (75 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must be secured to another surface. Can accommodate 1 modular modesty panel.				
78 x 24 x 29½	1950 x 600 x 752	N_N-N-RT2478PA5	1,953	2,230
72 x 24 x 29½	1800 x 600 x 752	N_N-N-RT2472PA5	1,925	2,187
66 x 24 x 29½	1650 x 600 x 752	N_N-N-RT2466PA5	1,903	2,144
60 x 24 x 29½	1500 x 600 x 752	N_N-N-RT2460PA5	1,880	2,101
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 24 x 29½	1950 x 600 x 752	N_N-N-RT2478PA5	2,022	2,309
72 x 24 x 29½	1800 x 600 x 752	N_N-N-RT2472PA5	1,998	2,251
66 x 24 x 29½	1650 x 600 x 752	N_N-N-RT2466PA5	1,970	2,205
60 x 24 x 29½	1500 x 600 x 752	N_N-N-RT2460PA5	1,931	2,151
Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 24 x 29½	1950 x 600 x 752	N_K-N-RT2478PA5	2,337	2,606
72 x 24 x 29½	1800 x 600 x 752	N_K-N-RT2472PA5	2,309	2,565
66 x 24 x 29½	1650 x 600 x 752	N_K-N-RT2466PA5	2,278	2,512
60 x 24 x 29½	1500 x 600 x 752	N_K-N-RT2460PA5	2,251	2,456
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				


WORK SURFACES WITH MEETING SPACE				
W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces with meeting space, short back, 1 short and 1 slim metal leg, meeting space – 36" D				
9" (225 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.				
84 x 36 x 29½	2100 x 900 x 752	N_N-N-RS3684PB5	2,164	2,616
78 x 36 x 29½	1950 x 900 x 752	N_N-N-RS3678PB5	1,978	2,398
72 x 36 x 29½	1800 x 900 x 752	N_N-N-RS3672PB5	1,953	2,337
66 x 36 x 29½	1650 x 900 x 752	N_N-N-RS3666PB5	1,910	2,266
60 x 36 x 29½	1500 x 900 x 752	N_N-N-RS3660PB5	1,880	2,214
Specify the surface type (1, 2). Specify left (L) or right (R).				
84 x 36 x 29½	2100 x 900 x 752	N_N-N-RS3684PB5	2,319	2,747
78 x 36 x 29½	1950 x 900 x 752	N_N-N-RS3678PB5	2,109	2,519
72 x 36 x 29½	1800 x 900 x 752	N_N-N-RS3672PB5	2,075	2,449
66 x 36 x 29½	1650 x 900 x 752	N_N-N-RS3666PB5	2,022	2,370
60 x 36 x 29½	1500 x 900 x 752	N_N-N-RS3660PB5	1,988	2,303
Specify the surface type (5, 6). Specify left (L) or right (R).				
84 x 36 x 29½	2100 x 900 x 752	N_K-N-RS3684PB5	2,737	3,173
78 x 36 x 29½	1950 x 900 x 752	N_K-N-RS3678PB5	2,424	2,828
72 x 36 x 29½	1800 x 900 x 752	N_K-N-RS3672PB5	2,370	2,747
66 x 36 x 29½	1650 x 900 x 752	N_K-N-RS3666PB5	2,337	2,683
60 x 36 x 29½	1500 x 900 x 752	N_K-N-RS3660PB5	2,283	2,606
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces with meeting space, short back, 1 short and 1 slim metal leg, meeting space – 30" D				
6" (150 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.				
84 x 30 x 29½	2100 x 750 x 752	N_N-N-RS3084PB5	2,109	2,484
78 x 30 x 29½	1950 x 750 x 752	N_N-N-RS3078PB5	1,917	2,278
72 x 30 x 29½	1800 x 750 x 752	N_N-N-RS3072PB5	1,892	2,225
66 x 30 x 29½	1650 x 750 x 752	N_N-N-RS3066PB5	1,866	2,164
60 x 30 x 29½	1500 x 750 x 752	N_N-N-RS3060PB5	1,841	2,109
Specify the surface type (1, 2). Specify left (L) or right (R).				
84 x 30 x 29½	2100 x 750 x 752	N_N-N-RS3084PB5	2,257	2,589
78 x 30 x 29½	1950 x 750 x 752	N_N-N-RS3078PB5	2,047	2,370
72 x 30 x 29½	1800 x 750 x 752	N_N-N-RS3072PB5	2,005	2,309
66 x 30 x 29½	1650 x 750 x 752	N_N-N-RS3066PB5	1,962	2,251
60 x 30 x 29½	1500 x 750 x 752	N_N-N-RS3060PB5	1,917	2,187
Specify the surface type (5, 6). Specify left (L) or right (R).				
84 x 30 x 29½	2100 x 750 x 752	N_K-N-RS3084PB5	2,683	3,014
78 x 30 x 29½	1950 x 750 x 752	N_K-N-RS3078PB5	2,362	2,676
72 x 30 x 29½	1800 x 750 x 752	N_K-N-RS3072PB5	2,319	2,616
66 x 30 x 29½	1650 x 750 x 752	N_K-N-RS3066PB5	2,266	2,554
60 x 30 x 29½	1500 x 750 x 752	N_K-N-RS3060PB5	2,225	2,484
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, short back, 1 short and 1 slim metal leg, meeting space – 24" D	<i>3" (75 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.</i>				
	78 x 24 x 29½	1950 x 600 x 752	N_N_N-RS2478PB5	1,866	2,144
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472PB5	1,841	2,101
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466PB5	1,813	2,047
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460PB5	1,789	2,005
Specify the surface type (1, 2). Specify left (L) or right (R).					
	78 x 24 x 29½	1950 x 600 x 752	N_N_N-RS2478PB5	1,931	2,214
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472PB5	1,910	2,164
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466PB5	1,880	2,118
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460PB5	1,856	2,065
	Specify the surface type (5, 6). Specify left (L) or right (R).				
	78 x 24 x 29½	1950 x 600 x 752	N_K_N-RS2478PB5	2,240	2,519
	72 x 24 x 29½	1800 x 600 x 752	N_K_N-RS2472PB5	2,214	2,467
	66 x 24 x 29½	1650 x 600 x 752	N_K_N-RS2466PB5	2,187	2,424
	60 x 24 x 29½	1500 x 600 x 752	N_K_N-RS2460PB5	2,151	2,370
	Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

COLLABORATIVE SURFACES

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Collaborative surfaces, short backs, 1 long and 1 short leg – 48" D	<i>Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.</i>					
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884B5	1,696	2,161	
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878B5	1,612	2,046	
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872B5	1,526	1,939	
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866B5	1,439	1,820	
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860B5	1,361	1,705	
	Specify the surface type (1, 2).					
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884B5	1,899	2,377	
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878B5	1,805	2,141	
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872B5	1,705	2,121	
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866B5	1,612	1,992	
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860B5	1,510	1,857	
	Specify the surface type (5, 6).					
	84 x 48 x 29½	2100 x 1200 x 752	N_KNN-CS4884B5	2,464	2,966	
	78 x 48 x 29½	1950 x 1200 x 752	N_KNN-CS4878B5	2,338	2,805	
	72 x 48 x 29½	1800 x 1200 x 752	N_KNN-CS4872B5	2,207	2,641	
	66 x 48 x 29½	1650 x 1200 x 752	N_KNN-CS4866B5	2,083	2,479	
	60 x 48 x 29½	1500 x 1200 x 752	N_KNN-CS4860B5	1,959	2,317	
	Knife edge (K). Specify the surface type (5, 6).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Collaborative surfaces, short backs, 1 long and 1 short leg – 42" D	<i>Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.</i>					
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284B5	1,516	1,928	
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278B5	1,464	1,845	
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272B5	1,402	1,766	
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266B5	1,349	1,682	
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260B5	1,294	1,595	
	Specify the surface type (1, 2).					
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284B5	1,705	2,121	
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278B5	1,634	2,022	
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272B5	1,565	1,928	
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266B5	1,494	1,827	
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260B5	1,427	1,735	
	Specify the surface type (5, 6).					
	84 x 42 x 29½	2100 x 1050 x 752	N_KNN-CS4284B5	2,284	2,742	
	78 x 42 x 29½	1950 x 1050 x 752	N_KNN-CS4278B5	2,191	2,620	
	72 x 42 x 29½	1800 x 1050 x 752	N_KNN-CS4272B5	2,101	2,493	
	66 x 42 x 29½	1650 x 1050 x 752	N_KNN-CS4266B5	2,005	2,370	
	60 x 42 x 29½	1500 x 1050 x 752	N_KNN-CS4260B5	1,913	2,247	
	Knife edge (K). Specify the surface type (5, 6).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Collaborative surfaces, short backs, 1 long and 1 short leg – 36" D	<i>Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.</i>					
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684B5	1,341	1,696	
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678B5	1,319	1,650	
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672B5	1,286	1,595	
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666B5	1,254	1,542	
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660B5	1,224	1,487	
	Specify the surface type (1, 2).					
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684B5	1,504	1,867	
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678B5	1,464	1,805	
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672B5	1,427	1,735	
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666B5	1,379	1,672	
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660B5	1,341	1,612	
	Specify the surface type (5, 6).					
	84 x 36 x 29½	2100 x 900 x 752	N_KNN-CS3684B5	2,108	2,518	
	78 x 36 x 29½	1950 x 900 x 752	N_KNN-CS3678B5	2,046	2,424	
	72 x 36 x 29½	1800 x 900 x 752	N_KNN-CS3672B5	1,992	2,338	
	66 x 36 x 29½	1650 x 900 x 752	N_KNN-CS3666B5	1,939	2,254	
	60 x 36 x 29½	1500 x 900 x 752	N_KNN-CS3660B5	1,874	2,168	
	Knife edge (K). Specify the surface type (5, 6).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Collaborative surfaces, short backs, 1 short and 1 slim metal leg, meeting space – 48" D	<i>Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.</i>					
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884PB5	2,493	3,030	
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878PB5	2,424	2,927	
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872PB5	2,345	2,819	
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866PB5	2,279	2,720	
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860PB5	2,201	2,610	
	Specify the surface type (1, 2).					
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884PB5	2,697	3,239	
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878PB5	2,600	3,120	
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872PB5	2,518	2,999	
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866PB5	2,430	2,884	
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860PB5	2,345	2,765	
	Specify the surface type (5, 6).					
	84 x 48 x 29½	2100 x 1200 x 752	N_KNN-CS4884PB5	3,059	3,623	
	78 x 48 x 29½	1950 x 1200 x 752	N_KNN-CS4878PB5	2,958	3,493	
	72 x 48 x 29½	1800 x 1200 x 752	N_KNN-CS4872PB5	2,866	3,359	
	66 x 48 x 29½	1650 x 1200 x 752	N_KNN-CS4866PB5	2,765	3,230	
	60 x 48 x 29½	1500 x 1200 x 752	N_KNN-CS4860PB5	2,666	3,091	
	Knife edge (K). Specify the surface type (5, 6).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)	
Collaborative surfaces, short backs, 1 short and 1 slim metal leg, meeting space – 42" D	<i>Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.</i>					
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284PB5	2,357	2,835	
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278PB5	2,308	2,756	
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272PB5	2,254	2,679	
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266PB5	2,201	2,600	
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260PB5	2,153	2,525	
	Specify the surface type (1, 2).					
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284PB5	2,532	3,020	
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278PB5	2,464	2,927	
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272PB5	2,401	2,835	
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266PB5	2,338	2,750	
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260PB5	2,279	2,656	
	Specify the surface type (5, 6).					
	84 x 42 x 29½	2100 x 1050 x 752	N_KNN-CS4284PB5	2,872	3,378	
	78 x 42 x 29½	1950 x 1050 x 752	N_KNN-CS4278PB5	2,805	3,275	
	72 x 42 x 29½	1800 x 1050 x 752	N_KNN-CS4272PB5	2,735	3,175	
	66 x 42 x 29½	1650 x 1050 x 752	N_KNN-CS4266PB5	2,656	3,076	
	60 x 42 x 29½	1500 x 1050 x 752	N_KNN-CS4260PB5	2,586	2,975	
	Knife edge (K). Specify the surface type (5, 6).					


Collaborative surfaces, short backs, 1 short and 1 slim metal leg, meeting space – 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.</i>				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684PB5	2,215	2,634
78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678PB5	2,185	2,586
72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672PB5	2,161	2,532
66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666PB5	2,130	2,486
60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660PB5	2,101	2,430
Specify the surface type (1, 2).				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684PB5	2,363	2,796
78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678PB5	2,323	2,735
72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672PB5	2,284	2,672
66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666PB5	2,247	2,610
60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660PB5	2,207	2,548
Specify the surface type (5, 6).				
84 x 36 x 29½	2100 x 900 x 752	N_KNN-CS3684PB5	2,735	3,199
78 x 36 x 29½	1950 x 900 x 752	N_KNN-CS3678PB5	2,687	3,130
72 x 36 x 29½	1800 x 900 x 752	N_KNN-CS3672PB5	2,648	3,059
66 x 36 x 29½	1650 x 900 x 752	N_KNN-CS3666PB5	2,600	2,990
60 x 36 x 29½	1500 x 900 x 752	N_KNN-CS3660PB5	2,557	2,921
Knife edge (K). Specify the surface type (5, 6).				


WORK SURFACES WITH STRUT(S)

Rectangular surfaces, 2 struts – 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 36 x 2½	2100 x 900 x 63,5	N_NNN-RS3684D6	945	1,271
78 x 36 x 2½	1950 x 900 x 63,5	N_NNN-RS3678D6	915	1,224
72 x 36 x 2½	1800 x 900 x 63,5	N_NNN-RS3672D6	891	1,169
66 x 36 x 2½	1650 x 900 x 63,5	N_NNN-RS3666D6	868	1,125
60 x 36 x 2½	1500 x 900 x 63,5	N_NNN-RS3660D6	836	1,076
Specify the surface type (1, 2).				
84 x 36 x 2½	2100 x 900 x 63,5	N_NNN-RS3684D6	1,106	1,439
78 x 36 x 2½	1950 x 900 x 63,5	N_NNN-RS3678D6	1,076	1,379
72 x 36 x 2½	1800 x 900 x 63,5	N_NNN-RS3672D6	1,038	1,319
66 x 36 x 2½	1650 x 900 x 63,5	N_NNN-RS3666D6	999	1,264
60 x 36 x 2½	1500 x 900 x 63,5	N_NNN-RS3660D6	961	1,201
Specify the surface type (5, 6).				
84 x 36 x 2½	2100 x 900 x 63,5	N_KNN-RS3684D6	1,300	1,634
78 x 36 x 2½	1950 x 900 x 63,5	N_KNN-RS3678D6	1,264	1,571
72 x 36 x 2½	1800 x 900 x 63,5	N_KNN-RS3672D6	1,233	1,516
66 x 36 x 2½	1650 x 900 x 63,5	N_KNN-RS3666D6	1,192	1,456
60 x 36 x 2½	1500 x 900 x 63,5	N_KNN-RS3660D6	1,154	1,402
Knife edge (K). Specify the surface type (5, 6).				

Rectangular surfaces, 2 struts – 30" D




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 30 x 2½	2100 x 750 x 63,5	N_NNN-RS3084D6	891	1,192
78 x 30 x 2½	1950 x 750 x 63,5	N_NNN-RS3078D6	868	1,146
72 x 30 x 2½	1800 x 750 x 63,5	N_NNN-RS3072D6	836	1,099
66 x 30 x 2½	1650 x 750 x 63,5	N_NNN-RS3066D6	814	1,051
60 x 30 x 2½	1500 x 750 x 63,5	N_NNN-RS3060D6	789	1,009
Specify the surface type (1, 2).				
84 x 30 x 2½	2100 x 750 x 63,5	N_NNN-RS3084D6	1,038	1,319
78 x 30 x 2½	1950 x 750 x 63,5	N_NNN-RS3078D6	999	1,264
72 x 30 x 2½	1800 x 750 x 63,5	N_NNN-RS3072D6	961	1,201
66 x 30 x 2½	1650 x 750 x 63,5	N_NNN-RS3066D6	930	1,146
60 x 30 x 2½	1500 x 750 x 63,5	N_NNN-RS3060D6	891	1,092
Specify the surface type (5, 6).				
84 x 30 x 2½	2100 x 750 x 63,5	N_KNN-RS3084D6	1,208	1,487
78 x 30 x 2½	1950 x 750 x 63,5	N_KNN-RS3078D6	1,178	1,439
72 x 30 x 2½	1800 x 750 x 63,5	N_KNN-RS3072D6	1,146	1,386
66 x 30 x 2½	1650 x 750 x 63,5	N_KNN-RS3066D6	1,106	1,331
60 x 30 x 2½	1500 x 750 x 63,5	N_KNN-RS3060D6	1,076	1,276
Knife edge (K). Specify the surface type (5, 6).				

Rectangular surfaces, 2 struts – 24" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
72 x 24 x 2½	1800 x 600 x 63,5	N_NNN-RS2472D6	789	1,031
66 x 24 x 2½	1650 x 600 x 63,5	N_NNN-RS2466D6	768	984
60 x 24 x 2½	1500 x 600 x 63,5	N_NNN-RS2460D6	743	945
54 x 24 x 2½	1350 x 600 x 63,5	N_NNN-RS2454D6	721	899
48 x 24 x 2½	1200 x 600 x 63,5	N_NNN-RS2448D6	698	861
Specify the surface type (1, 2).				
72 x 24 x 2½	1800 x 600 x 63,5	N_NNN-RS2472D6	891	1,092
66 x 24 x 2½	1650 x 600 x 63,5	N_NNN-RS2466D6	861	1,038
60 x 24 x 2½	1500 x 600 x 63,5	N_NNN-RS2460D6	829	991
54 x 24 x 2½	1350 x 600 x 63,5	N_NNN-RS2454D6	797	936
48 x 24 x 2½	1200 x 600 x 63,5	N_NNN-RS2448D6	759	891
Specify the surface type (5, 6).				
72 x 24 x 2½	1800 x 600 x 63,5	N_KNN-RS2472D6	1,062	1,264
66 x 24 x 2½	1650 x 600 x 63,5	N_KNN-RS2466D6	1,031	1,216
60 x 24 x 2½	1500 x 600 x 63,5	N_KNN-RS2460D6	999	1,169
54 x 24 x 2½	1350 x 600 x 63,5	N_KNN-RS2454D6	969	1,117
48 x 24 x 2½	1200 x 600 x 63,5	N_KNN-RS2448D6	936	1,070
Knife edge (K). Specify the surface type (5, 6).				

Rectangular surfaces, 1 strut, 1 slim metal leg – 48" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 48 x 29½	2100 x 1200 x 752	N_NNN-RS4884PD6	2,394	2,872
78 x 48 x 29½	1950 x 1200 x 752	N_NNN-RS4878PD6	2,363	2,819
72 x 48 x 29½	1800 x 1200 x 752	N_NNN-RS4872PD6	2,332	2,756
66 x 48 x 29½	1650 x 1200 x 752	N_NNN-RS4866PD6	2,303	2,702
60 x 48 x 29½	1500 x 1200 x 752	N_NNN-RS4860PD6	2,268	2,641
Specify the surface type (1, 2).				
84 x 48 x 29½	2100 x 1200 x 752	N_NNN-RS4884PD6	2,625	3,105
78 x 48 x 29½	1950 x 1200 x 752	N_NNN-RS4878PD6	2,580	3,037
72 x 48 x 29½	1800 x 1200 x 752	N_NNN-RS4872PD6	2,532	2,958
66 x 48 x 29½	1650 x 1200 x 752	N_NNN-RS4866PD6	2,486	2,889
60 x 48 x 29½	1500 x 1200 x 752	N_NNN-RS4860PD6	2,440	2,810
Specify the surface type (5, 6).				
84 x 48 x 29½	2100 x 1200 x 752	N_KNN-RS4884PD6	2,666	3,145
78 x 48 x 29½	1950 x 1200 x 752	N_KNN-RS4878PD6	2,625	3,084
72 x 48 x 29½	1800 x 1200 x 752	N_KNN-RS4872PD6	2,586	3,012
66 x 48 x 29½	1650 x 1200 x 752	N_KNN-RS4866PD6	2,541	2,949
60 x 48 x 29½	1500 x 1200 x 752	N_KNN-RS4860PD6	2,503	2,884
Knife edge (K). Specify the surface type (5, 6).				

Rectangular surfaces, 1 strut, 1 slim metal leg – 42" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 42 x 29½	2100 x 1050 x 752	N_NNN-RS4284PD6	2,261	2,679
78 x 42 x 29½	1950 x 1050 x 752	N_NNN-RS4278PD6	2,229	2,625
72 x 42 x 29½	1800 x 1050 x 752	N_NNN-RS4272PD6	2,201	2,570
66 x 42 x 29½	1650 x 1050 x 752	N_NNN-RS4266PD6	2,168	2,518
60 x 42 x 29½	1500 x 1050 x 752	N_NNN-RS4260PD6	2,138	2,464
Specify the surface type (1, 2).				
84 x 42 x 29½	2100 x 1050 x 752	N_NNN-RS4284PD6	2,464	2,889
78 x 42 x 29½	1950 x 1050 x 752	N_NNN-RS4278PD6	2,417	2,819
72 x 42 x 29½	1800 x 1050 x 752	N_NNN-RS4272PD6	2,377	2,750
66 x 42 x 29½	1650 x 1050 x 752	N_NNN-RS4266PD6	2,332	2,679
60 x 42 x 29½	1500 x 1050 x 752	N_NNN-RS4260PD6	2,291	2,610
Specify the surface type (5, 6).				
84 x 42 x 29½	2100 x 1050 x 752	N_KNN-RS4284PD6	2,580	3,005
78 x 42 x 29½	1950 x 1050 x 752	N_KNN-RS4278PD6	2,541	2,943
72 x 42 x 29½	1800 x 1050 x 752	N_KNN-RS4272PD6	2,503	2,884
66 x 42 x 29½	1650 x 1050 x 752	N_KNN-RS4266PD6	2,464	2,819
60 x 42 x 29½	1500 x 1050 x 752	N_KNN-RS4260PD6	2,424	2,750
Knife edge (K). Specify the surface type (5, 6).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 1 strut, 1 slim metal leg – 36" D				
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-RS3684PD6	2,121	2,486
78 x 36 x 29½	1950 x 900 x 752	N_NNN-RS3678PD6	2,046	2,440
72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672PD6	1,975	2,385
66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666PD6	1,913	2,332
60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660PD6	1,845	2,284
Specify the surface type (1, 2).				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-RS3684PD6	2,291	2,666
78 x 36 x 29½	1950 x 900 x 752	N_NNN-RS3678PD6	2,207	2,600
72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672PD6	2,121	2,541
66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666PD6	2,046	2,479
60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660PD6	1,959	2,417
Specify the surface type (5, 6).				
84 x 36 x 29½	2100 x 900 x 752	N_KNN-RS3684PD6	2,493	2,866
78 x 36 x 29½	1950 x 900 x 752	N_KNN-RS3678PD6	2,401	2,805
72 x 36 x 29½	1800 x 900 x 752	N_KNN-RS3672PD6	2,317	2,742
66 x 36 x 29½	1650 x 900 x 752	N_KNN-RS3666PD6	2,229	2,687
60 x 36 x 29½	1500 x 900 x 752	N_KNN-RS3660PD6	2,153	2,625
Knife edge (K). Specify the surface type (5, 6).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 1 strut, 1 slim metal leg – 30" D				
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 30 x 29½	2100 x 750 x 752	N_NNN-RS3084PD6	2,108	2,430
78 x 30 x 29½	1950 x 750 x 752	N_NNN-RS3078PD6	2,029	2,377
72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072PD6	1,959	2,332
66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066PD6	1,899	2,279
60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060PD6	1,837	2,229
Specify the surface type (1, 2).				
84 x 30 x 29½	2100 x 750 x 752	N_NNN-RS3084PD6	2,260	2,586
78 x 30 x 29½	1950 x 750 x 752	N_NNN-RS3078PD6	2,168	2,525
72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072PD6	2,091	2,464
66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066PD6	2,005	2,401
60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060PD6	1,928	2,338
Specify the surface type (5, 6).				
84 x 30 x 29½	2100 x 750 x 752	N_KNN-RS3084PD6	2,470	2,805
78 x 30 x 29½	1950 x 750 x 752	N_KNN-RS3078PD6	2,385	2,742
72 x 30 x 29½	1800 x 750 x 752	N_KNN-RS3072PD6	2,303	2,679
66 x 30 x 29½	1650 x 750 x 752	N_KNN-RS3066PD6	2,215	2,625
60 x 30 x 29½	1500 x 750 x 752	N_KNN-RS3060PD6	2,138	2,565
Knife edge (K). Specify the surface type (5, 6).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 1 strut, 1 slim metal leg – 24" D				
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
78 x 24 x 29½	1950 x 600 x 752	N_NNN-RS2478PD6	1,857	2,323
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472PD6	1,827	2,279
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466PD6	1,805	2,224
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460PD6	1,783	2,176
Specify the surface type (1, 2).				
78 x 24 x 29½	1950 x 600 x 752	N_NNN-RS2478PD6	1,967	2,448
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472PD6	1,928	2,385
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466PD6	1,899	2,332
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460PD6	1,867	2,268
Specify the surface type (5, 6).				
78 x 24 x 29½	1950 x 600 x 752	N_KNN-RS2478PD6	2,176	2,672
72 x 24 x 29½	1800 x 600 x 752	N_KNN-RS2472PD6	2,146	2,620
66 x 24 x 29½	1650 x 600 x 752	N_KNN-RS2466PD6	2,113	2,557
60 x 24 x 29½	1500 x 600 x 752	N_KNN-RS2460PD6	2,075	2,503
Knife edge (K). Specify the surface type (5, 6).				

RETURN-SURFACES



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular return-surfaces, 1 slim metal leg – 36" D				
<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>				
72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672P	1,827	2,138
66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666P	1,805	2,101
60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660P	1,783	2,054
Specify the surface type (1, 2).				
72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672P	1,975	2,291
66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666P	1,945	2,239
60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660P	1,913	2,185
Specify the surface type (5, 6).				
72 x 36 x 29½	1800 x 900 x 752	N_KNN-RS3672P	2,207	2,532
66 x 36 x 29½	1650 x 900 x 752	N_KNN-RS3666P	2,168	2,470
60 x 36 x 29½	1500 x 900 x 752	N_KNN-RS3660P	2,130	2,409
Knife edge (K). Specify the surface type (5, 6).				


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular return-surfaces, 1 slim metal leg – 30" D				
<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>				
72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072P	1,791	2,060
66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066P	1,766	2,016
60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060P	1,742	1,975
Specify the surface type (1, 2).				
72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072P	1,905	2,185
66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066P	1,881	2,130
60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060P	1,850	2,083
Specify the surface type (5, 6).				
72 x 30 x 29½	1800 x 750 x 752	N_KNN-RS3072P	2,146	2,424
66 x 30 x 29½	1650 x 750 x 752	N_KNN-RS3066P	2,108	2,363
60 x 30 x 29½	1500 x 750 x 752	N_KNN-RS3060P	2,070	2,308
Knife edge (K). Specify the surface type (5, 6).				


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular return-surfaces, 1 slim metal leg – 24" D				
<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>				
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472P	1,742	1,975
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466P	1,727	1,939
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460P	1,705	1,899
Specify the surface type (1, 2).				
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472P	1,837	2,075
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466P	1,812	2,029
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460P	1,796	1,983
Specify the surface type (5, 6).				
72 x 24 x 29½	1800 x 600 x 752	N_KNN-RS2472P	2,075	2,317
66 x 24 x 29½	1650 x 600 x 752	N_KNN-RS2466P	2,046	2,261
60 x 24 x 29½	1500 x 600 x 752	N_KNN-RS2460P	2,005	2,207
Knife edge (K). Specify the surface type (5, 6).				



RETURNS



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular returns, short back, 1 long leg – 24" D				
<i>3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 storage module 21" H (561 mm) and must be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
72 x 24 x 29½	1800 x 600 x 752	N_N_N-R2472A5	969	1,219
66 x 24 x 29½	1650 x 600 x 752	N_N_N-R2466A5	941	1,177
60 x 24 x 29½	1500 x 600 x 752	N_N_N-R2460A5	916	1,140
54 x 24 x 29½	1350 x 600 x 752	N_N_N-R2454A5	899	1,090
48 x 24 x 29½	1200 x 600 x 752	N_N_N-R2448A5	863	1,046
Specify the surface type (1, 2). Specify left (L) or right (R).				
72 x 24 x 29½	1800 x 600 x 752	N_N_N-R2472A5	1,038	1,291
66 x 24 x 29½	1650 x 600 x 752	N_N_N-R2466A5	1,011	1,246
60 x 24 x 29½	1500 x 600 x 752	N_N_N-R2460A5	969	1,186
54 x 24 x 29½	1350 x 600 x 752	N_N_N-R2454A5	941	1,140
48 x 24 x 29½	1200 x 600 x 752	N_N_N-R2448A5	916	1,080
Specify the surface type (5, 6). Specify left (L) or right (R).				
72 x 24 x 29½	1800 x 600 x 752	N_K_N-R2472A5	1,319	1,570
66 x 24 x 29½	1650 x 600 x 752	N_K_N-R2466A5	1,291	1,526
60 x 24 x 29½	1500 x 600 x 752	N_K_N-R2460A5	1,265	1,483
54 x 24 x 29½	1350 x 600 x 752	N_K_N-R2454A5	1,219	1,425
48 x 24 x 29½	1200 x 600 x 752	N_K_N-R2448A5	1,192	1,378
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular returns, short back, 1 long leg – 20" D	<i>3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 storage module 21" H (561 mm) and must be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
	72 x 20 x 29½	1800 x 500 x 752	N_N_N-R2072A5	941	1,159
	66 x 20 x 29½	1650 x 500 x 752	N_N_N-R2066A5	916	1,104
	60 x 20 x 29½	1500 x 500 x 752	N_N_N-R2060A5	899	1,074
	54 x 20 x 29½	1350 x 500 x 752	N_N_N-R2054A5	863	1,029
	48 x 20 x 29½	1200 x 500 x 752	N_N_N-R2048A5	842	986
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 20 x 29½	1800 x 500 x 752	N_N_N-R2072A5	986	1,205
	66 x 20 x 29½	1650 x 500 x 752	N_N_N-R2066A5	957	1,159
	60 x 20 x 29½	1500 x 500 x 752	N_N_N-R2060A5	932	1,104
	54 x 20 x 29½	1350 x 500 x 752	N_N_N-R2054A5	908	1,064
	48 x 20 x 29½	1200 x 500 x 752	N_N_N-R2048A5	870	1,029
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 20 x 29½	1800 x 500 x 752	N_K_N-R2072A5	1,272	1,491
	66 x 20 x 29½	1650 x 500 x 752	N_K_N-R2066A5	1,246	1,437
	60 x 20 x 29½	1500 x 500 x 752	N_K_N-R2060A5	1,211	1,395
	54 x 20 x 29½	1350 x 500 x 752	N_K_N-R2054A5	1,186	1,358
	48 x 20 x 29½	1200 x 500 x 752	N_K_N-R2048A5	1,168	1,309
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular returns, short back, 1 short leg – 24" D	<i>3" (75 mm) recessed short back. 1 grommet. Must use 1 storage module 21" H (561 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
	72 x 24 x 7½	1800 x 600 x 191	N_N_N-R2472B5	856	1,098
	66 x 24 x 7½	1650 x 600 x 191	N_N_N-R2466B5	829	1,052
	60 x 24 x 7½	1500 x 600 x 191	N_N_N-R2460B5	803	1,019
	54 x 24 x 7½	1350 x 600 x 191	N_N_N-R2454B5	783	969
	48 x 24 x 7½	1200 x 600 x 191	N_N_N-R2448B5	751	926
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 24 x 7½	1800 x 600 x 191	N_N_N-R2472B5	916	1,159
	66 x 24 x 7½	1650 x 600 x 191	N_N_N-R2466B5	890	1,104
	60 x 24 x 7½	1500 x 600 x 191	N_N_N-R2460B5	856	1,052
	54 x 24 x 7½	1350 x 600 x 191	N_N_N-R2454B5	829	1,011
	48 x 24 x 7½	1200 x 600 x 191	N_N_N-R2448B5	803	957
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 24 x 7½	1800 x 600 x 191	N_K_N-R2472B5	1,192	1,437
	66 x 24 x 7½	1650 x 600 x 191	N_K_N-R2466B5	1,168	1,395
	60 x 24 x 7½	1500 x 600 x 191	N_K_N-R2460B5	1,140	1,344
	54 x 24 x 7½	1350 x 600 x 191	N_K_N-R2454B5	1,104	1,291
	48 x 24 x 7½	1200 x 600 x 191	N_K_N-R2448B5	1,080	1,246
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular returns, short back, 1 short leg – 20" D	<i>3" (75 mm) recessed short back. 1 grommet. Must use 1 storage module 21" H (561 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
	72 x 20 x 7½	1800 x 500 x 191	N_N_N-R2072B5	829	1,046
	66 x 20 x 7½	1650 x 500 x 191	N_N_N-R2066B5	813	1,011
	60 x 20 x 7½	1500 x 500 x 191	N_N_N-R2060B5	790	969
	54 x 20 x 7½	1350 x 500 x 191	N_N_N-R2054B5	758	926
	48 x 20 x 7½	1200 x 500 x 191	N_N_N-R2048B5	742	890
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 20 x 7½	1800 x 500 x 191	N_N_N-R2072B5	890	1,090
	66 x 20 x 7½	1650 x 500 x 191	N_N_N-R2066B5	856	1,046
	60 x 20 x 7½	1500 x 500 x 191	N_N_N-R2060B5	829	1,011
	54 x 20 x 7½	1350 x 500 x 191	N_N_N-R2054B5	803	957
	48 x 20 x 7½	1200 x 500 x 191	N_N_N-R2048B5	777	916
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 20 x 7½	1800 x 500 x 191	N_K_N-R2072B5	1,168	1,378
	66 x 20 x 7½	1650 x 500 x 191	N_K_N-R2066B5	1,140	1,325
	60 x 20 x 7½	1500 x 500 x 191	N_K_N-R2060B5	1,104	1,291
	54 x 20 x 7½	1350 x 500 x 191	N_K_N-R2054B5	1,080	1,246
	48 x 20 x 7½	1200 x 500 x 191	N_K_N-R2048B5	1,052	1,192
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Returns, 1 strut – 24" D	<i>Surface with strut. 1 grommet. Must use storage module 27" H (690 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
	72 x 24 x 2½	1800 x 600 x 63,5	N_N_N-R2472D6	598	776
	66 x 24 x 2½	1650 x 600 x 63,5	N_N_N-R2466D6	579	743
	60 x 24 x 2½	1500 x 600 x 63,5	N_N_N-R2460D6	567	712
	54 x 24 x 2½	1350 x 600 x 63,5	N_N_N-R2454D6	551	681
	48 x 24 x 2½	1200 x 600 x 63,5	N_N_N-R2448D6	534	652
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 24 x 2½	1800 x 600 x 63,5	N_N_N-R2472D6	706	875
	66 x 24 x 2½	1650 x 600 x 63,5	N_N_N-R2466D6	673	836
	60 x 24 x 2½	1500 x 600 x 63,5	N_N_N-R2460D6	652	806
	54 x 24 x 2½	1350 x 600 x 63,5	N_N_N-R2454D6	628	768
	48 x 24 x 2½	1200 x 600 x 63,5	N_N_N-R2448D6	603	727
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 24 x 2½	1800 x 600 x 63,5	N_K_N-R2472D6	922	1,099
	66 x 24 x 2½	1650 x 600 x 63,5	N_K_N-R2466D6	891	1,051
	60 x 24 x 2½	1500 x 600 x 63,5	N_K_N-R2460D6	861	1,009
	54 x 24 x 2½	1350 x 600 x 63,5	N_K_N-R2454D6	829	953
	48 x 24 x 2½	1200 x 600 x 63,5	N_K_N-R2448D6	797	907
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Returns, 1 strut – 20" D	<i>Surface with strut. 1 grommet. Must use storage module 27" H (690 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.</i>				
	72 x 20 x 2½	1800 x 500 x 63,5	N_N_N-R2072D6	558	712
	66 x 20 x 2½	1650 x 500 x 63,5	N_N_N-R2066D6	551	681
	60 x 20 x 2½	1500 x 500 x 63,5	N_N_N-R2060D6	534	658
	54 x 20 x 2½	1350 x 500 x 63,5	N_N_N-R2054D6	519	628
	48 x 20 x 2½	1200 x 500 x 63,5	N_N_N-R2048D6	502	598
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 20 x 2½	1800 x 500 x 63,5	N_N_N-R2072D6	658	806
	66 x 20 x 2½	1650 x 500 x 63,5	N_N_N-R2066D6	642	776
	60 x 20 x 2½	1500 x 500 x 63,5	N_N_N-R2060D6	618	735
	54 x 20 x 2½	1350 x 500 x 63,5	N_N_N-R2054D6	598	706
	48 x 20 x 2½	1200 x 500 x 63,5	N_N_N-R2048D6	573	668
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 20 x 2½	1800 x 500 x 63,5	N_K_N-R2072D6	868	1,015
	66 x 20 x 2½	1650 x 500 x 63,5	N_K_N-R2066D6	842	969
	60 x 20 x 2½	1500 x 500 x 63,5	N_K_N-R2060D6	814	922
	54 x 20 x 2½	1350 x 500 x 63,5	N_K_N-R2054D6	782	875
	48 x 20 x 2½	1200 x 500 x 63,5	N_K_N-R2048D6	752	836
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
----------------	----------------	------	-------------------	-------------------

ELECTRIC HEIGHT ADJUSTABLE WATERFALL DESKS

Desks with telescopic base and 24" D integrated base - 36" D
 Full laminate base and integrated base in a 24" D (619 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.




84 x 36 x 26-43	2100 x 900 x 661-1092	N NNN-ABN368424	5,829	6,312
78 x 36 x 26-43	1950 x 900 x 661-1092	N NNN-ABN367824	5,790	6,263
72 x 36 x 26-43	1800 x 900 x 661-1092	N NNN-ABN367224	5,750	6,209
66 x 36 x 26-43	1650 x 900 x 661-1092	N NNN-ABN366624	5,711	6,166

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N KNN-ABN368424	6,256	6,863
78 x 36 x 26-43	1950 x 900 x 661-1092	N KNN-ABN367824	6,216	6,807
72 x 36 x 26-43	1800 x 900 x 661-1092	N KNN-ABN367224	6,177	6,761
66 x 36 x 26-43	1650 x 900 x 661-1092	N KNN-ABN366624	6,137	6,694

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W).

Desks with telescopic base and 24" D integrated base - 30" D
 Full laminate base and integrated base in a 24" D (619 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.




84 x 30 x 26-43	2100 x 750 x 661-1092	N NNN-ABN308424	5,777	6,240
78 x 30 x 26-43	1950 x 750 x 661-1092	N NNN-ABN307824	5,738	6,180
72 x 30 x 26-43	1800 x 750 x 661-1092	N NNN-ABN307224	5,698	6,129
66 x 30 x 26-43	1650 x 750 x 661-1092	N NNN-ABN306624	5,659	6,083

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N KNN-ABN308424	6,204	6,770
78 x 30 x 26-43	1950 x 750 x 661-1092	N KNN-ABN307824	6,164	6,728
72 x 30 x 26-43	1800 x 750 x 661-1092	N KNN-ABN307224	6,125	6,665
66 x 30 x 26-43	1650 x 750 x 661-1092	N KNN-ABN306624	6,085	6,608

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W).

Desks with telescopic base and 20" D integrated base - 36" D
 Full laminate base and integrated base in a 20" D (519 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.




84 x 36 x 26-43	2100 x 900 x 661-1092	N NNN-ABN368420	5,750	6,233
78 x 36 x 26-43	1950 x 900 x 661-1092	N NNN-ABN367820	5,711	6,184
72 x 36 x 26-43	1800 x 900 x 661-1092	N NNN-ABN367220	5,671	6,130
66 x 36 x 26-43	1650 x 900 x 661-1092	N NNN-ABN366620	5,632	6,087

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N KNN-ABN368420	6,177	6,784
78 x 36 x 26-43	1950 x 900 x 661-1092	N KNN-ABN367820	6,137	6,728
72 x 36 x 26-43	1800 x 900 x 661-1092	N KNN-ABN367220	6,098	6,682
66 x 36 x 26-43	1650 x 900 x 661-1092	N KNN-ABN366620	6,058	6,615

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W).

Desks with telescopic base and 20" D integrated base - 30" D
 Full laminate base and integrated base in a 20" D (519 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.



84 x 30 x 26-43	2100 x 750 x 661-1092	N NNN-ABN308420	5,711	6,173
78 x 30 x 26-43	1950 x 750 x 661-1092	N NNN-ABN307820	5,671	6,113
72 x 30 x 26-43	1800 x 750 x 661-1092	N NNN-ABN307220	5,632	6,062
66 x 30 x 26-43	1650 x 750 x 661-1092	N NNN-ABN306620	5,592	6,016

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N KNN-ABN308420	6,137	6,704
78 x 30 x 26-43	1950 x 750 x 661-1092	N KNN-ABN307820	6,098	6,661
72 x 30 x 26-43	1800 x 750 x 661-1092	N KNN-ABN307220	6,058	6,599
66 x 30 x 26-43	1650 x 750 x 661-1092	N KNN-ABN306620	6,018	6,542

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W).

🔧 = ASSEMBLY REQUIRED


2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

USA - JANUARY 2026

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
----------------	----------------	------	-------------------	-------------------

Desks with telescopic base and 24" D integrated base and modesty panel - 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Full laminate base and integrated base in a 24" D (619 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.


84 x 36 x 26-43	2100 x 900 x 661-1092	N NN -ABM368424	5,940	6,423
78 x 36 x 26-43	1950 x 900 x 661-1092	N NN -ABM367824	5,888	6,362
72 x 36 x 26-43	1800 x 900 x 661-1092	N NN -ABM367224	5,836	6,295
66 x 36 x 26-43	1650 x 900 x 661-1092	N NN -ABM366624	5,783	6,239

Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N KN -ABM368424	6,368	6,975
78 x 36 x 26-43	1950 x 900 x 661-1092	N KN -ABM367824	6,315	6,906
72 x 36 x 26-43	1800 x 900 x 661-1092	N KN -ABM367224	6,263	6,847
66 x 36 x 26-43	1650 x 900 x 661-1092	N KN -ABM366624	6,211	6,768

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

Desks with telescopic base and 24" D integrated base and modesty panel - 30" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Full laminate base and integrated base in a 24" D (619 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.


84 x 30 x 26-43	2100 x 750 x 661-1092	N NN -ABM308424	5,888	6,351
78 x 30 x 26-43	1950 x 750 x 661-1092	N NN -ABM307824	5,846	6,288
72 x 30 x 26-43	1800 x 750 x 661-1092	N NN -ABM307224	5,803	6,234
66 x 30 x 26-43	1650 x 750 x 661-1092	N NN -ABM306624	5,761	6,185

Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N KN -ABM308424	6,315	6,882
78 x 30 x 26-43	1950 x 750 x 661-1092	N KN -ABM307824	6,273	6,837
72 x 30 x 26-43	1800 x 750 x 661-1092	N KN -ABM307224	6,231	6,771
66 x 30 x 26-43	1650 x 750 x 661-1092	N KN -ABM306624	6,188	6,711

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

Desks with telescopic base and 20" D integrated base and modesty panel - 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Full laminate base and integrated base in a 20" D (519 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.


84 x 36 x 26-43	2100 x 900 x 661-1092	N NN -ABM368420	5,861	6,344
78 x 36 x 26-43	1950 x 900 x 661-1092	N NN -ABM367820	5,820	6,293
72 x 36 x 26-43	1800 x 900 x 661-1092	N NN -ABM367220	5,777	6,236
66 x 36 x 26-43	1650 x 900 x 661-1092	N NN -ABM366620	5,735	6,190

Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N KN -ABM368420	6,289	6,896
78 x 36 x 26-43	1950 x 900 x 661-1092	N KN -ABM367820	6,246	6,837
72 x 36 x 26-43	1800 x 900 x 661-1092	N KN -ABM367220	6,204	6,788
66 x 36 x 26-43	1650 x 900 x 661-1092	N KN -ABM366620	6,161	6,718

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

Desks with telescopic base and 20" D integrated base and modesty panel - 30" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Full laminate base and integrated base in a 20" D (519 mm) x 21" H (561 mm) module. Reversible. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.


84 x 30 x 26-43	2100 x 750 x 661-1092	N NN -ABM308420	5,822	6,285
78 x 30 x 26-43	1950 x 750 x 661-1092	N NN -ABM307820	5,780	6,222
72 x 30 x 26-43	1800 x 750 x 661-1092	N NN -ABM307220	5,738	6,168
66 x 30 x 26-43	1650 x 750 x 661-1092	N NN -ABM306620	5,695	6,119

Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N KN -ABM308420	6,249	6,816
78 x 30 x 26-43	1950 x 750 x 661-1092	N KN -ABM307820	6,207	6,770
72 x 30 x 26-43	1800 x 750 x 661-1092	N KN -ABM307220	6,164	6,705
66 x 30 x 26-43	1650 x 750 x 661-1092	N KN -ABM306620	6,121	6,645

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

Desks with telescopic bases - 36" D




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 36 x 26-43	2100 x 900 x 661-1092	N_NN-ARN3684	5,533	6,015
78 x 36 x 26-43	1950 x 900 x 661-1092	N_NN-ARN3678	5,474	5,947
72 x 36 x 26-43	1800 x 900 x 661-1092	N_NN-ARN3672	5,414	5,873
66 x 36 x 26-43	1650 x 900 x 661-1092	N_NN-ARN3666	5,355	5,810
60 x 36 x 26-43	1500 x 900 x 661-1092	N_NN-ARN3660	5,296	5,736

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N_KN-ARN3684	6,143	6,751
78 x 36 x 26-43	1950 x 900 x 661-1092	N_KN-ARN3678	6,084	6,675
72 x 36 x 26-43	1800 x 900 x 661-1092	N_KN-ARN3672	6,025	6,609
66 x 36 x 26-43	1650 x 900 x 661-1092	N_KN-ARN3666	5,965	6,523
66 x 36 x 26-43	1650 x 900 x 661-1092	N_KN-ARN3660	5,906	6,458

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W)

Desks with telescopic bases - 30" D




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 30 x 26-43	2100 x 750 x 661-1092	N_NN-ARN3084	5,468	5,931
78 x 30 x 26-43	1950 x 750 x 661-1092	N_NN-ARN3078	5,409	5,851
72 x 30 x 26-43	1800 x 750 x 661-1092	N_NN-ARN3072	5,350	5,780
66 x 30 x 26-43	1650 x 750 x 661-1092	N_NN-ARN3066	5,290	5,715
60 x 30 x 26-43	1500 x 750 x 661-1092	N_NN-ARN3060	5,231	5,642

Specify the surface type (5, 6). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N_KN-ARN3084	6,079	6,646
78 x 30 x 26-43	1950 x 750 x 661-1092	N_KN-ARN3078	6,020	6,583
72 x 30 x 26-43	1800 x 750 x 661-1092	N_KN-ARN3072	5,960	6,501
66 x 30 x 26-43	1650 x 750 x 661-1092	N_KN-ARN3066	5,901	6,424
60 x 30 x 26-43	1500 x 750 x 661-1092	N_KN-ARN3060	5,842	6,358

Knife edge (K). Specify the surface type (5, 6). Specify the metal accent finish (K, W).

Desks with telescopic bases and modesty panel - 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 36 x 26-43	2100 x 900 x 661-1092	N_NN-ARM3684	5,644	6,127
78 x 36 x 26-43	1950 x 900 x 661-1092	N_NN-ARM3678	5,583	6,056
72 x 36 x 26-43	1800 x 900 x 661-1092	N_NN-ARM3072	5,520	5,979
66 x 36 x 26-43	1650 x 900 x 661-1092	N_NN-ARM3666	5,458	5,913
60 x 36 x 26-43	1500 x 900 x 661-1092	N_NN-ARM3660	5,396	5,835


Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 36 x 26-43	2100 x 900 x 661-1092	N_KN-ARM3684	6,255	6,862
78 x 36 x 26-43	1950 x 900 x 661-1092	N_KN-ARM3678	6,193	6,784
72 x 36 x 26-43	1800 x 900 x 661-1092	N_KN-ARM3672	6,131	6,715
66 x 36 x 26-43	1650 x 900 x 661-1092	N_KN-ARM3666	6,068	6,626
60 x 36 x 26-43	1500 x 900 x 661-1092	N_KN-ARM3660	6,006	6,558

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Desks with telescopic bases and modesty panel - 30" D




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 30 x 26-43	2100 x 750 x 661-1092	N_NN-ARM3084	5,581	6,043
78 x 30 x 26-43	1950 x 750 x 661-1092	N_NN-ARM3078	5,521	5,963
72 x 30 x 26-43	1800 x 750 x 661-1092	N_NN-ARM3072	5,462	5,893
66 x 30 x 26-43	1650 x 750 x 661-1092	N_NN-ARM3066	5,403	5,827
60 x 30 x 26-43	1500 x 750 x 661-1092	N_NN-ARM3060	5,344	5,754

Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 30 x 26-43	2100 x 750 x 661-1092	N_KN-ARM3084	6,191	6,758
78 x 30 x 26-43	1950 x 750 x 661-1092	N_KN-ARM3078	6,132	6,696
72 x 30 x 26-43	1800 x 750 x 661-1092	N_KN-ARM3072	6,073	6,613
66 x 30 x 26-43	1650 x 750 x 661-1092	N_KN-ARM3066	6,013	6,536
60 x 30 x 26-43	1500 x 750 x 661-1092	N_KN-ARM3060	5,954	6,470

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases and 24" D return - 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N_N-ALN36849624	8,784	9,483
84 x 90 x 26-43	2100 x 2250 x 661-1092	N_N-ALN36849024	8,744	9,426
84 x 84 x 26-43	2100 x 2100 x 661-1092	N_N-ALN36848424	8,705	9,351
84 x 78 x 26-43	2100 x 1950 x 661-1092	N_N-ALN36847824	8,665	9,301
78 x 96 x 26-43	1950 x 2400 x 661-1092	N_N-ALN36789624	8,714	9,404
78 x 90 x 26-43	1950 x 2250 x 661-1092	N_N-ALN36789024	8,675	9,346
78 x 84 x 26-43	1950 x 2100 x 661-1092	N_N-ALN36788424	8,635	9,272
72 x 96 x 26-43	1800 x 2400 x 661-1092	N_N-ALN36729624	8,646	9,320
72 x 90 x 26-43	1800 x 2250 x 661-1092	N_N-ALN36729024	8,606	9,263
72 x 84 x 26-43	1800 x 2100 x 661-1092	N_N-ALN36728424	8,566	9,188
72 x 78 x 26-43	1800 x 1950 x 661-1092	N_N-ALN36727824	8,527	9,138
66 x 96 x 26-43	1650 x 2400 x 661-1092	N_N-ALN3669624	8,576	9,248
66 x 90 x 26-43	1650 x 2250 x 661-1092	N_N-ALN3669024	8,536	9,190
66 x 84 x 26-43	1650 x 2100 x 661-1092	N_N-ALN3668424	8,497	9,116
66 x 78 x 26-43	1650 x 1950 x 661-1092	N_N-ALN3667824	8,457	9,066

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N_K-ALN36849624	9,752	10,578
84 x 90 x 26-43	2100 x 2250 x 661-1092	N_K-ALN36849024	9,713	10,526
84 x 84 x 26-43	2100 x 2100 x 661-1092	N_K-ALN36848424	9,673	10,467
84 x 78 x 26-43	2100 x 1950 x 661-1092	N_K-ALN36847824	9,634	10,415
78 x 96 x 26-43	1950 x 2400 x 661-1092	N_K-ALN36789624	9,682	10,492
78 x 90 x 26-43	1950 x 2250 x 661-1092	N_K-ALN36789024	9,643	10,440
78 x 84 x 26-43	1950 x 2100 x 661-1092	N_K-ALN36788424	9,603	10,380
72 x 96 x 26-43	1800 x 2400 x 661-1092	N_K-ALN36729624	9,564	10,328
72 x 90 x 26-43	1800 x 2250 x 661-1092	N_K-ALN36729024	9,524	10,276
72 x 84 x 26-43	1800 x 2100 x 661-1092	N_K-ALN36728424	9,485	10,224
72 x 78 x 26-43	1800 x 1950 x 661-1092	N_K-ALN36727824	9,445	10,172
66 x 96 x 26-43	1650 x 2400 x 661-1092	N_K-ALN3669624	9,544	10,320
66 x 90 x 26-43	1650 x 2250 x 661-1092	N_K-ALN3669024	9,505	10,268
66 x 84 x 26-43	1650 x 2100 x 661-1092	N_K-ALN3668424	9,465	10,209
66 x 78 x 26-43	1650 x 1950 x 661-1092	N_K-ALN3667824	9,426	10,157

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases and 24" D return - 30" D				
Laminates bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N N-ALN30849624	9,343	9,398
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N N-ALN30849024	8,680	9,341
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N N-ALN30848424	8,640	9,266
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N N-ALN30847824	8,601	9,216
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N N-ALN30789624	8,650	9,308
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N N-ALN30789024	8,610	9,251
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N N-ALN30788424	8,571	9,176
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N N-ALN30787824	8,531	9,126
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N N-ALN30729624	8,581	9,228
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N N-ALN30729024	8,542	9,171
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N N-ALN30728424	8,502	9,096
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N N-ALN30727824	8,462	9,046
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N N-ALN30669624	8,511	9,152
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N N-ALN30669024	8,472	9,095
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N N-ALN30668424	8,432	9,020
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N N-ALN30667824	8,393	8,970




Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K N-ALN30849624	9,688	10,473
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K N-ALN30849024	9,648	10,421
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K N-ALN30848424	9,609	10,362
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K N-ALN30847824	9,569	10,310
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K N-ALN30789624	9,618	10,400
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K N-ALN30789024	9,578	10,348
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K N-ALN30788424	9,539	10,289
78 x 78 x 26-43	1950 x 1950 x 661-1092	N K N-ALN30787824	9,499	10,237
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K N-ALN30729620	9,549	10,308
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K N-ALN30729020	9,510	10,256
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K N-ALN30728420	9,470	10,197
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K N-ALN30727820	9,431	10,145
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K N-ALN30669624	9,480	10,221
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K N-ALN30669024	9,440	10,169
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K N-ALN30668424	9,400	10,110
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K N-ALN30667824	9,361	10,058

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases and 20" D return - 36" D



Laminates bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.


84 x 96 x 26-43	2100 x 2400 x 661-1092	N N N-ALN36849620	8,725	9,380
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N N-ALN36849020	8,685	9,324
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N N-ALN36848420	8,646	9,286
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N N-ALN36847820	8,606	9,236
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N N-ALN36789620	8,655	9,301
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N N-ALN36789020	8,615	9,245
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N N-ALN36788420	8,576	9,207
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N N-ALN36787820	8,536	9,157
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N N-ALN36729620	8,586	9,218
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N N-ALN36729020	8,547	9,161
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N N-ALN36728420	8,507	9,124
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N N-ALN36727820	8,468	9,074
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N N-ALN36669620	8,517	9,145
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N N-ALN36669020	8,477	9,089
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N N-ALN36668420	8,438	9,051
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N N-ALN36667820	8,398	9,001

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases and 20" D return - 36" D (cont'd)				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N K N-ALN36849620	9,693	10,484
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K N-ALN36849020	9,653	10,433
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K N-ALN36848420	9,614	10,363
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K N-ALN36847820	9,574	10,311
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K N-ALN36789620	9,623	10,398
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K N-ALN36789020	9,584	10,347
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K N-ALN36788420	9,544	10,276
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K N-ALN36787820	9,505	10,224
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K N-ALN36729620	9,554	10,323
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K N-ALN36729020	9,515	10,272
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K N-ALN36728420	9,475	10,201
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K N-ALN36727820	9,436	10,149
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K N-ALN36669620	9,485	10,226
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K N-ALN36669020	9,445	10,175
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K N-ALN36668420	9,406	10,105
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K N-ALN36667820	9,366	10,053

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases and 20" D return - 30" D



Laminates bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.

84 x 96 x 26-43	2100 x 2400 x 661-1092	N N N-ALN30849620	8,660	9,296
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N N-ALN30849020	8,621	9,239
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N N-ALN30848420	8,581	9,202
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N N-ALN30847820	8,542	9,152
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N N-ALN30789620	8,590	9,205
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N N-ALN30789020	8,551	9,149
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N N-ALN30788420	8,511	9,111
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N N-ALN30787820	8,472	9,062
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N N-ALN30729620	8,522	9,125
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N N-ALN30729020	8,482	9,069
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N N-ALN30728420	8,443	9,031
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N N-ALN30727820	8,403	8,981
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N N-ALN30669620	8,452	9,049
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N N-ALN30669020	8,413	8,993
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N N-ALN30668420	8,373	8,955
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N N-ALN30667820	8,334	8,906

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K N-ALN30849620	9,628	10,379
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K N-ALN30849020	9,589	10,328
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K N-ALN30848420	9,549	10,258
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K N-ALN30847820	9,510	10,206
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K N-ALN30789620	9,559	10,306
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K N-ALN30789020	9,519	10,255
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K N-ALN30788420	9,480	10,185
78 x 78 x 26-43	1950 x 1950 x 661-1092	N K N-ALN30787820	9,440	10,133
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K N-ALN30729620	9,490	10,215
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K N-ALN30729020	9,450	10,164
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K N-ALN30728420	9,411	10,093
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K N-ALN30727820	9,371	10,041
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K N-ALN30669620	9,420	10,128
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K N-ALN30669020	9,381	10,077
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K N-ALN30668420	9,341	10,006
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K N-ALN30667820	9,302	9,954

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases, 24" D return and modesty panel - 36" D

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALM36849624	8,969	9,668
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALM36849024	8,910	9,591
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALM36848424	8,850	9,496
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALM36847824	8,791	9,427
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALM36789624	8,861	9,550
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALM36789024	8,802	9,473
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALM36788424	8,742	9,379
78 x 78 x 26-43	1950 x 1950 x 661-1092	N N -ALM36787824	8,683	9,309
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALM36729624	8,752	9,427
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALM36729024	8,692	9,350
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALM36728424	8,633	9,255
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALM36727824	8,574	9,185
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALM36669624	8,643	9,315
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALM36669024	8,584	9,238
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALM36668424	8,525	9,144
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALM36667824	8,466	9,074

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALM36849624	9,937	10,763
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALM36849024	9,878	10,691
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALM36848424	9,819	10,612
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALM36847824	9,759	10,540
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALM36789624	9,829	10,638
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALM36789024	9,770	10,566
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALM36788424	9,710	10,487
78 x 78 x 26-43	1950 x 1950 x 661-1092	N K -ALM36787824	9,651	10,417
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALM36729624	9,720	10,523
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALM36729024	9,661	10,451
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALM36728424	9,601	10,372
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALM36727824	9,542	10,300
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALM36669624	9,612	10,388
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALM36669024	9,552	10,316
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALM36668424	9,493	10,237
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALM36667824	9,434	10,165

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases, 24" D return and modesty panel - 30" D

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALM30849624	8,904	9,584
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALM30849024	8,845	9,507
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALM30848424	8,786	9,412
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALM30847824	8,727	9,342
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALM30789624	8,796	9,455
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALM30789024	8,737	9,378
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALM30788424	8,678	9,283
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N -ALM30787824	8,618	9,213
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALM30729624	8,687	9,334
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALM30729024	8,628	9,257
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALM30728424	8,569	9,162
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALM30727824	8,509	9,093
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALM30669624	8,579	9,220
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALM30669024	8,520	9,143
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALM30668424	8,460	9,048
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALM30667824	8,401	8,978

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases, 24" D return and modesty panel - 30" D (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALM30849624	9,873	10,658
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALM30849024	9,813	10,586
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALM30848424	9,754	10,507
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALM30847824	9,695	10,435
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALM30789624	9,765	10,547
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALM30789024	9,705	10,475
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALM30788424	9,646	10,396
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K -ALM30787824	9,587	10,324
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALM30729624	9,655	10,415
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALM30729024	9,596	10,343
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALM30728424	9,537	10,264
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALM30727824	9,478	10,192
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALM30669624	9,547	10,289
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALM30669024	9,488	10,217
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALM30668424	9,429	10,138
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALM30667824	9,432	10,066

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

L-shaped desks with telescopic bases, 20" D return and modesty panel - 36" D

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALM36849620	8,910	9,565
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALM36849020	8,850	9,489
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALM36848420	8,791	9,432
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALM36847820	8,732	9,362
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALM36789620	8,802	9,447
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALM36789020	8,742	9,371
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALM36788420	8,683	9,314
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N -ALM36787820	8,624	9,245
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALM36729620	8,692	9,324
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALM36729020	8,633	9,248
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALM36728420	8,574	9,190
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALM36727820	8,514	9,121
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALM36669620	8,584	9,212
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALM36669020	8,525	9,136
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALM36668420	8,466	9,079
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALM36667820	8,406	9,010

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALM36849620	9,878	10,669
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALM36849020	9,819	10,599
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALM36848420	9,759	10,508
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALM36847820	9,700	10,436
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALM36789620	9,770	10,545
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALM36789020	9,710	10,474
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALM36788420	9,651	10,383
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K -ALM36787820	9,592	10,312
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALM36729620	9,661	10,429
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALM36729020	9,601	10,358
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALM36728420	9,542	10,268
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALM36727820	9,483	10,196
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALM36669620	9,552	10,294
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALM36669020	9,493	10,223
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALM36668420	9,434	10,133
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALM36667820	9,375	10,061

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 20" D return and modesty panel - 30" D				
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALM30849620	8,845	9,481
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALM30849020	8,786	9,405
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALM30848420	8,727	9,348
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALM30847820	8,667	9,278
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALM30789620	8,737	9,352
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALM30789020	8,678	9,276
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALM30788420	8,618	9,219
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N -ALM30787820	8,559	9,149
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALM30729620	8,628	9,231
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALM30729020	8,569	9,155
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALM30728420	8,509	9,098
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALM30727820	8,450	9,028
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALM30669620	8,520	9,117
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALM30669020	8,460	9,041
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALM30668420	8,401	8,984
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALM30667820	8,342	8,914




High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$447.

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALM30849620	9,813	10,564
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALM30849020	9,754	10,494
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALM30848420	9,695	10,403
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALM30847820	9,636	10,331
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALM30789620	9,705	10,453
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALM30789020	9,646	10,382
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALM30788420	9,587	10,292
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K -ALM30787820	9,527	10,220
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALM30729620	9,596	10,321
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALM30729020	9,537	10,250
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALM30728420	9,478	10,160
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALM30727820	9,418	10,088
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALM30669620	9,488	10,195
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALM30669020	9,429	10,124
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALM30668420	9,369	10,034
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALM30667820	9,310	9,962

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 24" D return and 2 modesty panels - 36" D				
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main and return surfaces. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALD36849624	8,984	9,682
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALD36849024	8,924	9,605
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALD36848424	8,865	9,511
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALD36847824	8,806	9,441
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALD36789624	8,875	9,565
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALD36789024	8,816	9,488
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALD36788424	8,757	9,393
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N -ALD36787824	8,698	9,324
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALD36729624	8,766	9,441
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALD36729024	8,707	9,364
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALD36728424	8,648	9,270
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALD36727824	8,588	9,200
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALD36669624	8,658	9,330
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALD36669024	8,599	9,253
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALD36668424	8,539	9,158
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALD36667824	8,480	9,089



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$707.

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 24" D return and 2 modesty panels - 36" D (cont'd)				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALD36849624	9,952	10,778
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALD36849024	9,892	10,706
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALD36848424	9,833	10,627
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALD36847824	9,774	10,555
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALD36789624	9,844	10,653
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALD36789024	9,784	10,581
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALD36788424	9,725	10,502
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K -ALD36787824	9,666	10,430
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALD36729624	9,734	10,537
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALD36729024	9,675	10,466
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALD36728424	9,616	10,386
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALD36727824	9,557	10,315
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALD36669624	9,626	10,402
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALD36669024	9,567	10,330
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALD36668424	9,508	10,251
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALD36667824	9,448	10,180

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 24" D return and 2 modesty panels - 30" D				
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Modesty panel under main surface. Removable lateral panel for access to mechanism and wire management. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 96 x 26-43	2100 x 2400 x 661-1092	N N -ALD30849624	8,920	9,599
84 x 90 x 26-43	2100 x 2250 x 661-1092	N N -ALD30849024	8,861	9,522
84 x 84 x 26-43	2100 x 2100 x 661-1092	N N -ALD30848424	8,802	9,428
84 x 78 x 26-43	2100 x 1950 x 661-1092	N N -ALD30847824	8,742	9,358
78 x 96 x 26-43	1950 x 2400 x 661-1092	N N -ALD30789624	8,811	9,469
78 x 90 x 26-43	1950 x 2250 x 661-1092	N N -ALD30789024	8,752	9,392
78 x 84 x 26-43	1950 x 2100 x 661-1092	N N -ALD30788424	8,692	9,298
78 x 84 x 26-43	1950 x 1950 x 661-1092	N N -ALD30787824	8,633	9,228
72 x 96 x 26-43	1800 x 2400 x 661-1092	N N -ALD30729624	8,703	9,350
72 x 90 x 26-43	1800 x 2250 x 661-1092	N N -ALD30729024	8,643	9,273
72 x 84 x 26-43	1800 x 2100 x 661-1092	N N -ALD30728424	8,584	9,178
72 x 78 x 26-43	1800 x 1950 x 661-1092	N N -ALD30727824	8,525	9,108
66 x 96 x 26-43	1650 x 2400 x 661-1092	N N -ALD30669624	8,594	9,234
66 x 90 x 26-43	1650 x 2250 x 661-1092	N N -ALD30669024	8,534	9,157
66 x 84 x 26-43	1650 x 2100 x 661-1092	N N -ALD30668424	8,475	9,063
66 x 78 x 26-43	1650 x 1950 x 661-1092	N N -ALD30667824	8,416	8,993

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$707.

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

84 x 96 x 26-43	2100 x 2400 x 661-1092	N K -ALD30849624	9,888	10,674
84 x 90 x 26-43	2100 x 2250 x 661-1092	N K -ALD30849024	9,829	10,602
84 x 84 x 26-43	2100 x 2100 x 661-1092	N K -ALD30848424	9,770	10,523
84 x 78 x 26-43	2100 x 1950 x 661-1092	N K -ALD30847824	9,710	10,451
78 x 96 x 26-43	1950 x 2400 x 661-1092	N K -ALD30789624	9,779	10,561
78 x 90 x 26-43	1950 x 2250 x 661-1092	N K -ALD30789024	9,720	10,489
78 x 84 x 26-43	1950 x 2100 x 661-1092	N K -ALD30788424	9,661	10,410
78 x 84 x 26-43	1950 x 1950 x 661-1092	N K -ALD30787824	9,601	10,339
72 x 96 x 26-43	1800 x 2400 x 661-1092	N K -ALD30729624	9,671	10,430
72 x 90 x 26-43	1800 x 2250 x 661-1092	N K -ALD30729024	9,612	10,358
72 x 84 x 26-43	1800 x 2100 x 661-1092	N K -ALD30728424	9,552	10,279
72 x 78 x 26-43	1800 x 1950 x 661-1092	N K -ALD30727824	9,493	10,208
66 x 96 x 26-43	1650 x 2400 x 661-1092	N K -ALD30669624	9,562	10,303
66 x 90 x 26-43	1650 x 2250 x 661-1092	N K -ALD30669024	9,502	10,232
66 x 84 x 26-43	1650 x 2100 x 661-1092	N K -ALD30668424	9,443	10,152
66 x 78 x 26-43	1650 x 1950 x 661-1092	N K -ALD30667824	9,384	10,081

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 20" D return and 2 modesty panels - 36" D					
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Modesty panel under main and return surfaces. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>					
	84 x 96 x 26-43	2100 x 2400 x 661-1092	N_N_-ALD36849620	8,924	9,579
	84 x 90 x 26-43	2100 x 2250 x 661-1092	N_N_-ALD36849020	8,865	9,504
	84 x 84 x 26-43	2100 x 2100 x 661-1092	N_N_-ALD36848420	8,806	9,400
	84 x 78 x 26-43	2100 x 1950 x 661-1092	N_N_-ALD36847820	8,746	9,377
	78 x 96 x 26-43	1950 x 2400 x 661-1092	N_N_-ALD36789620	8,816	9,462
	78 x 90 x 26-43	1950 x 2250 x 661-1092	N_N_-ALD36789020	8,757	9,386
	78 x 84 x 26-43	1950 x 2100 x 661-1092	N_N_-ALD36788420	8,698	9,329
	78 x 78 x 26-43	1950 x 1950 x 661-1092	N_N_-ALD36787820	8,638	9,259
	72 x 96 x 26-43	1800 x 2400 x 661-1092	N_N_-ALD36729620	8,707	9,338
	72 x 90 x 26-43	1800 x 2250 x 661-1092	N_N_-ALD36729020	8,648	9,262
	72 x 84 x 26-43	1800 x 2100 x 661-1092	N_N_-ALD36728420	8,588	9,205
	72 x 78 x 26-43	1800 x 1950 x 661-1092	N_N_-ALD36727820	8,529	9,135
	66 x 96 x 26-43	1650 x 2400 x 661-1092	N_N_-ALD36669620	8,599	9,227
	66 x 90 x 26-43	1650 x 2250 x 661-1092	N_N_-ALD36669020	8,539	9,151
	66 x 84 x 26-43	1650 x 2100 x 661-1092	N_N_-ALD36668420	8,480	9,094
	66 x 78 x 26-43	1650 x 1950 x 661-1092	N_N_-ALD36667820	8,421	9,024

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$707.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).					
	84 x 96 x 26-43	2100 x 2400 x 661-1092	N_K_-ALD36849620	9,892	10,684
	84 x 90 x 26-43	2100 x 2250 x 661-1092	N_K_-ALD36849020	9,833	10,613
	84 x 84 x 26-43	2100 x 2100 x 661-1092	N_K_-ALD36848420	9,774	10,523
	84 x 78 x 26-43	2100 x 1950 x 661-1092	N_K_-ALD36847820	9,715	10,451
	78 x 96 x 26-43	1950 x 2400 x 661-1092	N_K_-ALD36789620	9,784	10,559
	78 x 90 x 26-43	1950 x 2250 x 661-1092	N_K_-ALD36789020	9,725	10,488
	78 x 84 x 26-43	1950 x 2100 x 661-1092	N_K_-ALD36788420	9,666	10,398
	78 x 78 x 26-43	1950 x 1950 x 661-1092	N_K_-ALD36787820	9,606	10,326
	72 x 96 x 26-43	1800 x 2400 x 661-1092	N_K_-ALD36729620	9,675	10,444
	72 x 90 x 26-43	1800 x 2250 x 661-1092	N_K_-ALD36729020	9,616	10,373
	72 x 84 x 26-43	1800 x 2100 x 661-1092	N_K_-ALD36728420	9,557	10,282
	72 x 78 x 26-43	1800 x 1950 x 661-1092	N_K_-ALD36727820	9,497	10,211
	66 x 96 x 26-43	1650 x 2400 x 661-1092	N_K_-ALD36669620	9,567	10,308
	66 x 90 x 26-43	1650 x 2250 x 661-1092	N_K_-ALD36669020	9,508	10,238
	66 x 84 x 26-43	1650 x 2100 x 661-1092	N_K_-ALD36668420	9,448	10,147
	66 x 78 x 26-43	1650 x 1950 x 661-1092	N_K_-ALD36667820	9,389	10,076

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 20" D return and 2 modesty panels - 30" D					
<i>Laminate bases. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable lateral panel for access to mechanism and wire management. Modesty panel under main and return surfaces. Lift capacity: 528 lb (239 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 19</i>					
	84 x 96 x 26-43	2100 x 2400 x 661-1092	N_N_-ALD30849620	8,861	9,496
	84 x 90 x 26-43	2100 x 2250 x 661-1092	N_N_-ALD30849020	8,802	9,420
	84 x 84 x 26-43	2100 x 2100 x 661-1092	N_N_-ALD30848420	8,742	9,363
	84 x 78 x 26-43	2100 x 1950 x 661-1092	N_N_-ALD30847820	8,683	9,293
	78 x 96 x 26-43	1950 x 2400 x 661-1092	N_N_-ALD30789620	8,752	9,366
	78 x 90 x 26-43	1950 x 2250 x 661-1092	N_N_-ALD30789020	8,692	9,290
	78 x 84 x 26-43	1950 x 2100 x 661-1092	N_N_-ALD30788420	8,633	9,233
	78 x 84 x 26-43	1950 x 1950 x 661-1092	N_N_-ALD30787820	8,574	9,163
	72 x 96 x 26-43	1800 x 2400 x 661-1092	N_N_-ALD30729620	8,643	9,247
	72 x 90 x 26-43	1800 x 2250 x 661-1092	N_N_-ALD30729020	8,584	9,171
	72 x 84 x 26-43	1800 x 2100 x 661-1092	N_N_-ALD30728420	8,525	9,114
	72 x 78 x 26-43	1800 x 1950 x 661-1092	N_N_-ALD30727820	8,466	9,044
	66 x 96 x 26-43	1650 x 2400 x 661-1092	N_N_-ALD30669620	8,534	9,131
	66 x 90 x 26-43	1650 x 2250 x 661-1092	N_N_-ALD30669020	8,475	9,055
	66 x 84 x 26-43	1650 x 2100 x 661-1092	N_N_-ALD30668420	8,416	8,986
	66 x 78 x 26-43	1650 x 1950 x 661-1092	N_N_-ALD30667820	8,356	8,928

High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add \$707.


Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with telescopic bases, 20" D return and 2 modesty panels - 30" D (cont'd)					
	84 x 96 x 26-43	2100 x 2400 x 661-1092	N_K_-ALD30849620	9,829	10,580
	84 x 90 x 26-43	2100 x 2250 x 661-1092	N_K_-ALD30849020	9,770	10,509
	84 x 84 x 26-43	2100 x 2100 x 661-1092	N_K_-ALD30848420	9,710	10,419
	84 x 78 x 26-43	2100 x 1950 x 661-1092	N_K_-ALD30847820	9,651	10,347
	78 x 96 x 26-43	1950 x 2400 x 661-1092	N_K_-ALD30789620	9,720	10,468
	78 x 90 x 26-43	1950 x 2250 x 661-1092	N_K_-ALD30789020	9,661	10,397
	78 x 84 x 26-43	1950 x 2100 x 661-1092	N_K_-ALD30788420	9,601	10,306
	78 x 84 x 26-43	1950 x 1950 x 661-1092	N_K_-ALD30787820	9,542	10,235
	72 x 96 x 26-43	1800 x 2400 x 661-1092	N_K_-ALD30729620	9,612	10,337
	72 x 90 x 26-43	1800 x 2250 x 661-1092	N_K_-ALD30729020	9,552	10,266
	72 x 84 x 26-43	1800 x 2100 x 661-1092	N_K_-ALD30728420	9,493	10,175
	72 x 78 x 26-43	1800 x 1950 x 661-1092	N_K_-ALD30727820	9,434	10,104
	66 x 96 x 26-43	1650 x 2400 x 661-1092	N_K_-ALD30669620	9,502	10,210
	66 x 90 x 26-43	1650 x 2250 x 661-1092	N_K_-ALD30669020	9,443	10,139
	66 x 84 x 26-43	1650 x 2100 x 661-1092	N_K_-ALD30668420	9,384	10,048
	66 x 78 x 26-43	1650 x 1950 x 661-1092	N_K_-ALD30667820	9,321	9,977

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N). Specify the metal accent finish (K, W).

ELECTRIC HEIGHT ADJUSTABLE BRIDGE SURFACES

Bridge surfaces



Laminate base. Height adjustable from 26" to 43" H (661 to 1092 mm). Removable front panel for access to mechanism and wire management. Lift capacity: 352 lb (160 kg). Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials. This product is not freestanding. See possible and unauthorized configurations on page 9.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 30 x 26-43	1500 x 750 x 661-1092	N_NNN-AP_3060	4,763	5,174
54 x 30 x 26-43	1350 x 750 x 661-1092	N_NNN-AP_3054	4,729	5,131
48 x 30 x 26-43	1200 x 750 x 661-1092	N_NNN-AP_3048	4,695	5,089



Specify the surface type (5, 6). Specify full back or short back (M, W). Specify the metal accent finish (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 30 x 26-43	1500 x 750 x 661-1092	N_KNN-AP_3060	5,049	5,565
54 x 30 x 26-43	1350 x 750 x 661-1092	N_KNN-AP_3054	5,013	5,513
48 x 30 x 26-43	1200 x 750 x 661-1092	N_KNN-AP_3048	4,976	5,461

Knife edge (K). Specify the surface type (5, 6). Specify full back or short back (M, W). Specify the metal accent finish (K, W).

ELECTRICAL HEIGHT ADJUSTABLE DESKS WITH CLASSIC SURFACE

Desks with 21" H file storage module - 36" D



High-Gloss Black (B) or High-Gloss White (W) drawer front finish option: add \$87.

Laminate base with metal back. Meeting space. Height adjustable from 26" to 43 1/2" H (661 to 1105 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. 1 file drawer with soft-close. Lock. To add a grommet/electrical module, refer to Standardized specials.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
92 x 36 x 26-43 1/2	2300 x 900 x 661-1105	N_N_-RT3684FG	6,505	6,970
86 x 36 x 26-43 1/2	2150 x 900 x 661-1105	N_N_-RT3678FG	6,467	6,911
80 x 36 x 26-43 1/2	2000 x 900 x 661-1105	N_N_-RT3672FG	6,420	6,856
74 x 36 x 26-43 1/2	1850 x 900 x 661-1105	N_N_-RT3666FG	6,384	6,794

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
92 x 36 x 26-43 1/2	2300 x 900 x 661-1105	N_K_-RT3684FG	6,708	7,178
86 x 36 x 26-43 1/2	2150 x 900 x 661-1105	N_K_-RT3678FG	6,668	7,117
80 x 36 x 26-43 1/2	2000 x 900 x 661-1105	N_K_-RT3672FG	6,621	7,056
74 x 36 x 26-43 1/2	1850 x 900 x 661-1105	N_K_-RT3666FG	6,583	7,001

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Electric height adjustable desks with 21" H file storage module – 32" D				
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. 1 file drawer with soft-close. Lock. To add a grommet/electrical module, refer to Standardized specials.</i>				
92 x 32 x 26-43½	2300 x 800 x 661-1105	N_N_-RT3284FG	6,460	6,893
86 x 32 x 26-43½	2150 x 800 x 661-1105	N_N_-RT3278FG	6,414	6,832
80 x 32 x 26-43½	2000 x 800 x 661-1105	N_N_-RT3272FG	6,374	6,777
74 x 32 x 26-43½	1850 x 800 x 661-1105	N_N_-RT3266FG	6,336	6,715
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).				
92 x 32 x 26-43½	2300 x 800 x 661-1105	N_K_-RT3284FG	6,660	7,104
86 x 32 x 26-43½	2150 x 800 x 661-1105	N_K_-RT3278FG	6,614	7,039
80 x 32 x 26-43½	2000 x 800 x 661-1105	N_K_-RT3272FG	6,575	6,977
74 x 32 x 26-43½	1850 x 800 x 661-1105	N_K_-RT3266FG	6,529	6,916


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Electric height adjustable desks – 36" D				
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
92 x 36 x 26-43½	2300 x 900 x 661-1105	N_N_-RT3684SG	6,320	6,783
86 x 36 x 26-43½	2150 x 900 x 661-1105	N_N_-RT3678SG	6,281	6,723
80 x 36 x 26-43½	2000 x 900 x 661-1105	N_N_-RT3672SG	6,243	6,660
74 x 36 x 26-43½	1850 x 900 x 661-1105	N_N_-RT3666SG	6,204	6,606
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).				
92 x 36 x 26-43½	2300 x 900 x 661-1105	N_K_-RT3684SG	6,529	6,994
86 x 36 x 26-43½	2150 x 900 x 661-1105	N_K_-RT3678SG	6,481	6,933
80 x 36 x 26-43½	2000 x 900 x 661-1105	N_K_-RT3672SG	6,443	6,870
74 x 36 x 26-43½	1850 x 900 x 661-1105	N_K_-RT3666SG	6,397	6,808
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Electric height adjustable desks – 32" D				
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
92 x 32 x 26-43½	2300 x 800 x 661-1105	N_N_-RT3284SG	6,274	6,708
86 x 32 x 26-43½	2150 x 800 x 661-1105	N_N_-RT3278SG	6,236	6,646
80 x 32 x 26-43½	2000 x 800 x 661-1105	N_N_-RT3272SG	6,195	6,583
74 x 32 x 26-43½	1850 x 800 x 661-1105	N_N_-RT3266SG	6,150	6,529
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).				
92 x 32 x 26-43½	2300 x 800 x 661-1105	N_K_-RT3284SG	6,474	6,911
86 x 32 x 26-43½	2150 x 800 x 661-1105	N_K_-RT3278SG	6,438	6,856
80 x 32 x 26-43½	2000 x 800 x 661-1105	N_K_-RT3272SG	6,390	6,794
74 x 32 x 26-43½	1850 x 800 x 661-1105	N_K_-RT3266SG	6,352	6,730
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing finish (B, W, N) Specify metal back color (K, W).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
L-shaped desks with 22" D return-surface and a 24"H x 21" H file storage module				
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). 1 return with file drawer and soft-close. Lock. Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_N_-RTL8410224FG	10,210	10,805
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_N_-RTL849624FG	10,186	10,774
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_N_-RTL849024FG	10,161	10,742
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_N_-RTL848424FG	10,139	10,718
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_N_-RTL847824FG	10,122	10,688
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_N_-RTL847224FG	10,100	10,655
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_N_-RTL7810224FG	10,155	10,727
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_N_-RTL789624FG	10,130	10,693
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_N_-RTL789024FG	10,109	10,675
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_N_-RTL788424FG	10,084	10,639
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_N_-RTL787824FG	10,061	10,610
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_N_-RTL787224FG	10,036	10,587
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_N_-RTL7210224FG	10,090	10,655
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_N_-RTL729624FG	10,076	10,627
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_N_-RTL729024FG	10,055	10,596
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_N_-RTL728424FG	10,031	10,573
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_N_-RTL727824FG	10,007	10,540
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_N_-RTL727224FG	9,982	10,511
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_N_-RTL6610224FG	10,036	10,579
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_N_-RTL669624FG	10,014	10,549
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_N_-RTL669024FG	9,993	10,526
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_N_-RTL668424FG	9,976	10,494
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_N_-RTL667824FG	9,953	10,464
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_N_-RTL667224FG	9,928	10,440
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_K_-RTL8410224FG	10,596	11,209
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_K_-RTL849624FG	10,573	11,174
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_K_-RTL849024FG	10,549	11,145
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_K_-RTL848424FG	10,526	11,113
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_K_-RTL847824FG	10,500	11,083
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_K_-RTL847224FG	10,479	11,059
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_K_-RTL7810224FG	10,540	11,131
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_K_-RTL789624FG	10,519	11,098
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_K_-RTL789024FG	10,494	11,068
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_K_-RTL788424FG	10,471	11,039
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_K_-RTL787824FG	10,448	11,014
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_K_-RTL787224FG	10,425	10,983
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_K_-RTL7210224FG	10,479	11,052
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_K_-RTL729624FG	10,457	11,021
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_K_-RTL729024FG	10,432	10,990
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_K_-RTL728424FG	10,410	10,958
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_K_-RTL727824FG	10,385	10,936
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_K_-RTL727224FG	10,362	10,904
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_K_-RTL6610224FG	10,425	10,976
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_K_-RTL669624FG	10,402	10,943
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_K_-RTL669024FG	10,378	10,912
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_K_-RTL668424FG	10,355	10,890
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_K_-RTL667824FG	10,331	10,858
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_K_-RTL667224FG	10,308	10,827
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate Surfaces (\$)	HPL (\$)
L-shaped desks with 18" D return-surface and a 20" D x 21"H file storage module				
<i>Laminated base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). 1 return with file drawer and soft-close. Lock. Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N N -RTL8410220FG	10,155	10,742
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N N -RTL849620FG	10,130	10,711
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N N -RTL849020FG	10,109	10,688
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N N -RTL848420FG	10,084	10,655
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N N -RTL847820FG	10,061	10,627
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N N -RTL847220FG	10,036	10,603
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N N -RTL7810220FG	10,115	10,688
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N N -RTL789620FG	10,090	10,655
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N N -RTL789020FG	10,069	10,627
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N N -RTL788420FG	10,046	10,603
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N N -RTL787820FG	10,022	10,573
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N N -RTL787220FG	10,007	10,549
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N N -RTL7210220FG	10,076	10,634
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N N -RTL729620FG	10,055	10,603
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N N -RTL729020FG	10,031	10,579
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N N -RTL728420FG	10,007	10,549
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N N -RTL727820FG	9,983	10,519
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N N -RTL727220FG	9,968	10,494
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N N -RTL6610220FG	10,036	10,579
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N N -RTL669620FG	10,014	10,549
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N N -RTL669020FG	9,993	10,526
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N N -RTL668420FG	9,976	10,494
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N N -RTL667820FG	9,953	10,464
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N N -RTL667220FG	9,928	10,440

High-Gloss Black (B) or High-Gloss White (W) return drawer front finish option: add \$132.




Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).

84 x 102 x 26-43½	2100 x 2550 x 661-1105	N K -RTL8410220FG	10,540	11,145
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N K -RTL849620FG	10,519	11,113
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N K -RTL849020FG	10,494	11,083
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N K -RTL848420FG	10,471	11,052
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N K -RTL847820FG	10,448	11,028
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N K -RTL847220FG	10,425	10,998
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N K -RTL7810220FG	10,500	11,083
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N K -RTL789620FG	10,479	11,059
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N K -RTL789020FG	10,457	11,028
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N K -RTL788420FG	10,432	10,998
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N K -RTL787820FG	10,410	10,967
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N K -RTL787220FG	10,385	10,943
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N K -RTL7210220FG	10,464	11,028
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N K -RTL729620FG	10,440	10,998
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N K -RTL729020FG	10,416	10,976
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N K -RTL728420FG	10,392	10,943
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N K -RTL727820FG	10,373	10,912
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N K -RTL727220FG	10,348	10,882
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N K -RTL6610220FG	10,416	10,976
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N K -RTL669620FG	10,402	10,943
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N K -RTL669020FG	10,378	10,912
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N K -RTL668420FG	10,355	10,890
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N K -RTL667820FG	10,331	10,858
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N K -RTL667220FG	10,308	10,827

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate Surfaces (\$)	HPL (\$)
L-shaped desks with 22" D return-surface and integrated base in a 24" D module				
<i>Laminated base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.</i>				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N N -RTL8410224SG	9,953	10,533
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N N -RTL849624SG	9,928	10,500
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N N -RTL849024SG	9,905	10,479
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N N -RTL848424SG	9,882	10,448
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N N -RTL847824SG	9,860	10,416
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N N -RTL847224SG	9,837	10,392
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N N -RTL7810224SG	9,891	10,457
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N N -RTL789624SG	9,865	10,432
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N N -RTL789024SG	9,852	10,402
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N N -RTL788424SG	9,827	10,373
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N N -RTL787824SG	9,806	10,348
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N N -RTL787224SG	9,781	10,318
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N N -RTL7210224SG	9,837	10,385
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N N -RTL729624SG	9,812	10,355
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N N -RTL729024SG	9,790	10,325
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N N -RTL728424SG	9,768	10,300
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N N -RTL727824SG	9,743	10,270
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N N -RTL727224SG	9,727	10,239
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N N -RTL6610224SG	9,781	10,308
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N N -RTL669624SG	9,758	10,286
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N N -RTL669024SG	9,736	10,255
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N N -RTL668424SG	9,713	10,225
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N N -RTL667824SG	9,691	10,200
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N N -RTL667224SG	9,665	10,169

High-Gloss Black (B) or High-Gloss White (W) return inside housing front finish option: add \$132.




Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).

84 x 102 x 26-43½	2100 x 2550 x 661-1105	N K -RTL8410224SG	10,339	10,936
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N K -RTL849624SG	10,318	10,904
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N K -RTL849024SG	10,294	10,874
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N K -RTL848424SG	10,270	10,850
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N K -RTL847824SG	10,246	10,821
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N K -RTL847224SG	10,225	10,790
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N K -RTL7810224SG	10,276	10,858
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N K -RTL789624SG	10,255	10,827
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N K -RTL789024SG	10,230	10,795
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N K -RTL788424SG	10,210	10,774
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N K -RTL787824SG	10,186	10,742
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N K -RTL787224SG	10,161	10,711
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N K -RTL7210224SG	10,225	10,782
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N K -RTL729624SG	10,200	10,750
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N K -RTL729024SG	10,177	10,718
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N K -RTL728424SG	10,155	10,693
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N K -RTL727824SG	10,130	10,665
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N K -RTL727224SG	10,109	10,634
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N K -RTL6610224SG	10,161	10,705
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N K -RTL669624SG	10,139	10,675
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N K -RTL669024SG	10,115	10,650
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N K -RTL668424SG	10,090	10,619
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N K -RTL667824SG	10,069	10,587
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N K -RTL667224SG	10,046	10,555

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
----------------	----------------	------	-------------------	-------------------

L-shaped desks with 18" D return-surface and integrated base in a 20" D module




High-Gloss Black (B) or High-Gloss White (W) return inside housing front finish option: add \$132.

Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Removable inside panel for wire management. Maximum weight capacity: 100 lb (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials.

84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_N	-RTL8410220SG	9,998	10,488
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_N	-RTL849620SG	9,875	10,457
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_N	-RTL849020SG	9,860	10,425
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_N	-RTL848420SG	9,837	10,402
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_N	-RTL847820SG	9,812	10,373
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_N	-RTL847220SG	9,790	10,339
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_N	-RTL7810220SG	9,852	10,416
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_N	-RTL789620SG	9,827	10,385
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_N	-RTL789020SG	9,806	10,362
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_N	-RTL788420SG	9,781	10,331
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_N	-RTL787820SG	9,768	10,300
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_N	-RTL787220SG	9,743	10,276
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_N	-RTL7210220SG	9,806	10,348
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_N	-RTL729620SG	9,781	10,325
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_N	-RTL729020SG	9,758	10,294
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_N	-RTL728420SG	9,736	10,264
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_N	-RTL727820SG	9,713	10,239
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_N	-RTL727220SG	9,691	10,210
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_N	-RTL6610220SG	9,751	10,286
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_N	-RTL669620SG	9,727	10,255
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_N	-RTL669020SG	9,713	10,230
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_N	-RTL668420SG	9,691	10,200
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_N	-RTL667820SG	9,665	10,169
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_N	-RTL667220SG	9,642	10,147
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).					
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_K	-RTL8410220SG	10,286	10,882
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_K	-RTL849620SG	10,264	10,850
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_K	-RTL849020SG	10,239	10,827
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_K	-RTL848420SG	10,216	10,795
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_K	-RTL847820SG	10,191	10,766
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_K	-RTL847220SG	10,169	10,736
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_K	-RTL7810220SG	10,239	10,812
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_K	-RTL789620SG	10,216	10,790
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_K	-RTL789020SG	10,191	10,758
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_K	-RTL788420SG	10,169	10,727
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_K	-RTL787820SG	10,147	10,693
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_K	-RTL787220SG	10,122	10,665
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_K	-RTL7210220SG	10,186	10,742
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_K	-RTL729620SG	10,161	10,718
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_K	-RTL729020SG	10,139	10,688
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_K	-RTL728420SG	10,115	10,655
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_K	-RTL727820SG	10,090	10,627
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_K	-RTL727220SG	10,069	10,603
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_K	-RTL6610220SG	10,139	10,680
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_K	-RTL669620SG	10,115	10,650
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_K	-RTL669020SG	10,090	10,619
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_K	-RTL668420SG	10,069	10,587
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_K	-RTL667820SG	10,046	10,566
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_K	-RTL667220SG	10,022	10,533
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).					

CAFÉ HEIGHT TABLES

Café height tables - 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option: 96" to 72" W (2400 to 1800 mm): add \$523; 66" to 54" W (1650 to 1350 mm): add \$349.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
----------------	----------------	------	-------------------	-------------------

18" H (457 mm) modesty panels, recessed 1¼" (309 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 19.

96 x 36 x 42	2400 x 900 x 1067	N_NN	-RT369642A3	2,342	2,793
90 x 36 x 42	2250 x 900 x 1067	N_NN	-RT369042A3	2,291	2,728
84 x 36 x 42	2100 x 900 x 1067	N_NN	-RT368442A3	2,243	2,664
78 x 36 x 42	1950 x 900 x 1067	N_NN	-RT367842A3	2,192	2,605
72 x 36 x 42	1800 x 900 x 1067	N_NN	-RT367242A3	2,137	2,540
66 x 36 x 42	1650 x 900 x 1067	N_NN	-RT366642A3	2,078	2,476
60 x 36 x 42	1500 x 900 x 1067	N_NN	-RT366042A3	2,029	2,416
54 x 36 x 42	1350 x 900 x 1067	N_NN	-RT365442A3	1,971	2,350

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).


96 x 36 x 42	2400 x 900 x 1067	N_NN	-RT369642A3	2,678	3,188
90 x 36 x 42	2250 x 900 x 1067	N_NN	-RT369042A3	2,615	3,116
84 x 36 x 42	2100 x 900 x 1067	N_NN	-RT368442A3	2,565	3,047
78 x 36 x 42	1950 x 900 x 1067	N_NN	-RT367842A3	2,507	2,981
72 x 36 x 42	1800 x 900 x 1067	N_NN	-RT367242A3	2,441	2,900
66 x 36 x 42	1650 x 900 x 1067	N_NN	-RT366642A3	2,373	2,829
60 x 36 x 42	1500 x 900 x 1067	N_NN	-RT366042A3	2,318	2,758
54 x 36 x 42	1350 x 900 x 1067	N_NN	-RT365442A3	2,259	2,687

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

96 x 36 x 42	2400 x 900 x 1067	N_KN	-RT369642A3	3,353	3,986
90 x 36 x 42	2250 x 900 x 1067	N_KN	-RT369042A3	3,271	3,894
84 x 36 x 42	2100 x 900 x 1067	N_KN	-RT368442A3	3,197	3,804
78 x 36 x 42	1950 x 900 x 1067	N_KN	-RT367842A3	3,131	3,722
72 x 36 x 42	1800 x 900 x 1067	N_KN	-RT367242A3	3,047	3,632
66 x 36 x 42	1650 x 900 x 1067	N_KN	-RT366642A3	2,975	3,533
60 x 36 x 42	1500 x 900 x 1067	N_KN	-RT366042A3	2,900	3,452
54 x 36 x 42	1350 x 900 x 1067	N_KN	-RT365442A3	2,817	3,358

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Café height tables - 30" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option: 96" to 72" W (2400 to 1800 mm): add \$523; 66" to 54" W (1650 to 1350 mm): add \$349.

18" H (457 mm) modesty panels, recessed 1¼" (281 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 19.

96 x 30 x 42	2400 x 750 x 1067	N_NN	-RT309642A3	2,192	2,605
90 x 30 x 42	2250 x 750 x 1067	N_NN	-RT309042A3	2,137	2,548
84 x 30 x 42	2100 x 750 x 1067	N_NN	-RT308442A3	2,094	2,488
78 x 30 x 42	1950 x 750 x 1067	N_NN	-RT307842A3	2,046	2,441
72 x 30 x 42	1800 x 750 x 1067	N_NN	-RT307242A3	1,998	2,373
66 x 30 x 42	1650 x 750 x 1067	N_NN	-RT306642A3	1,949	2,318
60 x 30 x 42	1500 x 750 x 1067	N_NN	-RT306042A3	1,901	2,259
54 x 30 x 42	1350 x 750 x 1067	N_NN	-RT305442A3	1,849	2,192

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).

96 x 30 x 42	2400 x 750 x 1067	N_NN	-RT309642A3	2,507	2,981
90 x 30 x 42	2250 x 750 x 1067	N_NN	-RT309042A3	2,449	2,909
84 x 30 x 42	2100 x 750 x 1067	N_NN	-RT308442A3	2,391	2,854
78 x 30 x 42	1950 x 750 x 1067	N_NN	-RT307842A3	2,342	2,784
72 x 30 x 42	1800 x 750 x 1067	N_NN	-RT307242A3	2,284	2,714
66 x 30 x 42	1650 x 750 x 1067	N_NN	-RT306642A3	2,220	2,645
60 x 30 x 42	1500 x 750 x 1067	N_NN	-RT306042A3	2,170	2,581
54 x 30 x 42	1350 x 750 x 1067	N_NN	-RT305442A3	2,112	2,515

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

96 x 30 x 42	2400 x 750 x 1067	N_KN	-RT309642A3	3,131	3,722
90 x 30 x 42	2250 x 750 x 1067	N_KN	-RT309042A3	3,057	3,638
84 x 30 x 42	2100 x 750 x 1067	N_KN	-RT308442A3	2,992	3,559
78 x 30 x 42	1950 x 750 x 1067	N_KN	-RT307842A3	2,924	3,488
72 x 30 x 42	1800 x 750 x 1067	N_KN	-RT307242A3	2,854	3,395
66 x 30 x 42	1650 x 750 x 1067	N_KN	-RT306642A3	2,779	3,302
60 x 30 x 42	1500 x 750 x 1067	N_KN	-RT306042A3	2,714	3,230
54 x 30 x 42	1350 x 750 x 1067	N_KN	-RT305442A3	2,638	3,139

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Café height tables – 24" D




High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$523;
66" to 54" W (1650 to 1350 mm): add \$349.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>18" H (457 mm) modesty panel, recessed 3" (75 mm) D. To add a grommet/electrical module, refer to Standardized specials.</i>				
96 x 24 x 42	2400 x 600 x 1067	N_NN_RT249642A3	2,046	2,441
90 x 24 x 42	2250 x 600 x 1067	N_NN_RT249042A3	1,998	2,384
84 x 24 x 42	2100 x 600 x 1067	N_NN_RT248442A3	1,956	2,324
78 x 24 x 42	1950 x 600 x 1067	N_NN_RT247842A3	1,915	2,279
72 x 24 x 42	1800 x 600 x 1067	N_NN_RT247242A3	1,866	2,220
66 x 24 x 42	1650 x 600 x 1067	N_NN_RT246642A3	1,815	2,161
60 x 24 x 42	1500 x 600 x 1067	N_NN_RT246042A3	1,772	2,112
54 x 24 x 42	1350 x 600 x 1067	N_NN_RT245442A3	1,726	2,057
Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).				
96 x 24 x 42	2400 x 600 x 1067	N_NN_RT249642A3	2,342	2,784
90 x 24 x 42	2250 x 600 x 1067	N_NN_RT249042A3	2,284	2,721
84 x 24 x 42	2100 x 600 x 1067	N_NN_RT248442A3	2,233	2,664
78 x 24 x 42	1950 x 600 x 1067	N_NN_RT247842A3	2,186	2,605
72 x 24 x 42	1800 x 600 x 1067	N_NN_RT247242A3	2,129	2,540
66 x 24 x 42	1650 x 600 x 1067	N_NN_RT246642A3	2,078	2,476
60 x 24 x 42	1500 x 600 x 1067	N_NN_RT246042A3	2,029	2,416
54 x 24 x 42	1350 x 600 x 1067	N_NN_RT245442A3	1,971	2,350
Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).				
96 x 24 x 42	2400 x 600 x 1067	N_KN_RT249642A3	2,924	3,488
90 x 24 x 42	2250 x 600 x 1067	N_KN_RT249042A3	2,860	3,402
84 x 24 x 42	2100 x 600 x 1067	N_KN_RT248442A3	2,793	3,329
78 x 24 x 42	1950 x 600 x 1067	N_KN_RT247842A3	2,736	3,254
72 x 24 x 42	1800 x 600 x 1067	N_KN_RT247242A3	2,664	3,172
66 x 24 x 42	1650 x 600 x 1067	N_KN_RT246642A3	2,596	3,089
60 x 24 x 42	1500 x 600 x 1067	N_KN_RT246042A3	2,531	3,014
54 x 24 x 42	1350 x 600 x 1067	N_KN_RT245442A3	2,466	2,935
Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).				

MEETING TABLES


Meeting tables – 48" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$930;
66" to 48" W (1650 to 1200 mm): add \$618.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Modesty panels, recessed 22" (550 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials.</i>				
96 x 48 x 29½	2400 x 1200 x 752	N_NN_RC4896A	1,913	2,394
90 x 48 x 29½	2250 x 1200 x 752	N_NN_RC4890A	1,857	2,308
84 x 48 x 29½	2100 x 1200 x 752	N_NN_RC4884A	1,796	2,215
78 x 48 x 29½	1950 x 1200 x 752	N_NN_RC4878A	1,742	2,130
72 x 48 x 29½	1800 x 1200 x 752	N_NN_RC4872A	1,682	2,046
66 x 48 x 29½	1650 x 1200 x 752	N_NN_RC4866A	1,618	1,959
60 x 48 x 29½	1500 x 1200 x 752	N_NN_RC4860A	1,565	1,874
54 x 48 x 29½	1350 x 1200 x 752	N_NN_RC4854A	1,504	1,791
48 x 48 x 29½	1200 x 1200 x 752	N_NN_RC4848A	1,439	1,705
Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).				
96 x 48 x 29½	2400 x 1200 x 752	N_NN_RC4896A	2,130	2,610
90 x 48 x 29½	2250 x 1200 x 752	N_NN_RC4890A	2,054	2,510
84 x 48 x 29½	2100 x 1200 x 752	N_NN_RC4884A	1,983	2,409
78 x 48 x 29½	1950 x 1200 x 752	N_NN_RC4878A	1,913	2,308
72 x 48 x 29½	1800 x 1200 x 752	N_NN_RC4872A	1,845	2,215
66 x 48 x 29½	1650 x 1200 x 752	N_NN_RC4866A	1,766	2,113
60 x 48 x 29½	1500 x 1200 x 752	N_NN_RC4860A	1,696	2,016
54 x 48 x 29½	1350 x 1200 x 752	N_NN_RC4854A	1,627	1,913
48 x 48 x 29½	1200 x 1200 x 752	N_NN_RC4848A	1,557	1,812
Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				
96 x 48 x 29½	2400 x 1200 x 752	N_KN_RC4896A	2,742	3,254
90 x 48 x 29½	2250 x 1200 x 752	N_KN_RC4890A	2,672	3,145
84 x 48 x 29½	2100 x 1200 x 752	N_KN_RC4884A	2,595	3,044
78 x 48 x 29½	1950 x 1200 x 752	N_KN_RC4878A	2,518	2,937
72 x 48 x 29½	1800 x 1200 x 752	N_KN_RC4872A	2,440	2,829
66 x 48 x 29½	1650 x 1200 x 752	N_KN_RC4866A	2,363	2,727
60 x 48 x 29½	1500 x 1200 x 752	N_KN_RC4860A	2,284	2,620
54 x 48 x 29½	1350 x 1200 x 752	N_KN_RC4854A	2,207	2,518
48 x 48 x 29½	1200 x 1200 x 752	N_KN_RC4848A	2,130	2,409
Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				


Meeting tables – 42" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$930;
66" to 48" W (1650 to 1200 mm): add \$618.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Modesty panels, recessed 19" (475 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials.</i>				
96 x 42 x 29½	2400 x 1050 x 752	N_NN_RC4296A	1,820	2,247
90 x 42 x 29½	2250 x 1050 x 752	N_NN_RC4290A	1,766	2,161
84 x 42 x 29½	2100 x 1050 x 752	N_NN_RC4284A	1,712	2,083
78 x 42 x 29½	1950 x 1050 x 752	N_NN_RC4278A	1,650	1,999
72 x 42 x 29½	1800 x 1050 x 752	N_NN_RC4272A	1,595	1,920
66 x 42 x 29½	1650 x 1050 x 752	N_NN_RC4266A	1,542	1,837
60 x 42 x 29½	1500 x 1050 x 752	N_NN_RC4260A	1,480	1,760
54 x 42 x 29½	1350 x 1050 x 752	N_NN_RC4254A	1,427	1,682
48 x 42 x 29½	1200 x 1050 x 752	N_NN_RC4248A	1,372	1,595
Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).				
96 x 42 x 29½	2400 x 1050 x 752	N_NN_RC4296A	2,005	2,440
90 x 42 x 29½	2250 x 1050 x 752	N_NN_RC4290A	1,945	2,345
84 x 42 x 29½	2100 x 1050 x 752	N_NN_RC4284A	1,874	2,254
78 x 42 x 29½	1950 x 1050 x 752	N_NN_RC4278A	1,805	2,161
72 x 42 x 29½	1800 x 1050 x 752	N_NN_RC4272A	1,735	2,070
66 x 42 x 29½	1650 x 1050 x 752	N_NN_RC4266A	1,672	1,975
60 x 42 x 29½	1500 x 1050 x 752	N_NN_RC4260A	1,603	1,881
54 x 42 x 29½	1350 x 1050 x 752	N_NN_RC4254A	1,535	1,791
48 x 42 x 29½	1200 x 1050 x 752	N_NN_RC4248A	1,464	1,696
Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				
96 x 42 x 29½	2400 x 1050 x 752	N_KN_RC4296A	2,625	3,084
90 x 42 x 29½	2250 x 1050 x 752	N_KN_RC4290A	2,548	2,981
84 x 42 x 29½	2100 x 1050 x 752	N_KN_RC4284A	2,470	2,884
78 x 42 x 29½	1950 x 1050 x 752	N_KN_RC4278A	2,401	2,781
72 x 42 x 29½	1800 x 1050 x 752	N_KN_RC4272A	2,323	2,687
66 x 42 x 29½	1650 x 1050 x 752	N_KN_RC4266A	2,254	2,586
60 x 42 x 29½	1500 x 1050 x 752	N_KN_RC4260A	2,176	2,486
54 x 42 x 29½	1350 x 1050 x 752	N_KN_RC4254A	2,108	2,385
48 x 42 x 29½	1200 x 1050 x 752	N_KN_RC4248A	2,029	2,284
Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				

Meeting tables – 36" D




High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$930;
66" to 48" W (1650 to 1200 mm): add \$618.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Modesty panels, recessed 16" (400 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials.</i>				
96 x 36 x 29½	2400 x 900 x 752	N_NN_RC3696A	1,727	2,101
90 x 36 x 29½	2250 x 900 x 752	N_NN_RC3690A	1,672	2,022
84 x 36 x 29½	2100 x 900 x 752	N_NN_RC3684A	1,618	1,945
78 x 36 x 29½	1950 x 900 x 752	N_NN_RC3678A	1,565	1,867
72 x 36 x 29½	1800 x 900 x 752	N_NN_RC3672A	1,510	1,796
66 x 36 x 29½	1650 x 900 x 752	N_NN_RC3666A	1,456	1,718
60 x 36 x 29½	1500 x 900 x 752	N_NN_RC3660A	1,402	1,643
54 x 36 x 29½	1350 x 900 x 752	N_NN_RC3654A	1,349	1,565
48 x 36 x 29½	1200 x 900 x 752	N_NN_RC3648A	1,294	1,494
Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).				
96 x 36 x 29½	2400 x 900 x 752	N_NN_RC3696A	1,890	2,261
90 x 36 x 29½	2250 x 900 x 752	N_NN_RC3690A	1,827	2,176
84 x 36 x 29½	2100 x 900 x 752	N_NN_RC3684A	1,766	2,091
78 x 36 x 29½	1950 x 900 x 752	N_NN_RC3678A	1,696	2,005
72 x 36 x 29½	1800 x 900 x 752	N_NN_RC3672A	1,634	1,920
66 x 36 x 29½	1650 x 900 x 752	N_NN_RC3666A	1,571	1,837
60 x 36 x 29½	1500 x 900 x 752	N_NN_RC3660A	1,504	1,752
54 x 36 x 29½	1350 x 900 x 752	N_NN_RC3654A	1,439	1,665
48 x 36 x 29½	1200 x 900 x 752	N_NN_RC3648A	1,379	1,581
Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				
96 x 36 x 29½	2400 x 900 x 752	N_KN_RC3696A	2,503	2,913
90 x 36 x 29½	2250 x 900 x 752	N_KN_RC3690A	2,424	2,819
84 x 36 x 29½	2100 x 900 x 752	N_KN_RC3684A	2,357	2,727
78 x 36 x 29½	1950 x 900 x 752	N_KN_RC3678A	2,284	2,634
72 x 36 x 29½	1800 x 900 x 752	N_KN_RC3672A	2,215	2,541
66 x 36 x 29½	1650 x 900 x 752	N_KN_RC3666A	2,146	2,440
60 x 36 x 29½	1500 x 900 x 752	N_KN_RC3660A	2,075	2,345
54 x 36 x 29½	1350 x 900 x 752	N_KN_RC3654A	2,005	2,254
48 x 36 x 29½	1200 x 900 x 752	N_KN_RC3648A	1,939	2,161
Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).				

COMPLEMENTARY FURNITURE

Console tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: 96" to 72" W (2400 to 1800 mm): add \$930; 66" to 48" W (1650 to 1200 mm): add \$618.

7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
96 x 18 x 29½	2400 x 450 x 752	N_NN -TC1896	1,349	1,557
90 x 18 x 29½	2250 x 450 x 752	N_NN -TC1890	1,319	1,510
84 x 18 x 29½	2100 x 450 x 752	N_NN -TC1884	1,276	1,464
78 x 18 x 29½	1950 x 450 x 752	N_NN -TC1878	1,240	1,415
72 x 18 x 29½	1800 x 450 x 752	N_NN -TC1872	1,208	1,372
66 x 18 x 29½	1650 x 450 x 752	N_NN -TC1866	1,169	1,325
60 x 18 x 29½	1500 x 450 x 752	N_NN -TC1860	1,137	1,276
54 x 18 x 29½	1350 x 450 x 752	N_NN -TC1854	1,099	1,233
48 x 18 x 29½	1200 x 450 x 752	N_NN -TC1848	1,070	1,186

Specify the surface type (1, 2). Specify the backs finish (B, W, N).

96 x 18 x 29½	2400 x 450 x 752	N_NN -TC1896	1,439	1,656
90 x 18 x 29½	2250 x 450 x 752	N_NN -TC1890	1,402	1,603
84 x 18 x 29½	2100 x 450 x 752	N_NN -TC1884	1,361	1,549
78 x 18 x 29½	1950 x 450 x 752	N_NN -TC1878	1,319	1,494
72 x 18 x 29½	1800 x 450 x 752	N_NN -TC1872	1,276	1,451
66 x 18 x 29½	1650 x 450 x 752	N_NN -TC1866	1,240	1,395
60 x 18 x 29½	1500 x 450 x 752	N_NN -TC1860	1,201	1,341
54 x 18 x 29½	1350 x 450 x 752	N_NN -TC1854	1,154	1,294
48 x 18 x 29½	1200 x 450 x 752	N_NN -TC1848	1,117	1,240

Specify the surface type (5, 6). Specify the backs finish (B, W, N).

96 x 18 x 29½	2400 x 450 x 752	N_KN -TC1896	1,983	2,224
90 x 18 x 29½	2250 x 450 x 752	N_KN -TC1890	1,945	2,161
84 x 18 x 29½	2100 x 450 x 752	N_KN -TC1884	1,899	2,108
78 x 18 x 29½	1950 x 450 x 752	N_KN -TC1878	1,857	2,054
72 x 18 x 29½	1800 x 450 x 752	N_KN -TC1872	1,812	1,999
66 x 18 x 29½	1650 x 450 x 752	N_KN -TC1866	1,772	1,945
60 x 18 x 29½	1500 x 450 x 752	N_KN -TC1860	1,727	1,890
54 x 18 x 29½	1350 x 450 x 752	N_KN -TC1854	1,682	1,837
48 x 18 x 29½	1200 x 450 x 752	N_KN -TC1848	1,643	1,783

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Magazine tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: add \$132.

7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials on page 19.

60 x 24 x 14	1500 x 600 x 356	N_NN -ST246014	789	907
48 x 24 x 14	1200 x 600 x 356	N_NN -ST244814	759	842

Specify the surface type (1, 2). Specify the backs finish (B, W, N).

60 x 24 x 14	1500 x 600 x 356	N_NN -ST246014	861	969
48 x 24 x 14	1200 x 600 x 356	N_NN -ST244814	814	899
60 x 24 x 14	1500 x 600 x 356	N_KN -ST246014	1,379	1,494
48 x 24 x 14	1200 x 600 x 356	N_KN -ST244814	1,309	1,386

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Coffee tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: add \$132.

7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials.

30 x 30 x 18	750 x 750 x 457	N_NN -ST303018	776	836
24 x 24 x 18	600 x 600 x 457	N_NN -ST242418	712	759

Specify the surface type (1, 2). Specify the backs finish (B, W, N).


30 x 30 x 18	750 x 750 x 457	N_NN -ST303018	814	882
24 x 24 x 18	600 x 600 x 457	N_NN -ST242418	743	782

Specify the surface type (5, 6). Specify the backs finish (B, W, N).

30 x 30 x 18	750 x 750 x 457	N_KN -ST303018	945	1,015
24 x 24 x 18	600 x 600 x 457	N_KN -ST242418	861	907

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Benches



High-Gloss Black (B) or High-Gloss White (W) backs finish option: add \$132.

7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials. 1 tone only. Can accommodate cushions.

96 x 18 x 18	2400 x 450 x 457	N_NNN-BCH189618	1,154	1,354
90 x 18 x 18	2250 x 450 x 457	N_NNN-BCH189018	1,125	1,309
84 x 18 x 18	2100 x 450 x 457	N_NNN-BCH188418	1,086	1,271
78 x 18 x 18	1950 x 450 x 457	N_NNN-BCH187818	1,051	1,224
72 x 18 x 18	1800 x 450 x 457	N_NNN-BCH187218	1,015	1,178
66 x 18 x 18	1650 x 450 x 457	N_NNN-BCH186618	984	1,130
60 x 18 x 18	1500 x 450 x 457	N_NNN-BCH186018	945	1,086
54 x 18 x 18	1350 x 450 x 457	N_NNN-BCH185418	915	1,038
48 x 18 x 18	1200 x 450 x 457	N_NNN-BCH184818	875	991

Specify the surface type (1, 2).

Benches (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
96 x 18 x 18	2400 x 450 x 457	N_NNN-BCH189618	1,246	1,456
90 x 18 x 18	2250 x 450 x 457	N_NNN-BCH189018	1,208	1,402
84 x 18 x 18	2100 x 450 x 457	N_NNN-BCH188418	1,169	1,354
78 x 18 x 18	1950 x 450 x 457	N_NNN-BCH187818	1,130	1,300
72 x 18 x 18	1800 x 450 x 457	N_NNN-BCH187218	1,092	1,246
66 x 18 x 18	1650 x 450 x 457	N_NNN-BCH186618	1,046	1,192
60 x 18 x 18	1500 x 450 x 457	N_NNN-BCH186018	1,009	1,146
54 x 18 x 18	1350 x 450 x 457	N_NNN-BCH185418	969	1,092
48 x 18 x 18	1200 x 450 x 457	N_NNN-BCH184818	930	1,038

Specify the surface type (5, 6).

96 x 18 x 18	2400 x 450 x 457	N_KNN-BCH189618	1,783	2,005
90 x 18 x 18	2250 x 450 x 457	N_KNN-BCH189018	1,742	1,952
84 x 18 x 18	2100 x 450 x 457	N_KNN-BCH188418	1,696	1,899
78 x 18 x 18	1950 x 450 x 457	N_KNN-BCH187818	1,656	1,845
72 x 18 x 18	1800 x 450 x 457	N_KNN-BCH187218	1,612	1,791
66 x 18 x 18	1650 x 450 x 457	N_KNN-BCH186618	1,571	1,735
60 x 18 x 18	1500 x 450 x 457	N_KNN-BCH186018	1,526	1,682
54 x 18 x 18	1350 x 450 x 457	N_KNN-BCH185418	1,487	1,627
48 x 18 x 18	1200 x 450 x 457	N_KNN-BCH184818	1,439	1,571

Knife edge (K). Specify the surface type (5, 6).

STORAGE MODULES – 21" H

Storage modules with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$87.

1 box drawer and 1 file drawer with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bar. Pencil tray. Lock. Can accommodate 1 cushion.

24 x 36 x 21	600 x 919 x 561	N_N -F362421	1,962	2,065
16 x 36 x 21	409 x 919 x 561	N_N -F361621	1,805	1,903
24 x 30 x 21	600 x 769 x 561	N_N -F302421	1,903	2,005
16 x 30 x 21	409 x 769 x 561	N_N -F301621	1,768	1,848
24 x 24 x 21	600 x 619 x 561	N_N -F242421	1,856	1,925
16 x 24 x 21	409 x 619 x 561	N_N -F241621	1,761	1,813
24 x 20 x 21	600 x 519 x 561	N_N -F202421	1,813	1,848
16 x 20 x 21	409 x 519 x 561	N_N -F201621	1,752	1,780

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$132.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Can accommodate 1 cushion.

36 x 36 x 21	900 x 919 x 561	N_N -UL363621	2,164	2,325
30 x 36 x 21	750 x 919 x 561	N_N -UL363021	2,047	2,205
36 x 30 x 21	900 x 769 x 561	N_N -UL303621	2,075	2,225
30 x 30 x 21	750 x 769 x 561	N_N -UL303021	1,978	2,109
36 x 24 x 21	900 x 619 x 561	N_N -UL243621	1,998	2,128
30 x 24 x 21	750 x 619 x 561	N_N -UL243021	1,910	2,016
36 x 20 x 21	900 x 519 x 561	N_N -UL203621	1,920	2,032
30 x 20 x 21	750 x 519 x 561	N_N -UL203021	1,846	1,924

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers on left, hidden space on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on right. Can accommodate 1 cushion.

48 x 36 x 21	1200 x 919 x 561	N_N -364821ULS	2,554	2,776
42 x 36 x 21	1050 x 919 x 561	N_N -364221ULS	2,478	2,683
48 x 30 x 21	1200 x 769 x 561	N_N -304821ULS	2,478	2,683
42 x 30 x 21	1050 x 769 x 561	N_N -304221ULS	2,398	2,581
48 x 24 x 21	1200 x 619 x 561	N_N -244821ULS	2,370	2,543
42 x 24 x 21	1050 x 619 x 561	N_N -244221ULS	2,309	2,449
48 x 20 x 21	1200 x 519 x 561	N_N -204821ULS	2,267	2,411
42 x 20 x 21	1050 x 519 x 561	N_N -204221ULS	2,225	2,323

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers on right, hidden space on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on left. Can accommodate 1 cushion.

48 x 36 x 21	1200 x 919 x 561	N_N -UL364821	2,554	2,776
42 x 36 x 21	1050 x 919 x 561	N_N -UL364221	2,478	2,683
48 x 30 x 21	1200 x 769 x 561	N_N -UL304821	2,478	2,683
42 x 30 x 21	1050 x 769 x 561	N_N -UL304221	2,398	2,581
48 x 24 x 21	1200 x 619 x 561	N_N -UL244821	2,370	2,543
42 x 24 x 21	1050 x 619 x 561	N_N -UL244221	2,309	2,449
48 x 20 x 21	1200 x 519 x 561	N_N -UL204821	2,267	2,411
42 x 20 x 21	1050 x 519 x 561	N_N -UL204221	2,225	2,323

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 21" H				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 cushion.</i>				
48 x 24 x 21	1200 x 619 x 561	N_N_-F244821BE	2,151	2,319
42 x 24 x 21	1050 x 619 x 561	N_N_-F244221BE	2,109	2,251
36 x 24 x 21	900 x 619 x 561	N_N_-F243621BE	2,047	2,187
30 x 24 x 21	750 x 619 x 561	N_N_-F243021BE	2,005	2,109
48 x 20 x 21	1200 x 519 x 561	N_N_-F204821BE	2,091	2,230
42 x 20 x 21	1050 x 519 x 561	N_N_-F204221BE	2,047	2,172
36 x 20 x 21	900 x 519 x 561	N_N_-F203621BE	2,016	2,118
30 x 20 x 21	750 x 519 x 561	N_N_-F203021BE	1,978	2,065
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 21" H				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 cushion.</i>				
48 x 24 x 21	1200 x 619 x 561	N_N_-BE244821F	2,151	2,319
42 x 24 x 21	1050 x 619 x 561	N_N_-BE244221F	2,109	2,251
36 x 24 x 21	900 x 619 x 561	N_N_-BE243621F	2,047	2,187
30 x 24 x 21	750 x 619 x 561	N_N_-BE243021F	2,005	2,109
48 x 20 x 21	1200 x 519 x 561	N_N_-BE204821F	2,091	2,230
42 x 20 x 21	1050 x 519 x 561	N_N_-BE204221F	2,047	2,172
36 x 20 x 21	900 x 519 x 561	N_N_-BE203621F	2,016	2,118
30 x 20 x 21	750 x 519 x 561	N_N_-BE203021F	1,978	2,065
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, CPU storage on right – 21" H				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 7 1/2" W (193 mm).</i>				
24 x 36 x 21	600 x 919 x 561	N_N_-F362421CPU	1,925	2,047
24 x 30 x 21	600 x 769 x 561	N_N_-F302421CPU	1,873	1,978
24 x 24 x 21	600 x 619 x 561	N_N_-F242421CPU	1,813	1,903
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, CPU storage on left – 21" H				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 7 1/2" W (193 mm).</i>				
24 x 36 x 21	600 x 919 x 561	N_N_-CPU362421F	1,925	2,047
24 x 30 x 21	600 x 769 x 561	N_N_-CPU302421F	1,873	1,978
24 x 24 x 21	600 x 619 x 561	N_N_-CPU242421F	1,813	1,903
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, CPU storage on right – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 12" W (300 mm).</i>				
36 x 36 x 21	900 x 919 x 561	N_N_-UL363621CPU	2,083	2,283
36 x 30 x 21	900 x 769 x 561	N_N_-UL303621CPU	2,016	2,172
36 x 24 x 21	900 x 619 x 561	N_N_-UL243621CPU	1,953	2,075
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$132.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, CPU storage on left – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 12" W (300 mm).</i>				
36 x 36 x 21	900 x 919 x 561	N_N_-CPU363621UL	2,083	2,283
36 x 30 x 21	900 x 769 x 561	N_N_-CPU303621UL	2,016	2,172
36 x 24 x 21	900 x 619 x 561	N_N_-CPU243621UL	1,953	2,075
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$132.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors – 21" H				
<i>2 doors with soft-close. Lock. Can accommodate 1 cushion.</i>				
36 x 36 x 21	900 x 919 x 561	N_NN_-363621B	2,109	2,266
30 x 36 x 21	750 x 919 x 561	N_NN_-363021B	2,016	2,151
36 x 30 x 21	900 x 769 x 561	N_NN_-303621B	2,030	2,187
30 x 30 x 21	750 x 769 x 561	N_NN_-303021B	1,962	2,083
48 x 24 x 21	1200 x 619 x 561	N_NN_-244821B	1,953	2,094
42 x 24 x 21	1050 x 619 x 561	N_NN_-244221B	1,880	2,022
36 x 24 x 21	900 x 619 x 561	N_NN_-243621B	1,813	1,931
30 x 24 x 21	750 x 619 x 561	N_NN_-243021B	1,761	1,866
48 x 20 x 21	1200 x 519 x 561	N_NN_-204821B	1,903	2,032
42 x 20 x 21	1050 x 519 x 561	N_NN_-204221B	1,828	1,962
36 x 20 x 21	900 x 519 x 561	N_NN_-203621B	1,753	1,856
30 x 20 x 21	750 x 519 x 561	N_NN_-203021B	1,692	1,789
Specify the surface type (1, 2). Specify the fronts finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.
48" to 42" W (1200 to 1050 mm); 2 adjustable shelves;
36" to 30" W (900 to 750 mm) : 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door – 21" H				
<i>1 door with soft-close. Lock. 1 adjustable shelf. Can accommodate 1 cushion.</i>				
24 x 36 x 21	600 x 919 x 561	N_NN_-362421B	1,542	1,664
16 x 36 x 21	409 x 919 x 561	N_NN_-361621B	1,430	1,509
24 x 30 x 21	600 x 769 x 561	N_NN_-302421B	1,497	1,603
16 x 30 x 21	409 x 769 x 561	N_NN_-301621B	1,395	1,455
24 x 24 x 21	600 x 619 x 561	N_NN_-242421B	1,444	1,535
16 x 24 x 21	409 x 619 x 561	N_NN_-241621B	1,358	1,412
24 x 20 x 21	600 x 519 x 561	N_NN_-202421B	1,404	1,483
16 x 20 x 21	409 x 519 x 561	N_NN_-201621B	1,319	1,368
Specify the surface type (1, 2). Specify the handle curve: left (L) or Right (R). Specify the front finish (B, W, N).				



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door on left, open bookcase on right – 21" H				
<i>1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on right. Hinges on right. Can accommodate 1 cushion.</i>				
48 x 24 x 21	1200 x 619 x 561	N_NN_-B244821BE	1,655	1,813
42 x 24 x 21	1050 x 619 x 561	N_NN_-B244221BE	1,612	1,761
36 x 24 x 21	900 x 619 x 561	N_NN_-B243621BE	1,570	1,692
30 x 24 x 21	750 x 619 x 561	N_NN_-B243021BE	1,535	1,642
48 x 20 x 21	1200 x 519 x 561	N_NN_-B204821BE	1,578	1,727
42 x 20 x 21	1050 x 519 x 561	N_NN_-B204221BE	1,563	1,684
36 x 20 x 21	900 x 519 x 561	N_NN_-B203621BE	1,535	1,642
30 x 20 x 21	750 x 519 x 561	N_NN_-B203021BE	1,516	1,603
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N).				




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door on right, open bookcase on left – 21" H				
<i>1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on left. Hinges on left. Can accommodate 1 cushion.</i>				
48 x 24 x 21	1200 x 619 x 561	N_NN_-BE244821B	1,655	1,813
42 x 24 x 21	1050 x 619 x 561	N_NN_-BE244221B	1,612	1,761
36 x 24 x 21	900 x 619 x 561	N_NN_-BE243621B	1,570	1,692
30 x 24 x 21	750 x 619 x 561	N_NN_-BE243021B	1,535	1,642
48 x 20 x 21	1200 x 519 x 561	N_NN_-BE204821B	1,578	1,727
42 x 20 x 21	1050 x 519 x 561	N_NN_-BE204221B	1,563	1,684
36 x 20 x 21	900 x 519 x 561	N_NN_-BE203621B	1,535	1,642
30 x 20 x 21	750 x 519 x 561	N_NN_-BE203021B	1,516	1,603
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the front finish (B, W, N).				




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$87.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions.</i>				
72 x 20 x 21	1800 x 519 x 561	N_NN_-UL207221BE	2,278	2,467
60 x 20 x 21	1500 x 519 x 561	N_NN_-UL206021BE	2,144	2,319
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions.</i>				
72 x 20 x 21	1800 x 519 x 561	N_N_-BE207221UL	2,278	2,467
60 x 20 x 21	1500 x 519 x 561	N_N_-BE206021UL	2,144	2,319




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, hidden space on right, open bookcase on right – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on right. Open bookcase without back on right. Can accommodate 1 or 2 cushions.</i>				
96 x 20 x 21	2400 x 519 x 561	N_N_-ULS209621BE	2,828	3,093
90 x 20 x 21	2250 x 519 x 561	N_N_-ULS209021BE	2,797	3,060
84 x 20 x 21	2100 x 519 x 561	N_N_-ULS208421BE	2,642	2,879
78 x 20 x 21	1950 x 519 x 561	N_N_-ULS207821BE	2,606	2,834
72 x 20 x 21	1800 x 519 x 561	N_N_-ULS207221BE	2,536	2,737




96"-90"




84"-72"
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left, open bookcase on left – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on left. Open bookcase without back on left. Can accommodate 1 or 2 cushions.</i>				
96 x 20 x 21	2400 x 519 x 561	N_N_-BE209621ULS	2,828	3,093
90 x 20 x 21	2250 x 519 x 561	N_N_-BE209021ULS	2,797	3,060
84 x 20 x 21	2100 x 519 x 561	N_N_-BE208421ULS	2,642	2,879
78 x 20 x 21	1950 x 519 x 561	N_N_-BE207821ULS	2,606	2,834
72 x 20 x 21	1800 x 519 x 561	N_N_-BE207221ULS	2,536	2,737




96"-90"




84"-72"
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double storage modules with drawers – 21" H				
<i>2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Can accommodate 1 or 2 cushions.</i>				
72 x 20 x 21	1800 x 519 x 561	N_NN_-UL207221UL	3,409	3,609
60 x 20 x 21	1500 x 519 x 561	N_NN_-UL206021UL	3,321	3,609




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double storage modules with drawers, hidden spaces on right and left – 21" H				
<i>2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Left and right hidden spaces. Can accommodate 1 or 2 cushions.</i>				
<i>96" W (2400 mm): hidden space of 12" W (297 mm);</i>				
<i>90" W (2250 mm): hidden space of 9" W (222 mm);</i>				
<i>84" W (2100 mm): hidden space of 12" W (297 mm);</i>				
<i>78" W (1950 mm): hidden space of 9" W (222 mm);</i>				
<i>72" W (1800 mm): hidden space of 12" W (297 mm).</i>				
96 x 20 x 21	2400 x 519 x 561	N_NN_-ULS209621ULS	4,046	4,315
90 x 20 x 21	2250 x 519 x 561	N_NN_-ULS209021ULS	3,974	4,224
84 x 20 x 21	2100 x 519 x 561	N_NN_-ULS208421ULS	3,906	4,132
78 x 20 x 21	1950 x 519 x 561	N_NN_-ULS207821ULS	3,834	4,037
72 x 20 x 21	1800 x 519 x 561	N_NN_-ULS207221ULS	3,759	3,957




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$349.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors on left, open bookcase on right – 21" H				
<i>2 doors with soft-close. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions.</i>				
<i>96" to 84" W (2400 to 2100 mm): 2 adjustable shelves;</i>				
<i>78" to 60" W (1950 to 1500 mm): 1 adjustable shelf.</i>				
96 x 20 x 21	2400 x 519 x 561	N_NN_-B209621BE	2,266	2,543
90 x 20 x 21	2250 x 519 x 561	N_NN_-B209021BE	2,214	2,467
84 x 20 x 21	2100 x 519 x 561	N_NN_-B208421BE	2,151	2,390
78 x 20 x 21	1950 x 519 x 561	N_NN_-B207821BE	1,903	2,101
72 x 20 x 21	1800 x 519 x 561	N_NN_-B207221BE	1,813	2,022
66 x 20 x 21	1650 x 519 x 561	N_NN_-B206621BE	1,761	1,931
60 x 20 x 21	1500 x 519 x 561	N_NN_-B206021BE	1,692	1,866




96"-84"




78"-60"
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors on right, open bookcase on left – 21" H				
<i>2 doors with soft-close. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions.</i>				
<i>96" to 84" W (2400 to 2100 mm): 2 adjustable shelves;</i>				
<i>78" to 60" W (1950 to 1500 mm): 1 adjustable shelf.</i>				
96 x 20 x 21	2400 x 519 x 561	N_NN_-BE209621B	2,266	2,543
90 x 20 x 21	2250 x 519 x 561	N_NN_-BE209021B	2,214	2,467
84 x 20 x 21	2100 x 519 x 561	N_NN_-BE208421B	2,151	2,390
78 x 20 x 21	1950 x 519 x 561	N_NN_-BE207821B	1,903	2,101
72 x 20 x 21	1800 x 519 x 561	N_NN_-BE207221B	1,813	2,022
66 x 20 x 21	1650 x 519 x 561	N_NN_-BE206621B	1,761	1,931
60 x 20 x 21	1500 x 519 x 561	N_NN_-BE206021B	1,692	1,866




96"-84"




78"-60"
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double storage modules with doors – 21" H				
<i>4 doors with soft-close. Locks. Can accommodate 1 or 2 cushions.</i>				
<i>96" to 84" W (2400 to 2100 mm): 4 adjustable shelves;</i>				
<i>78" to 60" W (1950 to 1500 mm): 2 adjustable shelves.</i>				
96 x 20 x 21	2400 x 519 x 561	N_NN_-B209621B	3,041	3,313
90 x 20 x 21	2250 x 519 x 561	N_NN_-B209021B	2,973	3,242
84 x 20 x 21	2100 x 519 x 561	N_NN_-B208421B	2,921	3,165
78 x 20 x 21	1950 x 519 x 561	N_NN_-B207821B	2,597	2,828
72 x 20 x 21	1800 x 519 x 561	N_NN_-B207221B	2,543	2,747
66 x 20 x 21	1650 x 519 x 561	N_NN_-B206621B	2,493	2,695
60 x 20 x 21	1500 x 519 x 561	N_NN_-B206021B	2,424	2,597




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$349.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left and doors on right – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 2 doors with soft-close on right. 1 adjustable shelf. Can accommodate 1 or 2 cushions.</i>				
72 x 20 x 21	1800 x 519 x 561	N_N_-UL207221B	2,841	3,049
60 x 20 x 21	1500 x 519 x 561	N_N_-UL206021B	2,720	2,894



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right and doors on left – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 2 doors with soft-close on left. 1 adjustable shelf. Can accommodate 1 or 2 cushions.</i>				
72 x 20 x 21	1800 x 519 x 561	N_N_-B207221UL	2,841	3,049
60 x 20 x 21	1500 x 519 x 561	N_N_-B206021UL	2,720	2,894



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, hidden space on right, doors on right – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 12" W (299 mm) right hidden space. 2 doors with soft-close on right. Can accommodate 1 or 2 cushions. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 78" W (2100 to 1950 mm): 1 adjustable shelf.</i>				
96"-90"	96 x 20 x 21	2400 x 519 x 561	N_N_-ULS209621B	3,496 3,765
	90 x 20 x 21	2250 x 519 x 561	N_N_-ULS209021B	3,436 3,695
	84 x 20 x 21	2100 x 519 x 561	N_N_-ULS208421B	3,183 3,414
	78 x 20 x 21	1950 x 519 x 561	N_N_-ULS207821B	3,113 3,342
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$349.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left, doors on left – 21" H				
<i>1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 12" W (299 mm) left hidden space. 2 doors with soft-close on left. Can accommodate 1 or 2 cushions. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 78" W (2100 to 1950 mm): 1 adjustable shelf.</i>				
96"-90"	96 x 20 x 21	2400 x 519 x 561	N_N_-B209621ULS	3,496 3,765
	90 x 20 x 21	2250 x 519 x 561	N_N_-B209021ULS	3,436 3,695
	84 x 20 x 21	2100 x 519 x 561	N_N_-B208421ULS	3,183 3,414
	78 x 20 x 21	1950 x 519 x 561	N_N_-B207821ULS	3,113 3,342
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$349.

STORAGE MODULES – 27" H

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers – 27" H				
<i>2 file drawers with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bars. Locks.</i>				
	24 x 24 x 27	600 x 619 x 690	N_N_-FF242427	1,705 1,857
	16 x 24 x 27	409 x 619 x 690	N_N_-FF241627	1,595 1,727
	24 x 20 x 27	600 x 519 x 690	N_N_-FF202427	1,650 1,796
	16 x 20 x 27	409 x 519 x 690	N_N_-FF201627	1,542 1,665
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers – 27" H				
<i>2 box drawers and 1 file drawer with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bar. Pencil tray. Lock.</i>				
	24 x 24 x 27	600 x 619 x 690	N_N_-UF242427	2,016 2,191
	16 x 24 x 27	409 x 619 x 690	N_N_-UF241627	1,920 2,075
	24 x 20 x 27	600 x 519 x 690	N_N_-UF202427	1,967 2,130
	16 x 20 x 27	409 x 519 x 690	N_N_-UF201627	1,874 2,022
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers – 27" H				
<i>2 file drawers with suspension bars. Lock.</i>				
	36 x 24 x 27	900 x 619 x 690	N_N_-LF243627	1,899 2,091
	30 x 24 x 27	750 x 619 x 690	N_N_-LF243027	1,827 2,005
	36 x 20 x 27	900 x 519 x 690	N_N_-LF203627	1,857 2,034
	30 x 20 x 27	750 x 519 x 690	N_N_-LF203027	1,791 1,952
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers – 27" H				
<i>2 box drawers with soft-close. 1 file drawer. Suspension bar. Pencil tray. Lock.</i>				
	36 x 24 x 27	900 x 619 x 690	N_N_-LUF243627	2,239 2,455
	30 x 24 x 27	750 x 619 x 690	N_N_-LUF243027	2,168 2,363
	36 x 20 x 27	900 x 519 x 690	N_N_-LUF203627	2,201 2,401
	30 x 20 x 27	750 x 519 x 690	N_N_-LUF203027	2,130 2,308
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, hidden space on right – 27" H				
<i>2 file drawers with suspension bars. Lock. 12" W (284 mm) hidden space on right.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-244827LFS	2,261 2,503
	42 x 24 x 27	1050 x 619 x 690	N_N_-244227LFS	2,201 2,424
	48 x 20 x 27	1200 x 519 x 690	N_N_-204827LFS	2,207 2,424
	42 x 20 x 27	1050 x 519 x 690	N_N_-204227LFS	2,146 2,357
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left – 27" H				
<i>2 file drawers with suspension bars. Lock. 12" W (284 mm) hidden space on left.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-LFS244827	2,261 2,503
	42 x 24 x 27	1050 x 619 x 690	N_N_-LFS244227	2,201 2,424
	48 x 20 x 27	1200 x 519 x 690	N_N_-LFS204827	2,207 2,424
	42 x 20 x 27	1050 x 519 x 690	N_N_-LFS204227	2,146 2,357
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 27" H				
<i>2 file drawers with soft-close. Suspension bar. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-FF244827BE	2,046 2,229
	42 x 24 x 27	1050 x 619 x 690	N_N_-FF244227BE	2,005 2,185
	36 x 24 x 27	900 x 619 x 690	N_N_-FF243627BE	1,967 2,130
	30 x 24 x 27	750 x 619 x 690	N_N_-FF243027BE	1,939 2,075
	48 x 20 x 27	1200 x 519 x 690	N_N_-FF204827BE	1,959 2,121
	42 x 20 x 27	1050 x 519 x 690	N_N_-FF204227BE	1,920 2,075
	36 x 20 x 27	900 x 519 x 690	N_N_-FF203627BE	1,890 2,029
	30 x 20 x 27	750 x 519 x 690	N_N_-FF203027BE	1,850 1,983
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 27" H				
<i>2 file drawers with soft-close. Suspension bars. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-BE244827FF	2,046 2,229
	42 x 24 x 27	1050 x 619 x 690	N_N_-BE244227FF	2,005 2,185
	36 x 24 x 27	900 x 619 x 690	N_N_-BE243627FF	1,967 2,130
	30 x 24 x 27	750 x 619 x 690	N_N_-BE243027FF	1,939 2,075
	48 x 20 x 27	1200 x 519 x 690	N_N_-BE204827FF	1,959 2,121
	42 x 20 x 27	1050 x 519 x 690	N_N_-BE204227FF	1,920 2,075
	36 x 20 x 27	900 x 519 x 690	N_N_-BE203627FF	1,890 2,029
	30 x 20 x 27	750 x 519 x 690	N_N_-BE203027FF	1,850 1,983
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 27" H				
<i>2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-UF244827BE	2,284 2,479
	42 x 24 x 27	1050 x 619 x 690	N_N_-UF244227BE	2,254 2,430
	36 x 24 x 27	900 x 619 x 690	N_N_-UF243627BE	2,224 2,385
	30 x 24 x 27	750 x 619 x 690	N_N_-UF243027BE	2,191 2,338
	48 x 20 x 27	1200 x 519 x 690	N_N_-UF204827BE	2,207 2,370
	42 x 20 x 27	1050 x 519 x 690	N_N_-UF204227BE	2,176 2,332
	36 x 20 x 27	900 x 519 x 690	N_N_-UF203627BE	2,146 2,284
	30 x 20 x 27	750 x 519 x 690	N_N_-UF203027BE	2,113 2,247
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 27" H				
<i>2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-BE244827UF	2,284 2,479
	42 x 24 x 27	1050 x 619 x 690	N_N_-BE244227UF	2,254 2,430
	36 x 24 x 27	900 x 619 x 690	N_N_-BE243627UF	2,224 2,385
	30 x 24 x 27	750 x 619 x 690	N_N_-BE243027UF	2,191 2,338
	48 x 20 x 27	1200 x 519 x 690	N_N_-BE204827UF	2,207 2,370
	42 x 20 x 27	1050 x 519 x 690	N_N_-BE204227UF	2,176 2,332
	36 x 20 x 27	900 x 519 x 690	N_N_-BE203627UF	2,146 2,284
	30 x 20 x 27	750 x 519 x 690	N_N_-BE203027UF	2,113 2,247
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, hidden space on right – 27" H				
<i>2 file drawers with suspension bars. Lock. 12" W (284 mm) hidden space on right.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-244827LFS	2,261 2,503
	42 x 24 x 27	1050 x 619 x 690	N_N_-244227LFS	2,201 2,424
	48 x 20 x 27	1200 x 519 x 690	N_N_-204827LFS	2,207 2,424
	42 x 20 x 27	1050 x 519 x 690	N_N_-204227LFS	2,146 2,357
Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors – 27" H	<i>2 doors with soft-close. Lock. 48" to 42" W (1200 to 1050 mm): 2 adjustable shelves; 36" to 30" W (900 to 750 mm): 1 adjustable shelf.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_NN_-244827B	1,928	2,108
	42 x 24 x 27	1050 x 619 x 690	N_NN_-244227B	1,796	1,959
	36 x 24 x 27	900 x 619 x 690	N_NN_-243627B	1,665	1,805
	30 x 24 x 27	750 x 619 x 690	N_NN_-243027B	1,526	1,656
	48 x 20 x 27	1200 x 519 x 690	N_NN_-204827B	1,867	2,029
	42 x 20 x 27	1050 x 519 x 690	N_NN_-204227B	1,735	1,881
	36 x 20 x 27	900 x 519 x 690	N_NN_-203627B	1,612	1,735
	30 x 20 x 27	750 x 519 x 690	N_NN_-203027B	1,480	1,595
	Specify the surface type (1, 2). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door – 27" H	<i>1 door with soft-close. Lock. 1 adjustable shelf.</i>				
	24 x 24 x 27	600 x 619 x 690	N_N_-242427B	1,276	1,386
	16 x 24 x 27	409 x 619 x 690	N_N_-241627B	1,192	1,286
	24 x 20 x 27	600 x 519 x 690	N_N_-202427B	1,240	1,341
	16 x 20 x 27	409 x 519 x 690	N_N_-201627B	1,154	1,233
	Specify the surface type (1, 2). Specify the handle curve: left (L) or right (R). Specify the front finish (B, W, N)				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door on left, open bookcase on right – 27" H	<i>1 door with soft-close. Lock. Open bookcase without back on right. Hinges on right. 2 adjustable shelves.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-B244827BE	1,650	1,820
	42 x 24 x 27	1050 x 619 x 690	N_N_-B244227BE	1,612	1,772
	36 x 24 x 27	900 x 619 x 690	N_N_-B243627BE	1,581	1,727
	30 x 24 x 27	750 x 619 x 690	N_N_-B243027BE	1,549	1,682
	48 x 20 x 27	1200 x 519 x 690	N_N_-B204827BE	1,557	1,705
	42 x 20 x 27	1050 x 519 x 690	N_N_-B204227BE	1,526	1,665
	36 x 20 x 27	900 x 519 x 690	N_N_-B203627BE	1,494	1,618
	30 x 20 x 27	750 x 519 x 690	N_N_-B203027BE	1,464	1,571
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N)				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with door on right, open bookcase on left – 27" H	<i>1 door with soft-close. Lock. Open bookcase without back on left. Hinges on left. 2 adjustable shelves.</i>				
	48 x 24 x 27	1200 x 619 x 690	N_N_-BE244827B	1,650	1,820
	42 x 24 x 27	1050 x 619 x 690	N_N_-BE244227B	1,612	1,772
	36 x 24 x 27	900 x 619 x 690	N_N_-BE243627B	1,581	1,727
	30 x 24 x 27	750 x 619 x 690	N_N_-BE243027B	1,549	1,682
	48 x 20 x 27	1200 x 519 x 690	N_N_-BE204827B	1,557	1,705
	42 x 20 x 27	1050 x 519 x 690	N_N_-BE204227B	1,526	1,665
	36 x 20 x 27	900 x 519 x 690	N_N_-BE203627B	1,494	1,618
	30 x 20 x 27	750 x 519 x 690	N_N_-BE203027B	1,464	1,571
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the front finish (B, W, N)				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 27" H	<i>2 file drawers with suspension bars. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-LF207227BE	2,401	2,634
	60 x 20 x 27	1500 x 519 x 690	N_N_-LF206027BE	2,284	2,486
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 27" H	<i>2 file drawers with suspension bars. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LF	2,401	2,634
	60 x 20 x 27	1500 x 519 x 690	N_N_-BE206027LF	2,284	2,486
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, open bookcase on right – 27" H	<i>2 box drawers with soft-close and 1 file drawer. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-LUF207227BE	2,656	2,889
	60 x 20 x 27	1500 x 519 x 690	N_N_-LUF206027BE	2,532	2,742
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, open bookcase on left – 27" H	<i>2 box drawers with soft-close and 1 file drawer. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LUF	2,656	2,889
	60 x 20 x 27	1500 x 519 x 690	N_N_-BE206027LUF	2,532	2,742
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left, hidden space on right, open bookcase on right – 27" H	<i>2 file drawers with suspension bar. Lock. 12" W (284 mm) hidden space on right. Open bookcase without back on right. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>				
	96"-90"	2400 x 519 x 690	N_N_-LFS209627BE	3,066	3,371
	90 x 20 x 27	2250 x 519 x 690	N_N_-LFS209027BE	2,975	3,254
	84 x 20 x 27	2100 x 519 x 690	N_N_-LFS208427BE	2,872	3,145
	78 x 20 x 27	1950 x 519 x 690	N_N_-LFS207827BE	2,781	3,037
	72 x 20 x 27	1800 x 519 x 690	N_N_-LFS207227BE	2,679	2,927
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left, open bookcase on left – 27" H	<i>2 file drawers with suspension bar. Lock. 12" W (284 mm) hidden space on left. Open bookcase without back on left. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>				
	96"-90"	2400 x 519 x 690	N_N_-BE209627LFS	3,066	3,371
	90 x 20 x 27	2250 x 519 x 690	N_N_-BE209027LFS	2,975	3,254
	84 x 20 x 27	2100 x 519 x 690	N_N_-BE208427LFS	2,872	3,145
	78 x 20 x 27	1950 x 519 x 690	N_N_-BE207827LFS	2,781	3,037
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LFS	2,679	2,927
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left, open bookcase on left – 27" H	<i>2 file drawers with suspension bars. Lock. Open bookcase without back on left. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>				
	96"-90"	2400 x 519 x 690	N_N_-BE209627LFS	3,066	3,371
	90 x 20 x 27	2250 x 519 x 690	N_N_-BE209027LFS	2,975	3,254
	84 x 20 x 27	2100 x 519 x 690	N_N_-BE208427LFS	2,872	3,145
	78 x 20 x 27	1950 x 519 x 690	N_N_-BE207827LFS	2,781	3,037
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LFS	2,679	2,927
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right, hidden space on left, open bookcase on left – 27" H	<i>2 file drawers with suspension bars. Lock. Open bookcase without back on left. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>				
	96"-90"	2400 x 519 x 690	N_N_-BE209627LFS	3,066	3,371
	90 x 20 x 27	2250 x 519 x 690	N_N_-BE209027LFS	2,975	3,254
	84 x 20 x 27	2100 x 519 x 690	N_N_-BE208427LFS	2,872	3,145
	78 x 20 x 27	1950 x 519 x 690	N_N_-BE207827LFS	2,781	3,037
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LFS	2,679	2,927
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double storage modules with drawers – 27" H	<i>4 file drawers with suspension bars. Lock.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_NN_-LF207227LF	3,493	3,771
	60 x 20 x 27	1500 x 519 x 690	N_NN_-LF206027LF	3,338	3,584
	Specify the surface type (1, 2). Specify the fronts finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$417.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors on left, open bookcase on right – 27" H					
<i>2 doors with soft-close. Lock. Open bookcase without back on right. 96" to 84" W (2400 to 2100 mm): 4 adjustable shelves; 78" to 60" W (1950 to 1500 mm): 2 adjustable shelves.</i>					
96"-84"	96 x 20 x 27	2400 x 519 x 690	N_NN_-B209627BE	2,727	3,012
	90 x 20 x 27	2250 x 519 x 690	N_NN_-B209027BE	2,595	2,866
	84 x 20 x 27	2100 x 519 x 690	N_NN_-B208427BE	2,464	2,720
	78 x 20 x 27	1950 x 519 x 690	N_NN_-B207827BE	2,332	2,570
	72 x 20 x 27	1800 x 519 x 690	N_NN_-B207227BE	2,207	2,424
	66 x 20 x 27	1650 x 519 x 690	N_NN_-B206627BE	2,075	2,279
	60 x 20 x 27	1500 x 519 x 690	N_NN_-B206027BE	1,945	2,130

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors on right, open bookcase on left – 27" H					
<i>2 doors with soft-close. Lock. Open bookcase without back on left. 96" to 84" W (2400 to 2100 mm): 4 adjustable shelves; 78" to 60" W (1950 to 1500 mm): 2 adjustable shelves.</i>					
96"-84"	96 x 20 x 27	2400 x 519 x 690	N_NN_-BE209627B	2,727	3,012
	90 x 20 x 27	2250 x 519 x 690	N_NN_-BE209027B	2,595	2,866
	84 x 20 x 27	2100 x 519 x 690	N_NN_-BE208427B	2,464	2,720
	78 x 20 x 27	1950 x 519 x 690	N_NN_-BE207827B	2,332	2,570
	72 x 20 x 27	1800 x 519 x 690	N_NN_-BE207227B	2,207	2,424
	66 x 20 x 27	1650 x 519 x 690	N_NN_-BE206627B	2,075	2,279
	60 x 20 x 27	1500 x 519 x 690	N_NN_-BE206027B	1,945	2,130

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double storage modules with doors – 27" H					
<i>4 doors with soft-close. Locks. 96" to 84" W (2400 to 2250 mm): 4 adjustable shelves; 78" to 60" W (2100 to 1800 mm): 2 adjustable shelves.</i>					
96"-84"	96 x 20 x 27	2400 x 519 x 690	N_NN_-B209627B	3,672	3,989
	90 x 20 x 27	2250 x 519 x 690	N_NN_-B209027B	3,500	3,812
	84 x 20 x 27	2100 x 519 x 690	N_NN_-B208427B	3,338	3,633
	78 x 20 x 27	1950 x 519 x 690	N_NN_-B207827B	3,175	3,447
	72 x 20 x 27	1800 x 519 x 690	N_NN_-B207227B	3,012	3,268
	66 x 20 x 27	1650 x 519 x 690	N_NN_-B206627B	2,850	3,091
	60 x 20 x 27	1500 x 519 x 690	N_NN_-B206027B	2,687	2,902

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$417.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on left and doors on right – 27" H					
<i>2 file drawers with suspension bars. Locks. 2 doors with soft-close on right. 1 adjustable shelf.</i>					
	72 x 20 x 27	1800 x 519 x 690	N_N_-LF207227B	2,949	3,199
	60 x 20 x 27	1500 x 519 x 690	N_N_-LF206027B	2,819	3,037

Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$306.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with drawers on right and doors on left – 27" H					
<i>2 file drawers with suspension bars. Locks. 2 doors with soft-close on left. 1 adjustable shelf.</i>					
	72 x 20 x 27	1800 x 519 x 690	N_N_-B207227LF	2,949	3,199
	60 x 20 x 27	1500 x 519 x 690	N_N_-B206027LF	2,819	3,037

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$306.

STORAGE FURNITURE

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Lateral file unit				
<i>3 file drawers with suspension bars. Lock.</i>				
	36 x 20 x 41	900 x 519 x 1025	NNN_-203640LF3	3,286

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Lateral file unit/bookcase with lift-up door				
<i>2 file drawers with suspension bars. Lock on file drawers. Open bookcase. 1 adjustable shelf. Assisted lift-up door with soft-close.</i>				
	36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFBVEV	3,677

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Lateral file unit/bookcase with metal shelf and lift-up door				
<i>2 file drawers with suspension bars. Lock on file drawers. Open bookcase. 1 adjustable 15" D (375 mm) metal shelf. Assisted lift-up door with soft-close.</i>				
	36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFBVEVM	4,102

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N). Specify the shelf finish (K, W).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$262.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Storage cabinets with doors				
<i>2 doors with soft-close. Lock. 73" to 65" H (1850 to 1659 mm): 3 adjustable shelves and 1 fixed shelf; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.</i>				
	36 x 20 x 73	900 x 519 x 1850	NNNN_-203673B	2,642
	36 x 20 x 65	900 x 519 x 1659	NNNN_-203665B	2,581
	36 x 20 x 57	900 x 519 x 1468	NNNN_-203657B	2,512
	36 x 20 x 49	900 x 519 x 1277	NNNN_-203649B	2,319
	30 x 20 x 73	750 x 519 x 1850	NNNN_-203073B	2,484
	30 x 20 x 65	750 x 519 x 1659	NNNN_-203065B	2,424
	30 x 20 x 57	750 x 519 x 1468	NNNN_-203057B	2,352
	30 x 20 x 49	750 x 519 x 1277	NNNN_-203049B	2,164


Specify the fronts finish (B, W, N).


High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$523.


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Storage cabinets with door				
<i>1 door with soft-close. Lock. 73" to 65" H (1850 to 1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.</i>				
	24 x 20 x 73	600 x 519 x 1850	NNN_-202473B	1,925
	24 x 20 x 65	600 x 519 x 1659	NNN_-202465B	1,873
	24 x 20 x 57	600 x 519 x 1468	NNN_-202457B	1,813
	24 x 20 x 49	600 x 519 x 1277	NNN_-202449B	1,761
	20 x 20 x 73	500 x 519 x 1850	NNN_-202073B	1,856
	20 x 20 x 65	500 x 519 x 1659	NNN_-202065B	1,805
	20 x 20 x 57	500 x 519 x 1468	NNN_-202057B	1,753
	20 x 20 x 49	500 x 519 x 1277	NNN_-202049B	1,700


Specify the opening: left (L) or right (R). Specify the front finish (B, W, N).


High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wardrobe units with door	<i>1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf.</i>			
	20 x 20 x 73	500 x 519 x 1850	NNN_-202073BC	2,005
	20 x 20 x 65	500 x 519 x 1659	NNN_-202065BC	1,953
	20 x 20 x 57	500 x 519 x 1468	NNN_-202057BC	1,892
	20 x 20 x 49	500 x 519 x 1277	NNN_-202049BC	1,828
	14 x 20 x 73	350 x 519 x 1850	NNN_-201473BC	1,903
	14 x 20 x 65	350 x 519 x 1659	NNN_-201465BC	1,848
	14 x 20 x 57	350 x 519 x 1468	NNN_-201457BC	1,795
	14 x 20 x 49	350 x 519 x 1277	NNN_-201449BC	1,753
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.	Specify the opening: left (L) or right (R). Specify the front finish (B, W, N)			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wardrobe units with open bookcase on right	<i>1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Open bookcase on right.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 4 adjustable shelves;</i>			
	<i>57" H (1468 mm): 3 adjustable shelves;</i>			
	<i>49" H (1277 mm): 2 adjustable shelves.</i>			
	30 x 20 x 73	750 x 519 x 1850	NNNN_-203073CBE	2,493
	30 x 20 x 65	750 x 519 x 1659	NNNN_-203065CBE	2,467
	30 x 20 x 57	750 x 519 x 1468	NNNN_-203057CBE	2,430
	30 x 20 x 49	750 x 519 x 1277	NNNN_-203049CBE	2,187
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.	Specify the front finish (B, W, N)			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wardrobe units with open bookcase and metal shelves on right	<i>1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Open bookcase on right.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 4 adjustable 15" D (375 mm) metal shelves;</i>			
	<i>57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves;</i>			
	<i>49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.</i>			
	30 x 20 x 73	750 x 519 x 1850	NNNN_-203073CBEM	2,805
	30 x 20 x 65	750 x 519 x 1659	NNNN_-203065CBEM	2,776
	30 x 20 x 57	750 x 519 x 1468	NNNN_-203057CBEM	2,666
	30 x 20 x 49	750 x 519 x 1277	NNNN_-203049CBEM	2,338
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.	Specify the front finish (B, W, N) Specify the shelves finish (K, W).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wardrobe units with open bookcase on left	<i>1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Open bookcase on left.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 4 adjustable shelves;</i>			
	<i>57" H (1468 mm): 3 adjustable shelves;</i>			
	<i>49" H (1277 mm): 2 adjustable shelves.</i>			
	30 x 20 x 73	750 x 519 x 1850	NNNN_-BEC203073	2,493
	30 x 20 x 65	750 x 519 x 1659	NNNN_-BEC203065	2,467
	30 x 20 x 57	750 x 519 x 1468	NNNN_-BEC203057	2,430
	30 x 20 x 49	750 x 519 x 1277	NNNN_-BEC203049	2,187
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.	Specify the front finish (B, W, N)			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wardrobe units with open bookcase and metal shelves on left	<i>1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Open bookcase on left.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 4 adjustable 15" D (375 mm) metal shelves;</i>			
	<i>57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves;</i>			
	<i>49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.</i>			
	30 x 20 x 73	750 x 519 x 1850	NNNN_-BEC203073M	2,805
	30 x 20 x 65	750 x 519 x 1659	NNNN_-BEC203065M	2,776
	30 x 20 x 57	750 x 519 x 1468	NNNN_-BEC203057M	2,666
	30 x 20 x 49	750 x 519 x 1277	NNNN_-BEC203049M	2,338
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.	Specify the front finish (B, W, N) Specify the shelves finish (K, W).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Storage lateral file cabinets	<i>2 doors with soft-close. 2 file drawers with suspension bars. Lock on file drawers.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 2 adjustable shelves;</i>			
	<i>57" to 49" H (1468 to 1277 mm): 1 adjustable shelf.</i>			
	36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFB	3,443
	36 x 20 x 65	900 x 519 x 1659	NNN_-203665LFB	3,373
	36 x 20 x 57	900 x 519 x 1468	NNN_-203657LFB	3,190
	36 x 20 x 49	900 x 519 x 1277	NNN_-203649LFB	3,113
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$523.	Specify the drawers handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with lateral files	<i>Open bookcase. 2 file drawers with suspension bars. Lock.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 2 adjustable shelves;</i>			
	<i>57" to 49" H (1468 to 1277 mm): 1 adjustable shelf.</i>			
	36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFB	2,879
	36 x 20 x 65	900 x 519 x 1659	NNN_-203665LFB	2,834
	36 x 20 x 57	900 x 519 x 1468	NNN_-203657LFB	2,676
	36 x 20 x 49	900 x 519 x 1277	NNN_-203649LFB	2,623
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.	Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with metal shelves and lateral files	<i>Open bookcase. 2 file drawers with suspension bars. Lock.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 2 adjustable 15" D (375 mm) metal shelves;</i>			
	<i>57" to 49" H (1468 to 1277 mm): 1 adjustable 15" D (375 mm) metal shelf.</i>			
	36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFBEM	3,338
	36 x 20 x 65	900 x 519 x 1659	NNN_-203665LFBEM	3,300
	36 x 20 x 57	900 x 519 x 1468	NNN_-203657LFBEM	2,902
	36 x 20 x 49	900 x 519 x 1277	NNN_-203649LFBEM	2,859
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.	Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N). Specify the shelves finish (K, W).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with doors	<i>Open bookcase. 2 doors with soft-close. Lock.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 3 adjustable shelves;</i>			
	<i>57" to 49" H (1468 to 1277 mm): 2 adjustable shelves.</i>			
	36 x 20 x 73	900 x 519 x 1850	NNNN_-203673BBE	2,623
	36 x 20 x 65	900 x 519 x 1659	NNNN_-203665BBE	2,581
	36 x 20 x 57	900 x 519 x 1468	NNNN_-203657BBE	2,424
	36 x 20 x 49	900 x 519 x 1277	NNNN_-203649BBE	2,370
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.	Specify the fronts finish (B, W, N).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with metal doors and shelves	<i>Open bookcase. 2 doors with soft-close. Lock.</i>			
	<i>73" to 65" H (1850 to 1659 mm): 2 adjustable 15" D (375 mm) metal shelves and 1 laminate shelf;</i>			
	<i>57" to 49" H (1468 to 1277 mm): 1 adjustable 15" D (375 mm) metal shelf.</i>			
	36 x 20 x 73	900 x 519 x 1850	NNNN_-203673BBEM	3,091
	36 x 20 x 65	900 x 519 x 1659	NNNN_-203665BBEM	3,044
	36 x 20 x 57	900 x 519 x 1468	NNNN_-203657BBEM	2,656
	36 x 20 x 49	900 x 519 x 1277	NNNN_-203649BBEM	2,600
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.	Specify the fronts finish (B, W, N). Specify the shelves finish (K, W).			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases			
<i>1 tone only. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.</i>			
36 x 16 x 73	900 x 400 x 1850	NNNN-B367316	1,642
36 x 16 x 65	900 x 400 x 1659	NNNN-B366516	1,483
36 x 16 x 57	900 x 400 x 1468	NNNN-B365716	1,430
36 x 16 x 49	900 x 400 x 1277	NNNN-B364916	1,272
30 x 16 x 73	750 x 400 x 1850	NNNN-B307316	1,551
30 x 16 x 65	750 x 400 x 1659	NNNN-B306516	1,404
30 x 16 x 57	750 x 400 x 1468	NNNN-B305716	1,368
30 x 16 x 49	750 x 400 x 1277	NNNN-B304916	1,211
24 x 16 x 73	600 x 400 x 1850	NNNN-B247316	1,455
24 x 16 x 65	600 x 400 x 1659	NNNN-B246516	1,325
24 x 16 x 57	600 x 400 x 1468	NNNN-B245716	1,291
24 x 16 x 49	600 x 400 x 1277	NNNN-B244916	1,152
20 x 16 x 73	500 x 400 x 1850	NNNN-B207316	1,404
20 x 16 x 65	500 x 400 x 1659	NNNN-B206516	1,272
20 x 16 x 57	500 x 400 x 1468	NNNN-B205716	1,246
20 x 16 x 49	500 x 400 x 1277	NNNN-B204916	1,104

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with metal shelves			
<i>1 tone only. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable 15" D (375 mm) metal shelves; 57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves; 49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.</i>			
36 x 16 x 73	900 x 400 x 1850	NNNN-B367316M	2,417
36 x 16 x 65	900 x 400 x 1659	NNNN-B366516M	2,254
36 x 16 x 57	900 x 400 x 1468	NNNN-B365716M	2,016
36 x 16 x 49	900 x 400 x 1277	NNNN-B364916M	1,656
30 x 16 x 73	750 x 400 x 1850	NNNN-B307316M	2,168
30 x 16 x 65	750 x 400 x 1659	NNNN-B306516M	2,022
30 x 16 x 57	750 x 400 x 1468	NNNN-B305716M	1,837
30 x 16 x 49	750 x 400 x 1277	NNNN-B304916M	1,516
24 x 16 x 73	600 x 400 x 1850	NNNN-B247316M	1,920
24 x 16 x 65	600 x 400 x 1659	NNNN-B246516M	1,791
24 x 16 x 57	600 x 400 x 1468	NNNN-B245716M	1,643
24 x 16 x 49	600 x 400 x 1277	NNNN-B244916M	1,386
20 x 16 x 73	500 x 400 x 1850	NNNN-B207316M	1,712
20 x 16 x 65	500 x 400 x 1659	NNNN-B206516M	1,581
20 x 16 x 57	500 x 400 x 1468	NNNN-B205716M	1,480
20 x 16 x 49	500 x 400 x 1277	NNNN-B204916M	1,264
Specify the shelves finish (K, W).			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases - 2 axis			
<i>Levelers allow a ¼" (6 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 8 adjustable shelves; 57" H (1468 mm): 6 adjustable shelves; 49" H (1277 mm): 4 adjustable shelves.</i>			
36 x 16 x 73	900 x 419 x 1850	NNN--BAB367316	2,303
36 x 16 x 65	900 x 419 x 1659	NNN--BAB366516	2,060
36 x 16 x 57	900 x 419 x 1468	NNN--BAB365716	1,827
36 x 16 x 49	900 x 419 x 1277	NNN--BAB364916	1,588
30 x 16 x 73	750 x 419 x 1850	NNN--BAB307316	2,185
30 x 16 x 65	750 x 419 x 1659	NNN--BAB306516	1,959
30 x 16 x 57	750 x 419 x 1468	NNN--BAB305716	1,735
30 x 16 x 49	750 x 419 x 1277	NNN--BAB304916	1,510
Specify left (L) or right (R). Specify the front finish (B, W, N)			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases with metal shelves - 2 axis			
<i>Front metal shelves, lateral laminate shelves. Levelers allow a ¼" (6 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 8 adjustable 15" D (375 mm) shelves, including 4 metal shelves; 57" H (1468 mm): 6 adjustable 15" D (375 mm) shelves, including 3 metal shelves; 49" H (1277 mm): 4 adjustable 15" D (375 mm) shelves, including 2 metal shelves.</i>			
36 x 16 x 73	900 x 419 x 1850	NNN--BAB367316M	2,610
36 x 16 x 65	900 x 419 x 1659	NNN--BAB366516M	2,370
36 x 16 x 57	900 x 419 x 1468	NNN--BAB365716M	2,060
36 x 16 x 49	900 x 419 x 1277	NNN--BAB364916M	1,742
30 x 16 x 73	750 x 419 x 1850	NNN--BAB307316M	2,493
30 x 16 x 65	750 x 419 x 1659	NNN--BAB306516M	2,268
30 x 16 x 57	750 x 419 x 1468	NNN--BAB305716M	1,967
30 x 16 x 49	750 x 419 x 1277	NNN--BAB304916M	1,665
Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Bookcases with open locker - 2 axis			
<i>Wardrobe section with clothes hanger bar and 1 fixed shelf. Levelers allow a ¾" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.</i>			
36 x 16 x 73	900 x 419 x 1850	NNN--CEAB367316	2,029
36 x 16 x 65	900 x 419 x 1659	NNN--CEAB366516	1,905
36 x 16 x 57	900 x 419 x 1468	NNN--CEAB365716	1,783
36 x 16 x 49	900 x 419 x 1277	NNN--CEAB364916	1,656
Specify left (L) or right (R). Specify the front finish (B, W, N)			


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Bookcases with metal shelves and open locker - 2 axis			
<i>Wardrobe section with clothes hanger bar and 1 fixed shelf. Levelers allow a ¾" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 4 adjustable 15" D (375 mm) metal shelves; 57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves; 49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.</i>			
36 x 16 x 73	900 x 419 x 1850	NNN--CEAB367316M	2,338
36 x 16 x 65	900 x 419 x 1659	NNN--CEAB366516M	2,215
36 x 16 x 57	900 x 419 x 1468	NNN--CEAB365716M	2,016
36 x 16 x 49	900 x 419 x 1277	NNN--CEAB364916M	1,812
Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
BOOKCASE HUTCHES			
Bookcase hutches with doors			
<i>2 doors with soft-close. Can accommodate a tackboard on its back. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>			
36 x 20 x 52	900 x 519 x 1289	NNNN--EB365220P	2,266
36 x 20 x 44	900 x 519 x 1098	NNNN--EB364420P	2,187
36 x 20 x 36	900 x 519 x 907	NNNN--EB363620P	1,978
36 x 20 x 28	900 x 519 x 716	NNNN--EB362820P	1,892
30 x 20 x 52	750 x 519 x 1289	NNNN--EB305220P	2,205
30 x 20 x 44	750 x 519 x 1098	NNNN--EB304420P	2,118
30 x 20 x 36	750 x 519 x 907	NNNN--EB303620P	1,910
30 x 20 x 28	750 x 519 x 716	NNNN--EB302820P	1,841
36 x 16 x 52	900 x 419 x 1289	NNNN--EB365216P	2,187
36 x 16 x 44	900 x 419 x 1098	NNNN--EB364416P	2,101
36 x 16 x 36	900 x 419 x 907	NNNN--EB363616P	1,903
36 x 16 x 28	900 x 419 x 716	NNNN--EB362816P	1,828
30 x 16 x 52	750 x 419 x 1289	NNNN--EB305216P	2,101
30 x 16 x 44	750 x 419 x 1098	NNNN--EB304416P	2,022
30 x 16 x 36	750 x 419 x 907	NNNN--EB303616P	1,828
30 x 16 x 28	750 x 419 x 716	NNNN--EB302816P	1,761
Specify the fronts finish (B, W, N).			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Bookcase hutches with door			
<i>1 door with soft-close. Can accommodate a tackboard on its back. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>			
24 x 20 x 52	600 x 519 x 1289	NNN--EB245220P	2,109
24 x 20 x 44	600 x 519 x 1098	NNN--EB244420P	2,035
24 x 20 x 36	600 x 519 x 907	NNN--EB243620P	1,848
24 x 20 x 28	600 x 519 x 716	NNN--EB242820P	1,774
20 x 20 x 52	500 x 519 x 1289	NNN--EB205220P	1,962
20 x 20 x 44	500 x 519 x 1098	NNN--EB204420P	1,910
20 x 20 x 36	500 x 519 x 907	NNN--EB203620P	1,727
20 x 20 x 28	500 x 519 x 716	NNN--EB202820P	1,672
24 x 16 x 52	600 x 419 x 1289	NNN--EB245216P	1,692
24 x 16 x 44	600 x 419 x 1098	NNN--EB244416P	1,642
24 x 16 x 36	600 x 419 x 907	NNN--EB243616P	1,444
24 x 16 x 28	600 x 419 x 716	NNN--EB242816P	1,395
16 x 16 x 52	400 x 419 x 1289	NNN--EB165216P	1,578
16 x 16 x 44	400 x 419 x 1098	NNN--EB164416P	1,535
16 x 16 x 36	400 x 419 x 907	NNN--EB163616P	1,358
16 x 16 x 28	400 x 419 x 716	NNN--EB162816P	1,309
Specify the opening: left (L) or right (R). Specify the front finish (B, W, N)			

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches <i>Can accommodate a tackboard on back. 1 tone only.</i>			
<i>52" to 36" H (1289 to 907 mm): 2 adjustable shelves;</i>			
<i>28" H (1468 mm): 1 adjustable shelf.</i>			
36 x 20 x 52	900 x 500 x 1289	NNNNN-EB365220	1,430
36 x 20 x 44	900 x 500 x 1098	NNNNN-EB364420	1,378
36 x 20 x 36	900 x 500 x 907	NNNNN-EB363620	1,325
36 x 20 x 28	900 x 500 x 716	NNNNN-EB362820	1,133
30 x 20 x 52	750 x 500 x 1289	NNNNN-EB305220	1,368
30 x 20 x 44	750 x 500 x 1098	NNNNN-EB304420	1,319
30 x 20 x 36	750 x 500 x 907	NNNNN-EB303620	1,265
30 x 20 x 28	750 x 500 x 716	NNNNN-EB302820	1,074
24 x 20 x 52	600 x 500 x 1289	NNNNN-EB245220	1,299
24 x 20 x 44	600 x 500 x 1098	NNNNN-EB244420	1,255
24 x 20 x 36	600 x 500 x 907	NNNNN-EB243620	1,211
24 x 20 x 28	600 x 500 x 716	NNNNN-EB242820	1,029
20 x 20 x 52	500 x 500 x 1289	NNNNN-EB205220	1,272
20 x 20 x 44	500 x 500 x 1098	NNNNN-EB204420	1,219
20 x 20 x 36	500 x 500 x 907	NNNNN-EB203620	1,177
20 x 20 x 28	500 x 500 x 716	NNNNN-EB202820	986
36 x 16 x 52	900 x 400 x 1289	NNNNN-EB365216	1,332
36 x 16 x 44	900 x 400 x 1098	NNNNN-EB364416	1,291
36 x 16 x 36	900 x 400 x 907	NNNNN-EB363616	1,246
36 x 16 x 28	900 x 400 x 716	NNNNN-EB362816	1,064
30 x 16 x 52	750 x 400 x 1289	NNNNN-EB305216	1,278
30 x 16 x 44	750 x 400 x 1098	NNNNN-EB304416	1,231
30 x 16 x 36	750 x 400 x 907	NNNNN-EB303616	1,186
30 x 16 x 28	750 x 400 x 716	NNNNN-EB302816	1,019
24 x 16 x 52	600 x 400 x 1289	NNNNN-EB245216	1,219
24 x 16 x 44	600 x 400 x 1098	NNNNN-EB244416	1,186
24 x 16 x 36	600 x 400 x 907	NNNNN-EB243616	1,140
24 x 16 x 28	600 x 400 x 716	NNNNN-EB242816	969
16 x 16 x 52	400 x 400 x 1289	NNNNN-EB165216	1,186
16 x 16 x 44	400 x 400 x 1098	NNNNN-EB164416	1,152
16 x 16 x 36	400 x 400 x 907	NNNNN-EB163616	1,098
16 x 16 x 28	400 x 400 x 716	NNNNN-EB162816	932

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches with metal shelves <i>Can accommodate a tackboard on back. 1 tone only.</i>			
<i>52" to 36" H (1289 to 907 mm): 2 adjustable 15" D (375 mm) metal shelves;</i>			
<i>28" H (1468 mm): 1 adjustable 15" D (375 mm) metal shelf.</i>			
36 x 20 x 52	900 x 500 x 1289	NNNNN-EB365220M	1,899
36 x 20 x 44	900 x 500 x 1098	NNNNN-EB364420M	1,845
36 x 20 x 36	900 x 500 x 907	NNNNN-EB363620M	1,791
36 x 20 x 28	900 x 500 x 716	NNNNN-EB362820M	1,361
30 x 20 x 52	750 x 500 x 1289	NNNNN-EB305220M	1,760
30 x 20 x 44	750 x 500 x 1098	NNNNN-EB304420M	1,705
30 x 20 x 36	750 x 500 x 907	NNNNN-EB303620M	1,650
30 x 20 x 28	750 x 500 x 716	NNNNN-EB302820M	1,271
24 x 20 x 52	600 x 500 x 1289	NNNNN-EB245220M	1,612
24 x 20 x 44	600 x 500 x 1098	NNNNN-EB244420M	1,565
24 x 20 x 36	600 x 500 x 907	NNNNN-EB243620M	1,516
24 x 20 x 28	600 x 500 x 716	NNNNN-EB242820M	1,186
20 x 20 x 52	500 x 500 x 1289	NNNNN-EB205220M	1,504
20 x 20 x 44	500 x 500 x 1098	NNNNN-EB204420M	1,456
20 x 20 x 36	500 x 500 x 907	NNNNN-EB203620M	1,408
20 x 20 x 28	500 x 500 x 716	NNNNN-EB202820M	1,099
36 x 16 x 52	900 x 400 x 1289	NNNNN-EB365216M	1,718
36 x 16 x 44	900 x 400 x 1098	NNNNN-EB364416M	1,682
36 x 16 x 36	900 x 400 x 907	NNNNN-EB363616M	1,634
36 x 16 x 28	900 x 400 x 716	NNNNN-EB362816M	1,254
30 x 16 x 52	750 x 400 x 1289	NNNNN-EB305216M	1,588
30 x 16 x 44	750 x 400 x 1098	NNNNN-EB304416M	1,542
30 x 16 x 36	750 x 400 x 907	NNNNN-EB303616M	1,494
30 x 16 x 28	750 x 400 x 716	NNNNN-EB302816M	1,178




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches with metal shelves (cont'd)			
24 x 16 x 52	600 x 400 x 1289	NNNNN-EB245216M	1,456
24 x 16 x 44	600 x 400 x 1098	NNNNN-EB244416M	1,415
24 x 16 x 36	600 x 400 x 907	NNNNN-EB243616M	1,372
24 x 16 x 28	600 x 400 x 716	NNNNN-EB242816M	1,086
16 x 16 x 52	400 x 400 x 1289	NNNNN-EB165216M	1,341
16 x 16 x 44	400 x 400 x 1098	NNNNN-EB164416M	1,309
16 x 16 x 36	400 x 400 x 907	NNNNN-EB163616M	1,254
16 x 16 x 28	400 x 400 x 716	NNNNN-EB162816M	1,009


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches - 2 axis <i>Can accommodate a tackboard on back.</i>			
<i>52" to 36" H (1289 to 907 mm): 4 adjustable shelves;</i>			
<i>28" H (1468 mm): 2 adjustable shelves.</i>			
36 x 20 x 52	900 x 519 x 1289	NNN_-EBA365220	1,712
36 x 20 x 44	900 x 519 x 1098	NNN_-EBA364420	1,650
36 x 20 x 36	900 x 519 x 907	NNN_-EBA363620	1,595
36 x 20 x 28	900 x 519 x 716	NNN_-EBA362820	1,542
30 x 20 x 52	750 x 519 x 1289	NNN_-EBA305220	1,634
30 x 20 x 44	750 x 519 x 1098	NNN_-EBA304420	1,603
30 x 20 x 36	750 x 519 x 907	NNN_-EBA303620	1,581
30 x 20 x 28	750 x 519 x 716	NNN_-EBA302820	1,557
36 x 16 x 52	900 x 419 x 1289	NNN_-EBA365216	1,510
36 x 16 x 44	900 x 419 x 1098	NNN_-EBA364416	1,464
36 x 16 x 36	900 x 419 x 907	NNN_-EBA363616	1,408
36 x 16 x 28	900 x 419 x 716	NNN_-EBA362816	1,361
30 x 16 x 52	750 x 419 x 1289	NNN_-EBA305216	1,439
30 x 16 x 44	750 x 419 x 1098	NNN_-EBA304416	1,415
30 x 16 x 36	750 x 419 x 907	NNN_-EBA303616	1,402
30 x 16 x 28	750 x 419 x 716	NNN_-EBA302816	1,379

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches with metal shelves - 2 axis <i>Front metal shelves, lateral laminate shelves. Can accommodate a tackboard on back.</i>			
<i>52" to 36" H (1289 to 907 mm): 4 adjustable 15" D (375 mm) shelves, including 2 in metal;</i>			
<i>28" H (1468 mm): 2 adjustable 15" D (375 mm) shelves, including 1 metal shelf.</i>			
36 x 20 x 52	900 x 519 x 1289	NNN_-EBA365220M	1,867
36 x 20 x 44	900 x 519 x 1098	NNN_-EBA364420M	1,805
36 x 20 x 36	900 x 519 x 907	NNN_-EBA363620M	1,752
36 x 20 x 28	900 x 519 x 716	NNN_-EBA362820M	1,618
30 x 20 x 52	750 x 519 x 1289	NNN_-EBA305220M	1,791
30 x 20 x 44	750 x 519 x 1098	NNN_-EBA304420M	1,760
30 x 20 x 36	750 x 519 x 907	NNN_-EBA303620M	1,735
30 x 20 x 28	750 x 519 x 716	NNN_-EBA302820M	1,634
36 x 16 x 52	900 x 419 x 1289	NNN_-EBA365216M	1,665
36 x 16 x 44	900 x 419 x 1098	NNN_-EBA364416M	1,618
36 x 16 x 36	900 x 419 x 907	NNN_-EBA363616M	1,565
36 x 16 x 28	900 x 419 x 716	NNN_-EBA362816M	1,439
30 x 16 x 52	750 x 419 x 1289	NNN_-EBA305216M	1,595
30 x 16 x 44	750 x 419 x 1098	NNN_-EBA304416M	1,571
30 x 16 x 36	750 x 419 x 907	NNN_-EBA303616M	1,557
30 x 16 x 28	750 x 419 x 716	NNN_-EBA302816M	1,456

Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches with sliding door			
<i>Sliding door. Can accommodate a tackboard on back. 52" to 36" H (1289 to 907 mm): 4 adjustable shelves; 28" H (716 mm): 2 adjustable shelves.</i>			
36 x 20 x 52	900 x 519 x 1289	NNNN -EB365220C	2,251
36 x 20 x 44	900 x 519 x 1098	NNNN -EB364420C	2,172
36 x 20 x 36	900 x 519 x 907	NNNN -EB363620C	2,101
36 x 20 x 28	900 x 519 x 716	NNNN -EB362820C	1,917
30 x 20 x 52	750 x 519 x 1289	NNNN -EB305220C	2,151
30 x 20 x 44	750 x 519 x 1098	NNNN -EB304420C	2,091
30 x 20 x 36	750 x 519 x 907	NNNN -EB303620C	2,022
30 x 20 x 28	750 x 519 x 716	NNNN -EB302820C	1,856
36 x 16 x 52	900 x 419 x 1289	NNNN -EB365216C	2,164
36 x 16 x 44	900 x 419 x 1098	NNNN -EB364416C	2,101
36 x 16 x 36	900 x 419 x 907	NNNN -EB363616C	2,030
36 x 16 x 28	900 x 419 x 716	NNNN -EB362816C	1,856
30 x 16 x 52	750 x 419 x 1289	NNNN -EB305216C	2,091
30 x 16 x 44	750 x 419 x 1098	NNNN -EB304416C	2,022
30 x 16 x 36	750 x 419 x 907	NNNN -EB303616C	1,962
30 x 16 x 28	750 x 419 x 716	NNNN -EB302816C	1,795



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$262.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Hutches with open bookcase and sliding door - 44" H			
<i>Open spaces on top: 13 3/4" H (348 mm). Sliding door. Height clearance: 12 3/4" (325 mm). Full-width wire access. Can accommodate a tackboard.</i>			
72 x 16 x 44	1800 x 419 x 1098	NNNN -EN724416C	2,185
66 x 16 x 44	1650 x 419 x 1098	NNNN -EN664416C	2,138
60 x 16 x 44	1500 x 419 x 1098	NNNN -EN604416C	2,083
54 x 16 x 44	1350 x 419 x 1098	NNNN -EN544416C	2,034



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Hutches with open spaces and sliding door - 36" H			
<i>Open spaces on top: 6" H (157 mm). Sliding door. Height clearance: 12 3/4" (325 mm). Full-width wire access. Can accommodate a tackboard.</i>			
72 x 16 x 36	1800 x 419 x 907	NNNN -EN723616C	2,101
66 x 16 x 36	1650 x 419 x 907	NNNN -EN663616C	2,054
60 x 16 x 36	1500 x 419 x 907	NNNN -EN603616C	2,005
54 x 16 x 36	1350 x 419 x 907	NNNN -EN543616C	1,959




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.

MEDIA PANELS


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Media panels for storage modules 21" H			
<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with 21" H (561 mm) storage module. 1 tone only.</i>			
<i>73" H (1837 mm): 2 fixed shelves; 65" to 57" H (1646 to 1455 mm): 1 fixed shelf.</i>			
48 x 7 x 73	1200 x 185 x 1837	NNNN -ETV487321	1,920
42 x 7 x 73	1050 x 185 x 1837	NNNN -ETV427321	1,837
36 x 7 x 73	900 x 185 x 1837	NNNN -ETV367321	1,760
48 x 7 x 65	1200 x 185 x 1646	NNNN -ETV486521	1,742
42 x 7 x 65	1050 x 185 x 1646	NNNN -ETV426521	1,665
36 x 7 x 65	900 x 185 x 1646	NNNN -ETV366521	1,595
48 x 7 x 57	1200 x 185 x 1455	NNNN -ETV485721	1,565
42 x 7 x 57	1050 x 185 x 1455	NNNN -ETV425721	1,494
36 x 7 x 57	900 x 185 x 1455	NNNN -ETV365721	1,433



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Media panels for storage modules 27" H			
<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with 27" H (690 mm) storage module. 1 tone only.</i>			
<i>71" H (1775 mm): 2 fixed shelves; 63" to 55" H (1584 to 1393 mm): 1 fixed shelf.</i>			
48 x 7 x 71	1200 x 185 x 1775	NNNN -ETV487127	1,905
42 x 7 x 71	1050 x 185 x 1775	NNNN -ETV427127	1,827
36 x 7 x 71	900 x 185 x 1775	NNNN -ETV367127	1,752
48 x 7 x 63	1200 x 185 x 1584	NNNN -ETV486327	1,727
42 x 7 x 63	1050 x 185 x 1584	NNNN -ETV426327	1,650
36 x 7 x 63	900 x 185 x 1584	NNNN -ETV366327	1,581
48 x 7 x 55	1200 x 185 x 1393	NNNN -ETV485527	1,542
42 x 7 x 55	1050 x 185 x 1393	NNNN -ETV425527	1,480
36 x 7 x 55	900 x 185 x 1393	NNNN -ETV365527	1,408




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Media panels for desks and tables 29 1/2" H			
<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with a 29 1/2" H (752 mm) desk or table. 1 tone only.</i>			
<i>73" H (1837 mm): 2 fixed shelves; 65" to 57" H (1646 to 1455 mm): 1 fixed shelf.</i>			
48 x 7 x 73	1200 x 185 x 1837	NNNN -ETV487329	1,899
42 x 7 x 73	1050 x 185 x 1837	NNNN -ETV427329	1,820
36 x 7 x 73	900 x 185 x 1837	NNNN -ETV367329	1,742
48 x 7 x 65	1200 x 185 x 1646	NNNN -ETV486529	1,712
42 x 7 x 65	1050 x 185 x 1646	NNNN -ETV426529	1,643
36 x 7 x 65	900 x 185 x 1646	NNNN -ETV366529	1,571
48 x 7 x 57	1200 x 185 x 1455	NNNN -ETV485729	1,516
42 x 7 x 57	1050 x 185 x 1455	NNNN -ETV425729	1,456
36 x 7 x 57	900 x 185 x 1455	NNNN -ETV365729	1,395




WALL-MOUNTED HUTCHES

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with lift-up door and open space on right			
<i>Assisted lift-up door with soft close. Open space on right. Assembly hardware included for wall-mount installation.</i>			
<i>72" W (1800 mm): 26" W (645 mm) open bookcase; 66" W (1650 mm): 22" W (545 mm) open bookcase; 60" W (1500 mm): 20" W (495 mm) open bookcase; 54" W (1350 mm): 18" W (445 mm) open bookcase.</i>			
72 x 16 x 16	1800 x 419 x 400	NNN -EMV721616	1,805
66 x 16 x 16	1650 x 419 x 400	NNN -EMV661616	1,768
60 x 16 x 16	1500 x 419 x 400	NNN -EMV601616	1,727
54 x 16 x 16	1350 x 419 x 400	NNN -EMV541616	1,684
<i>Specify the handle curve: double (D), left (L) or right (R). Specify the front finish (B, W, N).</i>			




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with lift-up door and open space on left			
<i>Assisted lift-up door with soft close. Open space on left. Assembly hardware included for wall-mount installation.</i>			
<i>72" W (1800 mm): 26" W (645 mm) open bookcase; 66" W (1650 mm): 22" W (545 mm) open bookcase; 60" W (1500 mm): 20" W (495 mm) open bookcase; 54" W (1350 mm): 18" W (445 mm) open bookcase.</i>			
72 x 16 x 16	1800 x 419 x 400	NNN -EM721616V	1,805
66 x 16 x 16	1650 x 419 x 400	NNN -EM661616V	1,768
60 x 16 x 16	1500 x 419 x 400	NNN -EM601616V	1,727
54 x 16 x 16	1350 x 419 x 400	NNN -EM541616V	1,684
<i>Specify the handle curve: double (D), left (L) or right (R). Specify the front finish (B, W, N).</i>			




High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with sliding door			
<i>Sliding door. Assembly hardware included for wall-mount installation. Can accommodate a tackboard.</i>			
84 x 16 x 16	2100 x 419 x 400	NNNN -EM841616C	1,828
78 x 16 x 16	1950 x 419 x 400	NNNN -EM781616C	1,789
72 x 16 x 16	1800 x 419 x 400	NNNN -EM721616C	1,743
66 x 16 x 16	1650 x 419 x 400	NNNN -EM661616C	1,700
60 x 16 x 16	1500 x 419 x 400	NNNN -EM601616C	1,664
54 x 16 x 16	1350 x 419 x 400	NNNN -EM541616C	1,621
<i>Specify the front finish (B, W, N).</i>			



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$173.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with doors 	<i>2 doors with soft close. Assembly hardware included for wall-mount installation. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>			
	36 x 16 x 52	900 x 419 x 1289	NNNN -EM365216P	2,091
	36 x 16 x 44	900 x 419 x 1098	NNNN -EM364416P	1,988
	36 x 16 x 36	900 x 419 x 907	NNNN -EM363616P	1,841
	36 x 16 x 28	900 x 419 x 716	NNNN -EM362816P	1,768
	30 x 16 x 52	750 x 419 x 1289	NNNN -EM305216P	2,016
	30 x 16 x 44	750 x 419 x 1098	NNNN -EM304416P	1,917
	30 x 16 x 36	750 x 419 x 907	NNNN -EM303616P	1,774
	30 x 16 x 28	750 x 419 x 716	NNNN -EM302816P	1,714
	Specify the fronts finish (B, W, N).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with door 	<i>1 door with soft close. Assembly hardware included for wall-mount installation. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>			
	24 x 16 x 52	600 x 419 x 1289	NNN -EM245216P	1,873
	24 x 16 x 44	600 x 419 x 1098	NNN -EM244416P	1,789
	24 x 16 x 36	600 x 419 x 907	NNN -EM243616P	1,655
	24 x 16 x 28	600 x 419 x 716	NNN -EM242816P	1,612
Specify the opening: left (L) or right (R). Specify the front finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
PEDESTALS Hanging pedestal with drawers 	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Must be installed under a surface. Not compatible with 20" (500 mm) deep surfaces and height adjustable desks.</i>			
	16 x 18 x 20	409 x 448 x 489	NNN -161820F	1,325
Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Mobile pedestal with drawers 	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Brakes on front casters. Can accommodate 1 cushion.</i>			
	16 x 18 x 20	390 x 450 x 530	NNN -MP161820F	1,629
Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
ACCESSORIES Modular modesty panels for short back surfaces 	<i>Use as a modesty panel under 6" H (150 mm) short-back surfaces. Not compatible with struts surfaces, return-surfaces and desks with height adjustable returns. 1 tone only.</i>			
	81 x 5/8 x 14	2019 x 16 x 350	NNNN -MOD1481	331
	75 x 5/8 x 14	1869 x 16 x 350	NNNN -MOD1475	322
	73 x 5/8 x 14	1819 x 16 x 350	NNNN -MOD1473	322
	69 x 5/8 x 14	1719 x 16 x 350	NNNN -MOD1469	314
	67 x 5/8 x 14	1669 x 16 x 350	NNNN -MOD1467	314
	63 x 5/8 x 14	1569 x 16 x 350	NNNN -MOD1463	306
	61 x 5/8 x 14	1519 x 16 x 350	NNNN -MOD1461	306
	57 x 5/8 x 14	1419 x 16 x 350	NNNN -MOD1457	287
	55 x 5/8 x 14	1369 x 16 x 350	NNNN -MOD1455	277
	51 x 5/8 x 14	1269 x 16 x 350	NNNN -MOD1451	277
	49 x 5/8 x 14	1219 x 16 x 350	NNNN -MOD1449	270
	45 x 5/8 x 14	1119 x 16 x 350	NNNN -MOD1445	270
	39 x 5/8 x 14	969 x 16 x 350	NNNN -MOD1439	262
33 x 5/8 x 14	819 x 16 x 350	NNNN -MOD1433	254	
27 x 5/8 x 14	669 x 16 x 350	NNNN -MOD1427	254	
Specify the modesty panel finish (B, W, N).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Modular modesty panels for surfaces with struts 	<i>To be used as a modesty panel underneath surfaces with struts, return tables and electric desks with return. Not compatible with 6" H (150 mm) short-back surfaces. 1 tone only.</i>			
	69 x 5/8 x 14	1719 x 16 x 350	NNNN -MODS1469	331
	67 x 5/8 x 14	1669 x 16 x 350	NNNN -MODS1467	322
	63 x 5/8 x 14	1569 x 16 x 350	NNNN -MODS1463	322
	61 x 5/8 x 14	1519 x 16 x 350	NNNN -MODS1461	314
	57 x 5/8 x 14	1419 x 16 x 350	NNNN -MODS1457	314
	55 x 5/8 x 14	1369 x 16 x 350	NNNN -MODS1455	306
	51 x 5/8 x 14	1269 x 16 x 350	NNNN -MODS1451	306
	49 x 5/8 x 14	1219 x 16 x 350	NNNN -MODS1449	287
	45 x 5/8 x 14	1119 x 16 x 350	NNNN -MODS1445	277
	39 x 5/8 x 14	969 x 16 x 350	NNNN -MODS1439	277
	33 x 5/8 x 14	819 x 16 x 350	NNNN -MODS1433	270
	27 x 5/8 x 14	669 x 16 x 350	NNNN -MODS1427	270
	Specify the modesty panel finish (B, W, N).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Fabric privacy lateral screens 	<i>Fabric screen supported by metal clips. Height adjustable. Can be attached to a surface, desk or return. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>			
	48 x 3/4 x 30	1200 x 19 x 750	NNNN -SCF3048	870
	42 x 3/4 x 30	1050 x 19 x 750	NNNN -SCF3042	842
	36 x 3/4 x 30	900 x 19 x 750	NNNN -SCF3036	820
	30 x 3/4 x 30	750 x 19 x 750	NNNN -SCF3030	790
	48 x 3/4 x 24	1200 x 19 x 600	NNNN -SCF2448	829
	42 x 3/4 x 24	1050 x 19 x 600	NNNN -SCF2442	813
	36 x 3/4 x 24	900 x 19 x 600	NNNN -SCF2436	783
	30 x 3/4 x 24	750 x 19 x 600	NNNN -SCF2430	758
	24 x 3/4 x 24	600 x 19 x 600	NNNN -SCF2424	732

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Acrylic privacy lateral screens 	<i>Translucent screen supported by metal clips. Height adjustable. Can be attached to a surface, desk or return.</i>			
	48 x 1/4 x 30	1200 x 6 x 750	NNNN -SCT3048	1,159
	42 x 1/4 x 30	1050 x 6 x 750	NNNN -SCT3042	1,038
	36 x 1/4 x 30	900 x 6 x 750	NNNN -SCT3036	916
	30 x 1/4 x 30	750 x 6 x 750	NNNN -SCT3030	790
	48 x 1/4 x 24	1200 x 6 x 600	NNNN -SCT2448	969
	42 x 1/4 x 24	1050 x 6 x 600	NNNN -SCT2442	863
	36 x 1/4 x 24	900 x 6 x 600	NNNN -SCT2436	777
	30 x 1/4 x 24	750 x 6 x 600	NNNN -SCT2430	671
	24 x 1/4 x 24	600 x 6 x 600	NNNN -SCT2424	575

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Taskboards for hutches with sliding door 	<i>These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>			
	70 x 1/2 x 12	1750 x 13 x 279	NNNN -TK7012E	567
	64 x 1/2 x 12	1600 x 13 x 279	NNNN -TK6412E	551
	58 x 1/2 x 12	1450 x 13 x 279	NNNN -TK5812E	534
	52 x 1/2 x 12	1300 x 13 x 279	NNNN -TK5212E	519

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Taskboards for the back of bookcase hutches 	<i>These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>			
	34 x 1/2 x 50	841 x 13 x 1232	NNNN -TK3450	617
	34 x 1/2 x 42	841 x 13 x 1041	NNNN -TK3442	601
	34 x 1/2 x 34	841 x 13 x 850	NNNN -TK3434	584
	34 x 1/2 x 26	841 x 13 x 659	NNNN -TK3426	568
	28 x 1/2 x 50	691 x 13 x 1232	NNNN -TK2850	601
	28 x 1/2 x 42	691 x 13 x 1041	NNNN -TK2842	584
	28 x 1/2 x 34	691 x 13 x 850	NNNN -TK2834	568
	28 x 1/2 x 26	691 x 13 x 659	NNNN -TK2826	551
	22 x 1/2 x 50	541 x 13 x 1232	NNNN -TK2250	584
	22 x 1/2 x 42	541 x 13 x 1041	NNNN -TK2242	568
	22 x 1/2 x 34	541 x 13 x 850	NNNN -TK2234	551
	22 x 1/2 x 26	541 x 13 x 659	NNNN -TK2226	523
	18 x 1/2 x 50	441 x 13 x 1232	NNNN -TK1850	568
	18 x 1/2 x 42	441 x 13 x 1041	NNNN -TK1842	551
	18 x 1/2 x 34	441 x 13 x 850	NNNN -TK1834	523
	18 x 1/2 x 26	441 x 13 x 659	NNNN -TK1826	508
	14 x 1/2 x 50	341 x 13 x 1232	NNNN -TK1450	551
	14 x 1/2 x 42	341 x 13 x 1041	NNNN -TK1442	523
	14 x 1/2 x 34	341 x 13 x 850	NNNN -TK1434	508
	14 x 1/2 x 26	341 x 13 x 659	NNNN -TK1426	488

Cushions



W x D x H (in) W x D x H (mm) Code (\$)

1 3/8" (35 mm) thick cushion. Installs on low storage modules and benches with Velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.

For storage modules

48 x 36 x 1 3/8	1200 x 900 x 35	NNNNN-CU3648	1,038
42 x 36 x 1 3/8	1250 x 900 x 35	NNNNN-CU3642	969
36 x 36 x 1 3/8	900 x 900 x 35	NNNNN-CU3636	899
30 x 36 x 1 3/8	750 x 900 x 35	NNNNN-CU3630	821
24 x 36 x 1 3/8	600 x 900 x 35	NNNNN-CU3624	751
16 x 36 x 1 3/8	400 x 900 x 35	NNNNN-CU3616	681
48 x 30 x 1 3/8	1200 x 750 x 35	NNNNN-CU3048	941
42 x 30 x 1 3/8	1250 x 750 x 35	NNNNN-CU3042	891
36 x 30 x 1 3/8	900 x 750 x 35	NNNNN-CU3036	842
30 x 30 x 1 3/8	750 x 750 x 35	NNNNN-CU3030	776
24 x 30 x 1 3/8	600 x 750 x 35	NNNNN-CU3024	706
16 x 30 x 1 3/8	400 x 750 x 35	NNNNN-CU3016	634
48 x 24 x 1 3/8	1200 x 600 x 35	NNNNN-CU2448	842
42 x 24 x 1 3/8	1250 x 600 x 35	NNNNN-CU2442	797
36 x 24 x 1 3/8	900 x 600 x 35	NNNNN-CU2436	751
30 x 24 x 1 3/8	750 x 600 x 35	NNNNN-CU2430	681
24 x 24 x 1 3/8	600 x 600 x 35	NNNNN-CU2424	609
16 x 24 x 1 3/8	400 x 600 x 35	NNNNN-CU2416	534
48 x 20 x 1 3/8	1200 x 500 x 35	NNNNN-CU2048	803
42 x 20 x 1 3/8	1250 x 500 x 35	NNNNN-CU2042	735
36 x 20 x 1 3/8	900 x 500 x 35	NNNNN-CU2036	671
30 x 20 x 1 3/8	750 x 500 x 35	NNNNN-CU2030	603
24 x 20 x 1 3/8	600 x 500 x 35	NNNNN-CU2024	530
16 x 20 x 1 3/8	400 x 500 x 35	NNNNN-CU2016	458

For benches

48 x 18 x 1 3/8	1200 x 450 x 35	NNNNN-CU1848	776
42 x 18 x 1 3/8	1050 x 450 x 35	NNNNN-CU1842	712
36 x 18 x 1 3/8	900 x 450 x 35	NNNNN-CU1836	652
32 x 18 x 1 3/8	800 x 450 x 35	NNNNN-CU1832	627
30 x 18 x 1 3/8	750 x 450 x 35	NNNNN-CU1830	602
28 x 18 x 1 3/8	700 x 450 x 35	NNNNN-CU1828	577
26 x 18 x 1 3/8	650 x 450 x 35	NNNNN-CU1826	555
24 x 18 x 1 3/8	600 x 450 x 35	NNNNN-CU1824	529
22 x 18 x 1 3/8	550 x 450 x 35	NNNNN-CU1822	508
20 x 18 x 1 3/8	500 x 450 x 35	NNNNN-CU1820	483
18 x 18 x 1 3/8	450 x 450 x 35	NNNNN-CU1818	459
16 x 18 x 1 3/8	400 x 450 x 35	NNNNN-CU1816	434

For pedestal

15 x 18 x 1 3/8	388 x 430 x 35	NNNNN-CU1518	424
-----------------	----------------	--------------	-----

Grommets



Metal grommet. Satin chrome finish.

LGC-MGRQ25	97
LGC-MGRQ38	97

Wireless charger




Compatible with any Qi rated devices and smartphones. Black tempered glass surface and stainless steel frame. 78" (1981 mm) cord included. The transformer is UL and CUL certified. Field installation, 3 1/8" H (79 mm)

3 1/2 x 3 1/2 x 1	88 x 88 x 25	LGC-CHARGE	788
-------------------	--------------	------------	-----

SUGGESTIONS

N5NNN-PLAN25




N5NNN-PLAN25 **\$7,855**

- 1 N5NRN-RS3078B5
- 1 NNNNN-MOD1439
- 1 N1NLN-BE207221UL
- 1 NNNLN-202065B
- 1 NNNNN-EN724416C

1½" thick laminate (5) surface with smooth edge (N). Handles on left (L). Laminate finish (N) on the fronts and modesty panel.

N5KNN-PLAN26




N5KNN-PLAN26 **\$7,707**

- 1 N5KRN-RT3678PA5
- 1 NNNNN-MOD1439
- 1 N5KRN-R2466B5
- 1 N1NLN-BE207221UL
- 1 NNNNR-EBA364416

1½" thick laminate (5) desk with knife edge (K). Handles on left (L). Laminate finish (N) on the fronts and modesty panel.

N5KNN-PLAN27



N5KNN-PLAN27 **\$9,169**

- 1 N5KRN-RS3078PB5
- 1 N5KRN-R2060B5
- 1 N1NNN-B206021BE
- 1 N1NDN-204821ULS
- 1 NNNNN-EM721616C

1½" thick laminate (5) desk with knife edge (K). Double handles (D). Laminate finish (N) on the fronts.

N1NNN-PLAN28




N1NNN-PLAN28 **\$4,034**

- 1 N1NNN-RS2472PD6
- 1 N1NLN-BE204827UF

1" thick laminate (1) surface with smooth edge (N). Handles on left (L). Laminate finish (N) on the fronts.

N5NNN-PLAN29




N5NNN-PLAN29 **\$10,139**

- 1 N5NNN-RS3672PD6
- 1 N1NNN-BE207227B
- 1 N1NDN-LUF203627
- 1 NNNNN-ETV366327
- 1 NNNNN-EB363616C

1½" thick laminate (5) surface with smooth edge (N). Double handles (D). Laminate finish (N) on the fronts.

N5KNN-PLAN30




N5KNN-PLAN30 **\$9,283**

- 1 N5KNN-RS3072PD6
- 1 N5KLN-R2072D6
- 1 N1NDN-BE204827B
- 1 N1NDN-LUF207227BE
- 1 NNNDN-EMV721616

1½" thick laminate (5) surface with knife edge (K). Double handles (D). Laminate finish (N) on the fronts.

N5NNN-PLAN31




N5NNN-PLAN31 **\$8,166**

- 1 N5NLN-RT3684SG_
- 1 N1NDN-UL203021

1½" thick laminate (5) desk with smooth edge (N). Double handles (D). Laminate finish (N) on the fronts. Specify metal back color (K, W).

N5KNN-PLAN32




N5KNN-PLAN32 **\$13,506**

- 1 N5KLN-RT3272FG_
- 1 N1NLN-B207221UL
- 1 NNNLN-CEAB366516
- 1 NNNNN-EN724416C

1½" thick laminate (5) desk with knife edge (K). Handles on left (L). Laminate finish (N) on the fronts. Specify metal back color (K, W).

N5NNN-PLAN33




N5NNN-PLAN33 **\$12,008**

- 1 N5KRN-RTL729620FG_
- 1 NNNRN-202065BC

1½" thick laminate (5) desk with smooth edge (N). Open on right (R). Laminate finish (N) on the fronts. Specify metal back color (K, W).

N5KNN-PLAN34




N5KNN-PLAN34 **\$12,510**

- 1 N5KRN-RTL8410220SG_
- 1 N1NRN-204221ULS

1½" thick laminate (5) desk with knife edge (K). Handles on right (R). Laminate finish (N) on the fronts.

N5KNN-PLAN35




N5KNN-PLAN35 **\$15,519**

- 1 N5KLN-RTL7810220SG_
- 1 N1NNN-UL206021UL
- 1 NNNNN-EN543616C

1½" thick laminate (5) desk with knife edge (K). Laminate finish (N) on the fronts. Specify metal back color (K, W).

N5KNN-PLAN36



N5KNN-PLAN36 **\$12,501**

- 1 N5KRN-RS3078B5
- 1 NNNNN-MOD1451
- 1 N1NRN-UL303621CPU
- 1 N1NLN-ULS244221
- 1 N1NRN-244221ULS
- 1 NNNRN-202065BC
- 1 NNNLN-EB204420P

1½" thick laminate (5) surface with knife edge (K). Handles on left (L) and right (R). Open on left (L) and right (R). Laminate finish (N) on the fronts and modesty panel.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.