

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service

Reception Furniture





RECEPTION Furniture





GENERAL CHARACTERISTICS

STYLE MORPHEO, 43" H





1. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
2. Aluminum spacers.
3. Panel, 1" (25 mm) or 1½" (38 mm) thick.
4. Anodized aluminum kickplate (optional).
5. Front acrylic panel option: T Translucent or X Matrix (optional).
6. Recessed modesty panel. Available space to accommodate a lighting unit: 4½" (115 mm) deep, 2½" (64 mm) high. Lighting unit sold separately (LGC-LED__).
7. 2 grommets at both ends.
8. Pigeonholes accommodate legal size documents.
9. Clearance under shelf: 9⅞" (233 mm) under a 1" (25 mm) shelf, 8⅞" (220 mm) under a 1½" (38 mm) shelf. Space can accommodate a LGC-TK4809H tackboard.

STYLE MORPHEO, 29" H



1. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
2. Anodized aluminum kickplate (optional).
3. Front acrylic panel option: T Translucent or X Matrix (optional).
4. Recessed modesty panel. Available space to accommodate a lighting unit: 5¼" (134 mm) deep. Lighting unit sold separately (LGC-LED__).
5. Aluminum spacers.
6. Panel, 1" (25 mm) or 1½" (38 mm) thick.
7. 2 grommets at both ends.
8. Modular countertop has pigeonholes to accommodate legal size documents.
9. Clearance under shelf: 12½" (318 mm) under a 1" (25 mm) shelf, 12" (306 mm) under a 1½" (38 mm) shelf.
10. Ability to convert a standard rectangular desk into a reception station by adding a modular countertop.



STYLE MORPHEO, 60° ET 90°



1. Modular countertops.
2. High-pressure laminate recessed front and modesty panel.
3. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
4. Aluminum spacers.
5. Clearance under shelf: 12½" (318 mm).
6. Can accommodate a suspended pedestal MNN_-F or 18" (448 mm) deep modular pedestals (sold separately).





STYLE QUAD



1. Thermofused or high-pressure laminate surfaces, 1½" (38 mm) thick.
2. Panels, 1" (25 mm) thick.
3. Front acrylic panel (optional).
4. 1½" (38 mm) thick panel juxtaposed on a 1" (25 mm) thick panel.
5. Metal legs in accent color Silver (S) or Anthracite Grey (A).
6. 2 grommets at both ends.
7. Clearance under shelf: 12¼" (311 mm).
8. Panels, 1½" (38 mm) thick.
9. Reception returns available to match with desks.


STYLE CONCEPT 3



1. Thermofused laminate surfaces, 1" (25 mm).
2. Reversible return shell (sold separately) accommodates a C3-UF18 modular pedestal (sold separately).
3. ⅝" (16 mm) panel between two 1" (25 mm) panels.
4. Anodized aluminum legs.
5. Anodized aluminum frame with translucent acrylic insert.
6. 2 grommets at both ends.
7. Clearance under shelf: 12½" (318 mm).
8. Desk accommodates C3-FF24 or C3-UF24 modular pedestals (sold separately).

**EDGEBANDING**


Furniture with 1" and 1½" (25 and 38 mm) thick tops.

N Edge

Smooth, 1/16" (1,5 mm) thick edge.

The **N** edge is matched with the finish specified for the surface.









Furniture with 1½" (38 mm) thick tops.

Textured 1 Edge

Textured, 1/8" (3 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY** when a **BUC, CCL, CER, ERH, HRG, HZN, RAS, SAH** or **TOM** wood grain finish is specified for the surface.



***CER** is only available for textured edge 1.



Textured 2 Edge**HANDLES****A – Arcade****C – Cubic****K – Classic****W – Waterfall****Z – Straight****LEGS****Q – Square****V – Round****ALUMINUM KICKPLATE****M – Anodized Aluminum****MODESTY PANELS / DOOR INSERTS****T – Translucent****X – Matrix****ACCENT COLORS****S – Silver****A – Anthracite Grey**

Exception: Furniture with aluminum doors or kickplate are available in Silver anodized aluminum only.

CODIFICATION


Series	Options			
	Thickness	Edgebanding	Handles / Legs	Accent color
M	1 Thermofused laminate 1"	N Smooth edge	A Arcade	A Anthracite Grey
	2 High-pressure laminate 1"	1 Textured edge	C Cubic	S Silver
	5 Thermofused laminate 1½"	2 Textured edge	K Classic	
	6 High-pressure laminate 1½"		W Waterfall	
			Z Straight	
			Q Square leg	
			V Round leg	

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Reception desks with transaction countertop, 43" H 	<i>Transaction countertop with pigeonholes. Full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _).</i>				
	96 x 36 x 42¾	2400 x 900 x 1087	M_NN_GS369643S	3,528	4,245
	84 x 36 x 42¾	2100 x 900 x 1087	M_NN_GS368443S	3,361	4,027
	72 x 36 x 42¾	1800 x 900 x 1087	M_NN_GS367243S	3,198	3,843
	1" (25 mm) surfaces: Clearance of 9 1/8" (233 mm) under the countertop. Specify the surface type (1, 2). Edge N . Specify the accent color (A, S).				
	97 x 36 x 43⅞	2425 x 900 x 1100	M_N_N_GS369743S	3,878	4,663
	85 x 36 x 43⅞	2125 x 900 x 1100	M_N_N_GS368543S	3,685	4,436
	73 x 36 x 43⅞	1825 x 900 x 1100	M_N_N_GS367343S	3,513	4,212
	1½" (38 mm) surfaces: Clearance of 8 5/8" (220 mm) under the countertop. Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				
	96": 6 pigeonholes. 84": 5 pigeonholes. 72": 4 pigeonholes.				
	Aluminum kickplate option: specify S at the accent option, M at the end of the code and add \$262. Ex.: M_ _ NS-GC489743SM .				
	Packaged in 2 boxes.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right extended corner reception desks, 43" H 	<i>Transaction countertop with pigeonholes. Full-height modesty panel. Extended work surface can accommodate a 24" D (600 mm) return unit on left, and 1 or 2 pedestals underneath. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _).</i>				
	96 x 48 x 42¾	2400 x 1200 x 1087	M_NN_GC489643	4,088	4,895
	84 x 48 x 42¾	2100 x 1200 x 1087	M_NN_GC488443	3,878	4,663
	72 x 48 x 42¾	1800 x 1200 x 1087	M_NN_GC487243	3,685	4,436
	1" (25 mm) surfaces: Clearance of 9 1/8" (233 mm) under the countertop. Specify the surface type (1, 2). Edge N . Specify the accent color (A, S).				
	97 x 48 x 43⅞	2425 x 1200 x 1100	M_N_N_GC489743	4,489	5,386
	85 x 48 x 43⅞	2125 x 1200 x 1100	M_N_N_GC488543	4,272	5,136
	73 x 48 x 43⅞	1825 x 1200 x 1100	M_N_N_GC487343	4,052	4,864
	1½" (38 mm) surfaces: Clearance of 8 5/8" (220 mm) under the countertop. Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				
	96": 6 pigeonholes. 84": 5 pigeonholes. 72": 4 pigeonholes.				
	Aluminum kickplate option: specify S at the accent option, M at the end of the code and add \$262. Ex.: M_ _ NS-GC489743M .				
	Packaged in 3 boxes.				



Left extended corner reception desks, 43" H



96": 6 pigeonholes.
84": 5 pigeonholes.
72": 4 pigeonholes.

Aluminum kickplate option: specify S at the accent option, M at the end of the code and add \$262. Ex.: M__NS-GC489743M.

Packaged in 3 boxes.

Transaction countertop with pigeonholes. Full-height modesty panel. Extended work surface can accommodate a 24" D (600 mm) return unit on right, and 1 or 2 pedestals underneath. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED__).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
96 x 48 x 42 ³ / ₄	2400 x 1200 x 1087	M__NN_-GC964843	4,088	4,895
84 x 48 x 42 ³ / ₄	2100 x 1200 x 1087	M__NN_-GC844843	3,878	4,663
72 x 48 x 42 ³ / ₄	1800 x 1200 x 1087	M__NN_-GC724843	3,685	4,436


1" (25 mm) surfaces: Clearance of 9¹/₈" (233 mm) under the countertop. Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

97 x 48 x 43 ⁵ / ₁₆	2425 x 1200 x 1100	M__N_-GC974843	4,489	5,386
85 x 48 x 43 ⁵ / ₁₆	2125 x 1200 x 1100	M__N_-GC854843	4,272	5,136
73 x 48 x 43 ⁵ / ₁₆	1825 x 1200 x 1100	M__N_-GC734843	4,052	4,864

1¹/₂" (38 mm) surfaces: Clearance of 8⁵/₈" (220 mm) under the countertop.

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Rectangular desks, 36" D



Aluminum kickplate option: specify S at the accent option, M at the end of the code and add \$262. Ex.: M__NS-GC489743SM.

Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets.


96 x 36 x 29 ³ / ₈	2400 x 900 x 744	M__NN_-GS3696S	1,612	1,925
84 x 36 x 29 ³ / ₈	2100 x 900 x 744	M__NN_-GS3684S	1,526	1,841
72 x 36 x 29 ³ / ₈	1800 x 900 x 744	M__NN_-GS3672S	1,455	1,753

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

96 x 36 x 29 ⁷ / ₈	2400 x 900 x 757	M__N_-GS3696S	1,768	2,118
84 x 36 x 29 ⁷ / ₈	2100 x 900 x 757	M__N_-GS3684S	1,684	2,022
72 x 36 x 29 ⁷ / ₈	1800 x 900 x 757	M__N_-GS3672S	1,612	1,925

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Rectangular desks, 30" D



72" to 60": 2 grommets.
48" to 36": 1 grommet.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add \$262. Ex.: M__NS-GC9648SMA.

Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets.

72 x 30 x 29 ³ / ₈	1800 x 750 x 744	M__NN_-GS3072S__	1,368	1,642
60 x 30 x 29 ³ / ₈	1500 x 750 x 744	M__NN_-GS3060S__	1,299	1,551
48 x 30 x 29 ³ / ₈	1200 x 750 x 744	M__NN_-GS3048S__	1,231	1,491
36 x 30 x 29 ³ / ₈	900 x 750 x 744	M__NN_-GS3036S__	1,177	1,425

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).

72 x 30 x 29 ⁷ / ₈	1800 x 750 x 757	M__N_-GS3072S__	1,497	1,795
60 x 30 x 29 ⁷ / ₈	1500 x 750 x 757	M__N_-GS3060S__	1,430	1,714
48 x 30 x 29 ⁷ / ₈	1200 x 750 x 757	M__N_-GS3048S__	1,358	1,629
36 x 30 x 29 ⁷ / ₈	900 x 750 x 757	M__N_-GS3036S__	1,299	1,551

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).

AVAILABLE LEG OPTIONS



(A) 2 full-width legs



(B) 1 full, 1 recessed





(B) 1 recessed, 1 full



(C) 2 recessed legs

Right extended corner desks



96" to 84": Packaged in 2 boxes.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add \$262. Ex.: M__NS-GC9648MA.

Recessed, full-height modesty panel. Extended work surface can accommodate a 24" D (600 mm) return unit on left, and 1 or 2 pedestals underneath. 2 grommets.



96 x 48 x 29 ³ / ₈	2400 x 1200 x 744	M__NN_-GC4896__	2,303	2,754
84 x 48 x 29 ³ / ₈	2100 x 1200 x 744	M__NN_-GC4884__	2,194	2,631
72 x 48 x 29 ³ / ₈	1800 x 1200 x 744	M__NN_-GC4872__	2,101	2,512

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).

96 x 48 x 29 ⁷ / ₈	2400 x 1200 x 757	M__N_-GC4896__	2,519	3,034
84 x 48 x 29 ⁷ / ₈	2100 x 1200 x 757	M__N_-GC4884__	2,424	2,894
72 x 48 x 29 ⁷ / ₈	1800 x 1200 x 757	M__N_-GC4872__	2,309	2,776

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).

Left extended corner desks



96" to 84": Packaged in 2 boxes.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add \$262. Ex.: M__NS-GC9648MA.

Recessed, full-height modesty panel. Extended work surface can accommodate a 24" D (600 mm) return unit on right, and 1 or 2 pedestals underneath. Pedestal sold separately. 2 grommets.



96 x 48 x 29 ³ / ₈	2400 x 1200 x 744	M__NN_-GC9648__	2,303	2,754
84 x 48 x 29 ³ / ₈	2100 x 1200 x 744	M__NN_-GC8448__	2,194	2,631
72 x 48 x 29 ³ / ₈	1800 x 1200 x 744	M__NN_-GC7248__	2,101	2,512

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).

96 x 48 x 29 ⁷ / ₈	2400 x 1200 x 757	M__N_-GC9648__	2,519	3,034
84 x 48 x 29 ⁷ / ₈	2100 x 1200 x 757	M__N_-GC8448__	2,424	2,894
72 x 48 x 29 ⁷ / ₈	1800 x 1200 x 757	M__N_-GC7248__	2,309	2,776

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).

Curved desks, 90°



Packaged in 2 boxes.



Recessed, full-height curved modesty panel. 30" (750 mm) deep. Can accommodate 1 hanging pedestal MNN__-F or a modular 18" deep pedestal. 1 grommet.

54 x 54 x 29 ³ / ₈	1350 x 1350 x 744	M__NN_-GRD90__	4,593	5,511
--	-------------------	----------------	-------	-------

54 x 54 x 29 ⁷ / ₈	1350 x 1350 x 757	M__N_-GRD90__	5,047	6,049
--	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).

Curved desks, 60°



Packaged in 2 boxes.

Recessed, full-height curved modesty panel. 30" (750 mm) deep. Can accommodate 1 hanging pedestal MNN__-F or a modular 18" deep pedestal. Pedestal sold separately. 1 grommet.

42 x 47 x 29 ³ / ₈	1049 x 1168 x 744	M__NN_-GRD60__	4,193	5,030
--	-------------------	----------------	-------	-------


Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).

42 x 47 x 29 ⁷ / ₈	1049 x 1168 x 757	M__N_-GRD60__	4,593	5,511
--	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
ADA counters 	<i>Clearance of 30" (764 mm) under the countertop. Kneespace of 18 7/8" (480 mm). Half-height modesty panel.</i>				
	36 x 35 x 31	900 x 883 x 777	M_NNN-G303632	1,038	1,255
	36 x 29 x 31	900 x 733 x 777	M_NNN-G243632	986	1,186
	Specify the surface type (1, 2). Edge N.				
	36 x 35 x 32	900 x 883 x 802	M_NN-G303632	1,140	1,368
	36 x 29 x 32	900 x 733 x 802	M_NN-G243632	1,090	1,309
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

Modular countertops, 43" H



Aluminum kickplate option: change M__N to: M__M, add \$262.

<i>Recessed, full-height modesty panel. 4 pigeonholes. 1 wiring access allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED__). Can be used on all standard 72" (1800 mm) Lacasse desk. Can not be used with a table with metal legs.</i>					
73 x 12 x 42 3/4	1857 x 300 x 1087	M_NNN-MC7343	1,903	2,283	
Specify the surface type (1, 2). Edge N.					
74 x 12 x 43 1/16	1880 x 300 x 1100	M_NN-MC7443	2,101	2,512	
Specify the surface type (5, 6). Specify the edge (N, 1, 2).					

Modular countertops / shelves, 14" H


72": 6 pigeonholes.
66" to 60": 4 pigeonholes.
54" to 36": 2 pigeonholes.

<i>Removable shelves. 1 tone only.</i>					
72 x 12 x 13 1/2	1800 x 300 x 344	M_NNN-MC7214DV	1,655	1,988	
66 x 12 x 13 1/2	1650 x 300 x 344	M_NNN-MC6614DV	1,570	1,892	
60 x 12 x 13 1/2	1500 x 300 x 344	M_NNN-MC6014DV	1,497	1,795	
54 x 12 x 13 1/2	1350 x 300 x 344	M_NNN-MC5414DV	1,430	1,714	
48 x 12 x 13 1/2	1200 x 300 x 344	M_NNN-MC4814DV	1,358	1,629	
42 x 12 x 13 1/2	1050 x 300 x 344	M_NNN-MC4214DV	1,291	1,542	
36 x 12 x 13 1/2	900 x 300 x 344	M_NNN-MC3614DV	1,219	1,483	
<i>1" (25 mm) surfaces: Clearance of 12 1/2" (318 mm) under the countertop.</i>					
Specify the surface type (1, 2). Edge N.					
72 x 12 x 13 1/2	1800 x 300 x 344	M_NN-MC7214DV	1,813	2,172	
66 x 12 x 13 1/2	1650 x 300 x 344	M_NN-MC6614DV	1,727	2,075	
60 x 12 x 13 1/2	1500 x 300 x 344	M_NN-MC6014DV	1,642	1,970	
54 x 12 x 13 1/2	1350 x 300 x 344	M_NN-MC5414DV	1,551	1,866	
48 x 12 x 13 1/2	1200 x 300 x 344	M_NN-MC4814DV	1,483	1,774	
42 x 12 x 13 1/2	1050 x 300 x 344	M_NN-MC4214DV	1,404	1,684	
36 x 12 x 13 1/2	900 x 300 x 344	M_NN-MC3614DV	1,332	1,612	
<i>1 1/2" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop.</i>					
Specify the surface type (5, 6). Specify the edge (N, 1, 2).					


Modular countertops / shelves, 8" H


72": 3 pigeonholes.
66" to 60": 2 pigeonholes.
54" to 36": 1 pigeonhole.

<i>Removable shelves. 1 tone only.</i>					
72 x 12 x 8 1/2	1800 x 300 x 214	M_NNN-MC7208DV	1,325	1,603	
66 x 12 x 8 1/2	1650 x 300 x 214	M_NNN-MC6608DV	1,265	1,509	
60 x 12 x 8 1/2	1500 x 300 x 214	M_NNN-MC6008DV	1,192	1,437	
54 x 12 x 8 1/2	1350 x 300 x 214	M_NNN-MC5408DV	1,140	1,368	
48 x 12 x 8 1/2	1200 x 300 x 214	M_NNN-MC4808DV	1,090	1,309	
42 x 12 x 8 1/2	1050 x 300 x 214	M_NNN-MC4208DV	1,029	1,231	
36 x 12 x 8 1/2	900 x 300 x 214	M_NNN-MC3608DV	976	1,177	
<i>1" (25 mm) surfaces: Clearance of 7 3/8" (188 mm) under the countertop.</i>					
Specify the surface type (1, 2). Edge N.					


Modular countertops / shelves, 8" H (con't)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 12 x 8 1/2	1800 x 300 x 214	M_NN-MC7208DV	1,455	1,753
66 x 12 x 8 1/2	1650 x 300 x 214	M_NN-MC6608DV	1,386	1,664
60 x 12 x 8 1/2	1500 x 300 x 214	M_NN-MC6008DV	1,319	1,570
54 x 12 x 8 1/2	1350 x 300 x 214	M_NN-MC5408DV	1,255	1,497
48 x 12 x 8 1/2	1200 x 300 x 214	M_NN-MC4808DV	1,192	1,437
42 x 12 x 8 1/2	1050 x 300 x 214	M_NN-MC4208DV	1,133	1,358
36 x 12 x 8 1/2	900 x 300 x 214	M_NN-MC3608DV	1,074	1,299
<i>1 1/2" (38 mm) surfaces: Clearance of 6 7/8" (176 mm) under the countertop.</i>				
Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

Modular countertops, 14" H


Countertops for rectangular desks. Can accommodate a tackboard, refer to page 107.


72 x 12 x 13 1/2	1800 x 300 x 344	M_NNN-MC7214	671	803
60 x 12 x 13 1/2	1500 x 300 x 344	M_NNN-MC6014	639	777
48 x 12 x 13 1/2	1200 x 300 x 344	M_NNN-MC4814	609	724
36 x 12 x 13 1/2	900 x 300 x 344	M_NNN-MC3614	575	698
<i>1" (25 mm) surfaces: Clearance of 12 1/2" (318 mm) under the countertop.</i>				
Specify the surface type (1, 2). Edge N.				
72 x 12 x 13 1/2	1800 x 300 x 344	M_NN-MC7214	732	890
60 x 12 x 13 1/2	1500 x 300 x 344	M_NN-MC6014	698	836
48 x 12 x 13 1/2	1200 x 300 x 344	M_NN-MC4814	671	803
36 x 12 x 13 1/2	900 x 300 x 344	M_NN-MC3614	639	777
<i>1 1/2" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop.</i>				
Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

Curved modular countertops, 90°


Packaged in 2 boxes.

For 90° curved desks.


54 x 54 x 13 1/2	1350 x 1350 x 344	M_NNN-MCRD90	3,261	3,894
<i>1" (25 mm) surfaces: Clearance of 12 1/2" (318 mm) under the countertop.</i>				
Specify the surface type (1, 2). Edge N.				
54 x 54 x 13 1/2	1350 x 1350 x 344	M_NN-MCRD90	3,617	4,331
<i>Surfaces 1 1/2" (38 mm): Clearance of 12" (306 mm) under the countertop.</i>				
Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

Curved modular countertops, 60°


Packaged in 2 boxes.

For 60° curved desks.

42 x 47 x 13 1/2	1049 x 1168 x 344	M_NNN-MCRD60	3,103	3,721
<i>1" (25 mm) surfaces: Clearance of 12 1/2" (318 mm) under the countertop.</i>				
Specify the surface type (1, 2). Edge N.				
42 x 47 x 13 1/2	1049 x 1168 x 344	M_NN-MCRD60	3,443	4,132
<i>1 1/2" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop.</i>				
Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

Hutches with pigeonholes, 44" H



72": 30 pigeonholes.
36": 15 pigeonholes.

Clearance: 20 1/2". Removable shelves. Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 107.

72 x 16 x 44	1800 x 400 x 1099	M1NN-EDV7244	3,060	–
36 x 16 x 44	900 x 400 x 1099	M1NN-EDV3644	2,303	–
Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
72 x 16 x 44	1800 x 400 x 1099	M5_N-EDV7244	3,373	–
36 x 16 x 44	900 x 400 x 1099	M5_N-EDV3644	2,536	–
Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1 1/2" surfaces.				




Hutches with pigeonholes, 36" H



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Clearance 17" (432 mm). Removable shelves. Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 107.</i>				
72 x 16 x 36	1800 x 400 x 900	M1NN-EDV7236	2,867	–
36 x 16 x 36	900 x 400 x 900	M1NN-EDV3636	2,109	–
Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
72 x 16 x 36	1800 x 400 x 900	M5_N-EDV7236	3,183	–
36 x 16 x 36	900 x 400 x 900	M5_N-EDV3636	2,344	–
Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				

Vertical pigeonholes, 44" H




<i>33 pigeonholes with removable shelves.</i>				
36 x 16 x 44	900 x 400 x 1099	M1NNN-DV3644	2,661	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 44	900 x 400 x 1099	M5_NN-DV3644	2,927	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Vertical pigeonholes, 36" H



<i>24 pigeonholes with removable shelves.</i>				
36 x 16 x 36	900 x 400 x 900	M1NNN-DV3636	2,512	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 36	900 x 400 x 900	M5_NN-DV3636	2,787	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Open bookcase hutches with pigeonholes, 44" H





<i>1 adjustable shelf. 18 pigeonholes with removable shelves.</i>				
36 x 16 x 44	900 x 400 x 1099	M1NNN-EBDV3644	2,303	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 44	900 x 400 x 1099	M5_NN-EBDV3644	2,519	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Open bookcase hutches with pigeonholes, 36" H



<i>12 pigeonholes with removable shelves.</i>				
36 x 16 x 36	900 x 400 x 900	M1NNN-EBDV3636	2,151	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 36	900 x 400 x 900	M5_NN-EBDV3636	2,378	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Bookcase hutches with doors and pigeonholes, 44" H



<i>1 adjustable shelf. 18 pigeonholes with removable shelves.</i>				
36 x 16 x 44	900 x 400 x 1099	M1NNN-EBDV3644P	2,695	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 44	900 x 400 x 1099	M5_NN-EBDV3644P	2,963	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Door insert options, change P Laminate for:
T Translucent, add \$435; X Matrix, add \$783


Bookcase hutches with doors and pigeonholes, 36" H



<i>12 pigeonholes with removable shelves.</i>				
36 x 16 x 36	900 x 400 x 900	M1NNN-EBDV3636P	2,554	–
Edge N. To be used with 1" surfaces.				
36 x 16 x 36	900 x 400 x 900	M5_NN-EBDV3636P	2,828	–
Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

Door insert options, change P Laminate for:
T Translucent, add \$435; X Matrix, add \$783

Wall-mounted hutches with pigeonholes



72": 30 pigeonholes.
36": 15 pigeonholes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Removable shelves. Can accommodate a tackboard, refer to page 107.</i>				
72 x 16 x 22½	1800 x 400 x 567	M1NNN-EMDV7222	3,302	–
36 x 16 x 22½	900 x 400 x 567	M1NNN-EMDV3622	2,695	–
Edge N.				
72 x 16 x 22½	1800 x 400 x 567	M5_NN-EMDV7222	3,633	–
36 x 16 x 22½	900 x 400 x 567	M5_NN-EMDV3622	2,938	–
Specify the edge (N, 1, 2).				

Lateral file units with pigeonholes




<i>1 file drawer with suspension bar. Lock. 9 pigeonholes with removable shelves.</i>				
36 x 24 x 29¾	900 x 600 x 757	M_N_-2436DVL	2,390	2,867
36 x 20 x 29¾	900 x 500 x 757	M_N_-2036DVL	2,278	2,729
Specify the surface type (1, 2). Edge N. Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				
36 x 24 x 29¾	900 x 600 x 744	M_-_-2436DVL	2,631	3,165
36 x 20 x 29¾	900 x 500 x 744	M_-_-2036DVL	2,503	3,007
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				

Modular pedestal with pigeonholes



<i>3 pigeonholes with removable shelves. 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.</i>				
15 x 18 x 28	388 x 466 x 721	MNN_-P1518DVFL	1,325	–
Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				


Front screens, 27" H



Screen option, change
T Translucent to: X Matrix, add \$523.

<i>Translucent acrylic screen with silver metal supports. For 43" H reception desks.</i>				
81 x ¼ x 27½/16	2047 x 6 x 694	MNNNN-SC8127T	1,240	–
69 x ¼ x 27½/16	1747 x 6 x 694	MNNNN-SC6927T	1,126	–
57 x ¼ x 27½/16	1447 x 6 x 694	MNNNN-SC5727T	941	–

Front screens, 14" H



Screen option, change
T Translucent to: X Matrix, add \$349.

<i>Translucent acrylic screen with silver metal supports. For 29" H reception desks.</i>				
81 x ¼ x 13¾/4	2047 x 6 x 350	MNNNN-SC8114T	639	–
69 x ¼ x 13¾/4	1747 x 6 x 350	MNNNN-SC6914T	590	–
57 x ¼ x 13¾/4	1447 x 6 x 350	MNNNN-SC5714T	495	–

Tackboard



All United Chair® standard fabrics (except vinyls and leathers) are available.


<i>Mounts to 43" H reception desks. The price shown is applicable for United Chair® Grade 1 fabrics. For other grades add: Grade 2: 10%, Grade 3: 15%, Grade 4: 20%, Grade 5: 25%. Specify the fabric code after the product code.</i>				
48 x ½ x 8 ¼	1200 x 13 x 210	MNNNN-TK4809	654	–
Specify the fabric code after the product code.				



CODIFICATION


Series	Options	
	Thickness	Accent color
Q	5 Thermofused laminate 1½" top	A Anthracite Grey
	6 High-pressure laminate 1½" top	S Silver
	N N/A	N N/A

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left reception desks with transaction shelf, 43" H 	<i>Full-height modesty panel with 1½" thick juxtaposed panel and 1" thick straight panel. 2 grommets. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate 1 QNN_-P1518UFL or QNN_-P1518FFL modular pedestal.</i>				
	96 x 30 x 43½/16	2400 x 750 x 1100	Q_N_-GS3096S	3,685	4,436
	84 x 30 x 43½/16	2100 x 750 x 1100	Q_N_-GS3084S	3,513	4,212
	72 x 30 x 43½/16	1800 x 750 x 1100	Q_N_-GS3072S	3,331	3,999
Specify the surface type (5, 6). Specify the accent color (A, S).					



Packaged in 2 boxes.

Right reception desks with transaction shelf, 43" H 	<i>Full-height modesty panel with 1½" thick juxtaposed panel and 1" thick straight panel. 2 grommets. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate 1 QNN_-P1518UFL or QNN_-P1518FFL modular pedestal.</i>				
	96 x 30 x 43½/16	2400 x 750 x 1100	Q_N_-S3096GS	3,685	4,436
	84 x 30 x 43½/16	2100 x 750 x 1100	Q_N_-S3084GS	3,513	4,212
	72 x 30 x 43½/16	1800 x 750 x 1100	Q_N_-S3072GS	3,331	3,999
Specify the surface type (5, 6). Specify the accent color (A, S).					




Packaged in 2 boxes.

RECEPTION FURNITURE – CONCEPT 3




Reception desks with transaction shelf, 43" H 	<i>Full-height modesty panel. 2 grommets. Clearance of 12½" (318 mm) under the transaction shelf. Can accommodate 1 C3-UF18, C3-UF24 or C3-FF24 pedestal.</i>				
	96 x 30 x 42½/2	2400 x 750 x 1079	C3-GS3096S	2,867	–
	84 x 30 x 42½/2	2100 x 750 x 1079	C3-GS3084S	2,729	–
	72 x 30 x 42½/2	1800 x 750 x 1079	C3-GS3072S	2,597	–




96" to 84": Packaged in 2 boxes.

Modular countertops, 14" H 	<i>Can be used on all standard 72" (1800 mm) Lacasse desks. Clearance of 12½" (318 mm) under the countertop.</i>				
	72 x 12 x 13½/2	1800 x 300 x 344	C3-MC7214	1,714	–
	66 x 12 x 13½/2	1650 x 300 x 344	C3-MC6614	1,629	–
	Translucent insert with aluminum frame option, specify at the end of the code: T Translucent, add \$347.				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Front screens, 32" H 	<i>Translucent acrylic screen with silver metal supports. For 43" H reception desks.</i>				
	40 x ¼ x 31½/2	1000 x 6 x 800	QNNN-SC4032T	797	–
	34 x ¼ x 31½/2	850 x 6 x 800	QNNN-SC3432T	668	–
	28 x ¼ x 31½/2	700 x 6 x 800	QNNN-SC2832T	534	–


Return-shells with transaction shelf – left 	<i>Full-height modesty panel. 1 grommet. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate a pedestal.</i>				
	48 x 24 x 43½/16	1200 x 600 x 1100	Q_N_-GS244843R	1,700	2,035
	42 x 24 x 43½/16	1050 x 600 x 1100	Q_N_-GS244243R	1,612	1,931
	Specify the surface type (5, 6). Specify the accent color (A, S).				



Return-shells with transaction shelf – right 	<i>Full-height modesty panel. 1 grommet. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate a pedestal.</i>				
	48 x 24 x 43½/16	1200 x 600 x 1100	Q_N_-GR244843S	1,700	2,035
	42 x 24 x 43½/16	1050 x 600 x 1100	Q_N_-GR244243S	1,612	1,931
	Specify the surface type (5, 6). Specify the accent color (A, S).				




Translucent front reception desks with transaction shelf, 43" H 	<i>Full-height modesty panel includes translucent insert with aluminum frame. 2 grommets. Clearance of 12½" (318 mm) under the transaction shelf. Can accommodate 1 C3-UF18, C3-UF24 or C3-FF24 pedestal.</i>				
	96 x 30 x 42½/2	2400 x 750 x 1079	C3-GS3096ST	3,277	–
	84 x 30 x 42½/2	2100 x 750 x 1079	C3-GS3084ST	3,137	–
	72 x 30 x 42½/2	1800 x 750 x 1079	C3-GS3072ST	2,992	–



96" to 84": Packaged in 2 boxes.

Return shells 	<i>Reversible. 1 grommet. Can accommodate a hanging pedestal C3-UF18.</i>				
	48 x 24 x 42½/2	1200 x 600 x 1079	C3-GR2448S	1,535	–
	42 x 24 x 42½/2	1050 x 600 x 1079	C3-GR2442S	1,455	–



Hanging combination pedestal 	<i>2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 18 x 26	388 x 448 x 628	C3-UF18	1,255	–

