

Office Doctor Discount Office Furniture

[www.OfficeDr.com](http://www.OfficeDr.com) 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

**Call 856-368-9085 Now**

Free Layout & Design Service

Options Series




# OPTIONS



## EDGE-BANDING

Furniture with 1" (25 mm) thick tops

Edge - 1" (25 mm)




Smooth, 1/16" (1,5 mm) thick edge.

The edge is matched with the finish specified for the surface.

Furniture with 1 1/2" (38 mm) thick tops

Edge - 1 1/2" (38 mm)




## HANDLES

A choice of metal handles or a linear thermoplastic pull is offered.



B – Curved



L – Linear



Z – Straight

## ACCENT COLORS



S – Silver



A – Anthracite Grey

Exception: Wardrobes with single door are only available with B and Z handles.

Exception: Furniture with doors or aluminum kickplate are available in Silver anodized aluminum only.

## LEG PANEL OPTIONS FOR DT, AT, CM, ETC.

- A Two full-width leg panels
- B One full-width leg panel and one recessed
- C Two recessed leg panels
- D Two full-width leg panels, one with wiring access
- E Two full-width leg panels with wiring access
- F One full-width leg panel and one recessed with wiring access

## MATERIALS


- **Thermofused laminate furniture:**  
See prices shown in the "All Laminate" column. Surface material and thickness must be specified in the code.
- **Furniture with tops in high-pressure laminate, the rest in thermofused laminate:**  
See prices shown in the "HPL Surfaces" column. Surface material and thickness must be specified in the code.

## CODIFICATION

Series	Options		
	Thickness	Handles	Accent color
0	1 Thermofused laminate 1"	B Curved L Linear Z Straight	A Anthracite Grey S Silver
	2 High-pressure laminate 1"		
	5 Thermofused laminate 1 1/2"		
	6 High-pressure laminate 1 1/2"		

## ELECTRIFICATION OF FREESTANDING FURNITURE


Electricom II System is fully compatible with Options collection to enable the electrification and communication of Options freestanding furniture. Refer to the Electricom II System section on page 103.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Bow front double pedestal desks</b> 	<i>2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 42 x 29	2100 x 1050 x 738	0 ___ -UF4284FFA	3,322	3,845
	72 x 42 x 29	1800 x 1050 x 738	0 ___ -UF4272FFA	3,136	3,666
	66 x 36 x 29	1650 x 900 x 738	0 ___ -UF3666FFA	3,053	3,580

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

84 x 42 x 29 1/2	2100 x 1050 x 751	0 ___ -UF4284FFA	3,666	4,197
72 x 42 x 29 1/2	1800 x 1050 x 751	0 ___ -UF4272FFA	3,496	4,022
66 x 36 x 29 1/2	1650 x 900 x 751	0 ___ -UF3666FFA	3,400	3,932


Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Double pedestal desks</b> 	<i>2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 36 x 29	2100 x 900 x 738	0 ___ -UF3684FF	2,949	3,394
	72 x 36 x 29	1800 x 900 x 738	0 ___ -UF3672FF	2,774	3,227
	72 x 30 x 29	1800 x 750 x 738	0 ___ -UF3072FF	2,683	3,128
	66 x 30 x 29	1650 x 750 x 738	0 ___ -UF3066FF	2,594	3,015
	60 x 30 x 29	1500 x 750 x 738	0 ___ -UF3060FF	2,504	2,909

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Double pedestal desks (cont'd)</b>	84 x 36 x 29 1/2	2100 x 900 x 751	0 ___ -UF3684FF	3,273	3,796
	72 x 36 x 29 1/2	1800 x 900 x 751	0 ___ -UF3672FF	3,095	3,618
	72 x 30 x 29 1/2	1800 x 750 x 751	0 ___ -UF3072FF	3,015	3,532
	66 x 30 x 29 1/2	1650 x 750 x 751	0 ___ -UF3066FF	2,926	3,400
	60 x 30 x 29 1/2	1500 x 750 x 751	0 ___ -UF3060FF	2,829	3,305

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Bow front double pedestal desks</b> 	<i>2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 42 x 29	2100 x 1050 x 738	0 ___ -F4284FA	2,787	3,322
	72 x 42 x 29	1800 x 1050 x 738	0 ___ -F4272FA	2,614	3,136
66 x 36 x 29	1650 x 900 x 738	0 ___ -F3666FA	2,523	3,053	

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

84 x 42 x 29 1/2	2100 x 1050 x 751	0 ___ -F4284FA	3,136	3,666
72 x 42 x 29 1/2	1800 x 1050 x 751	0 ___ -F4272FA	2,965	3,496
66 x 36 x 29 1/2	1650 x 900 x 751	0 ___ -F3666FA	2,878	3,400

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).



**Double pedestal desks**

*2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 36 x 29	2100 x 900 x 738	O___-F3684F	2,425	2,869
72 x 36 x 29	1800 x 900 x 738	O___-F3672F	2,241	2,693
72 x 30 x 29	1800 x 750 x 738	O___-F3072F	2,161	2,604
66 x 30 x 29	1650 x 750 x 738	O___-F3066F	2,062	2,481
60 x 30 x 29	1500 x 750 x 738	O___-F3060F	1,983	2,376

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

84 x 36 x 29½	2100 x 900 x 751	O___-F3684F	2,749	3,262
72 x 36 x 29½	1800 x 900 x 751	O___-F3672F	2,571	3,089
72 x 30 x 29½	1800 x 750 x 751	O___-F3072F	2,481	2,997
66 x 30 x 29½	1650 x 750 x 751	O___-F3066F	2,393	2,878
60 x 30 x 29½	1500 x 750 x 751	O___-F3060F	2,305	2,774

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Bow front single pedestal desks**

*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 42 x 29	1800 x 1050 x 738	O___-UF4272SA	2,449	2,934
--------------	-------------------	---------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-UF4272SA	2,787	3,350
---------------	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Bow front single pedestal desks**

*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 42 x 29	1800 x 1050 x 738	O___-S4272UFA	2,449	2,934
--------------	-------------------	---------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-S4272UFA	2,787	3,350
---------------	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Single pedestal desks**

*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 36 x 29	1800 x 900 x 738	O___-UF3672S	2,062	2,433
72 x 30 x 29	1800 x 750 x 738	O___-UF3072S	1,983	2,337
66 x 30 x 29	1650 x 750 x 738	O___-UF3066S	1,892	2,217
60 x 30 x 29	1500 x 750 x 738	O___-UF3060S	1,806	2,111

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-UF3672S	2,362	2,780
72 x 30 x 29½	1800 x 750 x 751	O___-UF3072S	2,264	2,693
66 x 30 x 29½	1650 x 750 x 751	O___-UF3066S	2,184	2,571
60 x 30 x 29½	1500 x 750 x 751	O___-UF3060S	2,106	2,474

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Single pedestal desks**

*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29	1800 x 900 x 738	O___-S3672UF	2,062	2,433
72 x 30 x 29	1800 x 750 x 738	O___-S3072UF	1,983	2,337
66 x 30 x 29	1650 x 750 x 738	O___-S3066UF	1,892	2,217
60 x 30 x 29	1500 x 750 x 738	O___-S3060UF	1,806	2,111

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-S3672UF	2,362	2,780
72 x 30 x 29½	1800 x 750 x 751	O___-S3072UF	2,264	2,693
66 x 30 x 29½	1650 x 750 x 751	O___-S3066UF	2,184	2,571
60 x 30 x 29½	1500 x 750 x 751	O___-S3060UF	2,106	2,474

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Bow front single pedestal desks**

*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 42 x 29	1800 x 1050 x 738	O___-F4272SA	2,184	2,614
--------------	-------------------	--------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-F4272SA	2,466	2,957
---------------	-------------------	--------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Bow front single pedestal desks**

*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 42 x 29	1800 x 1050 x 738	O___-S4272FA	2,184	2,614
--------------	-------------------	--------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-S4272FA	2,466	2,957
---------------	-------------------	--------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Single pedestal desks**

*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 36 x 29	1800 x 900 x 738	O___-F3672S	1,806	2,167
72 x 30 x 29	1800 x 750 x 738	O___-F3072S	1,716	2,081
66 x 30 x 29	1650 x 750 x 738	O___-F3066S	1,628	1,950
60 x 30 x 29	1500 x 750 x 738	O___-F3060S	1,546	1,854

Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-F3672S	2,095	2,514
72 x 30 x 29½	1800 x 750 x 751	O___-F3072S	2,008	2,433
66 x 30 x 29½	1650 x 750 x 751	O___-F3066S	1,918	2,305
60 x 30 x 29½	1500 x 750 x 751	O___-F3060S	1,847	2,210

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Single pedestal desks**

*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*

72 x 36 x 29	1800 x 900 x 738	O___-S3672F	1,806	2,167
72 x 30 x 29	1800 x 750 x 738	O___-S3072F	1,716	2,081
66 x 30 x 29	1650 x 750 x 738	O___-S3066F	1,628	1,950
60 x 30 x 29	1500 x 750 x 738	O___-S3060F	1,546	1,854


Specify the surface type (1, 2). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Single pedestal desks</b> (cont'd)	72 x 36 x 29½	1800 x 900 x 751	<b>O_ _ -S3672F</b>	<b>2,095</b>	<b>2,514</b>
	72 x 30 x 29½	1800 x 750 x 751	<b>O_ _ -S3072F</b>	<b>2,008</b>	<b>2,433</b>
	66 x 30 x 29½	1650 x 750 x 751	<b>O_ _ -S3066F</b>	<b>1,918</b>	<b>2,305</b>
	60 x 30 x 29½	1500 x 750 x 751	<b>O_ _ -S3060F</b>	<b>1,847</b>	<b>2,210</b>

Specify the surface type (5, 6). Specify the handle code (B, L, Z).  
Specify the accent color (A, S).

**Desk shells**



*Recessed, full-height modesty panel. Full-width wire access. Can accommodate 1 or 2 pedestals.*

72 x 36 x 29	1800 x 900 x 738	<b>O_N_-TDM3672</b>	<b>1,182</b>	<b>1,660</b>
72 x 30 x 29	1800 x 750 x 738	<b>O_N_-TDM3072</b>	<b>1,102</b>	<b>1,557</b>
66 x 30 x 29	1650 x 750 x 738	<b>O_N_-TDM3066</b>	<b>1,054</b>	<b>1,475</b>
60 x 30 x 29	1500 x 750 x 738	<b>O_N_-TDM3060</b>	<b>1,015</b>	<b>1,419</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	<b>O_N_-TDM3672</b>	<b>1,364</b>	<b>1,910</b>
72 x 30 x 29½	1800 x 750 x 751	<b>O_N_-TDM3072</b>	<b>1,289</b>	<b>1,814</b>
66 x 30 x 29½	1650 x 750 x 751	<b>O_N_-TDM3066</b>	<b>1,225</b>	<b>1,725</b>
60 x 30 x 29½	1500 x 750 x 751	<b>O_N_-TDM3060</b>	<b>1,182</b>	<b>1,660</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**Corner modules**



*To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels. Mechanism packaged separately.*

**Diagonal wood grain:**  
change last S to D, add 10% to the price.




*With adjustable keyboard surface.*

48 x 48 x 29	1200 x 1200 x 738	<b>O_N_-CMS4830SC</b>	<b>2,577</b>	<b>2,973</b>
42 x 42 x 29	1050 x 1050 x 738	<b>O_N_-CMS4224SC</b>	<b>2,474</b>	<b>2,805</b>


Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 48 x 29½	1200 x 1200 x 751	<b>O_N_-CMS4830SC</b>	<b>3,021</b>	<b>3,205</b>
42 x 42 x 29½	1050 x 1050 x 751	<b>O_N_-CMS4224SC</b>	<b>2,918</b>	<b>3,102</b>

Specify the surface type (5, 6). Specify the accent color (A, S).



*To attach to a work surface. Grommet. Full-width wiring access on both back panels.*




48 x 48 x 29	1200 x 1200 x 738	<b>O_N_-CM4830S</b>	<b>1,219</b>	<b>1,716</b>
42 x 42 x 29	1050 x 1050 x 738	<b>O_N_-CM4224S</b>	<b>1,080</b>	<b>1,506</b>
36 x 36 x 29	900 x 900 x 738	<b>O_N_-CM3618SC</b>	<b>1,047</b>	<b>1,467</b>

Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).

48 x 48 x 29½	1200 x 1200 x 751	<b>O_N_-CM4830S</b>	<b>1,434</b>	<b>2,014</b>
42 x 42 x 29½	1050 x 1050 x 751	<b>O_N_-CM4224S</b>	<b>1,289</b>	<b>1,806</b>
36 x 36 x 29½	900 x 900 x 751	<b>O_N_-CM3618SC</b>	<b>1,193</b>	<b>1,676</b>

Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).

**Left extended corner modules**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		<b>Surface</b>	<b>R1</b>	<b>R2</b>
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	


72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-CM724824_</b>	<b>1,690</b>	<b>2,371</b>
66 x 48 x 29	1650 x 1200 x 738	<b>O_N_-CM664824_</b>	<b>1,605</b>	<b>2,241</b>
60 x 48 x 29	1500 x 1200 x 738	<b>O_N_-CM604824_</b>	<b>1,506</b>	<b>2,118</b>
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-CM724224_</b>	<b>1,605</b>	<b>2,241</b>
66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-CM664224_</b>	<b>1,506</b>	<b>2,118</b>
60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-CM604224_</b>	<b>1,426</b>	<b>2,001</b>
72 x 36 x 29	1800 x 900 x 738	<b>O_N_-CM723624_</b>	<b>1,506</b>	<b>2,118</b>
66 x 36 x 29	1650 x 900 x 738	<b>O_N_-CM663624_</b>	<b>1,355</b>	<b>1,904</b>
60 x 36 x 29	1500 x 900 x 738	<b>O_N_-CM603624_</b>	<b>1,274</b>	<b>1,772</b>

Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	<b>O_N_-CM724824_</b>	<b>1,950</b>	<b>2,739</b>
66 x 48 x 29½	1650 x 1200 x 751	<b>O_N_-CM664824_</b>	<b>1,869</b>	<b>2,614</b>
60 x 48 x 29½	1500 x 1200 x 751	<b>O_N_-CM604824_</b>	<b>1,772</b>	<b>2,491</b>
72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-CM724224_</b>	<b>1,869</b>	<b>2,614</b>
66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-CM664224_</b>	<b>1,772</b>	<b>2,491</b>
60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-CM604224_</b>	<b>1,690</b>	<b>2,371</b>
72 x 36 x 29½	1800 x 900 x 751	<b>O_N_-CM723624_</b>	<b>1,635</b>	<b>2,296</b>
66 x 36 x 29½	1650 x 900 x 751	<b>O_N_-CM663624_</b>	<b>1,557</b>	<b>2,175</b>
60 x 36 x 29½	1500 x 900 x 751	<b>O_N_-CM603624_</b>	<b>1,452</b>	<b>2,029</b>

Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).

**Right extended corner modules**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		<b>Surface</b>	<b>R1</b>	<b>R2</b>
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	

72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-CM487224_</b>	<b>1,690</b>	<b>2,371</b>
66 x 48 x 29	1650 x 1200 x 738	<b>O_N_-CM486624_</b>	<b>1,605</b>	<b>2,241</b>
60 x 48 x 29	1500 x 1200 x 738	<b>O_N_-CM486024_</b>	<b>1,506</b>	<b>2,118</b>
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-CM427224_</b>	<b>1,605</b>	<b>2,241</b>
66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-CM426624_</b>	<b>1,506</b>	<b>2,118</b>
60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-CM426024_</b>	<b>1,426</b>	<b>2,001</b>
72 x 36 x 29	1800 x 900 x 738	<b>O_N_-CM367224_</b>	<b>1,506</b>	<b>2,118</b>
66 x 36 x 29	1650 x 900 x 738	<b>O_N_-CM366624_</b>	<b>1,355</b>	<b>1,904</b>
60 x 36 x 29	1500 x 900 x 738	<b>O_N_-CM366024_</b>	<b>1,274</b>	<b>1,772</b>


Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Right extended corner modules (cont'd)</b>	72 x 48 x 29½	1800 x 1200 x 751	<b>O_N_-CM487224_</b>	<b>1,950</b>	<b>2,739</b>
	66 x 48 x 29½	1650 x 1200 x 751	<b>O_N_-CM486624_</b>	<b>1,869</b>	<b>2,614</b>
	60 x 48 x 29½	1500 x 1200 x 751	<b>O_N_-CM486024_</b>	<b>1,772</b>	<b>2,491</b>
	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-CM427224_</b>	<b>1,869</b>	<b>2,614</b>
	66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-CM426624_</b>	<b>1,772</b>	<b>2,491</b>
	60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-CM426024_</b>	<b>1,690</b>	<b>2,371</b>
	72 x 36 x 29½	1800 x 900 x 751	<b>O_N_-CM367224_</b>	<b>1,635</b>	<b>2,296</b>
	66 x 36 x 29½	1650 x 900 x 751	<b>O_N_-CM366624_</b>	<b>1,557</b>	<b>2,175</b>
	60 x 36 x 29½	1500 x 900 x 751	<b>O_N_-CM366024_</b>	<b>1,452</b>	<b>2,029</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).**

**Rectangular tables 30" D**




<i>Full-width wire access.</i>					
72 x 30 x 29	1800 x 750 x 738	<b>O_N_-DT3072_</b>	<b>1,138</b>	<b>1,597</b>	
66 x 30 x 29	1650 x 750 x 738	<b>O_N_-DT3066_</b>	<b>1,102</b>	<b>1,546</b>	
60 x 30 x 29	1500 x 750 x 738	<b>O_N_-DT3060_</b>	<b>1,047</b>	<b>1,467</b>	
54 x 30 x 29	1350 x 750 x 738	<b>O_N_-DT3054_</b>	<b>1,008</b>	<b>1,411</b>	
48 x 30 x 29	1200 x 750 x 738	<b>O_N_-DT3048_</b>	<b>942</b>	<b>1,144</b>	
42 x 30 x 29	1050 x 750 x 738	<b>O_N_-DT3042_</b>	<b>902</b>	<b>1,088</b>	
36 x 30 x 29	900 x 750 x 738	<b>O_N_-DT3036_</b>	<b>856</b>	<b>1,033</b>	
30 x 30 x 29	750 x 750 x 738	<b>O_N_-DT3030_</b>	<b>813</b>	<b>984</b>	
24 x 30 x 29	600 x 750 x 738	<b>O_N_-DT3024_</b>	<b>758</b>	<b>912</b>	

**Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).**

72 x 30 x 29½	1800 x 750 x 751	<b>O_N_-DT3072_</b>	<b>1,329</b>	<b>1,869</b>
66 x 30 x 29½	1650 x 750 x 751	<b>O_N_-DT3066_</b>	<b>1,289</b>	<b>1,806</b>
60 x 30 x 29½	1500 x 750 x 751	<b>O_N_-DT3060_</b>	<b>1,225</b>	<b>1,725</b>
54 x 30 x 29½	1350 x 750 x 751	<b>O_N_-DT3054_</b>	<b>1,182</b>	<b>1,660</b>
48 x 30 x 29½	1200 x 750 x 751	<b>O_N_-DT3048_</b>	<b>1,102</b>	<b>1,322</b>
42 x 30 x 29½	1050 x 750 x 751	<b>O_N_-DT3042_</b>	<b>1,047</b>	<b>1,264</b>
36 x 30 x 29½	900 x 750 x 751	<b>O_N_-DT3036_</b>	<b>1,008</b>	<b>1,201</b>
30 x 30 x 29½	750 x 750 x 751	<b>O_N_-DT3030_</b>	<b>942</b>	<b>1,144</b>
24 x 30 x 29½	600 x 750 x 751	<b>O_N_-DT3024_</b>	<b>902</b>	<b>1,088</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).**

**Rectangular tables 24" D**



<i>Full-width wire access.</i>					
72 x 24 x 29	1800 x 600 x 738	<b>O_N_-DT2472_</b>	<b>1,102</b>	<b>1,546</b>	
66 x 24 x 29	1650 x 600 x 738	<b>O_N_-DT2466_</b>	<b>1,047</b>	<b>1,467</b>	
60 x 24 x 29	1500 x 600 x 738	<b>O_N_-DT2460_</b>	<b>1,008</b>	<b>1,411</b>	
54 x 24 x 29	1350 x 600 x 738	<b>O_N_-DT2454_</b>	<b>942</b>	<b>1,335</b>	
48 x 24 x 29	1200 x 600 x 738	<b>O_N_-DT2448_</b>	<b>902</b>	<b>1,088</b>	
42 x 24 x 29	1050 x 600 x 738	<b>O_N_-DT2442_</b>	<b>856</b>	<b>1,033</b>	
36 x 24 x 29	900 x 600 x 738	<b>O_N_-DT2436_</b>	<b>813</b>	<b>984</b>	
30 x 24 x 29	750 x 600 x 738	<b>O_N_-DT2430_</b>	<b>758</b>	<b>912</b>	
24 x 24 x 29	600 x 600 x 738	<b>O_N_-DT2424_</b>	<b>724</b>	<b>870</b>	

**Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Rectangular tables 24" D (cont'd)</b>	72 x 24 x 29½	1800 x 600 x 751	<b>O_N_-DT2472_</b>	<b>1,225</b>	<b>1,725</b>
	66 x 24 x 29½	1650 x 600 x 751	<b>O_N_-DT2466_</b>	<b>1,182</b>	<b>1,660</b>
	60 x 24 x 29½	1500 x 600 x 751	<b>O_N_-DT2460_</b>	<b>1,138</b>	<b>1,597</b>
	54 x 24 x 29½	1350 x 600 x 751	<b>O_N_-DT2454_</b>	<b>1,102</b>	<b>1,546</b>
	48 x 24 x 29½	1200 x 600 x 751	<b>O_N_-DT2448_</b>	<b>1,008</b>	<b>1,201</b>
	42 x 24 x 29½	1050 x 600 x 751	<b>O_N_-DT2442_</b>	<b>942</b>	<b>1,144</b>
	36 x 24 x 29½	900 x 600 x 751	<b>O_N_-DT2436_</b>	<b>902</b>	<b>1,088</b>
	30 x 24 x 29½	750 x 600 x 751	<b>O_N_-DT2430_</b>	<b>856</b>	<b>1,033</b>
	24 x 24 x 29½	600 x 600 x 751	<b>O_N_-DT2424_</b>	<b>813</b>	<b>984</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (A, B, C, D, E, F).**

**Left asymmetrical tables, 30" D**




<i>To attach to a work surface. Full-width wire access.</i>					
				<b>Surface</b>	<b>R1</b>
				54"/30"	35 3/8"
				48"/30"	29 1/2"
				42"/30"	23 1/2"
				36"/30"	17 3/8"
				30"/30"	11 3/8"
54 x 30 x 29	1350 x 750 x 738	<b>O_N_-AT245430_</b>	<b>984</b>	<b>1,371</b>	
48 x 30 x 29	1200 x 750 x 738	<b>O_N_-AT244830_</b>	<b>926</b>	<b>1,127</b>	
42 x 30 x 29	1050 x 750 x 738	<b>O_N_-AT244230_</b>	<b>885</b>	<b>1,071</b>	
36 x 30 x 29	900 x 750 x 738	<b>O_N_-AT243630_</b>	<b>847</b>	<b>1,021</b>	
30 x 30 x 29	750 x 750 x 738	<b>O_N_-AT243030_</b>	<b>798</b>	<b>973</b>	

**Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).**

54 x 30 x 29½	1350 x 750 x 751	<b>O_N_-AT245430_</b>	<b>1,152</b>	<b>1,621</b>
48 x 30 x 29½	1200 x 750 x 751	<b>O_N_-AT244830_</b>	<b>1,054</b>	<b>1,274</b>
42 x 30 x 29½	1050 x 750 x 751	<b>O_N_-AT244230_</b>	<b>1,021</b>	<b>1,225</b>
36 x 30 x 29½	900 x 750 x 751	<b>O_N_-AT243630_</b>	<b>984</b>	<b>1,176</b>
30 x 30 x 29½	750 x 750 x 751	<b>O_N_-AT243030_</b>	<b>926</b>	<b>1,127</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).**

**Right asymmetrical tables, 30" D**



<i>To attach to a work surface. Full-width wire access.</i>					
				<b>Surface</b>	<b>R1</b>
				54"/30"	35 3/8"
				48"/30"	29 1/2"
				42"/30"	23 1/2"
				36"/30"	17 3/8"
				30"/30"	11 3/8"
54 x 30 x 29	1350 x 750 x 738	<b>O_N_-AT305424_</b>	<b>984</b>	<b>1,371</b>	
48 x 30 x 29	1200 x 750 x 738	<b>O_N_-AT304824_</b>	<b>926</b>	<b>1,127</b>	
42 x 30 x 29	1050 x 750 x 738	<b>O_N_-AT304224_</b>	<b>885</b>	<b>1,071</b>	
36 x 30 x 29	900 x 750 x 738	<b>O_N_-AT303624_</b>	<b>847</b>	<b>1,021</b>	
30 x 30 x 29	750 x 750 x 738	<b>O_N_-AT303024_</b>	<b>798</b>	<b>973</b>	

**Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).**


54 x 30 x 29½	1350 x 750 x 751	<b>O_N_-AT305424_</b>	<b>1,152</b>	<b>1,621</b>
48 x 30 x 29½	1200 x 750 x 751	<b>O_N_-AT304824_</b>	<b>1,054</b>	<b>1,274</b>
42 x 30 x 29½	1050 x 750 x 751	<b>O_N_-AT304224_</b>	<b>1,021</b>	<b>1,225</b>
36 x 30 x 29½	900 x 750 x 751	<b>O_N_-AT303624_</b>	<b>984</b>	<b>1,176</b>
30 x 30 x 29½	750 x 750 x 751	<b>O_N_-AT303024_</b>	<b>926</b>	<b>1,127</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).**






**Left asymmetrical tables, 24" D**



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 <sup>3</sup> / <sub>8</sub> "
48"/24"	29 <sup>1</sup> / <sub>2</sub> "
42"/24"	23 <sup>1</sup> / <sub>2</sub> "
36"/24"	17 <sup>3</sup> / <sub>8</sub> "
30"/24"	11 <sup>5</sup> / <sub>8</sub> "


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
54 x 24 x 29	1350 x 600 x 738	<b>O_N_-AT185424_</b>	926	1,317
48 x 24 x 29	1200 x 600 x 738	<b>O_N_-AT184824_</b>	885	1,071
42 x 24 x 29	1050 x 600 x 738	<b>O_N_-AT184224_</b>	847	1,021
36 x 24 x 29	900 x 600 x 738	<b>O_N_-AT183624_</b>	798	973
30 x 24 x 29	750 x 600 x 738	<b>O_N_-AT183024_</b>	758	912

Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).


54 x 24 x 29½	1350 x 600 x 751	<b>O_N_-AT185424_</b>	1,114	1,564
48 x 24 x 29½	1200 x 600 x 751	<b>O_N_-AT184824_</b>	1,021	1,225
42 x 24 x 29½	1050 x 600 x 751	<b>O_N_-AT184224_</b>	984	1,176
36 x 24 x 29½	900 x 600 x 751	<b>O_N_-AT183624_</b>	926	1,127
30 x 24 x 29½	750 x 600 x 751	<b>O_N_-AT183024_</b>	885	1,071

Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).

**Right asymmetrical tables, 24" D**



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 <sup>3</sup> / <sub>8</sub> "
48"/24"	29 <sup>1</sup> / <sub>2</sub> "
42"/24"	23 <sup>1</sup> / <sub>2</sub> "
36"/24"	17 <sup>3</sup> / <sub>8</sub> "
30"/24"	11 <sup>5</sup> / <sub>8</sub> "


54 x 24 x 29	1350 x 600 x 738	<b>O_N_-AT245418_</b>	926	1,317
48 x 24 x 29	1200 x 600 x 738	<b>O_N_-AT244818_</b>	885	1,071
42 x 24 x 29	1050 x 600 x 738	<b>O_N_-AT244218_</b>	847	1,021
36 x 24 x 29	900 x 600 x 738	<b>O_N_-AT243618_</b>	798	973
30 x 24 x 29	750 x 600 x 738	<b>O_N_-AT243018_</b>	758	912

Specify the surface type (1, 2). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	<b>O_N_-AT245418_</b>	1,114	1,564
48 x 24 x 29½	1200 x 600 x 751	<b>O_N_-AT244818_</b>	1,021	1,225
42 x 24 x 29½	1050 x 600 x 751	<b>O_N_-AT244218_</b>	984	1,176
36 x 24 x 29½	900 x 600 x 751	<b>O_N_-AT243618_</b>	926	1,127
30 x 24 x 29½	750 x 600 x 751	<b>O_N_-AT243018_</b>	885	1,071

Specify the surface type (5, 6). Specify the accent color (A, S).  
Specify leg choice at the end of the code (B, C, F).

**Left D-shaped extended corner modules**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	<b>O_N_-CB844824_</b>	1,854	2,586
78 x 48 x 29	1950 x 1200 x 738	<b>O_N_-CB784824_</b>	1,760	2,466
72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-CB724824_</b>	1,669	2,337
84 x 42 x 29	2100 x 1050 x 738	<b>O_N_-CB844224_</b>	1,760	2,466
78 x 42 x 29	1950 x 1050 x 738	<b>O_N_-CB784224_</b>	1,669	2,337
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-CB724224_</b>	1,585	2,217


Specify the surface type (1, 2). Specify the accent color (A, S).

**Left D-shaped extended corner modules (cont'd)**

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 48 x 29½	2100 x 1200 x 751	<b>O_N_-CB844824_</b>	2,111	2,957
78 x 48 x 29½	1950 x 1200 x 751	<b>O_N_-CB784824_</b>	2,022	2,829
72 x 48 x 29½	1800 x 1200 x 751	<b>O_N_-CB724824_</b>	1,934	2,706
84 x 42 x 29½	2100 x 1050 x 751	<b>O_N_-CB844224_</b>	2,022	2,829
78 x 42 x 29½	1950 x 1050 x 751	<b>O_N_-CB784224_</b>	1,934	2,706
72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-CB724224_</b>	1,854	2,586

Specify the surface type (5, 6). Specify the accent color (A, S).

**Right D-shaped extended corner modules**




Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	<b>O_N_-C4884824_</b>	1,854	2,586
78 x 48 x 29	1950 x 1200 x 738	<b>O_N_-C487824_</b>	1,760	2,466
72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-C4872824_</b>	1,669	2,337
84 x 42 x 29	2100 x 1050 x 738	<b>O_N_-C4284824_</b>	1,760	2,466
78 x 42 x 29	1950 x 1050 x 738	<b>O_N_-C4278824_</b>	1,669	2,337
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-C4272824_</b>	1,585	2,217

Specify the surface type (1, 2). Specify the accent color (A, S).

**Left D-shaped extended corner modules with modesty panel**




Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	<b>O_N_-CBM844824_</b>	2,062	2,805
78 x 48 x 29	1950 x 1200 x 738	<b>O_N_-CBM784824_</b>	1,983	2,683
72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-CBM724824_</b>	1,892	2,551
84 x 42 x 29	2100 x 1050 x 738	<b>O_N_-CBM844224_</b>	1,983	2,683
78 x 42 x 29	1950 x 1050 x 738	<b>O_N_-CBM784224_</b>	1,892	2,551
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-CBM724224_</b>	1,806	2,442

Specify the surface type (1, 2). Specify the accent color (A, S).

**Right D-shaped extended corner modules with modesty panel**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	<b>O_N_-C4884824_</b>	2,062	2,805
78 x 48 x 29	1950 x 1200 x 738	<b>O_N_-C487824_</b>	1,983	2,683
72 x 48 x 29	1800 x 1200 x 738	<b>O_N_-C4872824_</b>	1,892	2,551
84 x 42 x 29	2100 x 1050 x 738	<b>O_N_-C4284824_</b>	1,983	2,683
78 x 42 x 29	1950 x 1050 x 738	<b>O_N_-C427824_</b>	1,892	2,551
72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-C4272824_</b>	1,806	2,442


Specify the surface type (1, 2). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Right D-shaped extended corner modules with modesty panel (cont'd)</b>	84 x 48 x 29½	2100 x 1200 x 751	<b>O_N_-C4884BM24</b>	<b>2,329</b>	<b>3,177</b>
	78 x 48 x 29½	1950 x 1200 x 751	<b>O_N_-C4878BM24</b>	<b>2,241</b>	<b>3,053</b>
	72 x 48 x 29½	1800 x 1200 x 751	<b>O_N_-C4872BM24</b>	<b>2,161</b>	<b>2,934</b>
	84 x 42 x 29½	2100 x 1050 x 751	<b>O_N_-C4284BM24</b>	<b>2,241</b>	<b>3,053</b>
	78 x 42 x 29½	1950 x 1050 x 751	<b>O_N_-C4278BM24</b>	<b>2,161</b>	<b>2,934</b>
	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-C4272BM24</b>	<b>2,062</b>	<b>2,805</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**Left P-shaped extended corner modules**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	<b>O_N_-CP844824</b>	<b>1,934</b>	<b>2,706</b>
78 x 60 x 29	1950 x 1500 x 738	<b>O_N_-CP784824</b>	<b>1,854</b>	<b>2,586</b>
72 x 60 x 29	1800 x 1500 x 738	<b>O_N_-CP724824</b>	<b>1,760</b>	<b>2,466</b>
84 x 54 x 29	2100 x 1350 x 738	<b>O_N_-CP844224</b>	<b>1,854</b>	<b>2,586</b>
78 x 54 x 29	1950 x 1350 x 738	<b>O_N_-CP784224</b>	<b>1,760</b>	<b>2,466</b>
72 x 54 x 29	1800 x 1350 x 738	<b>O_N_-CP724224</b>	<b>1,669</b>	<b>2,337</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	<b>O_N_-CP844824</b>	<b>2,199</b>	<b>3,080</b>
78 x 60 x 29½	1950 x 1500 x 751	<b>O_N_-CP784824</b>	<b>2,111</b>	<b>2,957</b>
72 x 60 x 29½	1800 x 1500 x 751	<b>O_N_-CP724824</b>	<b>2,022</b>	<b>2,829</b>
84 x 54 x 29½	2100 x 1350 x 751	<b>O_N_-CP844224</b>	<b>2,111</b>	<b>2,957</b>
78 x 54 x 29½	1950 x 1350 x 751	<b>O_N_-CP784224</b>	<b>2,022</b>	<b>2,829</b>
72 x 54 x 29½	1800 x 1350 x 751	<b>O_N_-CP724224</b>	<b>1,934</b>	<b>2,706</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**Right P-shaped extended corner modules**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	<b>O_N_-C4884P24</b>	<b>1,934</b>	<b>2,706</b>
78 x 60 x 29	1950 x 1500 x 738	<b>O_N_-C4878P24</b>	<b>1,854</b>	<b>2,586</b>
72 x 60 x 29	1800 x 1500 x 738	<b>O_N_-C4872P24</b>	<b>1,760</b>	<b>2,466</b>
84 x 54 x 29	2100 x 1350 x 738	<b>O_N_-C4284P24</b>	<b>1,854</b>	<b>2,586</b>
78 x 54 x 29	1950 x 1350 x 738	<b>O_N_-C4278P24</b>	<b>1,760</b>	<b>2,466</b>
72 x 54 x 29	1800 x 1350 x 738	<b>O_N_-C4272P24</b>	<b>1,669</b>	<b>2,337</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	<b>O_N_-C4884P24</b>	<b>2,199</b>	<b>3,080</b>
78 x 60 x 29½	1950 x 1500 x 751	<b>O_N_-C4878P24</b>	<b>2,111</b>	<b>2,957</b>
72 x 60 x 29½	1800 x 1500 x 751	<b>O_N_-C4872P24</b>	<b>2,022</b>	<b>2,829</b>
84 x 54 x 29½	2100 x 1350 x 751	<b>O_N_-C4284P24</b>	<b>2,111</b>	<b>2,957</b>
78 x 54 x 29½	1950 x 1350 x 751	<b>O_N_-C4278P24</b>	<b>2,022</b>	<b>2,829</b>
72 x 54 x 29½	1800 x 1350 x 751	<b>O_N_-C4272P24</b>	<b>1,934</b>	<b>2,706</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**Left P-shaped extended corner modules with modesty panel**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	<b>O_N_-CPM844824</b>	<b>2,161</b>	<b>2,934</b>
78 x 60 x 29	1950 x 1500 x 738	<b>O_N_-CPM784824</b>	<b>2,062</b>	<b>2,805</b>
72 x 60 x 29	1800 x 1500 x 738	<b>O_N_-CPM724824</b>	<b>1,983</b>	<b>2,683</b>
84 x 54 x 29	2100 x 1350 x 738	<b>O_N_-CPM844224</b>	<b>2,062</b>	<b>2,805</b>
78 x 54 x 29	1950 x 1350 x 738	<b>O_N_-CPM784224</b>	<b>1,983</b>	<b>2,683</b>
72 x 54 x 29	1800 x 1350 x 738	<b>O_N_-CPM724224</b>	<b>1,892</b>	<b>2,551</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

**Left P-shaped extended corner modules with modesty panel (cont'd)**



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Left P-shaped extended corner modules with modesty panel (cont'd)</b>	84 x 60 x 29½	2100 x 1500 x 751	<b>O_N_-CPM844824</b>	<b>2,425</b>	<b>3,305</b>
	78 x 60 x 29½	1950 x 1500 x 751	<b>O_N_-CPM784824</b>	<b>2,329</b>	<b>3,177</b>
	72 x 60 x 29½	1800 x 1500 x 751	<b>O_N_-CPM724824</b>	<b>2,241</b>	<b>3,053</b>
	84 x 54 x 29½	2100 x 1350 x 751	<b>O_N_-CPM844224</b>	<b>2,329</b>	<b>3,177</b>
	78 x 54 x 29½	1950 x 1350 x 751	<b>O_N_-CPM784224</b>	<b>2,241</b>	<b>3,053</b>
	72 x 54 x 29½	1800 x 1350 x 751	<b>O_N_-CPM724224</b>	<b>2,161</b>	<b>2,934</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**Right P-shaped extended corner modules with modesty panel**



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. Modesty panel. 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	<b>O_N_-C4884PM24</b>	<b>2,161</b>	<b>2,934</b>
78 x 60 x 29	1950 x 1500 x 738	<b>O_N_-C4878PM24</b>	<b>2,062</b>	<b>2,805</b>
72 x 60 x 29	1800 x 1500 x 738	<b>O_N_-C4872PM24</b>	<b>1,983</b>	<b>2,683</b>
84 x 54 x 29	2100 x 1350 x 738	<b>O_N_-C4284PM24</b>	<b>2,062</b>	<b>2,805</b>
78 x 54 x 29	1950 x 1350 x 738	<b>O_N_-C4278PM24</b>	<b>1,983</b>	<b>2,683</b>
72 x 54 x 29	1800 x 1350 x 738	<b>O_N_-C4272PM24</b>	<b>1,892</b>	<b>2,551</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	<b>O_N_-C4884PM24</b>	<b>2,425</b>	<b>3,305</b>
78 x 60 x 29½	1950 x 1500 x 751	<b>O_N_-C4878PM24</b>	<b>2,329</b>	<b>3,177</b>
72 x 60 x 29½	1800 x 1500 x 751	<b>O_N_-C4872PM24</b>	<b>2,241</b>	<b>3,053</b>
84 x 54 x 29½	2100 x 1350 x 751	<b>O_N_-C4284PM24</b>	<b>2,329</b>	<b>3,177</b>
78 x 54 x 29½	1950 x 1350 x 751	<b>O_N_-C4278PM24</b>	<b>2,241</b>	<b>3,053</b>
72 x 54 x 29½	1800 x 1350 x 751	<b>O_N_-C4272PM24</b>	<b>2,161</b>	<b>2,934</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**D-shaped tables**



Packaged in 2 boxes.

To attach to a work surface. Grommet. 6" diameter steel leg.

72 x 36 x 29	1800 x 900 x 738	<b>O_N_-BT3672</b>	<b>1,289</b>	<b>1,806</b>
66 x 36 x 29	1650 x 900 x 738	<b>O_N_-BT3666</b>	<b>1,256</b>	<b>1,749</b>
60 x 36 x 29	1500 x 900 x 738	<b>O_N_-BT3660</b>	<b>1,201</b>	<b>1,690</b>
72 x 30 x 29	1800 x 750 x 738	<b>O_N_-BT3072</b>	<b>1,201</b>	<b>1,690</b>
66 x 30 x 29	1650 x 750 x 738	<b>O_N_-BT3066</b>	<b>1,144</b>	<b>1,605</b>
60 x 30 x 29	1500 x 750 x 738	<b>O_N_-BT3060</b>	<b>1,102</b>	<b>1,546</b>
72 x 24 x 29	1800 x 600 x 738	<b>O_N_-BT2472</b>	<b>1,102</b>	<b>1,546</b>
66 x 24 x 29	1650 x 600 x 738	<b>O_N_-BT2466</b>	<b>1,054</b>	<b>1,475</b>
60 x 24 x 29	1500 x 600 x 738	<b>O_N_-BT2460</b>	<b>1,008</b>	<b>1,411</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	<b>O_N_-BT3672</b>	<b>1,557</b>	<b>2,175</b>
66 x 36 x 29½	1650 x 900 x 751	<b>O_N_-BT3666</b>	<b>1,506</b>	<b>2,118</b>
60 x 36 x 29½	1500 x 900 x 751	<b>O_N_-BT3660</b>	<b>1,467</b>	<b>2,057</b>
72 x 30 x 29½	1800 x 750 x 751	<b>O_N_-BT3072</b>	<b>1,467</b>	<b>2,057</b>
66 x 30 x 29½	1650 x 750 x 751	<b>O_N_-BT3066</b>	<b>1,411</b>	<b>1,967</b>
60 x 30 x 29½	1500 x 750 x 751	<b>O_N_-BT3060</b>	<b>1,364</b>	<b>1,910</b>
72 x 24 x 29½	1800 x 600 x 751	<b>O_N_-BT2472</b>	<b>1,364</b>	<b>1,910</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O_N_-BT2466</b>	<b>1,322</b>	<b>1,854</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O_N_-BT2460</b>	<b>1,274</b>	<b>1,772</b>

Specify the surface type (5, 6). Specify the accent color (A, S).

**D-shaped tables with modesty panel**



Packaged in 2 boxes.

To attach to a work surface. Reversible modesty panel. 6" diameter steel leg. Grommet.


72 x 36 x 29	1800 x 900 x 738	<b>O_N_-BTM3672</b>	<b>1,426</b>	<b>2,001</b>
72 x 30 x 29	1800 x 750 x 738	<b>O_N_-BTM3072</b>	<b>1,345</b>	<b>1,892</b>
66 x 30 x 29	1650 x 750 x 738	<b>O_N_-BTM3066</b>	<b>1,169</b>	<b>1,635</b>

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	<b>O_N_-BTM3672</b>	<b>1,499</b>	<b>2,106</b>
72 x 30 x 29½	1800 x 750 x 751	<b>O_N_-BTM3072</b>	<b>1,434</b>	<b>2,014</b>
66 x 30 x 29½	1650 x 750 x 751	<b>O_N_-BTM3066</b>	<b>1,379</b>	<b>1,934</b>


Specify the surface type (5, 6). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Left P-shaped tables</b> 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-PT3072</b>	<b>1,335</b>	<b>1,877</b>
	66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-PT3066</b>	<b>1,306</b>	<b>1,829</b>
	60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-PT3060</b>	<b>1,274</b>	<b>1,766</b>


Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-PT3072</b>	<b>1,605</b>	<b>2,241</b>
	66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-PT3066</b>	<b>1,572</b>	<b>2,199</b>
	60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-PT3060</b>	<b>1,530</b>	<b>2,150</b>

<b>Right P-shaped tables</b> 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-3072PT</b>	<b>1,335</b>	<b>1,877</b>
	66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-3066PT</b>	<b>1,306</b>	<b>1,829</b>
	60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-3060PT</b>	<b>1,274</b>	<b>1,766</b>


Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-3072PT</b>	<b>1,605</b>	<b>2,241</b>
	66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-3066PT</b>	<b>1,572</b>	<b>2,199</b>
	60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-3060PT</b>	<b>1,530</b>	<b>2,150</b>

<b>Left P-shaped tables with modesty panel</b> 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-PTM3072</b>	<b>1,419</b>	<b>1,988</b>
	66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-PTM3066</b>	<b>1,384</b>	<b>1,950</b>
	60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-PTM3060</b>	<b>1,274</b>	<b>1,772</b>

Packaged in 2 boxes.


	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-PTM3072</b>	<b>1,676</b>	<b>2,362</b>
	66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-PTM3066</b>	<b>1,654</b>	<b>2,322</b>
	60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-PTM3060</b>	<b>1,530</b>	<b>2,150</b>

<b>Right P-shaped tables with modesty panel</b> 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	<b>O_N_-3072PTM</b>	<b>1,419</b>	<b>1,988</b>
	66 x 42 x 29	1650 x 1050 x 738	<b>O_N_-3066PTM</b>	<b>1,384</b>	<b>1,950</b>
	60 x 42 x 29	1500 x 1050 x 738	<b>O_N_-3060PTM</b>	<b>1,274</b>	<b>1,772</b>

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	<b>O_N_-3072PTM</b>	<b>1,676</b>	<b>2,362</b>
	66 x 42 x 29½	1650 x 1050 x 751	<b>O_N_-3066PTM</b>	<b>1,654</b>	<b>2,322</b>
	60 x 42 x 29½	1500 x 1050 x 751	<b>O_N_-3060PTM</b>	<b>1,530</b>	<b>2,150</b>


**Specify the surface type (1, 2). Specify the accent color (A, S).**

<b>Lateral file / bookcase credenzas</b> 	<i>Full-width wire access. 2 file drawers with suspension bars. Bookcase unit with doors, 1 adjustable shelf. Locks.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-LF2472B</b>	<b>2,551</b>	<b>3,080</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-LF2472B</b>	<b>2,836</b>	<b>3,407</b>
--	---------------	------------------	----------------------	--------------	--------------


**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Double bookcase credenzas</b> 	<i>Full-width wire access. 2 bookcases units with doors. Locks. 1 adjustable shelf on each side.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-B2472B</b>	<b>2,296</b>	<b>2,766</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-B2472B</b>	<b>2,586</b>	<b>3,102</b>
--	---------------	------------------	---------------------	--------------	--------------


**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

<b>Double lateral file credenzas</b> 	<i>Full-width wire access. 4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-LF2472LF</b>	<b>2,836</b>	<b>3,407</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-LF2472LF</b>	<b>3,118</b>	<b>3,753</b>
--	---------------	------------------	-----------------------	--------------	--------------


**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

<b>Left lateral file credenzas</b> 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-LF2472S</b>	<b>2,175</b>	<b>2,614</b>
	66 x 24 x 29	1650 x 600 x 738	<b>O_--_-LF2466S</b>	<b>2,087</b>	<b>2,497</b>
	60 x 24 x 29	1500 x 600 x 738	<b>O_--_-LF2460S</b>	<b>1,988</b>	<b>2,387</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-LF2472S</b>	<b>2,491</b>	<b>2,982</b>
	66 x 24 x 29½	1650 x 600 x 751	<b>O_--_-LF2466S</b>	<b>2,393</b>	<b>2,869</b>
	60 x 24 x 29½	1500 x 600 x 751	<b>O_--_-LF2460S</b>	<b>2,291</b>	<b>2,755</b>


**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

<b>Right lateral file credenzas</b> 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-S2472LF</b>	<b>2,175</b>	<b>2,614</b>
	66 x 24 x 29	1650 x 600 x 738	<b>O_--_-S2466LF</b>	<b>2,087</b>	<b>2,497</b>
	60 x 24 x 29	1500 x 600 x 738	<b>O_--_-S2460LF</b>	<b>1,988</b>	<b>2,387</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-S2472LF</b>	<b>2,491</b>	<b>2,982</b>
	66 x 24 x 29½	1650 x 600 x 751	<b>O_--_-S2466LF</b>	<b>2,393</b>	<b>2,869</b>
	60 x 24 x 29½	1500 x 600 x 751	<b>O_--_-S2460LF</b>	<b>2,291</b>	<b>2,755</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

<b>Lateral file credenzas</b> 	<i>Open space on top and 2 file drawers on bottom with suspension bars. Locks. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	<b>O_--_-SLF2472</b>	<b>2,144</b>	<b>2,571</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**


	72 x 24 x 29½	1800 x 600 x 751	<b>O_--_-SLF2472</b>	<b>2,425</b>	<b>2,909</b>
--	---------------	------------------	----------------------	--------------	--------------

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**





**Double pedestal credenzas low profile**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 4 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -UF2472UF</b>	<b>2,614</b>	<b>3,136</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -UF2466UF</b>	<b>2,594</b>	<b>3,108</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -UF2460UF</b>	<b>2,546</b>	<b>3,080</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -UF2472UF</b>	<b>2,926</b>	<b>3,512</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -UF2466UF</b>	<b>2,909</b>	<b>3,490</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -UF2460UF</b>	<b>2,860</b>	<b>3,433</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Double pedestal credenzas**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -F2472F</b>	<b>2,087</b>	<b>2,504</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -F2466F</b>	<b>2,062</b>	<b>2,481</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -F2460F</b>	<b>2,022</b>	<b>2,433</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -F2472F</b>	<b>2,393</b>	<b>2,878</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -F2466F</b>	<b>2,376</b>	<b>2,846</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -F2460F</b>	<b>2,329</b>	<b>2,797</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Left single pedestal credenzas low profile**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -UF2472S</b>	<b>1,877</b>	<b>2,199</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -UF2466S</b>	<b>1,847</b>	<b>2,161</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -UF2460S</b>	<b>1,786</b>	<b>2,106</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -UF2472S</b>	<b>2,118</b>	<b>2,497</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -UF2466S</b>	<b>2,081</b>	<b>2,449</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -UF2460S</b>	<b>2,038</b>	<b>2,401</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Right single pedestal credenzas**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -S2472UF</b>	<b>1,877</b>	<b>2,199</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -S2466UF</b>	<b>1,847</b>	<b>2,161</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -S2460UF</b>	<b>1,786</b>	<b>2,106</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -S2472UF</b>	<b>2,118</b>	<b>2,497</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -S2466UF</b>	<b>2,081</b>	<b>2,449</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -S2460UF</b>	<b>2,038</b>	<b>2,401</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Left single pedestal credenzas low profile**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -F2472S</b>	<b>1,612</b>	<b>1,934</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -F2466S</b>	<b>1,578</b>	<b>1,892</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -F2460S</b>	<b>1,530</b>	<b>1,847</b>


**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Left single pedestal credenzas (cont'd)**

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -F2472S</b>	<b>1,918</b>	<b>2,305</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -F2466S</b>	<b>1,882</b>	<b>2,257</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -F2460S</b>	<b>1,847</b>	<b>2,210</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Right single pedestal credenzas**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ _ _ -S2472F</b>	<b>1,612</b>	<b>1,934</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -S2466F</b>	<b>1,578</b>	<b>1,892</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -S2460F</b>	<b>1,530</b>	<b>1,847</b>

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ _ _ -S2472F</b>	<b>1,918</b>	<b>2,305</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ _ _ -S2466F</b>	<b>1,882</b>	<b>2,257</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ _ _ -S2460F</b>	<b>1,847</b>	<b>2,210</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**


**Open bookcase credenzas**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf on each side. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ N _ -BE2472BE</b>	<b>1,838</b>	<b>2,199</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ _ _ -S2466F</b>	<b>1,882</b>	<b>2,257</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ _ _ -S2460F</b>	<b>1,847</b>	<b>2,210</b>

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Left open bookcase credenzas**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ N _ -BE2472S</b>	<b>1,690</b>	<b>2,029</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ N _ -BE2466S</b>	<b>1,612</b>	<b>1,950</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ N _ -BE2460S</b>	<b>1,530</b>	<b>1,869</b>

**Specify the surface type (1, 2). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ N _ -BE2472S</b>	<b>1,863</b>	<b>2,231</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ N _ -BE2466S</b>	<b>1,772</b>	<b>2,150</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ N _ -BE2460S</b>	<b>1,690</b>	<b>2,062</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).**

**Right open bookcase credenzas**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	<b>O _ N _ -S2472BE</b>	<b>1,690</b>	<b>2,029</b>
66 x 24 x 29	1650 x 600 x 738	<b>O _ N _ -S2466BE</b>	<b>1,612</b>	<b>1,950</b>
60 x 24 x 29	1500 x 600 x 738	<b>O _ N _ -S2460BE</b>	<b>1,530</b>	<b>1,869</b>

**Specify the surface type (1, 2). Specify the accent color (A, S).**

72 x 24 x 29½	1800 x 600 x 751	<b>O _ N _ -S2472BE</b>	<b>1,863</b>	<b>2,231</b>
66 x 24 x 29½	1650 x 600 x 751	<b>O _ N _ -S2466BE</b>	<b>1,772</b>	<b>2,150</b>
60 x 24 x 29½	1500 x 600 x 751	<b>O _ N _ -S2460BE</b>	<b>1,690</b>	<b>2,062</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).**

**Return shells**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Reversible. 1 grommet. Can accommodate 1 pedestal.</i>				
48 x 24 x 29	1200 x 600 x 738	<b>O _ N _ -R2448S</b>	<b>752</b>	<b>896</b>
42 x 24 x 29	1050 x 600 x 738	<b>O _ N _ -R2442S</b>	<b>724</b>	<b>870</b>
36 x 24 x 29	900 x 600 x 738	<b>O _ N _ -R2436S</b>	<b>686</b>	<b>831</b>

**Specify the surface type (1, 2). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	<b>O _ N _ -R2448S</b>	<b>960</b>	<b>1,152</b>
42 x 24 x 29½	1050 x 600 x 751	<b>O _ N _ -R2442S</b>	<b>912</b>	<b>1,102</b>
36 x 24 x 29½	900 x 600 x 751	<b>O _ N _ -R2436S</b>	<b>856</b>	<b>1,033</b>

**Specify the surface type (5, 6). Specify the accent color (A, S).**



**Left executive returns low profile**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-UF2448R	1,585	1,854
42 x 24 x 29	1050 x 600 x 738	0___-UF2442R	1,499	1,760
36 x 24 x 29	900 x 600 x 738	0___-UF2436R	1,434	1,669

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	0___-UF2448R	1,749	2,047
42 x 24 x 29½	1050 x 600 x 751	0___-UF2442R	1,669	1,950
36 x 24 x 29½	900 x 600 x 751	0___-UF2436R	1,605	1,877

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Right executive returns low profile**



<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448UF	1,585	1,854
42 x 24 x 29	1050 x 600 x 738	0___-R2442UF	1,499	1,760
36 x 24 x 29	900 x 600 x 738	0___-R2436UF	1,434	1,669

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	0___-R2448UF	1,749	2,047
42 x 24 x 29½	1050 x 600 x 751	0___-R2442UF	1,669	1,950
36 x 24 x 29½	900 x 600 x 751	0___-R2436UF	1,605	1,877

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Right executive returns**



<i>1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448F	1,322	1,585
42 x 24 x 29	1050 x 600 x 738	0___-R2442F	1,232	1,490
36 x 24 x 29	900 x 600 x 738	0___-R2436F	1,169	1,411

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	0___-R2448F	1,482	1,780
42 x 24 x 29½	1050 x 600 x 751	0___-R2442F	1,411	1,690
36 x 24 x 29½	900 x 600 x 751	0___-R2436F	1,335	1,612

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Left executive returns**




<i>1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-F2448R	1,322	1,585
42 x 24 x 29	1050 x 600 x 738	0___-F2442R	1,232	1,490
36 x 24 x 29	900 x 600 x 738	0___-F2436R	1,169	1,411

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	0___-F2448R	1,482	1,780
42 x 24 x 29½	1050 x 600 x 751	0___-F2442R	1,411	1,690
36 x 24 x 29½	900 x 600 x 751	0___-F2436R	1,335	1,612

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Bridge returns**




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-height modesty panel.</i>				
48 x 24 x 29	1200 x 600 x 738	0_N_-BR2448	605	731
42 x 24 x 29	1050 x 600 x 738	0_N_-BR2442	563	677
36 x 24 x 29	900 x 600 x 738	0_N_-BR2436	532	638

**Specify the surface type (1, 2). Specify the accent color (A, S).**

48 x 24 x 29½	1200 x 600 x 751	0_N_-BR2448	742	885
42 x 24 x 29½	1050 x 600 x 751	0_N_-BR2442	710	847
36 x 24 x 29½	900 x 600 x 751	0_N_-BR2436	669	813

**Specify the surface type (5, 6). Specify the accent color (A, S).**

**Hutches with doors and pigeonholes**



<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.</i>				
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416PD	2,224	—
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416PD	2,150	—
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416PD	2,062	—
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416PD	1,983	—
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416PD	1,904	—
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416PD	1,814	—
36 x 16 x 44	900 x 400 x 1096	01N_-E364416PD	1,725	—


72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

**Specify the accent color (A, S). To be used with 1" surfaces.**

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416PD	2,410	—
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416PD	2,322	—
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416PD	2,241	—
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416PD	2,161	—
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416PD	2,038	—
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416PD	1,950	—
36 x 16 x 44	900 x 400 x 1096	05N_-E364416PD	1,869	—

**Specify the accent color (A, S). To be used with 1½" surfaces.**

**Hutches with translucent doors and pigeonholes – 44" H**



<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.</i>				
72 x 16 x 44	1800 x 400 x 1096	01NS-E724416TD	3,053	—
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416TD	2,982	—
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416TD	2,894	—
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416TD	2,604	—
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416TD	2,523	—
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416TD	2,224	—
36 x 16 x 44	900 x 400 x 1096	01NS-E364416TD	2,144	—

72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors


**Accent color S. To be used with 1" surfaces.**

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416TD	3,239	—
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416TD	3,152	—
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416TD	3,070	—
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416TD	2,780	—
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416TD	2,668	—
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416TD	2,371	—
36 x 16 x 44	900 x 400 x 1096	05NS-E364416TD	2,281	—

**Accent color S. To be used with 1½" surfaces.**



**Hutches with doors – 44" H**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access. Adjustable shelves.*


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416P	1,877	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416P	1,786	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416P	1,716	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416P	1,628	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416P	1,557	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416P	1,459	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416P	1,371	-

**Specify the accent color (A, S). To be used with 1" surfaces.**

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416P	2,057	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416P	1,967	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416P	1,892	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416P	1,806	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416P	1,690	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416P	1,605	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416P	1,506	-

**Specify the accent color (A, S). To be used with 1½" surfaces.**

**Hutches with translucent doors – 44" H**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.*


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01NS-E724416T	2,706	-
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416T	2,620	-
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416T	2,546	-
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416T	2,247	-
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416T	2,175	-
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416T	1,877	-
36 x 16 x 44	900 x 400 x 1096	01NS-E364416T	1,780	-

**Accent color S. To be used with 1" surfaces.**

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416T	2,885	-
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416T	2,797	-
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416T	2,724	-
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416T	2,425	-
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416T	2,314	-
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416T	2,014	-
36 x 16 x 44	900 x 400 x 1096	05NS-E364416T	1,926	-

**Accent color S. To be used with 1½" surfaces.**

**Hutches with doors – 36" H**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.*


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01N_-E723616P	1,605	-
66 x 16 x 36	1650 x 400 x 893	01N_-E663616P	1,518	-
60 x 16 x 36	1500 x 400 x 893	01N_-E603616P	1,434	-
54 x 16 x 36	1350 x 400 x 893	01N_-E543616P	1,364	-
48 x 16 x 36	1200 x 400 x 893	01N_-E483616P	1,289	-
42 x 16 x 36	1050 x 400 x 893	01N_-E423616P	1,176	-
36 x 16 x 36	900 x 400 x 893	01N_-E363616P	1,065	-

**Specify the accent color (A, S). To be used with 1" surfaces.**

72 x 16 x 36	1800 x 400 x 893	05N_-E723616P	1,772	-
66 x 16 x 36	1650 x 400 x 893	05N_-E663616P	1,702	-
60 x 16 x 36	1500 x 400 x 893	05N_-E603616P	1,612	-
54 x 16 x 36	1350 x 400 x 893	05N_-E543616P	1,546	-
48 x 16 x 36	1200 x 400 x 893	05N_-E483616P	1,419	-
42 x 16 x 36	1050 x 400 x 893	05N_-E423616P	1,317	-
36 x 16 x 36	900 x 400 x 893	05N_-E363616P	1,193	-

**Specify the accent color (A, S). To be used with 1½" surfaces.**

**Hutches with translucent doors – 36" H**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.*


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01NS-E723616T	2,433	-
66 x 16 x 36	1650 x 400 x 893	01NS-E663616T	2,344	-
60 x 16 x 36	1500 x 400 x 893	01NS-E603616T	2,264	-
54 x 16 x 36	1350 x 400 x 893	01NS-E543616T	1,983	-
48 x 16 x 36	1200 x 400 x 893	01NS-E483616T	1,910	-
42 x 16 x 36	1050 x 400 x 893	01NS-E423616T	1,597	-
36 x 16 x 36	900 x 400 x 893	01NS-E363616T	1,475	-

**Accent color S. To be used with 1" surfaces.**

72 x 16 x 36	1800 x 400 x 893	05NS-E723616T	2,604	-
66 x 16 x 36	1650 x 400 x 893	05NS-E663616T	2,531	-
60 x 16 x 36	1500 x 400 x 893	05NS-E603616T	2,442	-
54 x 16 x 36	1350 x 400 x 893	05NS-E543616T	2,167	-
48 x 16 x 36	1200 x 400 x 893	05NS-E483616T	2,038	-
42 x 16 x 36	1050 x 400 x 893	05NS-E423616T	1,725	-
36 x 16 x 36	900 x 400 x 893	05NS-E363616T	1,612	-

**Accent color S. To be used with 1½" surfaces.**

**Hutches with flipper doors**




72" to 54": 2 doors  
48" to 36": 1 door

*Wire dividers included (2 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access. 1 tone only.*

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	0NN_-E723616FD	1,605	-
66 x 16 x 36	1650 x 400 x 893	0NN_-E663616FD	1,518	-
60 x 16 x 36	1500 x 400 x 893	0NN_-E603616FD	1,434	-
54 x 16 x 36	1350 x 400 x 893	0NN_-E543616FD	1,364	-
48 x 16 x 36	1200 x 400 x 893	0NN_-E483616FD	1,289	-
42 x 16 x 36	1050 x 400 x 893	0NN_-E423616FD	1,176	-
36 x 16 x 36	900 x 400 x 893	0NN_-E363616FD	1,065	-

**Specify the accent color (A, S).**

**Open hutches – 44" H**



72" to 48": 4 shelves  
42" to 36": 2 shelves

*Adjustable shelves. Wire dividers included (1 per shelf). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.*

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416	1,411	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416	1,335	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416	1,264	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416	1,169	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416	1,088	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416	1,021	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416	973	-


**Specify the accent color (A, S). To be used with 1" surfaces.**

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416	1,585	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416	1,506	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416	1,434	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416	1,345	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416	1,219	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416	1,152	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416	1,102	-

**Specify the accent color (A, S). To be used with 1½" surfaces.**



**Open hutches – 36" H**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01N_-E723616	1,176	–
66 x 16 x 36	1650 x 400 x 893	01N_-E663616	1,114	–
60 x 16 x 36	1500 x 400 x 893	01N_-E603616	1,033	–
54 x 16 x 36	1350 x 400 x 893	01N_-E543616	942	–
48 x 16 x 36	1200 x 400 x 893	01N_-E483616	870	–
42 x 16 x 36	1050 x 400 x 893	01N_-E423616	779	–
36 x 16 x 36	900 x 400 x 893	01N_-E363616	731	–


Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05N_-E723616	1,355	–
66 x 16 x 36	1650 x 400 x 893	05N_-E663616	1,289	–
60 x 16 x 36	1500 x 400 x 893	05N_-E603616	1,201	–
54 x 16 x 36	1350 x 400 x 893	05N_-E543616	1,127	–
48 x 16 x 36	1200 x 400 x 893	05N_-E483616	998	–
42 x 16 x 36	1050 x 400 x 893	05N_-E423616	912	–
36 x 16 x 36	900 x 400 x 893	05N_-E363616	862	–

Specify the accent color (A, S). To be used with 1½" surfaces.



**Wall-mounted hutch with laminate doors and pigeonholes**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01N_-EM722216PD	2,144	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216PD	2,062	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216PD	1,983	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216PD	1,904	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216PD	1,821	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216PD	1,725	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216PD	1,640	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216PD	2,322	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216PD	2,241	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216PD	2,161	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216PD	2,081	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216PD	1,959	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216PD	1,869	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216PD	1,780	–

Specify the accent color (A, S). To be used with 1½" surfaces.

**Wall-mounted hutch with translucent doors and pigeonholes**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01NS-EM722216TD	2,973	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216TD	2,894	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216TD	2,812	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216TD	2,523	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216TD	2,442	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216TD	2,144	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216TD	2,057	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216TD	3,152	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216TD	3,070	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216TD	2,991	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216TD	2,701	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216TD	2,577	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216TD	2,281	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216TD	2,199	–

Accent color S. To be used with 1½" surfaces.

**Wall-mounted hutch with doors**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

Adjustable shelf. Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 22	1800 x 400 x 567	01N_-EM722216P	1,793	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216P	1,710	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216P	1,633	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216P	1,551	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216P	1,474	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216P	1,368	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216P	1,292	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216P	1,976	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216P	1,881	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216P	1,809	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216P	1,725	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216P	1,611	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216P	1,520	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216P	1,428	–

Specify the accent color (A, S). To be used with 1½" surfaces.

**Wall-mounted hutch with translucent doors**



72" to 60": 4 doors  
54" to 48": 3 doors  
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01NS-EM722216T	2,257	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216T	2,175	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216T	2,095	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216T	1,814	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216T	1,772	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216T	1,459	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216T	1,345	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216T	2,433	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216T	2,344	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216T	2,264	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216T	2,029	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216T	1,910	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216T	1,597	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216T	1,475	–

Accent color S. To be used with 1½" surfaces.

**Wall-mounted hutch with flipper doors**



72" to 54": 2 doors  
48" to 36": 1 door

Wire dividers included (2 per door). 1 tone only. Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.

72 x 16 x 17	1800 x 400 x 468	0NN_-EM721716D	1,426	–
66 x 16 x 17	1650 x 400 x 468	0NN_-EM661716D	1,345	–
60 x 16 x 17	1500 x 400 x 468	0NN_-EM601716D	1,264	–
54 x 16 x 17	1350 x 400 x 468	0NN_-EM541716D	1,182	–
48 x 16 x 17	1200 x 400 x 468	0NN_-EM481716D	1,152	–
42 x 16 x 17	1050 x 400 x 468	0NN_-EM421716D	1,047	–
36 x 16 x 17	900 x 400 x 468	0NN_-EM361716D	926	–

Specify the accent color (A, S).

**Modular pedestal**



2 box drawers, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518UFL	1,211	–
--------------	-----------------	--------------	-------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).

**Modular pedestal**













2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518FFL	1,138	–
--------------	-----------------	--------------	-------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).





	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Hanging pedestal</b> 	<i>1 box drawer, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 17½ x 19	388 x 448 x 503	ON__-F	973	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Modular lateral files</b> 	<i>2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836LFL	1,419	—
	30 x 18 x 28	750 x 448 x 713	ON__-1830LFL	1,345	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Combined modular pedestals</b> 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836COL	1,821	—
	30 x 18 x 28	750 x 448 x 713	ON__-1830COL	1,669	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Combined modular pedestals</b> 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-C01836L	1,821	—
	30 x 18 x 28	750 x 448 x 713	ON__-C01830L	1,669	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Modular bookcase with doors</b> 	<i>1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836BL	1,114	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Mobile pedestals</b> 	<i>2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 28 x 27	388 x 700 x 689	ON__-MP1528UF	1,322	—
	15 x 18 x 27	388 x 450 x 704	ON__-MP1518UF	1,306	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Mobile pedestals</b> 	<i>1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 28 x 21½	388 x 700 x 527	ON__-MP1528F	1,289	—
	15 x 18 x 21½	388 x 450 x 527	ON__-MP1518F	1,256	—
	<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Lateral files</b> 	<i>2 file drawers with suspension bars. Lock. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-2436LF	1,506	1,821
	<b>Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
	36 x 24 x 29½	900 x 600 x 751	O___-2436LF	1,669	2,008
	<b>Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Combined pedestals</b> 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-2436CO	1,910	2,047
	<b>Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
	36 x 24 x 29½	900 x 600 x 751	O___-2436CO	2,106	2,257
	<b>Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
<b>Combined pedestals</b> 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-C02436	1,910	2,047
	<b>Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				
	36 x 24 x 29½	900 x 600 x 751	O___-C02436	2,106	2,257
	<b>Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>				

**Bookcases units with doors**



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
--	----------------	----------------	------	-------------------	-------------------


<i>1 adjustable shelf. Full-width wire access. Lock.</i>					
	36 x 24 x 29	900 x 600 x 738	O___-2436B	1,306	1,572

**Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

	36 x 24 x 29½	900 x 600 x 751	O___-2436B	1,467	1,766
--	---------------	-----------------	------------	-------	-------

**Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Storage cabinets with laminate doors**




<i>3 adjustable shelves. 1 fixed shelf. Lock. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1__-243673B	2,371	—
	36 x 24 x 65	900 x 600 x 1632	O1__-243665B	2,281	—

*To be used with 1½" surfaces.*

	36 x 24 x 73	900 x 600 x 1847	O5__-243673B	2,604	—
	36 x 24 x 65	900 x 600 x 1645	O5__-243665B	2,514	—

**Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Storage cabinets with translucent doors**




<i>3 adjustable shelves. 1 full-width fixed shelf. Lock. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673BT	3,440	—
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665BT	3,359	—

*To be used with 1½" surfaces.*

	36 x 24 x 73	900 x 600 x 1847	O5_S-243673BT	3,685	—
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665BT	3,591	—

**Specify the handle code (B, Z).**

**Wardrobe / storage cabinets with laminate doors**




<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1__-243673BC	2,281	—
	36 x 24 x 65	900 x 600 x 1632	O1__-243665BC	2,191	—

*To be used with 1½" surfaces.*

	36 x 24 x 73	900 x 600 x 1847	O5__-243673BC	2,514	—
	36 x 24 x 65	900 x 600 x 1645	O5__-243665BC	2,433	—

**Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Wardrobe / storage cabinets with translucent doors**



<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673BCT	3,612	—
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665BCT	3,521	—

*To be used with 1½" surfaces.*

	36 x 24 x 73	900 x 600 x 1847	O5_S-243673BCT	3,845	—
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665BCT	3,764	—

**Specify the handle code (B, Z).**

**Storage / lateral file cabinets with laminate doors**




<i>2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1__-243673LFB	2,774	—
	36 x 24 x 65	900 x 600 x 1632	O1__-243665LFB	2,551	—

*To be used with 1½" surfaces.*

	36 x 24 x 73	900 x 600 x 1847	O5__-243673LFB	2,991	—
	36 x 24 x 65	900 x 600 x 1645	O5__-243665LFB	2,774	—

**Specify the handle code (B, L, Z). Specify the accent color (A, S).**

**Storage / lateral file cabinets with translucent doors**



<i>2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.</i>					
	36 x 24 x 73	900 x 600 x 1834	O1_S-243673LFBT	3,433	—
	36 x 24 x 65	900 x 600 x 1632	O1_S-243665LFBT	3,227	—

*To be used with 1½" surfaces.*


	36 x 24 x 73	900 x 600 x 1847	O5_S-243673LFBT	3,650	—
	36 x 24 x 65	900 x 600 x 1645	O5_S-243665LFBT	3,433	—

**Specify the handle code (B, Z).**







	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Wardrobe / storage cabinets with laminate doors</b>	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01__-243673UFB	2,949	—
	36 x 24 x 65	900 x 600 x 1632	01__-243665UFB	2,739	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05__-243673UFB	3,166	—
	36 x 24 x 65	900 x 600 x 1645	05__-243665UFB	2,949	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Combined storage cabinets with translucent doors</b>	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01_S-243673UFBT	3,942	—
	36 x 24 x 65	900 x 600 x 1632	01_S-243665UFBT	3,740	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05_S-243673UFBT	4,167	—
	36 x 24 x 65	900 x 600 x 1645	05_S-243665UFBT	3,942	—
	<b>Specify the handle code (B, Z).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Wardrobe / storage cabinets with laminate doors</b>	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01__-243673BUF	2,949	—
	36 x 24 x 65	900 x 600 x 1632	01__-243665BUF	2,739	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05__-243673BUF	3,166	—
	36 x 24 x 65	900 x 600 x 1645	05__-243665BUF	2,949	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Combined storage cabinets with translucent doors</b>	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01_S-243673BUFT	3,942	—
	36 x 24 x 65	900 x 600 x 1632	01_S-243665BUFT	3,740	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05_S-243673BUFT	4,167	—
	36 x 24 x 65	900 x 600 x 1645	05_S-243665BUFT	3,942	—
	<b>Specify the handle code (B, Z).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Storage / lateral file cabinets with laminate door</b>	<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473FB	2,231	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465FB	2,135	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473FB	2,410	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465FB	2,305	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S).</b>				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Storage / lateral file cabinets with translucent door</b>	<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473FBT	2,894	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465FBT	2,797	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473FBT	3,070	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465FBT	2,973	—
	<b>Specify the handle code (B, Z).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Wardrobe / storage cabinets with laminate door</b>	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473BC	2,063	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465BC	1,966	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473BC	2,290	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465BC	2,179	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).</b>				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Wardrobe / storage cabinets with translucent door</b>	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473BCT	2,387	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465BCT	2,296	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473BCT	2,551	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465BCT	2,474	—
	<b>Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Storage cabinets with laminate door</b>	<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473B	2,063	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465B	1,966	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473B	2,290	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465B	2,179	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Storage cabinets with translucent doors</b>	<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473BT	2,387	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465BT	2,296	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473BT	2,551	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465BT	2,474	—
	<b>Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).</b>				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Open bookcases</b>	<i>73" H: 4 adjustable shelves. 65" H: 4 adjustable shelves. 48" H: 2 adjustable shelves. To be used with 1" surfaces.</i>				
	36 x 14 x 73	900 x 350 x 1834	01NN-B367314	1,227	—
	36 x 14 x 65	900 x 350 x 1632	01NN-B366514	1,119	—
	36 x 14 x 48	900 x 350 x 1225	01NN-B364814	993	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 14 x 73	900 x 350 x 1847	05NN-B367314	1,364	—
	36 x 14 x 65	900 x 350 x 1645	05NN-B366514	1,289	—
	36 x 14 x 48	900 x 350 x 1238	05NN-B364814	1,152	—




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Left personal storage towers</b>	<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
	24 x 24 x 57	600 x 600 x 1437	0N__-PB242457	2,805	—
	24 x 24 x 49	600 x 600 x 1234	0N__-PB242449	2,676	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S).</b>				







	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Right personal storage towers</b>	<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
	24 x 24 x 57	600 x 600 x 1437	0N__-P242457B	2,805	—
	24 x 24 x 49	600 x 600 x 1234	0N__-P242449B	2,676	—
	<b>Specify the handle code (B, Z). Specify the accent color (A, S).</b>				








	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Round table tops</b>	<i>1½" thick.</i>				
	48 x 48 x 1½	1200 x 1200 x 38	<b>0_NN-R48</b>	<b>885</b>	<b>1,161</b>
	42 x 42 x 1½	1050 x 1050 x 38	<b>0_NN-R42</b>	<b>766</b>	<b>1,008</b>
<b>Specify the surface type (5, 6).</b>					


<b>Cross base</b>	<i>1½" laminate thick base. For 48" diameter round table tops.</i>				
	33 x 33 x 28	825 x 825 x 713	<b>LGC-CR33</b>	<b>669</b>	—
					



<b>Cross base</b>	<i>1½" laminate thick base. For 42" diameter round table tops.</i>				
	27 x 27 x 28	680 x 680 x 713	<b>LGC-CR27</b>	<b>590</b>	—
					


<b>6" diameter steel leg.</b>	<i>Anthracite Grey (GAN) or Silver (ARS) steel. Specify the finish.</i>				
	6 x 6 x 28	150 x 150 x 710	<b>LGC-TL</b>	<b>396</b>	—


<b>Serving carts</b>	<i>1 sliding shelf, 11½" extension. 2 box drawers. 2 doors with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	36 x 21 x 36	900 x 520 x 908	<b>0_ _ _-MS213636</b>	<b>2,014</b>	<b>2,620</b>
<b>Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					
	36 x 21 x 36½	900 x 520 x 921	<b>0_ _ _-MS213636</b>	<b>2,224</b>	<b>2,894</b>
<b>Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					


<b>Serving carts</b>	<i>1 sliding shelf, 11½" extension. 1 box drawer. 1 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	20 x 21 x 36	500 x 520 x 908	<b>0_ _ _-MS212036</b>	<b>1,298</b>	<b>1,690</b>
<b>Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					
	20 x 21 x 36½	500 x 520 x 921	<b>0_ _ _-MS212036</b>	<b>1,499</b>	<b>1,959</b>
<b>Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					

<b>Marker boards</b>	<i>180° hinges. Board surface: white high-pressure laminate, non magnetic, for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork.</i>				
	55 x 5 x 41	1368 x 130 x 1049	<b>01_ _-VBX4054</b>	<b>2,095</b>	—
<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					
	55 x 5 x 42¼	1368 x 130 x 1075	<b>05_ _-VBX4054</b>	<b>2,296</b>	—
<b>Specify the handle code (B, L, Z). Specify the accent color (A, S).</b>					

<b>Coffee tables</b>	<i>Specify the surface type (1, 2).</i>				
	22 x 22 x 18	550 x 550 x 438	<b>0_NN-ST222218</b>	<b>570</b>	<b>661</b>
	22 x 22 x 18½	550 x 550 x 451	<b>0_NN-ST222218</b>	<b>645</b>	<b>831</b>
<b>Specify the surface type (5, 6).</b>					

<b>Additional full-width legs</b>	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	<b>ONNN-L24</b>	<b>203</b>	—
	30 x 1 x 27½	748 x 25 x 698	<b>ONNN-L30</b>	<b>217</b>	—

<b>Additional full-width legs with wire access</b>	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	<b>ONNN-L24D</b>	<b>203</b>	—
	30 x 1 x 27½	748 x 25 x 698	<b>ONNN-L30D</b>	<b>217</b>	—

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<b>Additional recessed leg</b>	<i>1 tone only. For AT, DT and CM tables.</i>				
	13 x 1 x 27½	340 x 25 x 698	<b>ONNN-L12</b>	<b>168</b>	—