

Office Doctor Discount Office Furniture

www.OfficeDr.com 856-368-9085

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

Call 856-368-9085 Now

Free Layout & Design Service


Think Smart Educational Series



THINK SMART

EDUCATIONAL FURNITURE

EDGEBANDING



N EDGE

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

Smooth, ¼" (1,5 mm) thick edge.


The **N** edge is **matched with the finish specified for the surface.**

DOOR INSERTS



T – TRANSLUCENT

HANDLES



L – LINEAR



Q – SQUARE



V – ROUND

Exceptions: L handle is not compatible on furniture with aluminum framed translucent doors or on the metal doors of laptop carts.

Exceptions: The modular cabinets with single door are only available with Q and V handles.

LEGS



Q – SQUARE



V – ROUND

ACCENT COLORS



S – SILVER



A – ANTHRACITE GREY

The accent color applies to non-laminate components such as bases, handles, grommets, ventilation grids, laptop cart metal doors and wall cabinet hardware.

Exceptions: Power units, translucent doors and aluminum legs on benches are available in Silver anodized aluminum only.

Steel shelves are available painted Anthracite grey only.

CODIFICATION

SERIES	OPTIONS			
	THICKNESS	HANDLES	ACCENT COLORS	LEGS
E	1 Thermofused laminate 1"	N N/A	N N/A	Q Square
	2 High-pressure laminate 1"	L Linear	A Anthracite grey	V Round
	5 Thermofused laminate 1½"	Q Square	S Silver	
	6 High-pressure laminate 1½"	V Round		

GENERAL SPECIFICATIONS

WITH GROUPE LACASSE DESIGN AND MANUFACTURING CAPABILITIES, THERE IS VERY LITTLE THAT WE CANNOT DO WITH THERMOFUSED LAMINATES – AND WE BELIEVE THAT WE CAN QUOTE AND WIN MOST ARCHITECT AND DESIGNER SPECIFIC PROJECTS.

ALL STANDARD PRODUCTS MEET OR EXCEED ANSI/BIFMA REQUIREMENTS.

SURFACES

Work surfaces and tops are made of 1" (25 mm) or 1½" (38 mm) thick mar-resistant high-performance laminate (45 lbs/ft³) laminated on both faces, also called TFL.

High-pressure laminate work surfaces are available, also called HPL, for certain units, adding ¼" (1,6 mm) to the overall thickness of the work surface.

Side panels are 1" (25 mm) thick.

EDGE BANDING

Work surfaces are finished with a ¼" (1,5 mm) ABS smooth edgebanding.

CONSTRUCTION

In a majority of cases, products are assembled with metal-to-metal hardware to facilitate the replacement of parts in case of damage.

DRAWERS AND DOORS

All drawers built for trouble-free performance.

- Black full extension ball bearing suspensions.
- 100 lbs (45 kg) load capacity for box and file drawers.
- 150 lbs (68 kg) load capacity for lateral file drawers.
- Five sided drawer construction including bottom in ¼" (11 mm) black particleboard. Reinforced rod on 36" (914 mm) wide drawers.
- PVC top rails for lateral file folders.
- Standard interlock system where required.
- 135° hinges on doors.
- 270° hinges are available upon request (contact Groupe Lacasse Quotations Department).

LOCKS

Cam lock is available on drawers and doors and will match the specified accent color; Black or Silver. Key-alike option is available upon request (contact Groupe Lacasse Customer Service).

LEVELERS


Levelers allow up to 1¼" (32 mm) height adjustment unless otherwise specified.

CASTERS

Mobile units have 3" (75 mm) diameter heavy-duty casters made of non-marking synthetic rubber. Load capacity of 176 lbs (80 kg) per caster.

PROTECTIVE RUBBER BUMPER

Grey rubber bumpers are available for mobile units. Bumpers are sold separately; please refer to the Accessories section, p. 23.



SHELVES

- 1" (25 mm) thick thermofused laminate shelves have a hidden anti-tip device when there is no door in front of them.
- Metal shelves are made of 18 gauge steel with a load capacity of 150 lbs (68 kg).

HANDLES

Three choices of handles available in Silver or Anthracite grey finish: Linear (L) thermoplastic (exceptions in some cases) polymer handle, Square (Q) or Round (V) metal pulls.

The LGC-PULL17 handle for mobile units only is sold separately; please refer to p. 16.

LEGS

Two choices of legs available in Silver or Anthracite grey finish: Square (Q) or Round (V) metal legs.

BENCH CUSHIONS

2" (51 mm) thick foam cushion installs on bench with Velcro (included). Cushions comply with Cal. 117 requirements.

TECHNOLOGY INTEGRATION

- Matching Anthracite grey or Silver grommets included on most furniture units.
- Certain teachers' desks include CPU storage units and ventilation grids to accommodate a variety of electronic devices.
- Wire management raceways included on computer carrels, laptop and CPU tables.
- For optional electrical/communication modules; please refer to Accessories section, p. 23.

DIMENSIONS

Metric dimensions are exact; imperial dimensions are nominal (unless otherwise specified).

OTHER FINISHES (SPECIAL)

Other finishes (i.e., non standard) may be ordered at an upcharge. Minimum quantity may be required. Please check with our Quotations Department. Delivery may vary depending on the choice of finish or type of material.

MODULAR CABINETRY

All modular cabinetry must be attached to a wall to ensure stability and security.


WALL-MOUNTED LAMINATE HANGING SYSTEM

The wall-mounted laminate panel should be installed by a professional. Appropriate hardware must be used to ensure a good and secure installation of the laminate panel to the wall. Panel mount hardware is not included and may vary depending on wall type. The laminate panel should be equal or longer than the length of all of the hanging component(s); i.e., white board, cabinet, etc.

CABINETS AND ACCESSORIES FOR WALL-MOUNTED HANGING SYSTEM

Hanging components such as white boards, cabinets, bookcases must be securely attached to the wall-mounted laminate panel with the supplied mounting hardware.

THE SYSTEM IS VERY FLEXIBLE AND ALLOWS MANY CONFIGURATIONS, PLANS BELOW ILLUSTRATE THE RECOMMENDED POSITION OF THE STORAGE UNITS.



POWER BAR (LGC-POWERBAR)

To be used with laptop carts; installs on the back portion of the cart. Maximum input current; 15 AMP, 10 outlets. Surge and overload protection.


A separate wall circuit is recommended for each surge and overload-protected 10-outlet electrical unit.

When the units are plugged into wall outlets, make sure not to exceed circuit capacity (15 to 20 AMP per circuit).

Using a timer to recharge laptops is recommended or using different wall outlets to prevent tripping breaker when all power bar outlets are in use.

UL Recognized - UL 1363
RoHS Compliancy.

Power bar is sold separately; please refer to p. 13.

**ELECTRICITY**

4-Trac System is compatible with laptop and CPU tables, as well as all types of carrels.

4-TRAC SYSTEM FEATURES:

- 4-wires, 2 circuits, 20 AMP each.
- 13 duplex receptacles per circuit. Maximum of 26 duplex receptacles of 15 AMP per power infeed.
- Easy to specify, install and reconfigure.
- UL listed as a Manufactured Wiring System.
- RoHS Compliancy available upon request; Cradle to Cradle.
- Will work in all locations except for Chicago. Manufactured Wiring Systems are not permitted in Chicago.
- Chicago code compliancy and many other options (8-wire system, etc.) are available upon request; contact Groupe Lacasse Quotations Department.

HOW TO SPECIFY

EXAMPLE USING A CONFIGURATION OF LAPTOP TABLES
(E_N_RLP2460J)

STEP 1

Determine the number of users in function of the length of the surface and their electrical requirements (1 or 2 duplex receptacles per workstation are usually sufficient).

LGC-DUPLEXC_

STEP 2

Determine whether 1 or 2 circuits are needed, accordingly to the quantity of duplex receptacles.

STEP 3




Determine pass cable lengths in function of duplex receptacle positioning and surface lengths.

LGC-PASS_ _

STEP 4

Determine electrical feed cable length, between the duplex receptacle and wall power source. The electrical installation must be made by a professional electrician.


LGC-FFEED_ _

STEP 1 & 2**STEP 3****STEP 4**

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
--	--------------	----------------	------	-------------------------	-------------------------


TEACHER'S DESKS

Left single pedestal desks




Packaged in 2 boxes.

Right single pedestal desks




Packaged in 2 boxes.

Left single pedestal desks




Packaged in 2 boxes.

Right single pedestal desks




Packaged in 2 boxes.

Left single pedestal bow front desks




Packaged in 2 boxes.

Right single pedestal bow front desks



Packaged in 2 boxes.

Left single pedestal bow front desks



Packaged in 2 boxes.

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

72 x 30 x 29	1800 x 750 x 735	E___-UF3072S	2,199	2,466
60 x 30 x 29	1500 x 750 x 735	E___-UF3060S	2,161	2,376
48 x 30 x 29	1200 x 750 x 735	E___-UF3048S	2,118	2,296

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

72 x 30 x 29	1800 x 750 x 735	E___-S3072UF	2,199	2,466
60 x 30 x 29	1500 x 750 x 735	E___-S3060UF	2,161	2,376
48 x 30 x 29	1200 x 750 x 735	E___-S3048UF	2,118	2,296

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

72 x 30 x 29	1800 x 750 x 735	E___-UC3072S	1,918	2,175
60 x 30 x 29	1500 x 750 x 735	E___-UC3060S	1,877	2,095
48 x 30 x 29	1200 x 750 x 735	E___-UC3048S	1,838	2,008

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

72 x 30 x 29	1800 x 750 x 735	E___-S3072UC	1,918	2,175
60 x 30 x 29	1500 x 750 x 735	E___-S3060UC	1,877	2,095
48 x 30 x 29	1200 x 750 x 735	E___-S3048UC	1,838	2,008

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

72 x 30 x 29	1800 x 750 x 735	E___-UF3072SA	2,264	2,577
60 x 30 x 29	1500 x 750 x 735	E___-UF3060SA	2,224	2,481
48 x 30 x 29	1200 x 750 x 735	E___-UF3048SA	2,175	2,387

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

72 x 30 x 29	1800 x 750 x 735	E___-S3072UFA	2,264	2,577
60 x 30 x 29	1500 x 750 x 735	E___-S3060UFA	2,224	2,481
48 x 30 x 29	1200 x 750 x 735	E___-S3048UFA	2,175	2,387

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).


1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

72 x 30 x 29	1800 x 750 x 735	E___-UC3072SA	1,950	2,264
60 x 30 x 29	1500 x 750 x 735	E___-UC3060SA	1,904	2,161
48 x 30 x 29	1200 x 750 x 735	E___-UC3048SA	1,854	2,062

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
--	--------------	----------------	------	-------------------------	-------------------------

Right single pedestal bow front desks



Packaged in 2 boxes.


1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

72 x 30 x 29	1800 x 750 x 735	E___-S3072UCA	1,950	2,264
60 x 30 x 29	1500 x 750 x 735	E___-S3060UCA	1,904	2,161
48 x 30 x 29	1200 x 750 x 735	E___-S3048UCA	1,854	2,062

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

D-SHAPED TEACHER'S DESKS

Left single pedestal D-shaped desks




Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.

72 x 30 x 29	1800 x 750 x 735	E___-UF3072D	2,531	2,787
60 x 30 x 29	1500 x 750 x 735	E___-UF3060D	2,497	2,716

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Right single pedestal D-shaped desks



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.

72 x 30 x 29	1800 x 750 x 735	E___-3072UFD	2,531	2,787
60 x 30 x 29	1500 x 750 x 735	E___-3060UFD	2,497	2,716

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Left single pedestal D-shaped mobile desks



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.

72 x 30 x 29	1800 x 750 x 735	E___-MUF3072D	2,627	2,885
60 x 30 x 29	1500 x 750 x 735	E___-MUF3060D	2,594	2,812

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Right single pedestal D-shaped mobile desks




Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.

72 x 30 x 29	1800 x 750 x 735	E___-M3072UFD	2,627	2,885
60 x 30 x 29	1500 x 750 x 735	E___-M3060UFD	2,594	2,812

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Left single pedestal D-shaped desks




Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

72 x 30 x 29	1800 x 750 x 735	E___-UC3072D	2,466	2,724
60 x 30 x 29	1500 x 750 x 735	E___-UC3060D	2,433	2,651

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right single pedestal D-shaped desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-3072UCD__	2,466	2,724
	60 x 30 x 29	1500 x 750 x 735	E___-3060UCD__	2,433	2,651

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal D-shaped mobile desks 	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-MUC3072D__	2,566	2,819
	60 x 30 x 29	1500 x 750 x 735	E___-MUC3060D__	2,531	2,749

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


Right single pedestal D-shaped mobile desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-M3072UCD__	2,566	2,819
	60 x 30 x 29	1500 x 750 x 735	E___-M3060UCD__	2,531	2,749

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

P-SHAPED TEACHER'S DESKS

Left single pedestal P-shaped desks 	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-UF3672P__	2,651	2,965
	66 x 36 x 29	1650 x 900 x 735	E___-UF3666P__	2,635	2,894

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped desks 	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-3672UFP__	2,651	2,965
	66 x 36 x 29	1650 x 900 x 735	E___-3666UFP__	2,635	2,894

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal P-shaped mobile desks 	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-MUF3672P__	2,749	3,063
	66 x 36 x 29	1650 x 900 x 735	E___-MUF3666P__	2,732	2,991


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

— = ASSEMBLY REQUIRED

USA — FEBRUARY 2024

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right single pedestal P-shaped mobile desks 	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-M3672UFP__	2,749	3,063
	66 x 36 x 29	1650 x 900 x 735	E___-M3666UFP__	2,732	2,991

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal P-shaped desks 	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-UC3672P__	2,210	2,523
	66 x 36 x 29	1650 x 900 x 735	E___-UC3666P__	2,175	2,433


Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-3672UCP__	2,210	2,523
	66 x 36 x 29	1650 x 900 x 735	E___-3666UCP__	2,175	2,433

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal P-shaped mobile desks 	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-MUC3672P__	2,305	2,620
	66 x 36 x 29	1650 x 900 x 735	E___-MUC3666P__	2,271	2,531

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped mobile desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-M3672UCP__	2,305	2,620
	66 x 36 x 29	1650 x 900 x 735	E___-M3666UCP__	2,271	2,531


Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


LECTERN-DESKS

Left lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E___-LUF3072__	2,819	3,136
	66 x 30 x 42	1650 x 750 x 1063	E___-LUF3066__	2,787	3,006


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-3072LUF_	2,819	3,136
	66 x 30 x 42	1650 x 750 x 1063	E__-3066LUF_	2,787	3,006
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-MLUF3072_	2,918	3,233
	66 x 30 x 42	1650 x 750 x 1063	E__-MLUF3066_	2,885	3,102
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-M3072LUF_	2,918	3,233
	66 x 30 x 42	1650 x 750 x 1063	E__-M3066LUF_	2,885	3,102
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


Left lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-LUC3072_	2,571	2,926
	66 x 30 x 42	1650 x 750 x 1063	E__-LUC3066_	2,539	2,766
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. Storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-3072LUC_	2,571	2,926
	66 x 30 x 42	1650 x 750 x 1063	E__-3066LUC_	2,539	2,766
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-MLUC3072_	2,668	3,021
	66 x 30 x 42	1650 x 750 x 1063	E__-MLUC3066_	2,635	2,860
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					
Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.					

Right lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-M3072LUC_	2,668	3,021
	66 x 30 x 42	1650 x 750 x 1063	E__-M3066LUC_	2,635	2,860
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					
Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.					


CARRELS – 29" H WORK SURFACE

Individual single-sided carrels, 33" H 	<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>				
	Starter				
	37 x 34 1/2 x 33	925 x 869 x 834	E_NN-CS343733	926	1,047
	Add-on				
	<i>Wire access on side panel.</i>				
	36 x 34 1/2 x 33	900 x 869 x 834	E_NN-CA343633	752	870
Specify the surface type (1, 2).					

Shared single-sided carrels, 33" H 	<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>				
	Starter				
	73 x 34 1/2 x 33	1825 x 869 x 834	E_NN-CS347333	1,182	1,426
	Add-on				
	<i>Wire access on side panel.</i>				
	72 x 34 1/2 x 33	1800 x 869 x 834	E_NN-CA347233	1,008	1,249
Specify the surface type (1, 2).					


Individual single-sided carrels, 53" H 	<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15 5/8" H (390 mm).</i>				
	Starter				
	37 x 34 1/2 x 53	925 x 869 x 1342	E_NN-CS343753	1,193	1,317
	Add-on				
	<i>Wire access on side panel.</i>				
	36 x 34 1/2 x 53	900 x 869 x 1342	E_NN-CA343653	967	1,088
Specify the surface type (1, 2).					

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Shared single-sided carrels, 53" H	<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅝" H (390 mm).</i>				
	Starter				
	73 x 34½ x 53	1825 x 869 x 1342	E_NN-CS347353	1,585	1,838
Add-on	<i>Wire access on side panel.</i>				
	72 x 34½ x 53	1800 x 869 x 1342	E_NN-CA347253	1,355	1,605
Specify the surface type (1, 2).					




Packaged in 2 boxes.

Individual double-sided carrels, 33" H	<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>				
	Starter				
	37 x 67½ x 33	925 x 1716 x 834	E_NN-CS673733	1,335	1,467
Add-on	<i>Wire access on side panel.</i>				
	36 x 67½ x 33	900 x 1716 x 834	E_NN-CA673633	1,008	1,127
Specify the surface type (1, 2).					




Starter:
Packaged in 2 boxes.

Shared double-sided carrels, 33" H	<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>				
	Starter				
	73 x 67½ x 33	1825 x 1716 x 834	E_NN-CS677333	1,780	2,029
Add-on	<i>Wire access on side panel.</i>				
	72 x 67½ x 33	1800 x 1716 x 834	E_NN-CA677233	1,546	1,798
Specify the surface type (1, 2).					




Packaged in 2 boxes.

Individual double-sided carrels, 53" H	<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅝" H (390 mm).</i>				
	Starter				
	37 x 67½ x 53	925 x 1716 x 1342	E_NN-CS673753	1,863	1,983
Add-on	<i>Wire access on side panel.</i>				
	36 x 67½ x 53	900 x 1716 x 1342	E_NN-CA673653	1,518	1,635
Specify the surface type (1, 2).					



Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Shared double-sided carrels, 53" H	<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅝" H (390 mm).</i>				
	Starter				
	73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CS677353	2,425	2,668
Add-on	<i>Wire access on side panel.</i>				
	72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CA677253	2,081	2,329
Specify the surface type (1, 2).					




Packaged in 2 boxes.

ADA bracket kit	<i>Kit includes metal brackets and hardware to raise the surface of a carrel to ADA height (from 29" to 32" H/735 to 813 mm). Package of 6 brackets. Order one package per carrel.</i>				
	1 x 1 x 4	25 x 25 x 104	ENNN-CADAKIT	160	—




COMPUTER CARRELS — 29" H WORK SURFACE


Individual single-sided carrels, 33" H	<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>				
	Starter				
	37 x 34½ x 33	925 x 869 x 834	E_NN-CCS343733	1,335	1,459
Add-on	<i>Wire access on side panel.</i>				
	36 x 34½ x 33	900 x 869 x 834	E_NN-CCA343633	1,127	1,256
Specify the surface type (1, 2).					




Shared single-sided carrels, 33" H	<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>				
	Starter				
	73 x 34½ x 33	1825 x 869 x 834	E_NN-CCS347333	1,635	1,882
Add-on	<i>Wire access on side panel.</i>				
	72 x 34½ x 33	1800 x 869 x 834	E_NN-CCA347233	1,426	1,676
Specify the surface type (1, 2).					



Individual single-sided carrels, 53" H	<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>				
	Starter				
	37 x 34½ x 53	925 x 869 x 1342	E_NN-CCS343753	1,605	1,725
Add-on	<i>Wire access on side panel.</i>				
	36 x 34½ x 53	900 x 869 x 1342	E_NN-CCA343653	1,335	1,467
Specify the surface type (1, 2).					




Shared single-sided
carrels, 53" H




Packaged in 2 boxes.

Individual
double-sided
carrels, 33" H




Starter:
Packaged in 2 boxes.

Shared double-sided
carrels, 33" H



Packaged in 2 boxes.

Individual
double-sided
carrels, 53" H



Packaged in 2 boxes.

Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.

Starter

W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
73 x 34½ x 53	1825 x 869 x 1342	E_NN-CCS347353	1,967	2,217


Add-on

Wire access on side panel.

72 x 34½ x 53	1800 x 869 x 1342	E_NN-CCA347253	1,709	1,959
---------------	-------------------	----------------	-------	-------

Specify the surface type (1, 2).


Shared double-sided
carrels, 53" H




Packaged in 2 boxes.

COMPUTER CARRELS – 42" H WORK SURFACE

Individual
single-sided
carrels, 53" H




Shared single-sided
carrels, 53" H



Packaged in 2 boxes.

Individual
double-sided
carrels, 53" H



Packaged in 2 boxes.

Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.

Starter

W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CCS677353	2,900	3,152

Add-on

Wire access on side panel.

72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CCA677253	2,531	2,780
---------------	--------------------	----------------	-------	-------

Specify the surface type (1, 2).

42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.

Starter

37 x 34½ x 53	925 x 869 x 1342	E_NN-CSS343753	1,585	1,709
---------------	------------------	----------------	-------	-------

Add-on

Wire access on side panel.

36 x 34½ x 53	900 x 869 x 1342	E_NN-CSA343653	1,329	1,452
---------------	------------------	----------------	-------	-------

Specify the surface type (1, 2).

42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.

Starter

73 x 34½ x 53	1825 x 869 x 1342	E_NN-CSS347353	1,942	2,184
---------------	-------------------	----------------	-------	-------

Add-on

Wire access on side panel.

72 x 34½ x 53	1800 x 869 x 1342	E_NN-CSA347253	1,676	1,926
---------------	-------------------	----------------	-------	-------

Specify the surface type (1, 2).

42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.

Starter


37 x 67½ x 53	925 x 1716 x 1342	E_NN-CSS677353	2,224	2,344
---------------	-------------------	----------------	-------	-------


Add-on

Wire access on side panel.


36 x 67½ x 53	900 x 1716 x 1342	E_NN-CSA673653	1,847	1,967
---------------	-------------------	----------------	-------	-------


Specify the surface type (1, 2).


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Shared double-sided carrels, 53" H	42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.				
					
Starter	73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CSS677353	2,846	3,095
Add-on	Wire access on side panel.				
	72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CSA677253	2,474	2,716
Specify the surface type (1, 2).					
Packaged in 2 boxes.					


CPU support for carrels	Laminate CPU support. Compatible with all carrels. Reversible.				
	10 x 26 x 6	255 x 650 x 150	ENNN-SCPU	242	—

RECTANGULAR TABLES


Rectangular tables, incremental height adjustment	Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.				
					
	72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RCM2472I	1,395	1,605
	66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RCM2466I	1,379	1,572
	60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RCM2460I	1,364	1,538
	54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RCM2454I	1,345	1,506
	48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RCM2448I	1,329	1,475
	42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RCM2442I	1,322	1,445
	36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RCM2436I	1,306	1,411
	30 x 24 x 25-31	750 x 600 x 635-785	E_N_-RCM2430I	1,289	1,379
Specify the surface type (1, 2). Specify the accent color (A, S).					


Rectangular tables with shelf, incremental height adjustment	Metal legs. 1 fixed shelf. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.				
					
	72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RCM2472SI	1,621	1,829
	66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RCM2466SI	1,597	1,780
	60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RCM2460SI	1,564	1,766
	54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RCM2454SI	1,538	1,702
	48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RCM2448SI	1,518	1,654
	42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RCM2442SI	1,490	1,612
	36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RCM2436SI	1,459	1,564
	30 x 24 x 25-31	750 x 600 x 635-785	E_N_-RCM2430SI	1,434	1,525
Specify the surface type (1, 2). Specify the accent color (A, S).					


Rectangular tables, fixed height	Metal legs. 6" (150 mm) high modesty panel.				
					
	72 x 24 x 29	1800 x 600 x 735	E_N_-RCM2472J	1,102	1,317
	66 x 24 x 29	1650 x 600 x 735	E_N_-RCM2466J	1,088	1,282
	60 x 24 x 29	1500 x 600 x 735	E_N_-RCM2460J	1,071	1,249
	54 x 24 x 29	1350 x 600 x 735	E_N_-RCM2454J	1,054	1,219
	48 x 24 x 29	1200 x 600 x 735	E_N_-RCM2448J	1,047	1,182
	42 x 24 x 29	1050 x 600 x 735	E_N_-RCM2442J	1,033	1,152
	36 x 24 x 29	900 x 600 x 735	E_N_-RCM2436J	1,015	1,119
	30 x 24 x 29	750 x 600 x 735	E_N_-RCM2430J	998	1,088
Specify the surface type (1, 2). Specify the accent color (A, S).					


Rectangular tables with shelf, fixed height	Metal legs. 1 fixed shelf. 6" (150 mm) high modesty panel.				
					
	72 x 24 x 29	1800 x 600 x 735	E_N_-RCM2472SJ	1,329	1,538
	66 x 24 x 29	1650 x 600 x 735	E_N_-RCM2466SJ	1,306	1,499
	60 x 24 x 29	1500 x 600 x 735	E_N_-RCM2460SJ	1,282	1,475
	54 x 24 x 29	1350 x 600 x 735	E_N_-RCM2454SJ	1,249	1,411
	48 x 24 x 29	1200 x 600 x 735	E_N_-RCM2448SJ	1,225	1,364
	42 x 24 x 29	1050 x 600 x 735	E_N_-RCM2442SJ	1,201	1,322
	36 x 24 x 29	900 x 600 x 735	E_N_-RCM2436SJ	1,176	1,282
	30 x 24 x 29	750 x 600 x 735	E_N_-RCM2430SJ	1,144	1,232
Specify the surface type (1, 2). Specify the accent color (A, S).					


LAPTOP TABLES

Laptop tables, 30" D, incremental height adjustment	Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.				
					
	72 x 30 x 25-31	1800 x 750 x 635-785	E_N_-RLP3072I	1,772	2,038
	66 x 30 x 25-31	1650 x 750 x 635-785	E_N_-RLP3066I	1,760	1,988
	60 x 30 x 25-31	1500 x 750 x 635-785	E_N_-RLP3060I	1,732	1,950
	54 x 30 x 25-31	1350 x 750 x 635-785	E_N_-RLP3054I	1,709	1,904
	48 x 30 x 25-31	1200 x 750 x 635-785	E_N_-RLP3048I	1,684	1,863
	42 x 30 x 25-31	1050 x 750 x 635-785	E_N_-RLP3042I	1,660	1,814
	36 x 30 x 25-31	900 x 750 x 635-785	E_N_-RLP3036I	1,635	1,766
Specify the surface type (1, 2). Specify the accent color (A, S).					


Laptop tables, 24" D, incremental height adjustment	Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.				
					
	72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RLP2472I	1,738	1,950
	66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RLP2466I	1,725	1,910
	60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RLP2460I	1,702	1,877
	54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RLP2454I	1,684	1,838
	48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RLP2448I	1,660	1,798
	42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RLP2442I	1,635	1,766
	36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RLP2436I	1,621	1,725
Specify the surface type (1, 2). Specify the accent color (A, S).					

Laptop tables, 30" D, fixed height	Metal legs. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.				
					
	72 x 30 x 29	1800 x 750 x 735	E_N_-RLP3072J	1,490	1,749
	66 x 30 x 29	1650 x 750 x 735	E_N_-RLP3066J	1,467	1,709
	60 x 30 x 29	1500 x 750 x 735	E_N_-RLP3060J	1,445	1,660
	54 x 30 x 29	1350 x 750 x 735	E_N_-RLP3054J	1,419	1,612
	48 x 30 x 29	1200 x 750 x 735	E_N_-RLP3048J	1,395	1,572
	42 x 30 x 29	1050 x 750 x 735	E_N_-RLP3042J	1,371	1,525
	36 x 30 x 29	900 x 750 x 735	E_N_-RLP3036J	1,345	1,482
Specify the surface type (1, 2). Specify the accent color (A, S).					


Laptop tables, 24" D, fixed height	Metal legs. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.				
					
	72 x 24 x 29	1800 x 600 x 735	E_N_-RLP2472J	1,452	1,660
	66 x 24 x 29	1650 x 600 x 735	E_N_-RLP2466J	1,434	1,628
	60 x 24 x 29	1500 x 600 x 735	E_N_-RLP2460J	1,411	1,585
	54 x 24 x 29	1350 x 600 x 735	E_N_-RLP2454J	1,395	1,546
	48 x 24 x 29	1200 x 600 x 735	E_N_-RLP2448J	1,371	1,506
	42 x 24 x 29	1050 x 600 x 735	E_N_-RLP2442J	1,355	1,475
	36 x 24 x 29	900 x 600 x 735	E_N_-RLP2436J	1,329	1,434
Specify the surface type (1, 2). Specify the accent color (A, S).					

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
CPU TABLES					
	Open CPU storage on left: 8¾" W x 20½" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.				
	42 x 30 x 36	1050 x 750 x 911	E_N_-CPU3042S	1,814	1,926
	42 x 24 x 36	1050 x 600 x 911	E_N_-CPU2442S	1,732	1,821
Specify the surface type (1, 2). Specify the accent color (A, S).					


Packaged in 2 boxes.

	Open CPU storage on left: 8¾" W x 20½" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.				
	42 x 30 x 36	1050 x 750 x 911	E_N_-S3042CPU	1,814	1,926
	42 x 24 x 36	1050 x 600 x 911	E_N_-S2442CPU	1,732	1,821
Specify the surface type (1, 2). Specify the accent color (A, S).					

Packaged in 2 boxes.

ALL-PURPOSE TABLES					
	Disc bases.				
	72 x 42 x 29	1800 x 1050 x 738	E_N_-RC4272D	2,706	3,070
	72 x 36 x 29	1800 x 900 x 738	E_N_-RC3672D	2,676	2,991
	60 x 30 x 29	1500 x 750 x 738	E_N_-RC3060D	2,614	2,829
Specify the surface type (1, 2). Specify the accent color (A, S).					

Packaged in 5 boxes.

	Disc bases.				
	72 x 42 x 42	1800 x 1050 x 1067	E_N_-RC427242D	2,846	3,205
	72 x 36 x 42	1800 x 900 x 1067	E_N_-RC367242D	2,812	3,128
	60 x 30 x 42	1500 x 750 x 1067	E_N_-RC306042D	2,749	2,965
Specify the surface type (1, 2). Specify the accent color (A, S).					

Packaged in 5 boxes.


	Disc base.				
	48 x 48 x 29	1200 x 1200 x 738	E_N_-R48D	1,786	2,071
	42 x 42 x 29	1050 x 1050 x 738	E_N_-R42D	1,749	1,959
	36 x 36 x 29	900 x 900 x 738	E_N_-R36D	1,475	1,628
Specify the surface type (1, 2). Specify the accent color (A, S).					


Packaged in 3 boxes.

	Disc base.				
	36 x 36 x 42	900 x 900 x 1067	E_N_-R3642D	1,411	1,628
	30 x 30 x 42	750 x 750 x 1067	E_N_-R3042D	1,364	1,506
Specify the surface type (1, 2). Specify the accent color (A, S).					


Packaged in 3 boxes.

COMPLEMENTARY FURNITURE					
	2 box drawers and 1 file drawer with suspension bar. Pencil tray. Lock controls all drawers.				
	16¾ x 26 x 29	409 x 650 x 735	E1_-P1626UF	1,572	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	2 file drawers with suspension bar. Lock controls all drawers.				
	16¾ x 26 x 29	409 x 650 x 735	E1_-P1626FF	1,345	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bookcase unit					
	1 adjustable shelf. 1 tone only.				
	12 x 26 x 28	300 x 650 x 710	ENNN-B262812	752	—
Teacher's cart					
	Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.				
	25 x 24 x 39	625 x 600 x 988	E_N_-M242539	1,335	1,411
Specify the surface type (1, 2). Specify the accent color (A, S).					
Teacher's cart					
	Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.				
	37¼ x 24 x 39	945 x 600 x 988	E_N_-M242539W	1,621	1,690
Specify the surface type (1, 2). Specify the accent color (A, S).					
Teacher's cart with doors					
	Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.				
	25 x 24 x 39	625 x 600 x 988	E_-_-M242539B	1,738	1,814
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					
Teacher's cart with doors					
	Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.				
	37¼ x 24 x 39	945 x 600 x 988	E_-_-M242539BW	1,959	2,029
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					
Lectern					
	Small acrylic screen. 1 fixed shelf. 1 adjustable shelf. 1 storage space. Wiring access. 4 swivel casters, 2 with brakes. 1 tone only.				
	24 x 18 x 47	600 x 448 x 1177	ENNN-LC241846	1,467	—
Laptop cart, 30 units					
	Can accommodate 30 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.				
	43 x 25 x 42	1075 x 625 x 1063	E_-_-M254342LP	4,488	4,619
Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).					
Laptop cart, 20 units					
	Can accommodate 20 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.				
	30 x 25 x 42	750 x 625 x 1063	E_-_-M253042LP	4,135	4,232
Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).					
Power bar					
	10 electrical outlets. Black. Mounting brackets included. 12' electrical cord (3658 mm).				
	1¾ x 2¼ x 17½	44 x 57 x 447	LGC-POWERBAR	638	—
Flat screen carts					
	Laminate doors with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately.				
	72 x 24 x 64	1800 x 600 x 1625	EN_-MTV2472	2,805	—
	54 x 24 x 64	1350 x 600 x 1625	EN_-MTV2454	2,571	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					
72" W accommodates 37" to 65" flat screens. 54" W accommodates 37" to 50" flat screens.					


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Flat screen carts with translucent doors 	<i>Silver anodized frame doors and translucent insert with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately. S Silver accent only.</i>				
	72 x 24 x 64	1800 x 600 x 1625	EN_S-MTV2472T	3,612	—
	54 x 24 x 64	1350 x 600 x 1625	EN_S-MTV2454T	3,177	—
	Specify the handle code (Q, V).				
	72" W accommodates 37" to 65" flat screens. 54" W accommodates 37" to 50" flat screens.				


Flat screen support 	<i>Silver metal support. Can accommodate screens from 37" to 65". 15° tilt angle. Maximum weight capacity: 176 lbs (80 kg). Install on a flat screen carts.</i>				
	33 $\frac{3}{8}$ x 4 x 19 $\frac{3}{4}$	859 x 102 x 500	LGC-SUPFLATSC	718	—


Mobile white boards 	<i>Non-magnetic surface for use with dry-erase markers on both sides. Brakes on swivel casters.</i>				
	55 x 28 x 64	1375 x 700 x 1610	ENN_-MWB542865	2,531	—
	43 x 28 x 64	1075 x 700 x 1610	ENN_-MWB422865	2,481	—
	Specify the accent color (A, S).				


Pencil tray 	<i>For mobile white board. Specify the metal finish Silver or Anthracite grey.</i>				
	12 x 3 $\frac{1}{2}$ x 2	300 x 90 x 50	LGC-PH12_	122	—
	Specify the accent color (A, S).				


STORAGE UNITS, 72" H

Storage unit with doors 	<i>3 adjustable shelves and 1 fixed shelf. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_-243672B	2,362	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				


Combined wardrobe/storage unit with doors 	<i>Clothes hanger bar and 1 fixed shelf on right side. 4 adjustable shelves on left side. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_-243672BC	2,604	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Storage unit with drawers 	<i>2 adjustable shelves. 4 box drawers. Interlock system. Locks.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_-243672BU	4,045	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Open bookcase with drawer 	<i>2 adjustable shelves and 1 fixed shelf. Lateral file drawer with suspension bars. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_-B243672F	2,322	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Open bookcase 	<i>3 adjustable shelves and 1 fixed shelf.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1NN-B243672	1,854	—

STORAGE UNITS, 36" H

Bookcase with doors 	<i>1 adjustable shelf. Lock.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-243636B	1,605	1,709
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Mobile bookcase with doors 	<i>1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-M243636B	1,669	1,772
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Storage unit with drawers 	<i>4 box drawers. Interlock system. Lock.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-243636U	2,829	2,934
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Mobile storage unit with drawers 	<i>4 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-M243636U	2,894	2,997
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Combined storage unit 	<i>4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-243636UB	3,128	3,233
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

Mobile combined storage unit 	<i>4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-M243636UB	3,191	3,296
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

Combined storage unit 	<i>4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 36	900 x 600 x 911	E_-243636BU	3,128	3,233
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	Mobile combined storage unit 4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.				
	36 x 24 x 36	900 x 600 x 911	E___-M243636BU	3,191	3,296
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Combined storage unit 2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks.				
	36 x 24 x 36	900 x 600 x 911	E___-243636T	2,497	2,604
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	Mobile combined storage unit 2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.				
	36 x 24 x 36	900 x 600 x 911	E___-M243636T	2,566	2,668
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

STORAGE UNITS, 29" H

	Bookcase with doors 1 adjustable shelf. Lock.				
	36 x 24 x 29	900 x 600 x 735	E___-243629B	1,538	1,640
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	Mobile bookcase with doors 1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.				
	36 x 24 x 29	900 x 600 x 735	E___-M243629B	1,605	1,709
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	Bookcase with door, opens left 1 adjustable shelf. Lock.				
	24 x 24 x 29	600 x 600 x 735	E___-242429BL	1,419	1,490
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Bookcase with door, opens right 1 adjustable shelf. Lock.				
	24 x 24 x 29	600 x 600 x 735	E___-242429BR	1,419	1,490
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Mobile bookcase with door, opens left 1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.				
	24 x 24 x 29	600 x 600 x 735	E___-M242429BL	1,482	1,557
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Mobile bookcase with door, opens right 1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.				
	24 x 24 x 29	600 x 600 x 735	E___-M242429BR	1,482	1,557
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Storage units with drawers 3 box drawers. Interlock system. Lock.				
	36 x 24 x 29	900 x 600 x 735	E___-243629U	2,566	2,668
	24 x 24 x 29	600 x 600 x 735	E___-242429U	2,474	2,577
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	Mobile storage units with drawers 3 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.				
	36 x 24 x 29	900 x 600 x 735	E___-M243629U	2,627	2,732
	24 x 24 x 29	600 x 600 x 735	E___-M242429U	2,539	2,644
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	Combined storage unit 3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.				
	36 x 24 x 29	900 x 600 x 735	E___-243629UB	2,539	2,644
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Mobile combined storage unit 3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.				
	36 x 24 x 29	900 x 600 x 735	E___-M243629UB	2,604	2,706
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Combined storage unit 3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.				
	36 x 24 x 29	900 x 600 x 735	E___-243629BU	2,539	2,644
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

	Mobile combined storage unit 3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.				
	36 x 24 x 29	900 x 600 x 735	E___-M243629BU	2,604	2,706
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				

BOOKCASE UNITS, 36" H


	Bookcase units 2 adjustable shelves.				
	60 x 24 x 36	1500 x 600 x 911	E_NN-B246036	1,379	1,518
	48 x 24 x 36	1200 x 600 x 911	E_NN-B244836	1,232	1,355
	1 adjustable shelf.				
	36 x 24 x 36	900 x 600 x 911	E_NN-B243636	1,102	1,211
	Specify the surface type (1, 2).				

	Mobile bookcase units 2 adjustable shelves. 6 swivel casters, 4 with brakes.				
	60 x 24 x 36	1500 x 600 x 911	E_NN-MB246036	1,475	1,612
	48 x 24 x 36	1200 x 600 x 911	E_NN-MB244836	1,329	1,452
	1 adjustable shelf. 4 swivel casters, 2 with brakes.				
	36 x 24 x 36	900 x 600 x 911	E_NN-MB243636	1,169	1,274
	Specify the surface type (1, 2).				

BOOKCASE UNITS, 29" H

	Bookcase units 2 adjustable shelves.				
	60 x 24 x 29	1500 x 600 x 735	E_NN-B246029	1,345	1,475
	48 x 24 x 29	1200 x 600 x 735	E_NN-B244829	1,211	1,317
	1 adjustable shelf.				
	36 x 24 x 29	900 x 600 x 735	E_NN-B243629	1,071	1,176
	Specify the surface type (1, 2).				


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Mobile bookcase units	<i>2 adjustable shelves. 6 swivel casters, 4 with brakes.</i>				
	60 x 24 x 29	1500 x 600 x 735	E_NN-MB246029	1,445	1,572
	48 x 24 x 29	1200 x 600 x 735	E_NN-MB244829	1,306	1,411
	<i>1 adjustable shelf. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E_NN-MB243629	1,138	1,242
	Specify the surface type (1, 2).				



Handle	<i>For mobile units. Specify the metal finish Silver or Anthracite grey.</i>				
	17¼ x ¾ x 2¾	438 x 22 x 60	LGC-PULL17_	153	—
	Specify the accent color (A, S).				



Bookcases	<i>3 adjustable shelves. 1 fixed shelf. 1 tone only.</i>				
	36 x 14 x 72	900 x 350 x 1825	ENNN-B367214	1,322	—
	<i>2 adjustable shelves. 1 fixed shelf. 1 tone only.</i>				
	36 x 14 x 48	900 x 350 x 1215	ENNN-B364814	1,102	—




MODULAR CABINETRY


Modular cabinet with doors	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635BL	1,605	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular cabinets with door, opens left	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435BLL	1,482	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835BLL	1,138	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				



Modular cabinets with door, opens right	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435BLR	1,482	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835BLR	1,138	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				



Modular sink cabinet with doors	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635KL	1,690	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular sink cabinet with door, opens left	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435KLL	1,572	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				



Modular sink cabinet with door, opens right	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435KLR	1,572	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Modular cabinet with drawers	<i>Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635UL	2,442	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular cabinets with drawers	<i>Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435UL	2,322	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835UL	2,111	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular cabinet with drawers	<i>Installs under a countertop. 3 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Locks. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635UFL	2,401	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular cabinet with drawers	<i>Installs under a countertop. 2 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435UFL	2,281	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Modular cabinet with doors and drawers	<i>Installs under a countertop. 2 box drawers. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Locks. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635TL	2,022	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				




Modular cabinet with door and drawer, opens left	<i>Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435TLL	1,904	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				




Modular cabinet with door and drawer, opens right	<i>Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435TLR	1,904	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				



Modular bookcases	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-B253635L	1,182	—
	24 x 25 x 35	600 x 625 x 886	ENNN-B252435L	1,065	—




Open modules	<i>Installs under a countertop. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-253635SL	766	—
	24 x 25 x 35	600 x 625 x 886	ENNN-252435SL	718	—



ADA sink module	<i>Installs under a countertop. Open back to accommodate plumbing. Pivoting front panel for plumbing accessibility. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-AD253635L	1,033	—




	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular counter tops 	<i>Installs on modular cabinets. 4" H (100 mm) back splash. 1 tone only.</i>				
	96 x 26 x 5	2400 x 650 x 125	E_NN-T0BS2696	645	973
	90 x 26 x 5	2250 x 650 x 125	E_NN-T0BS2690	629	951
	84 x 26 x 5	2100 x 650 x 125	E_NN-T0BS2684	613	926
	78 x 26 x 5	1950 x 650 x 125	E_NN-T0BS2678	596	902
	72 x 26 x 5	1800 x 650 x 125	E_NN-T0BS2672	580	877
	66 x 26 x 5	1650 x 650 x 125	E_NN-T0BS2666	563	856
	60 x 26 x 5	1500 x 650 x 125	E_NN-T0BS2660	549	831
	54 x 26 x 5	1350 x 650 x 125	E_NN-T0BS2654	532	805
	48 x 26 x 5	1200 x 650 x 125	E_NN-T0BS2648	517	791
	42 x 26 x 5	1050 x 650 x 125	E_NN-T0BS2642	498	773
	36 x 26 x 5	900 x 650 x 125	E_NN-T0BS2636	484	758
	24 x 26 x 5	600 x 650 x 125	E_NN-T0BS2624	476	742
	18 x 26 x 5	450 x 650 x 125	E_NN-T0BS2618	469	724
Specify the surface type (1, 2).					


Open storage module 	<i>Installs on a countertop. 2 adjustable shelves. 2 grommets. 1 tone only.</i>				
	48 x 20 x 36	1200 x 500 x 911	ENNN-M0483620	1,306	—

Open storage module 	<i>Installs on a countertop. 1 adjustable shelf. 1 grommet. 1 tone only.</i>				
	24 x 20 x 36	600 x 500 x 911	ENNN-M0243620	1,071	—

WALL-MOUNTED SYSTEM FOR ACCESSORIES

Laminate hanging systems 	<i>5/8" (16 mm) thick laminate panel. Installation requires appropriate fastening hardware (not included) depending on wall type. 1 tone only.</i>				
	96 x 5/8 x 14	2400 x 16 x 356	ENNN-WMS96	469	—
	90 x 5/8 x 14	2250 x 16 x 356	ENNN-WMS90	459	—
	84 x 5/8 x 14	2100 x 16 x 356	ENNN-WMS84	451	—
	78 x 5/8 x 14	1950 x 16 x 356	ENNN-WMS78	444	—
	72 x 5/8 x 14	1800 x 16 x 356	ENNN-WMS72	437	—
	66 x 5/8 x 14	1650 x 16 x 356	ENNN-WMS66	427	—
	60 x 5/8 x 14	1500 x 16 x 356	ENNN-WMS60	417	—
	54 x 5/8 x 14	1350 x 16 x 356	ENNN-WMS54	410	—
	48 x 5/8 x 14	1200 x 16 x 356	ENNN-WMS48	402	—
	42 x 5/8 x 14	1050 x 16 x 356	ENNN-WMS42	396	—
	36 x 5/8 x 14	900 x 16 x 356	ENNN-WMS36	388	—
	30 x 5/8 x 14	750 x 16 x 356	ENNN-WMS30	379	—

Porcelain white boards 	<i>Porcelain magnetic surface for use with dry-erase markers. Pencil tray. Silver anodized aluminum frame. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	96 x 4 1/8 x 48	2400 x 104 x 1219	ENNS-WB9648	2,819	—
	72 x 4 1/8 x 48	1800 x 104 x 1219	ENNS-WB7248	2,257	—
	48 x 4 1/8 x 48	1200 x 104 x 1219	ENNS-WB4848	1,806	—
	96 x 4 1/8 x 42	2400 x 104 x 1067	ENNS-WB9642	2,749	—
	72 x 4 1/8 x 42	1800 x 104 x 1067	ENNS-WB7242	2,199	—
	48 x 4 1/8 x 42	1200 x 104 x 1067	ENNS-WB4842	1,760	—
	96 x 4 1/8 x 36	2400 x 104 x 914	ENNS-WB9636	2,683	—
	72 x 4 1/8 x 36	1800 x 104 x 914	ENNS-WB7236	2,144	—
	48 x 4 1/8 x 36	1200 x 104 x 914	ENNS-WB4836	1,716	—

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Tackboards 	<i>Natural cork. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	96 x 1 3/4 x 48	2400 x 44 x 1219	ENN_-TKC9648	1,317	—
	72 x 1 3/4 x 48	1800 x 44 x 1219	ENN_-TKC7248	1,138	—
	48 x 1 3/4 x 48	1200 x 44 x 1219	ENN_-TKC4848	967	—
	96 x 1 3/4 x 42	2400 x 44 x 1067	ENN_-TKC9642	1,232	—
	72 x 1 3/4 x 42	1800 x 44 x 1067	ENN_-TKC7242	1,080	—
	48 x 1 3/4 x 42	1200 x 44 x 1067	ENN_-TKC4842	926	—
	96 x 1 3/4 x 36	2400 x 44 x 914	ENN_-TKC9636	1,152	—
	72 x 1 3/4 x 36	1800 x 44 x 914	ENN_-TKC7236	1,015	—
	48 x 1 3/4 x 36	1200 x 44 x 914	ENN_-TKC4836	885	—
Specify the accent color (A, S).					










Cabinets with laminate doors, 16" D 	<i>Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 16 x 48	900 x 400 x 1219	EN_-H364816P	1,814	—
	36 x 16 x 36	900 x 400 x 914	EN_-H363616P	1,766	—
	36 x 16 x 30	900 x 400 x 762	EN_-H363016P	1,725	—
	36 x 16 x 24	900 x 400 x 609	EN_-H362416P	1,684	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.










Cabinets with laminate door, 16" D 	<i>Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	24 x 16 x 48	600 x 400 x 1219	EN_-H244816PL	1,597	—
	24 x 16 x 48	600 x 400 x 1219	EN_-H244816PR	1,597	—
	24 x 16 x 36	600 x 400 x 914	EN_-H243616PL	1,557	—
	24 x 16 x 36	600 x 400 x 914	EN_-H243616PR	1,557	—
	24 x 16 x 30	600 x 400 x 762	EN_-H243016PL	1,518	—
	24 x 16 x 30	600 x 400 x 762	EN_-H243016PR	1,518	—
	24 x 16 x 24	600 x 400 x 609	EN_-H242416PL	1,475	—
	24 x 16 x 24	600 x 400 x 609	EN_-H242416PR	1,475	—
	18 x 16 x 48	450 x 400 x 1219	EN_-H184816PL	1,434	—
	18 x 16 x 48	450 x 400 x 1219	EN_-H184816PR	1,434	—
	18 x 16 x 36	450 x 400 x 914	EN_-H183616PL	1,402	—
	18 x 16 x 36	450 x 400 x 914	EN_-H183616PR	1,402	—
	18 x 16 x 30	450 x 400 x 762	EN_-H183016PL	1,371	—
	18 x 16 x 30	450 x 400 x 762	EN_-H183016PR	1,371	—
	18 x 16 x 24	450 x 400 x 609	EN_-H182416PL	1,335	—
	18 x 16 x 24	450 x 400 x 609	EN_-H182416PR	1,335	—
Specify the handle code (Q, V). Specify the accent color (A, S).					

Cabinets with laminate doors, 13" D 	<i>Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 13 x 48	900 x 325 x 1219	EN_-H364813P	1,780	—
	36 x 13 x 36	900 x 325 x 914	EN_-H363613P	1,732	—
	36 x 13 x 30	900 x 325 x 762	EN_-H363013P	1,690	—
	36 x 13 x 24	900 x 325 x 609	EN_-H362413P	1,654	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					










48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.








	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Cabinets with laminate door, 13" D					
	<i>Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	24 x 13 x 48	600 x 325 x 1219	EN__-H244813PL	1,564	—
	24 x 13 x 48	600 x 325 x 1219	EN__-H244813PR	1,564	—
	24 x 13 x 36	600 x 325 x 914	EN__-H243613PL	1,525	—
	24 x 13 x 36	600 x 325 x 914	EN__-H243613PR	1,525	—
	24 x 13 x 30	600 x 325 x 762	EN__-H243013PL	1,482	—
	24 x 13 x 30	600 x 325 x 762	EN__-H243013PR	1,482	—
	24 x 13 x 24	600 x 325 x 609	EN__-H242413PL	1,445	—
	24 x 13 x 24	600 x 325 x 609	EN__-H242413PR	1,445	—
	18 x 13 x 48	450 x 325 x 1219	EN__-H184813PL	1,402	—
	18 x 13 x 48	450 x 325 x 1219	EN__-H184813PR	1,402	—
	18 x 13 x 36	450 x 325 x 914	EN__-H183613PL	1,371	—
	18 x 13 x 36	450 x 325 x 914	EN__-H183613PR	1,371	—
	18 x 13 x 30	450 x 325 x 762	EN__-H183013PL	1,335	—
	18 x 13 x 30	450 x 325 x 762	EN__-H183013PR	1,335	—
	18 x 13 x 24	450 x 325 x 609	EN__-H182413PL	1,306	—
	18 x 13 x 24	450 x 325 x 609	EN__-H182413PR	1,306	—
	Specify the handle code (Q, V). Specify the accent color (A, S).				








Cabinets with translucent doors, 16" D					
	<i>With Silver anodized frame doors and translucent insert. Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 16 x 48	900 x 400 x 1219	EN_S-H364816T	2,217	—
	36 x 16 x 36	900 x 400 x 914	EN_S-H363616T	2,167	—
	36 x 16 x 30	900 x 400 x 762	EN_S-H363016T	2,129	—
	36 x 16 x 24	900 x 400 x 609	EN_S-H362416T	2,087	—
	Specify the handle code (Q, V).				

Cabinets with translucent door, 16" D					
	<i>With Silver anodized frame door and translucent insert. Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	24 x 16 x 48	600 x 400 x 1219	EN_S-H244816TL	1,798	—
	24 x 16 x 48	600 x 400 x 1219	EN_S-H244816TR	1,798	—
	24 x 16 x 36	600 x 400 x 914	EN_S-H243616TL	1,760	—
	24 x 16 x 36	600 x 400 x 914	EN_S-H243616TR	1,760	—
	24 x 16 x 30	600 x 400 x 762	EN_S-H243016TL	1,716	—
	24 x 16 x 30	600 x 400 x 762	EN_S-H243016TR	1,716	—
	24 x 16 x 24	600 x 400 x 609	EN_S-H242416TL	1,676	—
	24 x 16 x 24	600 x 400 x 609	EN_S-H242416TR	1,676	—
	18 x 16 x 48	450 x 400 x 1219	EN_S-H184816TL	1,635	—
	18 x 16 x 48	450 x 400 x 1219	EN_S-H184816TR	1,635	—
	18 x 16 x 36	450 x 400 x 914	EN_S-H183616TL	1,605	—
	18 x 16 x 36	450 x 400 x 914	EN_S-H183616TR	1,605	—
	18 x 16 x 30	450 x 400 x 762	EN_S-H183016TL	1,572	—
	18 x 16 x 30	450 x 400 x 762	EN_S-H183016TR	1,572	—
	18 x 16 x 24	450 x 400 x 609	EN_S-H182416TL	1,538	—
	18 x 16 x 24	450 x 400 x 609	EN_S-H182416TR	1,538	—
	Specify the handle code (Q, V).				

Cabinets with translucent doors, 13" D					
	<i>With Silver anodized frame doors and translucent insert. Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 13 x 48	900 x 325 x 1219	EN_S-H364813T	2,184	—
	36 x 13 x 36	900 x 325 x 914	EN_S-H363613T	2,135	—
	36 x 13 x 30	900 x 325 x 762	EN_S-H363013T	2,095	—
	36 x 13 x 24	900 x 325 x 609	EN_S-H362413T	2,057	—
	Specify the handle code (Q, V).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Cabinets with translucent door, 13" D					
	<i>With Silver anodized frame door and translucent insert. Lock. To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	24 x 13 x 48	600 x 325 x 1219	EN_S-H244813TL	1,766	—
	24 x 13 x 48	600 x 325 x 1219	EN_S-H244813TR	1,766	—
	24 x 13 x 36	600 x 325 x 914	EN_S-H243613TL	1,725	—
	24 x 13 x 36	600 x 325 x 914	EN_S-H243613TR	1,725	—
	24 x 13 x 30	600 x 325 x 762	EN_S-H243013TL	1,684	—
	24 x 13 x 30	600 x 325 x 762	EN_S-H243013TR	1,684	—
	24 x 13 x 24	600 x 325 x 609	EN_S-H242413TL	1,640	—
	24 x 13 x 24	600 x 325 x 609	EN_S-H242413TR	1,640	—
	18 x 13 x 48	450 x 325 x 1219	EN_S-H184813TL	1,605	—
	18 x 13 x 48	450 x 325 x 1219	EN_S-H184813TR	1,605	—
	18 x 13 x 36	450 x 325 x 914	EN_S-H183613TL	1,572	—
	18 x 13 x 36	450 x 325 x 914	EN_S-H183613TR	1,572	—
	18 x 13 x 30	450 x 325 x 762	EN_S-H183013TL	1,538	—
	18 x 13 x 30	450 x 325 x 762	EN_S-H183013TR	1,538	—
	18 x 13 x 24	450 x 325 x 609	EN_S-H182413TL	1,506	—
	18 x 13 x 24	450 x 325 x 609	EN_S-H182413TR	1,506	—
	Specify the handle code (Q, V).				


Open cabinets, 16" D					
	<i>To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 16 x 48	900 x 400 x 1219	ENN_-H364816	1,490	—
	24 x 16 x 48	600 x 400 x 1219	ENN_-H244816	1,434	—
	18 x 16 x 48	450 x 400 x 1219	ENN_-H184816	1,274	—
	36 x 16 x 36	900 x 400 x 914	ENN_-H363616	1,445	—
	24 x 16 x 36	600 x 400 x 914	ENN_-H243616	1,395	—
	18 x 16 x 36	450 x 400 x 914	ENN_-H183616	1,242	—
	36 x 16 x 30	900 x 400 x 762	ENN_-H363016	1,402	—
	24 x 16 x 30	600 x 400 x 762	ENN_-H243016	1,355	—
	18 x 16 x 30	450 x 400 x 762	ENN_-H183016	1,211	—
	36 x 16 x 24	900 x 400 x 609	ENN_-H362416	1,364	—
	24 x 16 x 24	600 x 400 x 609	ENN_-H242416	1,317	—
	18 x 16 x 24	450 x 400 x 609	ENN_-H182416	1,176	—
	Specify the accent color (A, S).				

Open cabinets, 13" D					
	<i>To be used with the Laminate hanging system (sold separately). 1 tone only.</i>				
	36 x 13 x 48	900 x 325 x 1219	ENN_-H364813	1,475	—
	24 x 13 x 48	600 x 325 x 1219	ENN_-H244813	1,419	—
	18 x 13 x 48	450 x 325 x 1219	ENN_-H184813	1,256	—
	36 x 13 x 36	900 x 325 x 914	ENN_-H363613	1,426	—
	24 x 13 x 36	600 x 325 x 914	ENN_-H243613	1,379	—
	18 x 13 x 36	450 x 325 x 914	ENN_-H183613	1,225	—
	36 x 13 x 30	900 x 325 x 762	ENN_-H363013	1,384	—
	24 x 13 x 30	600 x 325 x 762	ENN_-H243013	1,335	—
	18 x 13 x 30	450 x 325 x 762	ENN_-H183013	1,193	—
	36 x 13 x 24	900 x 325 x 609	ENN_-H362413	1,345	—
	24 x 13 x 24	600 x 325 x 609	ENN_-H242413	1,298	—
	18 x 13 x 24	450 x 325 x 609	ENN_-H182413	1,161	—
	Specify the accent color (A, S).				

SHELVINGS

Thermofused laminate frame. Levelers with 1½" (38 mm) height adjustment. Shelves: 18-gauge steel, Anthracite grey paint, load capacity 150 lbs (86 kg). Anti-tip shelves can be individually positioned flat or angled at 45° for display. Shelves are packaged separately.

Single-sided shelvings – open back



Starter Add-on

84" H:
5 adjustable shelves.
72" H:
4 adjustable shelves.
60" H:
3 adjustable shelves.

Single-faced shelvings must be anchored to a wall for safety and stability.

Starter


37 x 14 x 84	925 x 344 x 2130	E5NN-BOS1484	2,029	–
37 x 14 x 72	925 x 344 x 1825	E5NN-BOS1472	1,838	–
37 x 14 x 60	925 x 344 x 1520	E5NN-BOS1460	1,612	–

Add-on

Height must be equal to the starter unit.

36 x 14 x 84	900 x 344 x 2130	E5NN-BOA1484	1,869	–
36 x 14 x 72	900 x 344 x 1825	E5NN-BOA1472	1,669	–
36 x 14 x 60	900 x 344 x 1520	E5NN-BOA1460	1,419	–

Single-sided shelvings – closed back



Starter Add-on

84" H:
5 adjustable shelves.
72" H:
4 adjustable shelves.
60" H:
3 adjustable shelves.
48" H-42" H:
2 adjustable shelves.

Single-faced shelvings must be anchored to a wall for safety and stability.

Starter


37 x 14 x 84	925 x 344 x 2130	E5NN-BCS1484	2,241	–
37 x 14 x 72	925 x 344 x 1825	E5NN-BCS1472	2,038	–
37 x 14 x 60	925 x 344 x 1520	E5NN-BCS1460	1,766	–
37 x 14 x 48	925 x 344 x 1215	E5NN-BCS1448	1,395	–
37 x 14 x 42	925 x 344 x 1063	E5NN-BCS1442	1,274	–

Add-on

Height must be equal to the starter unit.

36 x 14 x 84	900 x 344 x 2130	E5NN-BCA1484	2,029	–
36 x 14 x 72	900 x 344 x 1825	E5NN-BCA1472	1,814	–
36 x 14 x 60	900 x 344 x 1520	E5NN-BCA1460	1,530	–
36 x 14 x 48	900 x 344 x 1215	E5NN-BCA1448	1,256	–
36 x 14 x 42	900 x 344 x 1063	E5NN-BCA1442	1,176	–

Double-sided shelvings – open back



Starter Add-on

84" H:
10 adjustable shelves.
72" H:
8 adjustable shelves.
60" H:
6 adjustable shelves.

Starter


37 x 26 x 84	925 x 665 x 2130	E5NN-BOS2684	3,449	–
37 x 26 x 72	925 x 665 x 1825	E5NN-BOS2672	3,030	–
37 x 26 x 60	925 x 665 x 1520	E5NN-BOS2660	2,614	–

Add-on

Height must be equal to the starter unit.

36 x 26 x 84	900 x 665 x 2130	E5NN-BOA2684	3,089	–
36 x 26 x 72	900 x 665 x 1825	E5NN-BOA2672	2,724	–
36 x 26 x 60	900 x 665 x 1520	E5NN-BOA2660	2,362	–

Double-sided shelvings – closed back



Starter

Add-on

84" H:
10 adjustable shelves.
72" H:
8 adjustable shelves.
60" H:
6 adjustable shelves.
48" H-42" H:
4 adjustable shelves.

Starter


37 x 26 x 84	925 x 665 x 2130	E5NN-BCS2684	3,561	–
37 x 26 x 72	925 x 665 x 1825	E5NN-BCS2672	3,143	–
37 x 26 x 60	925 x 665 x 1520	E5NN-BCS2660	2,668	–
37 x 26 x 48	925 x 665 x 1215	E5NN-BCS2648	2,257	–
37 x 26 x 42	925 x 665 x 1063	E5NN-BCS2642	2,144	–

Add-on

Height must be equal to the starter unit.

36 x 26 x 84	900 x 665 x 2130	E5NN-BCA2684	3,199	–
36 x 26 x 72	900 x 665 x 1825	E5NN-BCA2672	2,819	–
36 x 26 x 60	900 x 665 x 1520	E5NN-BCA2660	2,401	–
36 x 26 x 48	900 x 665 x 1215	E5NN-BCA2648	1,983	–
36 x 26 x 42	900 x 665 x 1063	E5NN-BCA2642	1,882	–


Additional shelf



Anthracite grey 18-gauge steel with anti-tip device. Shelf can be positioned flat or angled for display.

35 x 12 x 2	873 x 308 x 51	ENNN-BSHM	160	–
-------------	----------------	-----------	-----	---

Wire supports for books



Steel. Installs under the shelves.

Package of 2.

8 ½ x 13 x 9	210 x 330 x 225	ENNN-BDIVM2	136	–
--------------	-----------------	-------------	-----	---

Package of 10.

8 ½ x 13 x 9	210 x 330 x 225	ENNN-BDIVM10	410	–
--------------	-----------------	--------------	-----	---

Mobile book cart



2 double-faced slanted shelves. 1 fixed flat shelf. 4 swivel casters, 2 with brakes. Lower and middle shelf clearance 10 13/16".


30 x 18 x 36	750 x 450 x 911	ENN-MA183036	1,882	–
--------------	-----------------	--------------	-------	---

Specify the accent color (A, S).

CIRCULATION DESKS – 39" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2839) may be required to complete a circulation desk layout.

Rectangular counters



Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.


84" to 78": Packaged in 2 boxes.

84 x 28 x 39	2100 x 700 x 987	E_N_-G288439	1,445	1,669
78 x 28 x 39	1950 x 700 x 987	E_N_-G287839	1,402	1,628
72 x 28 x 39	1800 x 700 x 987	E_N_-G287239	1,355	1,572
66 x 28 x 39	1650 x 700 x 987	E_N_-G286639	1,329	1,538
60 x 28 x 39	1500 x 700 x 987	E_N_-G286039	1,306	1,518
54 x 28 x 39	1350 x 700 x 987	E_N_-G285439	1,274	1,475
48 x 28 x 39	1200 x 700 x 987	E_N_-G284839	1,249	1,452
42 x 28 x 39	1050 x 700 x 987	E_N_-G284239	1,219	1,411
36 x 28 x 39	900 x 700 x 987	E_N_-G283639	1,193	1,384

Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

84 x 28 x 39½	2100 x 700 x 1000	E_N_-G288439	1,538	1,780
78 x 28 x 39½	1950 x 700 x 1000	E_N_-G287839	1,499	1,738
72 x 28 x 39½	1800 x 700 x 1000	E_N_-G287239	1,467	1,702
66 x 28 x 39½	1650 x 700 x 1000	E_N_-G286639	1,426	1,660
60 x 28 x 39½	1500 x 700 x 1000	E_N_-G286039	1,395	1,612
54 x 28 x 39½	1350 x 700 x 1000	E_N_-G285439	1,345	1,564
48 x 28 x 39½	1200 x 700 x 1000	E_N_-G284839	1,322	1,530
42 x 28 x 39½	1050 x 700 x 1000	E_N_-G284239	1,289	1,499
36 x 28 x 39½	900 x 700 x 1000	E_N_-G283639	1,264	1,467


Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bow front counters 	84 x 31 x 39	2100 x 775 x 987	E_N_-G288439A	1,669	1,934
	78 x 31 x 39	1950 x 775 x 987	E_N_-G287839A	1,628	1,892
	72 x 31 x 39	1800 x 775 x 987	E_N_-G287239A	1,572	1,829
	66 x 31 x 39	1650 x 775 x 987	E_N_-G286639A	1,538	1,780
	60 x 31 x 39	1500 x 775 x 987	E_N_-G286039A	1,518	1,760
	54 x 31 x 39	1350 x 775 x 987	E_N_-G285439A	1,475	1,709
	48 x 31 x 39	1200 x 775 x 987	E_N_-G284839A	1,452	1,676
	42 x 31 x 39	1050 x 775 x 987	E_N_-G284239A	1,411	1,635
	36 x 31 x 39	900 x 775 x 987	E_N_-G283639A	1,384	1,605
	Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

Surface grommet option, add H at the end of the code.
84" to 48": 2 grommets.
42" to 36": 1 grommet.
84" to 78": Packaged in 2 boxes.

84 x 31 x 39½	2100 x 775 x 1000	E_N_-G288439A	1,780	2,071
78 x 31 x 39½	1950 x 775 x 1000	E_N_-G287839A	1,738	2,022
72 x 31 x 39½	1800 x 775 x 1000	E_N_-G287239A	1,702	1,974
66 x 31 x 39½	1650 x 775 x 1000	E_N_-G286639A	1,660	1,918
60 x 31 x 39½	1500 x 775 x 1000	E_N_-G286039A	1,612	1,869
54 x 31 x 39½	1350 x 775 x 1000	E_N_-G285439A	1,564	1,821
48 x 31 x 39½	1200 x 775 x 1000	E_N_-G284839A	1,530	1,772
42 x 31 x 39½	1050 x 775 x 1000	E_N_-G284239A	1,499	1,738
36 x 31 x 39½	900 x 775 x 1000	E_N_-G283639A	1,467	1,702

Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Reception desks 	<i>9" (228 mm) deep transaction shelf. Grommet.</i>				
	84 x 28 x 39	2100 x 700 x 987	E_N_-GS2884H	1,654	1,869
	78 x 28 x 39	1950 x 700 x 987	E_N_-GS2878H	1,612	1,829
	72 x 28 x 39	1800 x 700 x 987	E_N_-GS2872H	1,572	1,780
	66 x 28 x 39	1650 x 700 x 987	E_N_-GS2866H	1,546	1,749
	60 x 28 x 39	1500 x 700 x 987	E_N_-GS2860H	1,525	1,725
	54 x 28 x 39	1350 x 700 x 987	E_N_-GS2854H	1,490	1,684
	48 x 28 x 39	1200 x 700 x 987	E_N_-GS2848H	1,467	1,660
	42 x 28 x 39	1050 x 700 x 987	E_N_-GS2842H	1,445	1,621
	36 x 28 x 39	900 x 700 x 987	E_N_-GS2836H	1,411	1,597


84" to 48": 2 grommets.
42" to 36": 1 grommet.
84" to 54": Packaged in 2 boxes.

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 28 x 39½	2100 x 700 x 1000	E_N_-GS2884H	1,749	1,983
78 x 28 x 39½	1950 x 700 x 1000	E_N_-GS2878H	1,709	1,942
72 x 28 x 39½	1800 x 700 x 1000	E_N_-GS2872H	1,676	1,904
66 x 28 x 39½	1650 x 700 x 1000	E_N_-GS2866H	1,635	1,863
60 x 28 x 39½	1500 x 700 x 1000	E_N_-GS2860H	1,605	1,814
54 x 28 x 39½	1350 x 700 x 1000	E_N_-GS2854H	1,564	1,772
48 x 28 x 39½	1200 x 700 x 1000	E_N_-GS2848H	1,538	1,738
42 x 28 x 39½	1050 x 700 x 1000	E_N_-GS2842H	1,518	1,709
36 x 28 x 39½	900 x 700 x 1000	E_N_-GS2836H	1,482	1,676

Specify the surface type (5, 6). Specify the accent color (A, S).

Reception desks, bow transaction shelf



84" to 48": 2 grommets.
42" to 36": 1 grommet.
84" to 54": Packaged in 2 boxes.

13" (330 mm) deep bow front transaction shelf. Grommet.				
84 x 31 x 39	2100 x 775 x 987	E_N_-GS2884AH	1,772	2,008
78 x 31 x 39	1950 x 775 x 987	E_N_-GS2878AH	1,732	1,967
72 x 31 x 39	1800 x 775 x 987	E_N_-GS2872AH	1,690	1,918
66 x 31 x 39	1650 x 775 x 987	E_N_-GS2866AH	1,669	1,877
60 x 31 x 39	1500 x 775 x 987	E_N_-GS2860AH	1,635	1,847
54 x 31 x 39	1350 x 775 x 987	E_N_-GS2854AH	1,605	1,814
48 x 31 x 39	1200 x 775 x 987	E_N_-GS2848AH	1,572	1,780
42 x 31 x 39	1050 x 775 x 987	E_N_-GS2842AH	1,546	1,738
36 x 31 x 39	900 x 775 x 987	E_N_-GS2836AH	1,525	1,709


Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 31 x 39½	2100 x 775 x 1000	E_N_-GS2884AH	1,877	2,129
78 x 31 x 39½	1950 x 775 x 1000	E_N_-GS2878AH	1,838	2,087
72 x 31 x 39½	1800 x 775 x 1000	E_N_-GS2872AH	1,806	2,047
66 x 31 x 39½	1650 x 775 x 1000	E_N_-GS2866AH	1,766	1,988
60 x 31 x 39½	1500 x 775 x 1000	E_N_-GS2860AH	1,725	1,950
54 x 31 x 39½	1350 x 775 x 1000	E_N_-GS2854AH	1,684	1,910
48 x 31 x 39½	1200 x 775 x 1000	E_N_-GS2848AH	1,660	1,869
42 x 31 x 39½	1050 x 775 x 1000	E_N_-GS2842AH	1,621	1,838
36 x 31 x 39½	900 x 775 x 1000	E_N_-GS2836AH	1,597	1,806

Specify the surface type (5, 6). Specify the accent color (A, S).

CIRCULATION DESKS – 29" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2829) may be required to complete a circulation desk layout.

Rectangular counters 	84 x 28 x 29	2100 x 700 x 735	E_N_-G288429	1,379	1,597
	78 x 28 x 29	1950 x 700 x 735	E_N_-G287829	1,335	1,557
	72 x 28 x 29	1800 x 700 x 735	E_N_-G287229	1,306	1,518
	66 x 28 x 29	1650 x 700 x 735	E_N_-G286629	1,274	1,475
	60 x 28 x 29	1500 x 700 x 735	E_N_-G286029	1,249	1,452
	54 x 28 x 29	1350 x 700 x 735	E_N_-G285429	1,219	1,411
	48 x 28 x 29	1200 x 700 x 735	E_N_-G284829	1,193	1,384
	42 x 28 x 29	1050 x 700 x 735	E_N_-G284229	1,169	1,345
	36 x 28 x 29	900 x 700 x 735	E_N_-G283629	1,138	1,322
	Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

Surface grommet option, add H at the end of the code.
84" to 48": 2 grommets.
42" to 36": 1 grommet.

Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

84 x 28 x 29½	2100 x 700 x 748	E_N_-G288429	1,475	1,709
78 x 28 x 29½	1950 x 700 x 748	E_N_-G287829	1,445	1,669
72 x 28 x 29½	1800 x 700 x 748	E_N_-G287229	1,402	1,628
66 x 28 x 29½	1650 x 700 x 748	E_N_-G286629	1,371	1,585
60 x 28 x 29½	1500 x 700 x 748	E_N_-G286029	1,329	1,538
54 x 28 x 29½	1350 x 700 x 748	E_N_-G285429	1,289	1,499
48 x 28 x 29½	1200 x 700 x 748	E_N_-G284829	1,264	1,467
42 x 28 x 29½	1050 x 700 x 748	E_N_-G284229	1,242	1,445
36 x 28 x 29½	900 x 700 x 748	E_N_-G283629	1,211	1,402

Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
 Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.	Bow front counters	84 x 31 x 29	2100 x 775 x 735	E_N_-G288429A	1,597 1,847
		78 x 31 x 29	1950 x 775 x 735	E_N_-G287829A	1,557 1,806
		72 x 31 x 29	1800 x 775 x 735	E_N_-G287229A	1,518 1,760
		66 x 31 x 29	1650 x 775 x 735	E_N_-G286629A	1,475 1,709
		60 x 31 x 29	1500 x 775 x 735	E_N_-G286029A	1,452 1,676
		54 x 31 x 29	1350 x 775 x 735	E_N_-G285429A	1,411 1,635
		48 x 31 x 29	1200 x 775 x 735	E_N_-G284829A	1,384 1,605
		42 x 31 x 29	1050 x 775 x 735	E_N_-G284229A	1,345 1,564
		36 x 31 x 29	900 x 775 x 735	E_N_-G283629A	1,322 1,530
		Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.			

	84 x 31 x 29½	2100 x 775 x 748	E_N_-G288429A	1,709	1,983
	78 x 31 x 29½	1950 x 775 x 748	E_N_-G287829A	1,669	1,934
	72 x 31 x 29½	1800 x 775 x 748	E_N_-G287229A	1,628	1,892
	66 x 31 x 29½	1650 x 775 x 748	E_N_-G286629A	1,585	1,838
	60 x 31 x 29½	1500 x 775 x 748	E_N_-G286029A	1,538	1,780
	54 x 31 x 29½	1350 x 775 x 748	E_N_-G285429A	1,499	1,738
	48 x 31 x 29½	1200 x 775 x 748	E_N_-G284829A	1,467	1,702
	42 x 31 x 29½	1050 x 775 x 748	E_N_-G284229A	1,445	1,669
	36 x 31 x 29½	900 x 775 x 748	E_N_-G283629A	1,402	1,628
	Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

End panels	1 panel. Reversible. Required to cover unused openings or to complete a circulation desk layout.				
	1 x 28 x 42	25 x 700 x 1065	ENNN-GFP2839	347	—
	1 x 28 x 32	25 x 700 x 815	ENNN-GFP2829	323	—

ADA rectangular counters, 32" H	No wire access on side panel.				
	36 x 28 x 32	900 x 700 x 813	E_NN-G283632	912	1,054
	Specify the surface type (1, 2).				
	36 x 28 x 32½	900 x 700 x 826	E_NN-G283632	960	1,114
	Specify the surface type (5, 6).				

ADA bow front counters, 32" H	No wire access on side panel.				
	36 x 31 x 32	900 x 775 x 813	E_NN-G283632A	1,047	1,193
	Specify the surface type (1, 2).				
	36 x 31 x 32½	900 x 775 x 826	E_NN-G283632A	1,096	1,249
	Specify the surface type (5, 6).				

Corner bookcase units, 39" H	2 adjustable shelves. No wire access on side panel.				
	28 x 28 x 39	700 x 700 x 987	E1NN-GB282839	1,317	—
	1" (25 mm) thick laminate top.				
	28 x 28 x 39½	700 x 700 x 1000	E5NN-GB282839	1,371	—
	1½" (38 mm) thick laminate top.				

Corner bookcase units, 29" H	1 adjustable shelf. No wire access on side panel.				
	28 x 28 x 29	700 x 700 x 735	E1NN-GB282829	1,127	—
	1" (25 mm) thick laminate top.				
	28 x 28 x 29½	700 x 700 x 748	E5NN-GB282829	1,182	—
	1½" (38 mm) thick laminate top.				

CIRCULATION DESK STORAGE UNITS — 39" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2839) may be required to complete a circulation desk layout.

Bookcase units with doors	Bookcase with doors, 2 adjustable shelves. Lock.				
	36 x 28 x 39	900 x 700 x 987	E____-G283639B	1,780	1,863
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-G283639B	1,869	1,942
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Combined storage units	2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.				
	36 x 28 x 39	900 x 700 x 987	E____-G283639T	2,095	2,175
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-G283639T	2,184	2,281
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Combined storage units	2 box drawers. 2 lateral file drawers with suspension bars. Interlock system. Locks.				
	36 x 28 x 39	900 x 700 x 987	E____-G283639U	2,706	2,819
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-G283639U	2,749	2,878
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				


Open combined storage units	1 open storage: 33⅜" W x 23" D x 9¾" H (847 x 582 x 248 mm). 3 box drawers. 1 lateral file drawer with suspension bars. Locks.				
	36 x 28 x 39	900 x 700 x 987	E____-GC283639	2,812	2,934
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-GC283639	2,869	2,991
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Open lateral file units	1 open storage: 33⅜" W x 23" D x 9¾" H (847 x 582 x 248 mm). 2 lateral file drawers with suspension bars. Interlock system. Lock.				
	36 x 28 x 39	900 x 700 x 987	E____-GL283639	2,087	2,191
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-GL283639	2,129	2,257
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Storage units with drawers	4 utility drawers. Interlock system. Lock.				
	36 x 28 x 39	900 x 700 x 987	E____-GU283639	2,531	2,577
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E____-GU283639	2,644	2,706
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bookcase units	<i>2 adjustable shelves.</i>				
	36 x 28 x 39	900 x 700 x 987	E_NN-GB283639	1,546	1,660
	Specify the surface type (1, 2).				
	36 x 28 x 39½	900 x 700 x 1000	E_NN-GB283639	1,597	1,725
	Specify the surface type (5, 6).				


Lateral file units	<i>1 box drawer. 2 lateral file drawers with suspension bars. Interlock system. Lock.</i>				
	36 x 28 x 39	900 x 700 x 987	E_--_-GW283639	2,566	2,662
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	E_--_-GW283639	2,676	2,787
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				


Book return units	<i>Book slot opening: 14" W x 4" H (355 x 102 mm). Interior space: 33¼" W x 23" D x 37" H (847 x 940 mm).</i>				
	36 x 28 x 39	900 x 700 x 987	E_NN-GD283639	1,329	1,525
	Specify the surface type (1, 2).				
	36 x 28 x 39½	900 x 700 x 1000	E_NN-GD283639	1,402	1,605
	Specify the surface type (5, 6).				

Depressible book cart	<i>4 swivel casters, 2 with brakes. 1 tone only.</i>				
	31 x 22 x 29½	790 x 560 x 749	ENNN-GDBOX30	2,918	—

CIRCULATION DESK STORAGE UNITS – 29" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2829) may be required to complete a circulation desk layout.


Bookcase units with doors	<i>1 adjustable shelf. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E_--_-G283629B	1,525	1,585
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	E_--_-G283629B	1,597	1,660
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Combined storage units	<i>2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.</i>				
	36 x 28 x 29	900 x 700 x 735	E_--_-G283629T	1,918	1,988
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	E_--_-G283629T	2,008	2,087
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				


Combined storage units	<i>3 box drawers. 1 lateral file drawer with suspension bars. Locks.</i>				
	36 x 28 x 29	900 x 700 x 735	E_--_-GC283629	2,539	2,662
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	E_--_-GC283629	2,594	2,716
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral file units	<i>2 lateral file drawers with suspension bars. Interlock system. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E_--_-GL283629	1,814	1,934
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	E_--_-GL283629	1,869	1,983
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Storage units with drawers	<i>4 utility drawers. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E_--_-GU283629	2,401	2,514
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	E_--_-GU283629	2,449	2,577
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Bookcase units	<i>1 adjustable shelf.</i>				
	36 x 28 x 29	900 x 700 x 735	E_NN-GB283629	1,395	1,490
	Specify the surface type (1, 2).				
	36 x 28 x 29½	900 x 700 x 748	E_NN-GB283629	1,445	1,546
	Specify the surface type (5, 6).				


BENCHES

Rectangular laminate benches	<i>Open storage space. Silver anodized aluminum feet. Can accommodate a cushion, order separately.</i>				
	48 x 20 x 20	1200 x 500 x 508	E1NS-BCH2048	831	—
	36 x 20 x 20	900 x 500 x 508	E1NS-BCH2036	779	—
	24 x 20 x 20	600 x 500 x 508	E1NS-BCH2024	669	—
Corner laminate bench	<i>Open storage space. Silver anodized aluminum feet. Must be attached to a rectangular laminate bench (E1NS-BCH20_). </i>				
	20 x 20 x 20	500 x 500 x 508	E1NS-BQR2020	638	—


Laminate magazine table	<i>Open storage space. Silver anodized aluminum feet.</i>				
	36 x 36 x 20	900 x 900 x 508	E1NS-STR3620	1,047	—

Cushions	<i>Installs on rectangular benches seat with Velcro. These prices are applicable for United Chair® Grade 1 and 2 standard fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25% and Grade 6: 30%.</i>				
	48 x 20 x 1½	1200 x 500 x 35	ENNN-CU2048	686	—
	36 x 20 x 1½	900 x 500 x 35	ENNN-CU2036	517	—
	24 x 20 x 1½	600 x 500 x 35	ENNN-CU2024	372	—
All United Chair® standard fabrics, vinyls and leathers are available to coordinate on cushions.					
Specify the fabric code after the product code.					


LOCKERS

Storage cubbies with doors	<i>1 adjustable shelf. 8 hooks for clothes. Locks. Levelers with 1½" (38 mm) height adjustment. Single-faced shelvings must be anchored to a wall for safety and stability.</i>				
	36 x 15 x 84	900 x 375 x 2130	E1_--_-L153684P	2,577	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open storage cubbies	<i>8 hooks for clothes. Levelers with 1½" (38 mm) height adjustment.</i>				
	36 x 15 x 60	900 x 375 x 1520	E1NN-L153660	1,974	—




Athletic lockers	<i>Open storage space. 1 door. 1½" (38 mm) thick integrated seat in thermofused laminate or high-pressure laminate. 2 hooks for clothes. Lock attachment included. Levelers with 1½" (38 mm) height adjustment. 1 tone only.</i>				
	Starter				
	25 x 24 x 72	625 x 600 x 1825	E_N_-OLS2572P	2,199	2,291
	Add-on				
	24 x 24 x 72	600 x 600 x 1825	E_N_-OLA2472P	1,786	1,847
	Specify the surface type (5,6). Specify the accent color (A, S).				




ACCESSORIES


Electrical/ communication module	<i>Includes two electrical outlets. Can accommodate the couplers listed on page 177 of the Lacasse general list. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.</i>				
	8¼ x 4¾ x 3	212 x 110 x 75	LGC-PC2P	563	—



Removable electrical/ communication module	<i>3 electrical outlets. Can accommodate the couplers listed on page 177 of the Lacasse general list. 72" cord included. Silver anodized aluminum. UL and CUL certified.</i>				
	10 x 5½ x 3	255 x 140 x 75	LGC-PCS	498	—



Sliding keyboard trays	<i>Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.</i>				
	28¾ x 15 x 3½	721 x 381 x 89	LGC-SKD27	283	—




Horizontal wire channels	<i>Self-adhesive. Installs under the surface. Supports most power bars. Specify the plastic finish S Silver or A Anthracite grey.</i>				
	20 x 2¼ x 3¼	500 x 70 x 80	LGC-HWMC24_	110	—
	44 x 2¼ x 3¼	1100 x 70 x 80	LGC-HWMC48_	136	—
	68 x 2¼ x 3¼	1700 x 70 x 80	LGC-HWMC72_	160	—




CPU holder	<i>Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.</i>				
	5½ x 10 x 15	140 x 250 x 375	LGC-CCPU	235	—



Flush plates	<i>To link and level two surfaces. Package of 10. Black metal.</i>				
	7 x 1½ x ¼	175 x 38 x 3	LGC-FLP	89	—



Protective rubber bumpers	<i>For mobile units. Package of 4. Grey.</i>				
	3¾ x 3¾ x 1	76 x 76 x 25	LGC-BUMP	89	—



ELECTRIFICATION

Duplex receptacles	<i>2 outlets. Black. Mounting bracket included.</i>				
	5½ x 1 x 5¾	142 x 25 x 146	LGC-4DUPLXC_	168	—
	Specify circuit number at the end of the code (1, 2).				








Universal pass cables	<i>Connects 2 duplex receptacles.</i>				
	18	457	LGC-PASS18	168	—
	36	914	LGC-PASS36	193	—
	54	1372	LGC-PASS54	217	—
	72	1829	LGC-PASS72	242	—



Electrical feeds	<i>72" (1829 mm) cable or 60" (1524 mm) long cable. Must be installed by an electrician.</i>				
	60	1524	LGC-FFEE60	314	—
	72	1829	LGC-FFEE72	316	—



2-TONE APPLICATION

TYPICAL TWO-TONE APPLICATION	SPECIFIC TWO-TONE APPLICATION			
ALL PRODUCTS	LECTERN-DESKS	CPU TABLES	CIRCULATION DESKS	SHELVINGS
				
The first finish specified will be applied to the top/surface of the unit. The second finish specified will be applied to the rest of the unit.	The first finish specified will be applied to the lectern top, front, base and drawers or doors of the unit. The second finish specified will be applied to the rest of the unit.	The first finish specified will be applied to the work surface of the unit. The second finish specified will be applied to the rest of the unit.	The first finish specified will be applied to the work surface and to the bottom portion of the modesty. The second finish specified will be applied to the rest of the unit.	The first finish specified will be applied to the top, base and back of the unit. The second finish specified will be applied to the rest of the unit.

TYPICAL WOOD GRAIN DIRECTION FOR THINK SMART EDUCATIONAL FURNITURE

